

Package ‘bit’

July 2, 2014

Type Package

Title A class for vectors of 1-bit booleans

Version 1.1-12

Date 2012-01-17

Author Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

Maintainer Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

Depends R (>= 2.9.2)

Description bitmapped vectors of booleans (no NAs), coercion from and to logicals, integers and integer subscripts; fast boolean operators and fast summary statistics.

With 'bit' vectors you can store true binary booleans {FALSE,TRUE} at the expense of 1 bit only, on a 32 bit architecture this means factor 32 less RAM and ~ factor 32 more speed on boolean operations. Due to overhead of R calls, actual speed gain depends on the size of the vector: expect gains for vectors of size > 10000 elements. Even for one-time boolean operations it can pay-off to convert to bit, the pay-off is obvious, when such components are used more than once.

Reading from and writing to bit is approximately as fast as accessing standard logicals - mostly due to R's time for memory allocation. The package allows to work with pre-allocated memory for return values by calling .Call() directly: when evaluating the speed of C-access with pre-allocated vector memory, copying from bit to logical requires only 70% of the time for copying from logical to logical; and copying from logical to bit comes at a performance penalty of 150%. the package now contains further classes for representing logical selections: 'bitwhich' for very skewed selections and 'ri' for selecting ranges of values for chunked processing. All three index classes can be used for subsetting 'ff' objects (ff-2.1-0 and higher).

License GPL-2

LazyLoad yes

ByteCompile yes

Encoding latin1

URL <http://ff.r-forge.r-project.org/>

NeedsCompilation yes

Repository CRAN

Date/Publication 2014-04-09 09:54:10

R topics documented:

bit-package	3
as.bit	8
as.bitwhich	9
as.logical.bit	10
as.which	11
bbatch	13
bitwhich	14
bit_init	15
c.bit	16
chunk	16
clone	18
Extract	19
intrle	21
is.bit	22
is.sorted	23
length.bit	24
LogicBit	26
physical	29
ramsort	30
regtest.bit	32
repeat.time	33
repfromto	34
ri	35
rlepack	36
setattributes	37
Summary	39
unattr	42
vecseq	43

Index	45
--------------	-----------

Description

Package 'bit' provides bitmapped vectors of booleans (no NAs), coercion from and to logicals, integers and integer subscripts; fast boolean operators and fast summary statistics.

With bit vectors you can store true binary booleans {FALSE,TRUE} at the expense of 1 bit only, on a 32 bit architecture this means factor 32 less RAM and factor 32 more speed on boolean operations. With this speed gain it even pays-off to convert to bit in order to avoid a single boolean operation on logicals or a single set operation on (longer) integer subscripts, the pay-off is dramatic when such components are used more than once.

Reading from and writing to bit is approximately as fast as accessing standard logicals - mostly due to R's time for memory allocation. The package allows to work with pre-allocated memory for return values by calling `.Call()` directly: when evaluating the speed of C-access with pre-allocated vector memory, coping from bit to logical requires only 70% of the time for copying from logical to logical; and copying from logical to bit comes at a performance penalty of 150%.

Since bit objects cannot be used as subscripts in R, a second class 'bitwhich' allows to store selections as efficiently as possible with standard R types. This is usefull either to represent parts of bit objects or to represent very asymmetric selections.

Class 'ri' (range index) allows to select ranges of positions for chunked processing: all three classes 'bit', 'bitwhich' and 'ri' can be used for subsetting 'ff' objects (ff-2.1.0 and higher).

Usage

```
bit(length)
## S3 method for class 'bit'
print(x, ...)
```

Arguments

length	length of vector in bits
x	a bit vector
...	further arguments to print

Details

Package:	bit
Type:	Package
Version:	1.1.0
Date:	2012-06-05

License: GPL-2
 LazyLoad: yes
 Encoding: latin1

Index:

bit function	bitwhich function	ri function	see also	description
.BITS			globalenv	variable holding number of bits on
bit_init			.First.lib	initially allocate bit-masks (done in
bit_done			.Last.lib	finally de-allocate bit-masks (done in
bit	bitwhich	ri	logical	create bit object
print.bit	print.bitwhich	print.ri	print	print bit vector
length.bit	length.bitwhich	length.ri	length	get length of bit vector
length<-.bit	length<-.bitwhich		length<-	change length of bit vector
c.bit	c.bitwhich		c	concatenate bit vectors
is.bit	is.bitwhich	is.ri	is.logical	test for bit class
as.bit	as.bitwhich		as.logical	generically coerce to bit or bitwhich
as.bit.logical	as.bitwhich.logical		logical	coerce logical to bit vector (FALSE to 0)
as.bit.integer	as.bitwhich.integer		integer	coerce integer to bit vector (0 => FALSE)
as.bit.double	as.bitwhich.double		double	coerce double to bit vector (0 => FALSE)
as.double.bit	as.double.bitwhich	as.double.ri	as.double	coerce bit vector to double (0/1)
as.integer.bit	as.integer.bitwhich	as.integer.ri	as.integer	coerce bit vector to integer (0L/1L)
as.logical.bit	as.logical.bitwhich	as.logical.ri	as.logical	coerce bit vector to logical (FALSE/TRUE)
as.which.bit	as.which.bitwhich	as.which.ri	as.which	coerce bit vector to positive integer
as.bit.which	as.bitwhich.which		bitwhich	coerce integer subscripts to bit vector
as.bit.bitwhich	as.bitwhich.bitwhich		UseMethod	coerce from bitwhich
as.bit.bit	as.bitwhich.bit			coerce from bit
as.bit.ri	as.bitwhich.ri			coerce from range index
as.bit.ff			ff	coerce ff boolean to bit vector
as.ff.bit			as.ff	coerce bit vector to ff boolean
as.hi.bit	as.hi.bitwhich	as.hi.ri	as.hi	coerce to hybrid index (requires package)
as.bit.hi	as.bitwhich.hi			coerce from hybrid index (requires package)
[[.bit			[[get single bit (index checked)
[[<-.bit			[[<-	set single bit (index checked)
[.bit			[get vector of bits (unchecked)
[<-.bit			[<-	set vector of bits (unchecked)
!.bit	!.bitwhich	(works as second arg in bit and bitwhich ops)	!	boolean NOT on bit
&.bit	&.bitwhich		&	boolean AND on bit
.bit	.bitwhich			boolean OR on bit
xor.bit	xor.bitwhich		xor	boolean XOR on bit
!=.bit	!=.bitwhich		!=	boolean inequality (same as XOR)
==.bit	==.bitwhich		==	boolean equality
all.bit	all.bitwhich	all.ri	all	aggregate AND
any.bit	any.bitwhich	any.ri	any	aggregate OR
min.bit	min.bitwhich	min.ri	min	aggregate MIN (first TRUE position)
max.bit	max.bitwhich	max.ri	max	aggregate MAX (last TRUE position)
range.bit	range.bitwhich	range.ri	range	aggregate [MIN,MAX]

sum.bit	sum.bitwhich	sum.ri	sum	aggregate SUM (count of TRUE)
summary.bit	summary.bitwhich	summary.ri	tabulate	aggregate c(nFALSE, nTRUE, min)
regtest.bit				regressiontests for the package

Value

`bit` returns a vector of integer sufficiently long to store 'length' bits (but not longer) with an attribute 'n' and class 'bit'

Note

Currently operations on bit objects have some overhead from R-calls. Do expect speed gains for vectors of length ~ 10000 or longer.

Since this package was created for high performance purposes, only positive integer subscripts are allowed: The `'[.bit'` and `'[<-.bit'` methods don't check whether the subscripts are positive integers in the allowed range. All R-functions behave as expected - i.e. they do not change their arguments and create new return values. If you want to save the time for return value memory allocation, you must use `.Call` directly (see the dontrun example in [sum.bit](#)). Note that the package has not been tested under 64 bit. Note also that the mapping of NAs to TRUE differs from the mapping of NAs to FALSE in `vmode="boolean"` in package `ff` (and one of the two may change in the future).

Author(s)

Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

Maintainer: Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

See Also

[logical](#) in base R and [vmode](#) in package 'ff'

Examples

```
x <- bit(12)
x
length(x) <- 16
length(x)
x[[2]]
x[[2]] <- TRUE
x[1:2]
x[1:2] <- TRUE
as.which(x)
x <- as.bit.which(3:4, 4)
as.logical(x)
y <- as.bit(c(FALSE, TRUE, FALSE, TRUE))
is.bit(y)
!x
x & y
x | y
xor(x, y)
# create bit vector
# autoprint bit vector
# change length
# get length
# extract single element
# replace single element
# extract parts of bit vector
# replace parts of bit vector
# coerce bit to subscripts
# coerce subscripts to bit
# coerce bit to logical
# coerce logical to bit
# test for bit
# boolean NOT
# boolean AND
# boolean OR
# boolean Exclusive OR
```

```

x != y          # boolean inequality (same as xor)
x == y          # boolean equality
all(x)          # aggregate AND
any(x)          # aggregate OR
min(x)          # aggregate MIN (integer version of ALL)
max(x)          # aggregate MAX (integer version of ANY)
range(x)        # aggregate [MIN,MAX]
sum(x)          # aggregate SUM (count of TRUE)
summary(x)      # aggregate count of FALSE and TRUE

## Not run:
message("\nEven for a single boolean operation transforming logical to bit pays off")
n <- 10000000
x <- sample(c(FALSE, TRUE), n, TRUE)
y <- sample(c(FALSE, TRUE), n, TRUE)
system.time(x|y)
system.time({
  x <- as.bit(x)
  y <- as.bit(y)
})
system.time( z <- x | y )
system.time( as.logical(z) )
message("Even more so if multiple operations are needed :-)")

message("\nEven for a single set operation transforming subscripts to bit pays off\n")
n <- 10000000
x <- sample(n, n/2)
y <- sample(n, n/2)
system.time( union(x,y) )
system.time({
  x <- as.bit.which(x, n)
  y <- as.bit.which(y, n)
})
system.time( as.which.bit( x | y ) )
message("Even more so if multiple operations are needed :-)")

message("\nSome timings WITH memory allocation")
n <- 2000000
l <- sample(c(FALSE, TRUE), n, TRUE)
# copy logical to logical
system.time(for(i in 1:100){ # 0.0112
  l2 <- l
  l2[1] <- TRUE # force new memory allocation (copy on modify)
  rm(l2)
})/100
# copy logical to bit
system.time(for(i in 1:100){ # 0.0123
  b <- as.bit(l)
  rm(b)
})/100
# copy bit to logical
b <- as.bit(l)
system.time(for(i in 1:100){ # 0.009

```

```

    l2 <- as.logical(b)
    rm(l2)
  }}/100
# copy bit to bit
b <- as.bit(1)
system.time(for(i in 1:100){ # 0.009
  b2 <- b
  b2[1] <- TRUE # force new memory allocation (copy on modify)
  rm(b2)
  }}/100

l2 <- 1
# replace logical by TRUE
system.time(for(i in 1:100){
  l[] <- TRUE
  }}/100
# replace bit by TRUE (NOTE that we recycle the assignment
# value on R side == memory allocation and assignment first)
system.time(for(i in 1:100){
  b[] <- TRUE
  }}/100
# THUS the following is faster
system.time(for(i in 1:100){
  b <- !bit(n)
  }}/100

# replace logical by logical
system.time(for(i in 1:100){
  l[] <- l2
  }}/100
# replace bit by logical
system.time(for(i in 1:100){
  b[] <- l2
  }}/100
# extract logical
system.time(for(i in 1:100){
  l2[]
  }}/100
# extract bit
system.time(for(i in 1:100){
  b[]
  }}/100

message("\nSome timings WITHOUT memory allocation (Serge, that's for you)")
n <- 200000L
l <- sample(c(FALSE, TRUE), n, TRUE)
b <- as.bit(l)
# read from logical, write to logical
l2 <- logical(n)
system.time(for(i in 1:100).Call("R_filter_getset", l, l2, PACKAGE="bit")) / 100
# read from bit, write to logical
l2 <- logical(n)

```

```

system.time(for(i in 1:100).Call("R_bit_get", b, l2, c(1L, n), PACKAGE="bit")) / 100
# read from logical, write to bit
system.time(for(i in 1:100).Call("R_bit_set", b, l2, c(1L, n), PACKAGE="bit")) / 100

```

```
## End(Not run)
```

as.bit

Coercing to bit

Description

Coercing to bit vector

Usage

```

as.bit(x, ...)
## S3 method for class 'bit'
as.bit(x, ...)
## S3 method for class 'logical'
as.bit(x, ...)
## S3 method for class 'integer'
as.bit(x, ...)
## S3 method for class 'bitwhich'
as.bit(x, ...)
## S3 method for class 'which'
as.bit(x, length, ...)
## S3 method for class 'ri'
as.bit(x, ...)

```

Arguments

x	an object of class <code>bit</code> , <code>logical</code> , <code>integer</code> , <code>bitwhich</code> or an integer from <code>as.which</code> or a boolean <code>ff</code>
length	the length of the new bit vector
...	further arguments

Details

Coercing to bit is quite fast because we use a double loop that fixes each word in a processor register

Value

`is.bit` returns FALSE or TRUE, `as.bit` returns a vector of class 'bit'

Note

Zero is coerced to FALSE, all other numbers including NA are coerced to TRUE. This differs from the NA-to-FALSE coercion in package `ff` and may change in the future.

Author(s)

Jens Oehlschlägel

See Also[bit](#), [as.logical](#)**Examples**

```
x <- as.bit(c(FALSE, NA, TRUE))
as.bit(x)
as.bit.which(c(1,3,4), 12)
```

as.bitwhich

*Coercing to bitwhich***Description**

Functions to coerce to bitwhich

Usage

```
as.bitwhich(x, ...)
## S3 method for class 'bitwhich'
as.bitwhich(x, ...)
## S3 method for class 'ri'
as.bitwhich(x, ...)
## S3 method for class 'bit'
as.bitwhich(x, range=NULL, ...)
## S3 method for class 'which'
as.bitwhich(x, maxindex, ...)
## S3 method for class 'integer'
as.bitwhich(x, ...)
## S3 method for class 'double'
as.bitwhich(x, ...)
## S3 method for class 'logical'
as.bitwhich(x, ...)
```

Arguments

x	An object of class 'bitwhich', 'integer', 'logical' or 'bit' or an integer vector as resulting from 'which'
maxindex	the length of the new bitwhich vector
range	a ri or an integer vector of length==2 giving a range restriction for chunked processing
...	further arguments

Value

a value of class `bitwhich`

Author(s)

Jens Oehlschlägel

See Also

`bitwhich`, `as.bit`

Examples

```
as.bitwhich(c(FALSE, FALSE, FALSE))
as.bitwhich(c(FALSE, FALSE, TRUE))
as.bitwhich(c(FALSE, TRUE, TRUE))
as.bitwhich(c(TRUE, TRUE, TRUE))
```

as.logical.bit

Coercion from bit, bitwhich and ri to logical, integer, double

Description

Coercing from bit to logical, integer, which.

Usage

```
## S3 method for class 'bit'
as.logical(x, ...)
## S3 method for class 'bitwhich'
as.logical(x, ...)
## S3 method for class 'ri'
as.logical(x, ...)
## S3 method for class 'bit'
as.integer(x, ...)
## S3 method for class 'bitwhich'
as.integer(x, ...)
## S3 method for class 'ri'
as.integer(x, ...)
## S3 method for class 'bit'
as.double(x, ...)
## S3 method for class 'bitwhich'
as.double(x, ...)
## S3 method for class 'ri'
as.double(x, ...)
```

Arguments

x an object of class `bit`, `bitwhich` or `ri`
 ... ignored

Details

Coercion from `bit` is quite fast because we use a double loop that fixes each word in a processor register.

Value

`as.logical` returns a vector of FALSE, TRUE, `as.integer` and `as.double` return a vector of 0, 1.

Author(s)

Jens Oehlschlägel

See Also

`as.bit`, `as.which`, `as.bitwhich`, `as.ff`, `as.hi`

Examples

```
x <- ri(2, 5, 10)
y <- as.logical(x)
y
stopifnot(identical(y, as.logical(as.bit(x))))
stopifnot(identical(y, as.logical(as.bitwhich(x))))

y <- as.integer(x)
y
stopifnot(identical(y, as.integer(as.logical(x))))
stopifnot(identical(y, as.integer(as.bit(x))))
stopifnot(identical(y, as.integer(as.bitwhich(x))))

y <- as.double(x)
y
stopifnot(identical(y, as.double(as.logical(x))))
stopifnot(identical(y, as.double(as.bit(x))))
stopifnot(identical(y, as.double(as.bitwhich(x))))
```

as.which

Coercion to (positive) integer positions

Description

Coercing to something like the result of which `which`

Usage

```

as.which(x, ...)
## Default S3 method:
as.which(x, ...)
## S3 method for class 'ri'
as.which(x, ...)
## S3 method for class 'bit'
as.which(x, range = NULL, ...)
## S3 method for class 'bitwhich'
as.which(x, ...)

```

Arguments

x	an object of classes <code>bit</code> , <code>bitwhich</code> , <code>ri</code> or something on which <code>which</code> works
range	a <code>ri</code> or an integer vector of length==2 giving a range restriction for chunked processing
...	further arguments (passed to <code>which</code> for the default method, ignored otherwise)

Details

`as.which.bit` returns a vector of subscripts with class 'which'

Value

a vector of class 'logical' or 'integer'

Author(s)

Jens Oehlschlägel

See Also

[as.bit](#), [as.logical](#), [as.integer](#), [as.which](#), [as.bitwhich](#), [as.ff](#), [as.hi](#)

Examples

```

r <- ri(5, 20, 100)
x <- as.which(r)
x

stopifnot(identical(x, as.which(as.logical(r))))
stopifnot(identical(x, as.which(as.bitwhich(r))))
stopifnot(identical(x, as.which(as.bit(r))))

```

bbatch	<i>Balanced Batch sizes</i>
--------	-----------------------------

Description

bbatch calculates batch sizes so that they have rather balanced sizes than very different sizes

Usage

```
bbatch(N, B)
```

Arguments

N	total size
B	desired batch size

Details

Tries to have $rb == 0$ or rb as close to b as possible while guaranteeing that $rb < b$ && $(b - rb) \leq \min(nb, b)$

Value

a list with components

b	the batch size
nb	the number of batches
rb	the size of the rest

Author(s)

Jens Oehlschlägel

See Also

[repsfromto](#), [ffvecapply](#)

Examples

```
bbatch(100, 24)
```

`bitwhich`*A class for vectors representing asymmetric selections*

Description

A `bitwhich` object like the result of `which` and `as.which` does represent integer subscript positions, but `bitwhich` objects represent some subscripts rather with negative integers, if this needs less space. The extreme cases of selecting all/none subscripts are represented by `TRUE/FALSE`. This needs less RAM compared to `logical` (and often less than `as.which`). Logical operations are fast if the selection is asymmetric (only few or almost all selected).

Usage

```
bitwhich(maxindex, poslength = NULL, x = NULL)
```

Arguments

<code>maxindex</code>	the length of the vector (sum of all <code>TRUE</code> s and <code>FALSE</code> s)
<code>poslength</code>	Only use if <code>x</code> is not <code>NULL</code> : the sum of all <code>TRUE</code> s
<code>x</code>	Default <code>NULL</code> or <code>FALSE</code> or unique negative integers or unique positive integers or <code>TRUE</code>

Details

class 'bitwhich' represents a boolean selection in one of the following ways

- `FALSE` to select nothing
- `TRUE` to select everything
- unique positive integers to select those
- unique negative integers to exclude those

Value

An object of class 'bitwhich' carrying two attributes

<code>maxindex</code>	see above
<code>poslength</code>	see above

Author(s)

Jens Oehlschlägel

See Also

[as.bitwhich](#), [as.which](#), [bit](#)

Examples

```
bitwhich(12, x=c(1,3), poslength=2)
bitwhich(12, x=-c(1,3), poslength=10)
```

`bit_init`*Initializing bit masks*

Description

Functions to allocate (and de-allocate) bit masks

Usage

```
bit_init()
bit_done()
```

Details

The C-code operates with bit masks. The memory for these is allocated dynamically. `bit_init` is called by `.First.lib` and `bit_done` is called by `.Last.lib`. You don't need to care about these under normal circumstances.

Value

NULL

Author(s)

Jens Oehlschlägel

See Also

[bit](#)

Examples

```
bit_done()
bit_init()
```

c.bit *Concatenating bit and bitwhich vectors*

Description

Creating new bit by concatenating bit vectors

Usage

```
## S3 method for class 'bit'  
c(...)  
## S3 method for class 'bitwhich'  
c(...)
```

Arguments

... bit objects

Value

An object of class 'bit'

Author(s)

Jens Oehlschlägel

See Also

[c](#), [bit](#), [bitwhich](#)

Examples

```
c(bit(4), bit(4))
```

chunk *Chunked range index*

Description

creates a sequence of range indexes using a syntax not completely unlike 'seq'

Usage

```
chunk(...)  
## Default S3 method:  
chunk(from = NULL, to = NULL, by = NULL, length.out = NULL, along.with = NULL  
, overlap = 0L, method = c("bbatch", "seq"), maxindex = NA, ...)
```


Arguments

from	the starting value of the sequence.
to	the (maximal) end value of the sequence.
by	increment of the sequence
length.out	desired length of the sequence.
along.with	take the length from the length of this argument.
overlap	number of values to overlap (will lower the starting value of the sequence, the first range becomes smaller)
method	default 'bbatch' will try to balance the chunk size, see bbatch , 'seq' will create chunks like seq
maxindex	passed to ri
...	ignored

Details

chunk is generic, the default method is described here, other methods that automatically consider RAM needs are provided with package 'ff', see for example [chunk.ffdf](#)

Value

chunk.default returns a list of [ri](#) objects representing chunks of subscripts

available methods

chunk.default, [chunk.bit](#), [chunk.ff_vector](#), [chunk.ffdf](#)

Author(s)

Jens Oehlschlägel

See Also

[ri](#), [seq](#), [bbatch](#)

Examples

```

chunk(1, 100, by=30)
chunk(1, 100, by=30, method="seq")
## Not run:
require(foreach)
m <- 10000
k <- 1000
n <- m*k
message("Four ways to loop from 1 to n. Slowest foreach to fastest chunk is 1700:1
on a dual core notebook with 3GB RAM\n")
z <- 0L;
print(k*system.time({it <- icount(m); foreach (i = it) %do% { z <- i; NULL }}))
z

```

```

z <- 0L
print(system.time({i <- 0L; while (i<n) {i <- i + 1L; z <- i}}))
z

z <- 0L
print(system.time(for (i in 1:n) z <- i))
z

z <- 0L; n <- m*k;
print(system.time(for (ch in chunk(1, n, by=m)){for (i in ch[1]:ch[2])z <- i}))
z

message("Seven ways to calculate sum(1:n).
  Slowest foreach to fastest chunk is 61000:1 on a dual core notebook with 3GB RAM\n")
print(k*system.time({it <- icount(m); foreach (i = it, .combine="+") %do% { i }}))

z <- 0;
print(k*system.time({it <- icount(m); foreach (i = it) %do% { z <- z + i; NULL }}))
z

z <- 0; print(system.time({i <- 0L;while (i<n) {i <- i + 1L; z <- z + i}})); z

z <- 0; print(system.time(for (i in 1:n) z <- z + i)); z

print(system.time(sum(as.double(1:n))))

z <- 0; n <- m*k
print(system.time(for (ch in chunk(1, n, by=m)){for (i in ch[1]:ch[2])z <- z + i}))
z

z <- 0; n <- m*k
print(system.time(for (ch in chunk(1, n, by=m)){z <- z+sum(as.double(ch[1]:ch[2]))}))
z

## End(Not run)

```

clone

Cloning ff and ram objects

Description

clone physically duplicates objects and can additionally change some features, e.g. length.

Usage

```

clone(x, ...)
## S3 method for class 'list'
clone(x, ...)
## Default S3 method:

```

```
clone(x, ...)  
still.identical(x, y)
```

Arguments

x	x
y	y
...	further arguments to the generic

Details

`clone` is generic. `clone.default` currently only handles atomics. `clone.list` recursively clones list elements. `still.identical` returns TRUE if the two atomic arguments still point to the same memory.

Value

an object that is a deep copy of x

Author(s)

Jens Oehlschlägel

See Also

[clone.ff](#)

Examples

```
x <- 1:12  
y <- x  
still.identical(x,y)  
y[1] <- y[1]  
still.identical(x,y)  
y <- clone(x)  
still.identical(x,y)  
rm(x,y); gc()
```

Extract

Extract or replace part of a bit vector

Description

Operators acting on bit objects to extract or replace parts.

Usage

```
## S3 method for class 'bit'
x[[i]]
## S3 replacement method for class 'bit'
x[[i]] <- value
## S3 method for class 'bit'
x[i]
## S3 replacement method for class 'bit'
x[i] <- value
```

Arguments

x	a bit object
i	positive integer subscript
value	new logical or integer values

Details

Since this package was created for high performance purposes, only positive integer subscripts make sense. Negative subscripts are converted to positive ones, beware the RAM consumption. Further subscript classes allowed for '[' and '[<-' are range indices [ri](#) and [bitwhich](#). The '[' and '[<-' methods don't check whether the subscripts are positive integers in the allowed range.

Value

The extractors `[[` and `[` return a logical scalar or vector. The replacement functions return a bit object.

Author(s)

Jens Oehlschlägel

See Also

[bit](#), [Extract](#)

Examples

```
x <- as.bit(c(FALSE, NA, TRUE))
x[] <- c(FALSE, NA, TRUE)
x[1:2]
x[-3]
x[ri(1,2)]
x[as.bitwhich(c(TRUE, TRUE, FALSE))]
x[[1]]
x[] <- TRUE
x[1:2] <- FALSE
x[[1]] <- TRUE
```

intrle	<i>Hybrid Index, C-coded utilities</i>
--------	--

Description

These C-coded utilities speed up index preprocessing considerably

Usage

```
intrle(x)
intisasc(x)
intisdesc(x)
```

Arguments

x an integer vector

Details

intrle is by factor 50 faster and needs less RAM (2x its input vector) compared to [rle](#) which needs 9x the RAM of its input vector. This is achieved because we allow the C-code of intrle to break when it turns out, that rle-packing will not achieve a compression factor of 3 or better.

intisasc is a faster version of [is.unsorted](#): it checks whether x is sorted and returns NA if x contains NAs.

intisdesc checks for being sorted descending and assumes that the input x contains no NAs (is used after intisasc and does not check for NAs).

Value

intrle returns an object of class [rle](#) or NULL, if rle-compression is not efficient (compression factor <3 or length(x)<3).

intisasc returns one of FALSE, NA, TRUE

intisdesc returns one of FALSE, TRUE (if the input contains NAs, the output is undefined)

Author(s)

Jens Oehlschlägel

See Also

[hi](#), [rle](#), [is.unsorted](#), [is.sorted](#)

Examples

```
intrle(sample(1:100))
intrle(diff(1:100))
intisasc(1:100)
intisasc(100:1)
intisasc(c(NA, 1:100))
intisdesc(1:100)
intisdesc(100:1)
```

is.bit

Testing for bit, bitwhich and ri selection classes

Description

Test whether an object inherits from 'ri', 'bit' or 'bitwhich'

Usage

```
is.ri(x)
is.bit(x)
is.bitwhich(x)
```

Arguments

x an R object of unknown type

Value

TRUE or FALSE

Author(s)

Jens Oehlschlägel

See Also

[is.logical](#), [bit](#), [bitwhich](#)

Examples

```
is.ri(TRUE)
is.ri(ri(1,4,12))
is.bit(TRUE)
is.bitwhich(TRUE)
is.bit(as.bit(TRUE))
is.bitwhich(as.bitwhich(TRUE))
```

`is.sorted`*Generics related to cache access*

Description

These generics are packaged here for methods in packages `bit64` and `ff`.

Usage

```
is.sorted(x, ...)  
is.sorted(x, ...) <- value  
na.count(x, ...)  
na.count(x, ...) <- value  
nvalid(x, ...)  
nunique(x, ...)  
nunique(x, ...) <- value  
nties(x, ...)  
nties(x, ...) <- value
```

Arguments

<code>x</code>	some object
<code>value</code>	value assigned on responsibility of the user
<code>...</code>	ignored

Details

see help of the available methods

Value

see help of the available methods

Author(s)

Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

See Also

[is.sorted.integer64](#), [na.count.integer64](#), [nvalid.integer64](#), [nunique.integer64](#), [nties.integer64](#)

Examples

```
methods("na.count")
```

length.bit

*Getting and setting length of bit, bitwhich and ri objects***Description**

Query the number of bits in a `bit` vector or change the number of bits in a bit vector.
 Query the number of bits in a `bitwhich` vector or change the number of bits in a bit vector.

Usage

```
## S3 method for class 'ri'
length(x)
## S3 method for class 'bit'
length(x)
## S3 method for class 'bitwhich'
length(x)
## S3 replacement method for class 'bit'
length(x) <- value
## S3 replacement method for class 'bitwhich'
length(x) <- value
```

Arguments

`x` a `bit`, `bitwhich` or `ri` object
`value` the new number of bits

Details

NOTE that the length does NOT reflect the number of selected (TRUE) bits, it reflects the sum of both, TRUE and FALSE bits. Increasing the length of a `bit` object will set new bits to FALSE. The behaviour of increasing the length of a `bitwhich` object is different and depends on the content of the object:

- TRUEall included, new bits are set to TRUE
- positive integerssome included, new bits are set to FALSE
- negative integerssome excluded, new bits are set to TRUE
- FALSEall excluded:, new bits are set to FALSE

Decreasing the length of `bit` or `bitwhich` removes any previous information about the status bits above the new length.

Value

the length A bit vector with the new length

Author(s)

Jens Oehlschlägel

See Also[length](#), [sum](#), [poslength](#), [maxindex](#)**Examples**

```
stopifnot(length(ri(1, 1, 32))==32)
```

```
x <- as.bit(ri(32, 32, 32))
stopifnot(length(x)==32)
stopifnot(sum(x)==1)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==0)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==0)
```

```
x <- as.bit(ri(1, 1, 32))
stopifnot(length(x)==32)
stopifnot(sum(x)==1)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==1)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==1)
```

```
x <- as.bitwhich(bit(32))
stopifnot(length(x)==32)
stopifnot(sum(x)==0)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==0)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==0)
```

```
x <- as.bitwhich(!bit(32))
stopifnot(length(x)==32)
stopifnot(sum(x)==32)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==16)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==32)
```

```
x <- as.bitwhich(ri(32, 32, 32))
```

```

stopifnot(length(x)==32)
stopifnot(sum(x)==1)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==0)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==0)

x <- as.bitwhich(ri(2, 32, 32))
stopifnot(length(x)==32)
stopifnot(sum(x)==31)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==15)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==31)

x <- as.bitwhich(ri(1, 1, 32))
stopifnot(length(x)==32)
stopifnot(sum(x)==1)
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==1)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==1)

x <- as.bitwhich(ri(1, 31, 32))
stopifnot(length(x)==32)
stopifnot(sum(x)==31)
message("NOTE the change from 'some excluded' to 'all excluded' here")
length(x) <- 16
stopifnot(length(x)==16)
stopifnot(sum(x)==16)
length(x) <- 32
stopifnot(length(x)==32)
stopifnot(sum(x)==32)

```

LogicBit

Boolean operators and functions for class bit

Description

Boolean 'negation', 'and', 'or' and 'exclusive or'.

Usage

```
## S3 method for class 'bit'
```

```

x
## S3 method for class 'bitwhich'
x
## S3 method for class 'bit'
e1 & e2
## S3 method for class 'bitwhich'
e1 & e2
## S3 method for class 'bit'
e1 | e2
## S3 method for class 'bitwhich'
e1 | e2
## S3 method for class 'bit'
e1 == e2
## S3 method for class 'bitwhich'
e1 == e2
## S3 method for class 'bit'
e1 != e2
## S3 method for class 'bitwhich'
e1 != e2
xor(x, y)
## Default S3 method:
xor(x, y)
## S3 method for class 'bit'
xor(x, y)
## S3 method for class 'bitwhich'
xor(x, y)

```

Arguments

x	a bit vector (or one logical vector in binary operators)
y	a bit vector or an logical vector
e1	a bit vector or an logical vector
e2	a bit vector or an logical vector

Details

Binary operators and function `xor` can combine 'bit' objects and 'logical' vectors. They do not recycle, thus the lengths of objects must match. Boolean operations on bit vectors are extremely fast because they are implemented using C's bitwise operators. If one argument is 'logical' it is converted to 'bit'.

Binary operators and function `xor` can combine 'bitwhich' objects and other vectors. They do not recycle, thus the lengths of objects must match. Boolean operations on bitwhich vectors are fast if the distribution of TRUE and FALSE is very asymmetric. If one argument is not 'bitwhich' it is converted to 'bitwhich'.

The `xor` function has been made generic and `xor.default` has been implemented much faster than R's standard `xor`. This was possible because actually boolean function `xor` and comparison operator `!=` do the same (even with NAs), and `!=` is much faster than the multiple calls in `(x | y) & !(x & y)`

Value

An object of class 'bit' (or 'bitwhich')

Author(s)

Jens Oehlschlägel

See Also

[bit](#), [Logic](#)

Examples

```
x <- as.bit(c(FALSE, FALSE, FALSE, NA, NA, NA, TRUE, TRUE, TRUE))
y1 <- c(FALSE, NA, TRUE, FALSE, NA, TRUE, FALSE, NA, TRUE)
y <- as.bit(y1)
!x
x & y
x | y
xor(x, y)
x != y
x == y
x & y1
x | y1
xor(x, y1)
x != y1
x == y1

x <- as.bitwhich(c(FALSE, FALSE, FALSE, NA, NA, NA, TRUE, TRUE, TRUE))
y1 <- c(FALSE, NA, TRUE, FALSE, NA, TRUE, FALSE, NA, TRUE)
y <- as.bitwhich(y1)
!x
x & y
x | y
xor(x, y)
x != y
x == y
x & y1
x | y1
xor(x, y1)
x != y1
x == y1
```

Description

Compatibility functions (to package ff) for getting and setting physical and virtual attributes.

Usage

```
physical(x)
virtual(x)
physical(x) <- value
virtual(x) <- value
## Default S3 method:
physical(x)
## Default S3 method:
virtual(x)
## Default S3 replacement method:
physical(x) <- value
## Default S3 replacement method:
virtual(x) <- value
## S3 method for class 'physical'
print(x, ...)
## S3 method for class 'virtual'
print(x, ...)
```

Arguments

x	a ff or ram object
value	a list with named elements
...	further arguments

Details

ff objects have physical and virtual attributes, which have different copying semantics: physical attributes are shared between copies of ff objects while virtual attributes might differ between copies. [as.ram](#) will retain some physical and virtual attributes in the ram clone, such that [as.ff](#) can restore an ff object with the same attributes.

Value

physical and virtual returns a list with named elements

Author(s)

Jens Oehlschlägel

See Also

[physical.ff](#), [physical.ffdf](#)

Examples

```
physical(bit(12))
virtual(bit(12))
```

ramsort

Generics for in-RAM sorting and ordering

Description

These are generic stubs for low-level sorting and ordering methods implemented in packages `'bit64'` and `'ff'`. The `..sortorder` methods do sorting and ordering at once, which requires more RAM than ordering but is (almost) as fast as sorting.

Usage

```
ramsort(x, ...)
ramorder(x, i, ...)
ramsortorder(x, i, ...)
mergesort(x, ...)
mergeorder(x, i, ...)
mergesortorder(x, i, ...)
quicksort(x, ...)
quickorder(x, i, ...)
quicksortorder(x, i, ...)
shellsort(x, ...)
shellorder(x, i, ...)
shellsortorder(x, i, ...)
radixsort(x, ...)
radixorder(x, i, ...)
radixsortorder(x, i, ...)
keysort(x, ...)
keyorder(x, i, ...)
keysortorder(x, i, ...)
```

Arguments

<code>x</code>	a vector to be sorted by <code>ramsort</code> and <code>ramsortorder</code> , i.e. the output of <code>sort</code>
<code>i</code>	integer positions to be modified by <code>ramorder</code> and <code>ramsortorder</code> , default is <code>1:n</code> , in this case the output is similar to <code>order</code>
<code>...</code>	further arguments to the sorting methods

Details

The sort generics do sort their argument 'x', some methods need temporary RAM of the same size as 'x'. The order generics do order their argument 'i' leaving 'x' as it was, some methods need temporary RAM of the same size as 'i'. The sortorder generics do sort their argument 'x' and order their argument 'i', this way of ordering is much faster at the price of requiring temporary RAM for both, 'x' and 'i', if the method requires temporary RAM. The ram generics are high-level functions containing an optimizer that chooses the 'best' algorithms given some context.

Value

These functions return the number of NAs found or assumed during sorting

Index of implemented methods

generic	ff	bit64
ramsort	ramsort.default	ramsort.integer64
shellsort	shellsort.default	shellsort.integer64
quicksort		quicksort.integer64
mergesort	mergesort.default	mergesort.integer64
radixsort	radixsort.default	radixsort.integer64
keysort	keysort.default	
generic	ff	bit64
ramorder	ramorder.default	ramorder.integer64
shellorder	shellorder.default	shellorder.integer64
quickorder		quickorder.integer64
mergeorder	mergeorder.default	mergeorder.integer64
radixorder	radixorder.default	radixorder.integer64
keyorder	keyorder.default	
generic	ff	bit64
ramsortorder		ramsortorder.integer64
shellsortorder		shellsortorder.integer64
quicksortorder		quicksortorder.integer64
mergesortorder		mergesortorder.integer64
radixsortorder		radixsortorder.integer64
keysortorder		

Note

Note that these methods purposely violate the functional programming paradigm: they are called for the side-effect of changing some of their arguments. The rationale behind this is that sorting is very RAM-intensive and in certain situations we might not want to allocate additional memory if not necessary to do so. The sort-methods change x, the order-methods change i, and the sortorder-methods change both x and i. You as the user are responsible to create copies of the input data 'x'

and 'i' if you need non-modified versions.

Author(s)

Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

See Also

[sort](#) and [order](#) in base R

regtest.bit

Regressiontests for bit

Description

Test package bit for correctness

Usage

```
regtest.bit(N = 100)
```

Arguments

N number of random test runs

Details

random data of random length are generated and correctness of package functions tested on these

Value

a vector of class 'logical' or 'integer'

Author(s)

Jens Oehlschlägel

See Also

[bit](#), [as.bit](#), [as.logical](#), [as.integer](#), [which](#)

Examples

```

if (regtest.bit()){
  message("regtest.bit is OK")
}else{
  message("regtest.bit failed")
}

## Not run:
regtest.bit(10000)

## End(Not run)

```

repeat.time	<i>Adaptive timer</i>
-------------	-----------------------

Description

Repeats timing expr until minSec is reached

Usage

```
repeat.time(expr, gcFirst = TRUE, minSec = 0.5, envir=parent.frame())
```

Arguments

expr	Valid R expression to be timed.
gcFirst	Logical - should a garbage collection be performed immediately before the timing? Default is TRUE.
minSec	number of seconds to repeat at least
envir	the environment in which to evaluate expr (by default the calling frame)

Value

A object of class "proc_time": see [proc.time](#) for details.

Author(s)

Jens Oehlschlägel <Jens.Oehlschlaegel@truecluster.com>

See Also

[system.time](#)

Examples

```

system.time(1+1)
repeat.time(1+1)
system.time(sort(runif(1e6)))
repeat.time(sort(runif(1e6)))

```

`repfromto`*Virtual recycling*

Description

`repfromto` virtually recycles object `x` and cuts out positions from `..` to

Usage

```
repfromto(x, from, to)
repfromto(x, from, to) <- value
```

Arguments

<code>x</code>	an object from which to recycle
<code>from</code>	first position to return
<code>to</code>	last position to return
<code>value</code>	value to assign

Details

`repfromto` is a generalization of [rep](#), where `rep(x, n) == repfromto(x, 1, n)`. You can see this as an R-side (vector) solution of the `mod_iterate` macro in `arithmetic.c`

Value

a vector of length `from - to + 1`

Author(s)

Jens Oehlschlägel

See Also

[rep](#), [ffvecapply](#)

Examples

```
message("a simple example")
repfromto(0:9, 11, 20)
```

ri	<i>Range index</i>
----	--------------------

Description

A range index can be used to extract or replace a continuous ascending part of the data

Usage

```
ri(from, to = NULL, maxindex=NA)
## S3 method for class 'ri'
print(x, ...)
```

Arguments

from	first position
to	last position
x	an object of class 'ri'
maxindex	the maximal length of the object-to-be-subscripted (if known)
...	further arguments

Value

A two element integer vector with class 'ri'

Author(s)

Jens Oehlschlägel

See Also

[as.hi.ri](#)

Examples

```
bit(12)[ri(1,6)]
```

rlepack

Hybrid Index, rle-pack utilities

Description

Basic utilities for rle packing and unpacking and appropriate methods for [rev](#) and [unique](#).

Usage

```
rlepack(x, pack = TRUE)
rleunpack(x)
## S3 method for class 'rlepack'
rev(x)
## S3 method for class 'rlepack'
unique(x, incomparables = FALSE, ...)
```

Arguments

x	an integer vector
pack	FALSE to suppress packing
incomparables	just to keep R CMD CHECK quiet (not used)
...	just to keep R CMD CHECK quiet (not used)

Value

A list with components

first	the first element of the packed sequence
dat	either an object of class rle or the complete input vector x if rle-packing is not efficient
last	the last element of the packed sequence

Note

Only for sorted input `unique.rlepack(rlepack(x))` will be the same as `rlepack(unique(x))`, furthermore `rlepack(unique(x))` is faster. Therefore we only use `unique.rlepack` only where we have `rlepack` format from [hi](#)

Author(s)

Jens Oehlschlägel

See Also

[hi](#), [intrle](#), [rle](#), [rev](#), [unique](#)

Examples

```
x <- rlepack(rep(0L, 10))
```

setattributes	<i>Attribute setting by reference</i>
---------------	---------------------------------------

Description

Function `setattr` sets a single attribute and function `setattributes` sets a list of attributes.

Usage

```
setattr(x, which, value)
setattributes(x, attributes)
```

Arguments

<code>x</code>	
<code>which</code>	name of the attribute
<code>value</code>	value of the attribute, use <code>NULL</code> to remove this attribute
<code>attributes</code>	a named list of attribute values

Details

The attributes of `'x'` are changed in place without copying `x`. function `setattributes` does only change the named attributes, it does not delete the non-names attributes like `attributes` does.

Value

`invisible()`, we do not return the changed object to remind you of the fact that this function is called for its side-effect of changing its input object.

Author(s)

Jens Oehlschlägel

References

Writing R extensions – System and foreign language interfaces – Handling R objects in C – Attributes (Version 2.11.1 (2010-06-03) R Development)

See Also

[attr](#) [unattr](#)

Examples

```

x <- as.single(runif(10))
attr(x, "Csingle")

f <- function(x)attr(x, "Csingle") <- NULL
g <- function(x)setattr(x, "Csingle", NULL)

f(x)
x
g(x)
x

## Not run:

# restart R
library(bit)

mysingle <- function(length = 0){
  ret <- double(length)
  setattr(ret, "Csingle", TRUE)
  ret
}

# show that mysinge gives exactly the same result as single
identical(single(10), mysingle(10))

# look at the speedup and memory-savings of mysingle compared to single
system.time(mysingle(1e7))
memory.size(max=TRUE)
system.time(single(1e7))
memory.size(max=TRUE)

# look at the memory limits
# on my win32 machine the first line fails beause of not enough RAM, the second works
x <- single(1e8)
x <- mysingle(1e8)

# .g. performance with factors
x <- rep(factor(letters), length.out=1e7)
x[1:10]
# look how fast one can do this
system.time(setattr(x, "levels", rev(letters)))
x[1:10]
# look at the performance loss in time caused by the non-needed copying
system.time(levels(x) <- letters)
x[1:10]

# restart R
library(bit)

simplefactor <- function(n){

```

```

    factor(rep(1:2, length=n))
  }

mysimplefactor <- function(n){
  ret <- rep(1:2, length=n)
  setattr(ret, "levels", as.character(1:2))
  setattr(ret, "class", "factor")
  ret
}

identical(simplefactor(10), mysimplefactor(10))

system.time(x <- mysimplefactor(1e7))
memory.size(max=TRUE)
system.time(setattr(x, "levels", c("a","b")))
memory.size(max=TRUE)
x[1:4]
memory.size(max=TRUE)
rm(x)
gc()

system.time(x <- simplefactor(1e7))
memory.size(max=TRUE)
system.time(levels(x) <- c("x","y"))
memory.size(max=TRUE)
x[1:4]
memory.size(max=TRUE)
rm(x)
gc()

## End(Not run)

```

 Summary

Summaries of bit vectors

Description

Fast aggregation functions for bit vectors.

Usage

```

## S3 method for class 'bit'
all(x, range = NULL, ...)
## S3 method for class 'bit'
any(x, range = NULL, ...)
## S3 method for class 'bit'
min(x, range = NULL, ...)
## S3 method for class 'bit'

```

```

max(x, range = NULL, ...)
## S3 method for class 'bit'
range(x, range = NULL, ...)
## S3 method for class 'bit'
sum(x, range = NULL, ...)
## S3 method for class 'bit'
summary(object, range = NULL, ...)
## S3 method for class 'bitwhich'
all(x, ...)
## S3 method for class 'bitwhich'
any(x, ...)
## S3 method for class 'bitwhich'
min(x, ...)
## S3 method for class 'bitwhich'
max(x, ...)
## S3 method for class 'bitwhich'
range(x, ...)
## S3 method for class 'bitwhich'
sum(x, ...)
## S3 method for class 'bitwhich'
summary(object, ...)
## S3 method for class 'ri'
all(x, ...)
## S3 method for class 'ri'
any(x, ...)
## S3 method for class 'ri'
min(x, ...)
## S3 method for class 'ri'
max(x, ...)
## S3 method for class 'ri'
range(x, ...)
## S3 method for class 'ri'
sum(x, ...)
## S3 method for class 'ri'
summary(object, ...)

```

Arguments

<code>x</code>	an object of class <code>bit</code> or <code>bitwhich</code>
<code>object</code>	an object of class <code>bit</code>
<code>range</code>	a <code>ri</code> or an integer vector of length==2 giving a range restriction for chunked processing
<code>...</code>	formally required but not used

Details

Bit summaries are quite fast because we use a double loop that fixes each word in a processor register. Furthermore we break out of looping as soon as possible.

Value

as expected

Author(s)

Jens Oehlschlägel

See Also

[bit](#), [all](#), [any](#), [min](#), [max](#), [range](#), [sum](#), [summary](#)

Examples

```
x <- as.bit(c(TRUE, TRUE))
all(x)
any(x)
min(x)
max(x)
range(x)
sum(x)
summary(x)

x <- as.bitwhich(c(TRUE, TRUE))
all(x)
any(x)
min(x)
max(x)
range(x)
sum(x)
summary(x)

## Not run:
n <- .Machine$integer.max
x <- !bit(n)
N <- 1000000L # batchsize
B <- n %% N # number of batches
R <- n %% N # rest

message("Batched sum (52.5 sec on Centrino duo)")
system.time({
  s <- 0L
  for (b in 1:B){
    s <- s + sum(x[((b-1L)*N+1L):(b*N)])
  }
  if (R)
    s <- s + sum(x[(n-R+1L):n])
})

message("Batched sum saving repeated memory allocation for the return vector
(44.4 sec on Centrino duo)")
system.time({
  s <- 0L
```

```
l <- logical(N)
for (b in 1:B){
  .Call("R_bit_extract", x, ((b-1L)*N+1L):(b*N), l, PACKAGE = "bit")
  s <- s + sum(l)
}
if (R)
  s <- s + sum(x[(n-R+1L):n])
})

message("C-coded sum (3.1 sec on Centrino duo)")
system.time(sum(x))

## End(Not run)
```

unattr

Attribute removal

Description

Returns object with attributes removed

Usage

```
unattr(x)
```

Arguments

x any R object

Details

attribute removal copies the object as usual

Value

a similar object with attributes removed

Author(s)

Jens Oehlschlägel

See Also

[attributes](#), [setattributes](#), [unclass](#)

Examples

```
bit(2)[]
unattr(bit(2)[])
```

vecseq	<i>Vectorized Sequences</i>
--------	-----------------------------

Description

vecseq returns concatenated multiple sequences

Usage

```
vecseq(x, y=NULL, concat=TRUE, eval=TRUE)
```

Arguments

x	vector of sequence start points
y	vector of sequence end points (if <code>is.null(y)</code> then x are taken as endpoints, all starting at 1)
concat	vector of sequence end points (if <code>is.null(y)</code> then x are taken as endpoints, all starting at 1)
eval	vector of sequence end points (if <code>is.null(y)</code> then x are taken as endpoints, all starting at 1)

Details

This is a generalization of [sequence](#) in that you can choose sequence starts other than 1 and also have options to no concat and/or return a call instead of the evaluated sequence.

Value

if `concat==FALSE` and `eval==FALSE` a list with n calls that generate sequences
if `concat==FALSE` and `eval==TRUE` a list with n sequences
if `concat==TRUE` and `eval==FALSE` a single call generating the concatenated sequences
if `concat==TRUE` and `eval==TRUE` an integer vector of concatenated sequences

Author(s)

Angelo Canty, Jens Oehlschlägel

See Also

[:](#), [seq](#), [sequence](#)

Examples

```
sequence(c(3,4))
vecseq(c(3,4))
vecseq(c(1,11), c(5, 15))
vecseq(c(1,11), c(5, 15), concat=FALSE, eval=FALSE)
vecseq(c(1,11), c(5, 15), concat=FALSE, eval=TRUE)
vecseq(c(1,11), c(5, 15), concat=TRUE, eval=FALSE)
vecseq(c(1,11), c(5, 15), concat=TRUE, eval=TRUE)
```

Index

- !.bit (LogicBit), 26
- !.bitwhich (LogicBit), 26
- !.=.bit (LogicBit), 26
- !.=.bitwhich (LogicBit), 26
- *Topic **IO**
 - bbatch, 13
 - clone, 18
 - intrle, 21
 - physical, 29
 - repfromto, 34
 - rlepack, 36
- *Topic **arith**
 - ramsort, 30
- *Topic **attributes**
 - setattributes, 37
- *Topic **attribute**
 - physical, 29
 - unattr, 42
- *Topic **classes**
 - as.bit, 8
 - as.bitwhich, 9
 - as.logical.bit, 10
 - as.which, 11
 - bit-package, 3
 - bit_init, 15
 - bitwhich, 14
 - c.bit, 16
 - Extract, 19
 - is.bit, 22
 - length.bit, 24
 - LogicBit, 26
 - regtest.bit, 32
 - ri, 35
 - Summary, 39
- *Topic **data**
 - bbatch, 13
 - chunk, 16
 - clone, 18
 - intrle, 21
 - physical, 29
 - repfromto, 34
 - rlepack, 36
- *Topic **environment**
 - is.sorted, 23
- *Topic **logic**
 - as.bit, 8
 - as.bitwhich, 9
 - as.logical.bit, 10
 - as.which, 11
 - bit-package, 3
 - bit_init, 15
 - bitwhich, 14
 - c.bit, 16
 - Extract, 19
 - is.bit, 22
 - length.bit, 24
 - LogicBit, 26
 - regtest.bit, 32
 - ri, 35
 - Summary, 39
- *Topic **manip**
 - ramsort, 30
 - vecseq, 43
- *Topic **methods**
 - is.sorted, 23
- *Topic **package**
 - bit-package, 3
- *Topic **univar**
 - ramsort, 30
- *Topic **utilities**
 - repeat.time, 33
- .BITS (bit_init), 15
- .Call, 5
- .First.lib, 4, 15
- .Last.lib, 4, 15
- ., 43
- ==, 4
- ==.bit, 4

- ==.bit (LogicBit), 26
- ==.bitwhich, 4
- ==.bitwhich (LogicBit), 26
- [, 4
- [.bit, 4
- [.bit (Extract), 19
- [<-, 4
- [<-.bit, 4
- [<-.bit (Extract), 19
- [[, 4
- [[.bit, 4
- [[.bit (Extract), 19
- [[<-, 4
- [[<-.bit, 4
- [[<-.bit (Extract), 19
- &, 4
- &.bit, 4
- &.bit (LogicBit), 26
- &.bitwhich, 4
- &.bitwhich (LogicBit), 26
- all, 4, 41
- all.bit, 4
- all.bit (Summary), 39
- all.bitwhich, 4
- all.bitwhich (Summary), 39
- all.ri, 4
- all.ri (Summary), 39
- any, 4, 41
- any.bit, 4
- any.bit (Summary), 39
- any.bitwhich, 4
- any.bitwhich (Summary), 39
- any.ri, 4
- any.ri (Summary), 39
- as.bit, 4, 8, 10–12, 32
- as.bit.bit, 4
- as.bit.bitwhich, 4
- as.bit.double, 4
- as.bit.ff, 4
- as.bit.hi, 4
- as.bit.integer, 4
- as.bit.logical, 4
- as.bit.ri, 4
- as.bit.which, 4
- as.bitwhich, 4, 9, 11, 12, 14
- as.bitwhich.bit, 4
- as.bitwhich.bitwhich, 4
- as.bitwhich.double, 4
- as.bitwhich.hi, 4
- as.bitwhich.integer, 4
- as.bitwhich.logical, 4
- as.bitwhich.ri, 4
- as.bitwhich.which, 4
- as.double, 4, 11
- as.double.bit, 4
- as.double.bit (as.logical.bit), 10
- as.double.bitwhich, 4
- as.double.bitwhich (as.logical.bit), 10
- as.double.ri, 4
- as.double.ri (as.logical.bit), 10
- as.ff, 4, 11, 12, 29
- as.ff.bit, 4
- as.hi, 4, 11, 12
- as.hi.bit, 4
- as.hi.bitwhich, 4
- as.hi.ri, 4, 35
- as.integer, 4, 11, 12, 32
- as.integer.bit, 4
- as.integer.bit (as.logical.bit), 10
- as.integer.bitwhich, 4
- as.integer.bitwhich (as.logical.bit), 10
- as.integer.ri, 4
- as.integer.ri (as.logical.bit), 10
- as.logical, 4, 9, 11, 12, 32
- as.logical.bit, 4, 10
- as.logical.bitwhich, 4
- as.logical.bitwhich (as.logical.bit), 10
- as.logical.ri, 4
- as.logical.ri (as.logical.bit), 10
- as.ram, 29
- as.which, 4, 8, 11, 11, 12, 14
- as.which.bit, 4
- as.which.bitwhich, 4
- as.which.ri, 4
- attr, 37
- attributes, 37, 42
- bbatch, 13, 17
- bit, 4, 8, 9, 11, 12, 14–16, 20, 22, 24, 28, 32, 41
- bit (bit-package), 3
- bit-package, 3
- bit_done, 4
- bit_done (bit_init), 15
- bit_init, 4, 15
- bitwhich, 4, 8, 10–12, 14, 16, 20, 22, 24

- c, [4, 16](#)
- c.bit, [4, 16](#)
- c.bitwhich, [4](#)
- c.bitwhich(c.bit), [16](#)
- chunk, [16](#)
- chunk.bit, [17](#)
- chunk.ff_vector, [17](#)
- chunk.ffdf, [17](#)
- clone, [18](#)
- clone.ff, [19](#)
- double, [4](#)
- Extract, [19, 20](#)
- ff, [4, 8](#)
- ffvecapply, [13, 34](#)
- globalenv, [4](#)
- hi, [21, 36](#)
- integer, [4, 8](#)
- intisasc(intrle), [21](#)
- intisdesc(intrle), [21](#)
- intrle, [21, 36](#)
- is.bit, [4, 22](#)
- is.bitwhich, [4](#)
- is.bitwhich(is.bit), [22](#)
- is.logical, [4, 22](#)
- is.ri, [4](#)
- is.ri(is.bit), [22](#)
- is.sorted, [21, 23](#)
- is.sorted.integer64, [23](#)
- is.sorted<- (is.sorted), [23](#)
- is.unsorted, [21](#)
- keyorder(ramsort), [30](#)
- keyorder.default, [31](#)
- keysort(ramsort), [30](#)
- keysort.default, [31](#)
- keysortorder(ramsort), [30](#)
- length, [4, 25](#)
- length.bit, [4, 24](#)
- length.bitwhich, [4](#)
- length.bitwhich(length.bit), [24](#)
- length.ri, [4](#)
- length.ri(length.bit), [24](#)
- length<-, [4](#)
- length<- .bit, [4](#)
- length<- .bit(length.bit), [24](#)
- length<- .bitwhich, [4](#)
- length<- .bitwhich(length.bit), [24](#)
- Logic, [28](#)
- logical, [4, 5, 8, 14](#)
- LogicBit, [26](#)
- max, [4, 41](#)
- max.bit, [4](#)
- max.bit(Summary), [39](#)
- max.bitwhich, [4](#)
- max.bitwhich(Summary), [39](#)
- max.ri, [4](#)
- max.ri(Summary), [39](#)
- maxindex, [25](#)
- mergeorder(ramsort), [30](#)
- mergeorder.default, [31](#)
- mergeorder.integer64, [31](#)
- mergesort(ramsort), [30](#)
- mergesort.default, [31](#)
- mergesort.integer64, [31](#)
- mergesortorder(ramsort), [30](#)
- mergesortorder.integer64, [31](#)
- min, [4, 41](#)
- min.bit, [4](#)
- min.bit(Summary), [39](#)
- min.bitwhich, [4](#)
- min.bitwhich(Summary), [39](#)
- min.ri, [4](#)
- min.ri(Summary), [39](#)
- na.count(is.sorted), [23](#)
- na.count.integer64, [23](#)
- na.count<- (is.sorted), [23](#)
- nties(is.sorted), [23](#)
- nties.integer64, [23](#)
- nties<- (is.sorted), [23](#)
- nunique(is.sorted), [23](#)
- nunique.integer64, [23](#)
- nunique<- (is.sorted), [23](#)
- nvalid(is.sorted), [23](#)
- nvalid.integer64, [23](#)
- order, [30, 32](#)
- physical, [29](#)
- physical.ff, [30](#)
- physical.ffdf, [30](#)

physical<- (physical), 29
 poslength, 25
 print, 4
 print.bit, 4
 print.bit (bit-package), 3
 print.bitwhich, 4
 print.bitwhich (bitwhich), 14
 print.physical (physical), 29
 print.ri, 4
 print.ri (ri), 35
 print.virtual (physical), 29
 proc.time, 33

 quickorder (ramsort), 30
 quickorder.integer64, 31
 quicksort (ramsort), 30
 quicksort.integer64, 31
 quicksortorder (ramsort), 30
 quicksortorder.integer64, 31

 radixorder (ramsort), 30
 radixorder.default, 31
 radixorder.integer64, 31
 radixsort (ramsort), 30
 radixsort.default, 31
 radixsort.integer64, 31
 radixsortorder (ramsort), 30
 radixsortorder.integer64, 31
 ramorder, 30
 ramorder (ramsort), 30
 ramorder.default, 31
 ramorder.integer64, 31
 ramsort, 30, 30
 ramsort.default, 31
 ramsort.integer64, 31
 ramsortorder, 30
 ramsortorder (ramsort), 30
 ramsortorder.integer64, 31
 range, 4, 41
 range.bit, 4
 range.bit (Summary), 39
 range.bitwhich, 4
 range.bitwhich (Summary), 39
 range.ri, 4
 range.ri (Summary), 39
 regtest.bit, 5, 32
 rep, 34
 repeat.time, 33
 repfromto, 13, 34

 repfromto<- (repfromto), 34
 rev, 36
 rev.rlepack (rlepack), 36
 ri, 4, 9, 11, 12, 17, 20, 24, 35, 40
 rle, 21, 36
 rlepack, 36
 rleunpack (rlepack), 36

 seq, 17, 43
 sequence, 43
 setattr (setattributes), 37
 setattributes, 37, 42
 shellorder (ramsort), 30
 shellorder.default, 31
 shellorder.integer64, 31
 shellsort (ramsort), 30
 shellsort.default, 31
 shellsort.integer64, 31
 shellsortorder (ramsort), 30
 shellsortorder.integer64, 31
 sort, 30, 32
 still.identical (clone), 18
 sum, 5, 25, 41
 sum.bit, 5
 sum.bit (Summary), 39
 sum.bitwhich, 5
 sum.bitwhich (Summary), 39
 sum.ri, 5
 sum.ri (Summary), 39
 Summary, 39
 summary, 41
 summary.bit, 5
 summary.bit (Summary), 39
 summary.bitwhich, 5
 summary.bitwhich (Summary), 39
 summary.ri, 5
 summary.ri (Summary), 39
 system.time, 33

 tabulate, 5

 unattr, 37, 42
 unclass, 42
 unique, 36
 unique.rlepack (rlepack), 36
 UseMethod, 4

 vecseq, 43
 virtual (physical), 29

virtual<- (physical), [29](#)

vmode, [5](#)

which, [11](#), [12](#), [14](#), [32](#)

xor, [4](#), [28](#)

xor (LogicBit), [26](#)

xor.bit, [4](#)

xor.bitwhich, [4](#)