

Package ‘mosaicData’

August 23, 2014

Type Package

Title Project MOSAIC (mosaic-web.org) data sets

Version 0.9.1

Date 2014-08-21

Depends R (>= 3.0.0)

Suggests lattice, mosaic, reshape2

Author Randall Pruim <rpruim@calvin.edu>, Daniel Kaplan
<kaplan@macalester.edu>, Nicholas Horton <nhorton@amherst.edu>

Maintainer Randall Pruim <rpruim@calvin.edu>

Description Data sets from Project MOSAIC (mosaic-web.org) used to teach mathematics, statistics, computation and modeling. Funded by the NSF, Project MOSAIC is a community of educators working to tie together aspects of quantitative work that students in science, technology, engineering and mathematics will need in their professional lives, but which are usually taught in isolation, if at all.

License GPL (>= 2)

LazyLoad yes

LazyData yes

NeedsCompilation no

Repository CRAN

Date/Publication 2014-08-23 01:02:56

R topics documented:

Alcohol	2
Birthdays	3
Births78	4
Cards	4
CoolingWater	5
Countries	6
CPS85	6
Galton	8
Gestation	9
HeatX	10
Heightweight	11
HELPfull	12
HELPmiss	38
HELPrct	40
KidsFeet	42
Marriage	43
Mites	44
RailTrail	45
SAT	46
SnowGR	47
SwimRecords	48
TenMileRace	49
Utilities	49
Utilities2	50
Whickham	52
Index	53

Alcohol	<i>Alcohol Consumption per Capita</i>
---------	---------------------------------------

Description

These data provide per capita alcohol consumption values for many countries in 2005 and 2008. There are also a few countries for which there are data in other years.

Usage

```
data(Alcohol)
```

Format

A data frame with 411 observations on the following variables.

- country country name
- year year
- alcohol per capita alcohol consumption

Source

Gapminder (<http://www.gapminder.org/>)

References

<http://www.fvgreenway.org/pdfs/Northampton-Bikepath-Volume-Counts>

Examples

```
data(Alcohol)
# There are only a few observations in years other than 2005 and 2008
subset(Alcohol, ! year %in% c(2005,2008))
```

Birthdays

US Births in 1969 - 1988

Description

A day by day record of the number of births in each US State.

Usage

```
data(Birthdays)
```

Format

A data frame with 374221 observations on the following variables.

- state state where child was born
- year year (1969-1988)
- month month (1-12)
- day day of month
- date date as a date object
- births number of births

Examples

```
data(Birthdays)
if (require(lattice)) {
  xyplot(births ~ date, Birthdays, subset=state=="CA")
  xyplot(births ~ date, Birthdays, subset=state=="CA",
    groups=wday, type='l')
  if (require(mosaic)) {
    xyplot(births ~ date, type='l',
      data = Birthdays %>% group_by(date) %>% summarise(births=sum(births)))
  }
}
```

Births78*US Births in 1978*

Description

A day by day record of the number of births in the United States in 1978.

Usage

```
data(Births78)
```

Format

A data frame with 365 observations on the following variables.

- `date` date in 1978
- `births` number of US births
- `dayofyear` sequential number of days from 1 to 365

Examples

```
data(Births78)
if (require(lattice)) {
  xyplot(births ~ date, Births78)
  xyplot(births ~ date, Births78, groups=dayofyear%7)
}
```

Cards*Standard Deck of Cards*

Description

A character vector with two or three character representations of each card in a standard 52-card deck.

Usage

```
Cards
```

Details

The 2 of clubs is represented as "2C", while the 10 of diamonds is "10D".

Examples

```
if (require(mosaic)) {  
  deal(Cards, 13)      # bridge hand  
  deal(Cards, 5)       # poker hand  
  shuffle(Cards)      # shuffled deck  
}
```

CoolingWater

CoolingWater

Description

Temperature of a mug of water as it cools

Usage

```
data(CoolingWater)
```

Format

A data frame with 222 observations of the following variables.

- time time in minutes
- temp temperature in Celsius

Details

The water was poured into a mug and a temperature probe inserted into the water with a few seconds of the pour.

Source

These data were collected Stan Wagon to help his mathematical modeling students explore Newton's Law of Cooling and the ways that the law is really only an approximation. More about Stan: <http://stanwagon.com>.

Examples

```
data(CoolingWater)  
if (require(lattice)) {  
  xyplot(temp~time, data=CoolingWater)  
}
```

 Countries

Countries

Description

A data frame containing country names as used by GapMinder and the maps package to facilitate conversion between the two.

Usage

```
data(Countries)
```

Format

A data frame with 258 observations on the following variables.

- worldmap region name <http://mappinghacks.com/> data sets
- gapminder country name in GapMinder data sets
- maps region name in maps data sets

Details

The "countries" in the maps data include several other geographic regions (bodies of water, islands belonging to other countries, Hawaii, etc.) that are not countries. Furthermore, the maps countries do not include many of the countries that have been created since ca. 2000. The mapping is therefore many-to-many, and also includes some NAs when there is no appropriate mapping. Bodies of water in the maps data, for example, are not assigned a country in the GapMinder.

Examples

```
data(Countries)
subset(Countries, maps=="Yugoslavia") # Where has Yugoslavia gone?
subset(Countries, is.na(gapminder))   # Things from maps with no GapMinder equivalent
subset(Countries, is.na(maps))        # Things from GapMinder with no maps equivalent
```

 CPS85

Data from the 1985 Current Population Survey (CPS85)

Description

The Current Population Survey (CPS) is used to supplement census information between census years. These data consist of a random sample of persons from the CPS85, with information on wages and other characteristics of the workers, including sex, number of years of education, years of work experience, occupational status, region of residence and union membership.

Usage

```
data(CPS85)
```

Format

A data frame with 534 observations on the following variables.

- wage wage (US dollars per hour)
- educ number of years of education
- race a factor with levels NW (nonwhite) or W (white)
- sex a factor with levels F M
- hispanic a factor with levels Hisp NH
- south a factor with levels NS S
- married a factor with levels Married Single
- exper number of years of work experience (inferred from age and educ)
- union a factor with levels Not Union
- age age in years
- sector a factor with levels clerical const manag manuf other prof sales service

Details

Data are from 1985. The data file is recoded from the original, which had entirely numerical codes.

Source

Data are from http://lib.stat.cmu.edu/datasets/CPS_85_Wages.

References

Berndt, ER. *The Practice of Econometrics* 1991. Addison-Wesley.

Examples

```
data(CPS85)
```

Galton

Galton's dataset of parent and child heights

Description

In the 1880's, Francis Galton was developing ways to quantify the heritability of traits. As part of this work, he collected data on the heights of adult children and their parents.

Usage

```
data(Galton)
```

Format

A data frame with 898 observations on the following variables.

- family a factor with levels for each family
- father the father's height (in inches)
- mother the mother's height (in inches)
- sex the child's sex: F or M
- height the child's height as an adult (in inches)
- nkids the number of adult children in the family, or, at least, the number whose heights Galton recorded.

Details

Entries were deleted for those children whose heights were not recorded numerically by Galton, who sometimes used entries such as "tall", "short", "idiotic", "deformed" and so on.

Source

The data were transcribed by J.A. Hanley who has published them at <http://www.medicine.mcgill.ca/epidemiology/hanley/galton/>

References

"Transmuting" women into men: Galton's family data on human stature. (2004) *The American Statistician*, 58(3):237-243.

Examples

```
data(Galton)
```

Gestation

*Data from the Child Health and Development Studies***Description**

Birth weight, date, and gestational period collected as part of the Child Health and Development Studies in 1961 and 1962. Information about the baby's parents — age, education, height, weight, and whether the mother smoked is also recorded.

Usage

```
data(Gestation)
```

Format

A data frame with 1236 observations on the following variables.

- id identification number
- plurality 5 = single fetus
- outcome 1 = live birth that survived at least 28 days
- date birth date where 1096=January 1, 1961
- gestation length of gestation (in days)
- sex infant's sex (1=male, 2=female)
- wt birth weight (in ounces)
- parity total number of previous pregnancies (including fetal deaths and still births)
- race mother's race: 0=5=white 6=mex 7=black 8=asian 9=mixed
- age mother's age in years at termination of pregnancy
- ed mother's education: 0= less than 8th grade, 1 = 8th -12th grade - did not graduate, 2= HS graduate–no other schooling, 3= HS+trade, 4=HS+some college, 5=College graduate, 6=Trade school, 7=HS unclear
- ht mother's height in inches to the last completed inch
- wt. 1 mother's prepregnancy weight (in pounds)
- drace father's race (a factor with levels equivalent to mother's race)
- dage father's age (in years)
- ded father's education (same coding as mother's education)
- dht father's height in inches to the last completed inch
- dwt father's weight (in pounds)
- marital marital status: 1=married, 2=legally separated, 3=divorced, 4=widowed, 5=never married
- inc family yearly income in \$2500 increments: 0=under 2500, 1=2500-4999, ..., 8=12,500-14,999, 9=15000+

- smoke does mother smoke? 0=never, 1=smokes now, 2=until current pregnancy, 3=once did, not now
- time since quitting smoking: 0=never smoked, 1=still smokes, 2=during current preg, 3=within 1 yr, 4=1 to 2 years ago, 5= 2 to 3 yr ago, 6= 3 to 4 yrs ago, 7=5 to 9yrs ago, 8=10+yrs ago, 9=quit and don't know
- number of cigs smoked per day for past and current smokers 0=never, 1=1-4, 2=5-9, 3=10-14, 4=15-19, 5=20-29, 6=30-39, 7=40-60, 8=60+, 9=smoke but don't know

Details

The data were presented by Nolan and Speed to address the question of whether there is a link between maternal smoking and the baby's health.

Source

The book by Nolan and Speed describes the data in more detail and provides an Internet site for accessing them: <http://www.stat.berkeley.edu/users/statlabs/>

References

D Nolan and T Speed. *Stat Labs: Mathematical Statistics Through Applications* (2000), Springer-Verlag.

Examples

```
data(Gestation)
```

HeatX

Data from a heat exchanger laboratory

Description

These data were collected by engineering students at Calvin College. The apparatus consists of concentric pipes insulated from the environment so that as nearly as can be managed the only heat exchange is between the hot and cold water.

Usage

```
data(HeatX)
```

Format

A data frame with 6 observations on the following variables.

- trial trial number
- T.cold.in temperature (C) of the cold water as it enters the apparatus
- T.cold.out temperature (C) of the cold water as it leaves the apparatus

- m.cold flow rate (L/min) of the cold water
- T.hot.in temperature (C) of the hot water as it enters the apparatus
- T.hot.out temperature (C) of the hot water as it leaves the apparatus
- m.hot flow rate (L/min) of the hot water

Examples

```
# We can test for heat exchange with the environment by check to see if the
# heat gained by the cold water matches the heat lost by the hot water.
C_p <- 4.182 / 60 # / 60 because measuring m in L/min
HeatX2 <- transform(HeatX,
                    Q.cold = m.cold * C_p * (T.cold.out - T.cold.in),
                    Q.hot = m.hot * C_p * (T.hot.out - T.hot.in)
)
HeatX2 <- transform(HeatX2, Q.env = Q.cold + Q.hot)
if (require(mosaic)) {
  stripplot( ~ Q.env, data=HeatX2, alpha=.6, cex=2, jitter.data=TRUE, factor=4)
  t.test( ~Q.env, data = HeatX2 )
}
```

Heightweight

Height and Weight

Description

The height and weight data collected from 57 males and 24 females for the purpose of exploring how the weight of a person is related to his or her height.

Usage

```
data(Heightweight)
```

Format

A data frame with 81 observations on the following variables.

- female 0 = male, 1 = female
- gender a factor with levels male or female
- height subject height (in inches)
- weight subject weight (in pounds)

References

Part of the Carnegie Mellon University Online Learning Initiative datasets.

Description

The HELP study was a clinical trial for adult inpatients recruited from a detoxification unit. Patients with no primary care physician were randomized to receive a multidisciplinary assessment and a brief motivational intervention or usual care, with the goal of linking them to primary medical care.

Usage

```
data(HELFull1)
```

Format

A data frame with 1472 observations on the following variables.

- ID Subject ID
- TIME Interview time point
- NUM_INTERVALS Number of 6-month intervals from previous to current interview
- INT_TIME1 # of months from baseline to current interview
- DAYS_SINCE_BL # of days from baseline to current interview
- INT_TIME2 # of months from previous to current interview
- DAYS_SINCE_PREV # of days from previous to current interview
- PREV_TIME Previous interview time
- DEAD a numeric vector
- A1 Gender (1=Male, 2=Female)
- A9 Years of education completed
- A10 Marital Status (1=Married, 2=Remarried, 3=Widowed, 4= Separated, 5=Divorced, 6=Never Married)
- A11A Do you currently have a living mother? (0=No, 1= Yes)
- A11B Do you currently have a living father? (0=No, 1=Yes)
- A11C Do you currently have siblings? (0=No, 1=Yes)
- A11D Do you currently have a partner (0=No, 1=Yes)
- A11E Do you currently have children? (0=No, 1=Yes)
- A12B Hollingshead categories (1=Major profess, 2= Lesser profess, 3=Minor profess, 4=Clerical/sales, 5=Skilled manual, 6=Semi-skilled, 7=Unskilled, 8= Homemaker, 9=No occupation)
- A13 Usual employment pattern in last 6 months (1=Full time, 2= Part time, 3=Student, 4=Unemployed, 5=Control envir)
- A14A Loved alone-last 6 mos (0=No, 1=Yes)
- A14B Lived w/a partner-last 6 mos (0=No, 1=Yes)

- A14C Lived with parent(s)-last 6 mos (0=No, 1=Yes)
- A14D Lived w/children-last 6 mos (0=No, 1=Yes)
- A14E Lived w/other family-last 6 mos (0=No, 1=Yes)
- A14F Lived w/friend(s)-last 6 mos (0=No, 1=Yes)
- A14G Lived w/other-last 6 mos (0=No, 1=Yes)
- A14G_T a factor with levels 1/2 WAY HOUSE 3/4 HOUSE ANCHOR INN ARMY ASSOCIATES BOARDERS BOYFRIENDS MOM CORRECTIONAL FACILIT CRACK HOUSE DEALER ENTRE FAMILIA FENWOOD GAVIN HSE GIRLFRIENDS DAUGHTE GIRLFRIENDS SON GIRLFRIENDS CHILDREN GIRLFRIENDS DAUGHTER GROUP HOME HALF-WAY HOUSE HALFWAY HOUSE HALFWAY HOUSES HALFWAY HSE HOLDING UNIT HOME BORDER HOMELESS HOMELESS SHELTER IN JAIL IN PROGRAMS INCARCERATED JAIL JAIL HALFWAY HOUSE JAIL, SHELTER JAIL, STREET JAIL/PROGRAM JAIL/SHELTER JAILS LANDLADY LANDLORD LODGING HOUSE MERIDIAN HOUSE NURSING HOME ON THE STREET PARTNERS MOTHER PARTNERS CHILD PARTNERS CHILDREN PRDGRAMS PRISON PROGRAM PROGRAM MTHP PROGRAM ROOMMATES PROGRAM SOBER HOUSE PROGRAM-RESIDENTIAL PROGRAM/HALFWAY HOUS PROGRAM/JAIL PROGRAM/SHELTER PROGRAM/SHELTERS PROGRAMS PROGRAMS SUBSTANCE PROGRAMS/SHELTER PROGRAMS/SHELTERS PROGRAMS/SHELTERS/DE PROJECT SOAR RESIDENTIAL FACILITY RESIDENTIAL PROGRAM ROOMING HOUSE ROOMING HOUSE (RELIG ROOMMATE ROOMMATES ROOMMATES AT TRANSIT RYAN HOUSE SALVATION ARMY SHELTER SHELTER/HALFWAY HSE SHELTER/HOTEL SHELTER/PROGRAM SHELTERS SHELTERS/HOSPITALS SHELTERS/JAIL SHELTERS/PROGRAMS SHELTERS/STREETS SOBER HOUSE SOBER HOUSING SOUTH BAY JAIL STEPSON STREET STREETS SUBSTANCE ABUSE TREA TRANSITIONAL HOUSE VA SHELTER
- A15A #nights in ovrnight shelter-last 6 mos
- A15B # nights on street-last 6 mos
- A15C #months in jail-last 6 mos
- A16A # months in ovrnight shelter-last 5 yrs
- A16B #moths on street-last 5 yrs
- A16C #months in jail-last 5 yrs
- A17A Received SSI-past 6 mos (0=No, 1=Yes)
- A17B Received SSDI-past 6 mos (0=No, 1=Yes)
- A17C Received AFDC-past 6 mos (0=No, 1=Yes)
- A17D Received EAEDC-past 6 mos (0=No, 1=Yes)
- A17E Received WIC-past 6 mos (0=No, 1=Yes)
- A17F Received unemployment benefits-past 6 mos (0=No, 1=Yes)
- A17G Received Workman's Comp-past 6 mos (0=No, 1=Yes)
- A17H Received Child Support-past 6 mos (0=No, 1=Yes)
- A17I Received other income-past 6 mos (0=No, 1=Yes)
- A17I_T a factor with levels DISABLED VETERAN EBT (FOOD STAMPS) EMERGENCY FOOD STAMP FOOD STAMP FOOD STAMPS FOOD STAMPS/VETERAN FOOD STAMPS/VETERANS INSURANCE SETTLEMENT PENSION CHECK SECTION 8 SERVICE CONNECTED DI SOCIAL SECURITY SSDI FOR SON SURVIVORS BENEFITS TEMPORARY DISABILITY VA BENEFITS-DISABILI VA COMPENSATION VA DISABILITY PENSIO VETERAN BENEFITS VETERANS SERVICES VETERANS AFFAIRS

- A18 Most money made in any 1 year-last 5 yrs (1=<5000, 2=5000-10000, 3=11000-19000, 4=20000-29000, 5=30000-39000, 6=40000-49000, 7=50000+)
- B1 In general, how is your health (1=Excellent, 2=Very Good, 3=Good, 4=Fair, 5=Poor)
- B2 Comp to 1 yr ago, how is your health now (1=Much better, 2=Somewhat better, 3=About the same, 4=Somewhat worse, 5=Much worse)
- B3A Does health limit you in vigorous activity (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3B Does your health limit you in moderate activity (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3C Does health limit you in lift/carry groceries (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3D Hlth limit you in climb sev stair flights (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3E Health limit you in climb 1 stair flight (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3F Health limit you in bend/kneel/stoop (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3G Does health limit you in walking >1 mile (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3H Hlth limit you in walking sevrl blocks (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3I Does health limit you in walking 1 block (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B3J Hlth limit you in bathing/dressing self (1=Limited a lot, 2=Limited a little, 3=Not limited)
- B4A Cut down wrk/act due to phys hlth-1st 4 wks (0=No, 1=Yes)
- B4B Accomplish less due to phys hlth-1st 4 wks (0=No, 1=Yes)
- B4C Lim wrk/act type due to phys hlth-1st 4 wks (0=No, 1=Yes)
- B4D Diff perf work due to phys hlth-1st 4 wks (0=No, 1=Yes)
- B5A Cut wrk/act time due to emot prbs-1st 4 wks (0=No, 1=Yes)
- B5B Accomplish ess due to emot probs-1st 4 wks (0=No, 1=Yes)
- B5C <carefl w/wrk/act due to em prb-1st 4 wks (0=No, 1=Yes)
- B6 Ext phys/em intf w/norm soc act-1st 4 wk (1=Not at all, 2=Slightly, 3=Moderately, 4=Quite a bit, 5=Extremely)
- B7 Amount of bodily pain-past 4 wks (1=None, 2=Very mild, 3= Mild, 4=Moderate, 5= Severe, 6= Very severe)
- B8 Amt pain interf with norm work-last 4 wks (1=Not at all, 2=A little bit, 3=Moderately, 4=Quite a bit, 5=Extremely)
- B9A Did you feel full of pep-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9B Have you been nervous-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9C Felt nothing could cheer you-1st 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9D Have you felt calm/peaceful-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)

- B9E Did you have a lot of energy-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9F Did you feel downhearted-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9G Did you feel worn out-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9H Have you been a happy pers-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B9I Did you feel tired-past 4 wks (1=All of the time, 2=Most of the time, 3 = Good bit of the time, 4=Some of the time, 5=A little of time, 6=None of the time)
- B10 Amyphys/em prb intf w/soc act-1st 4 wks (1All of the time, 2=Most of the time, 3=Some of the time, 4= A lttle of time, 5= Non of the time)
- B11A I seem to get sick easier than oth peop (1=Definitely true, 2=Mostly True, 3=Don't know, 4=Mostly false, 5=Definitely false)
- B11B I am as healthy as anybody I know (1=Definitely true, 2=Mostly true, 3=Don't know, 4=Mostly false, 5=Definitely False)
- B11C I expect my health to get worse (1=Definitely true, 2=Mostly true, 3=Don't know, 3=Mostly false, 5=Definitely false)
- B11D My health is excellent (1=Definitely true, 2=Mostly true, 3=Don't know, 4=Mostly false, 5=Definitely false)
- C1A Told by MD had seix, epil, convuls (0=No, 1=Yes)
- C1B Told by MD had asth, emphys, chr lung dis (0=No, 1=Yes)
- C1C Told by MD had MI (0=No, 1=Yes)
- C1D Told by MD had CHF (0=No, 1=Yes)
- C1E Told by MD had other heart dis (req med) (0=No, 1=Yes)
- C1F Told by MD had HBP (0=No, 1=Yes)
- C1G Told by MD had chronic liver disease (0=No, 1=Yes)
- C1H Told by MD had kidney failure (0=No, 1=Yes)
- C1I Told by MD had chronic art, osteoarth (0=No, 1=Yes)
- C1J Told by MD had peripheral neuropathy (0=No, 1=Yes)
- C1K Ever told by MD had cancer (0=No, 1=Yes)
- C1L Ever told by MD had diabetes (0=No, 1=Yes)
- C1M Ever told by MD had stroke (0=No, 1=Yes)
- C2A1 Have you ever had skin infections (0=No, 1=Yes)
- C2A2 Have you had skin infections-past 6 mos (0=No, 1=Yes)
- C2B1 Have you ever had pneumonia (0=No, 1=Yes)
- C2B2 Have you had pneumonia-past 6 mos (0=No, 1=Yes)
- C2C1 Have you ever had septic arthritis (0=No, 1=Yes)
- C2C2 Have you had septic arthritis-past 6 mos (0=No, 1=Yes)
- C2D1 Have you ever had TB (0=No, 1=Yes)

- C2D2 Have you had TB-last 6 mos (0=No, 1=Yes)
- C2E1 Have you ever had endocarditis (0=No, 1=Yes)
- C2E2 Have you had endocarditis-past 6 mos (0=No, 1=Yes)
- C2F1 Have you ever had an ulcer (0=No, 1=Yes)
- C2F2 Have you had an ulcer-past 6 mos (0=No, 1=Yes)
- C2G1 Have you ever had pancreatitis (0=No, 1=Yes)
- C2G2 Have you had pancreatitis-past 6 mos (0=No, 1=Yes)
- C2H1 Ever had abdom pain req overnt hosp stay (0=No, 1=Yes)
- C2H2 Abdom pain req ovrnt hosp stay-1st 6 mos (0=No, 1=Yes)
- C2I1 Have you ever vomited blood (0=No, 1=Yes)
- C2I2 Have you vomited blood-past 6 mos (0=No, 1=Yes)
- C2J1 Have you ever had hepatitis (0=No, 1=Yes)
- C2J2 Have you had hepatitis-past 6 mos (0=No, 1=Yes)
- C2K1 Ever had blood clots in legs/lungs (0=No, 1=Yes)
- C2K2 Blood clots in legs/lungs-past 6 mos (0=No, 1=Yes)
- C2L1 Have you ever had osteomyelitis (0=No, 1=Yes)
- C2L2 Have you had osteomyelitis-past 6 mos (0=No, 1=Yes)
- C2M1 Chst pain using cocaine req ER/hosp (0=No, 1=Yes)
- C2M2 Chst pain using coc req ER/hosp-1st 6 mos (0=No, 1=Yes)
- C2N1 Have you ever had jaundice (0=No, 1=Yes)
- C2N2 Have you had jaundice-past 6 mos (0=No, 1=Yes)
- C2O1 Lower back pain > 3mos req med attn (0=No, 1=Yes)
- C2O2 Lwr bck pain >3mos req med attn-last 6 mos (0=No, 1=Yes)
- C2P1 Ever had seizures or convulsions (0=No, 1=Yes)
- C2P2 Had seizures or convulsions-past 6 mos (0=No, 1=Yes)
- C2Q1 Ever had drug/alc overdose req ER attn (0=No, 1=Yes)
- C2Q2 Drug/alc overdose req ER attn (0=No, 1=Yes)
- C2R1 Have you ever had a gunshot wound (0=No, 1=Yes)
- C2R2 Had a gunshot wound-past 6 mos (0=No, 1=Yes)
- C2S1 Have you ever had a stab wound (0=No, 1=Yes)
- C2S2 Have you had a stab wound-past 6 mos (0=No, 1=Yes)
- C2T1 Ever had accid/falls req med attn (0=No, 1=Yes)
- C2T2 Had accid/falls req med attn-past 6 mos (0=No, 1=Yes)
- C2U1 Ever had fract/disloc to bones/joints (0=No, 1=Yes)
- C2U2 Fract/disloc to bones/joints-past 6 mos (0=No, 1=Yes)
- C2V1 Ever had injury from traffic accident (0=No, 1=Yes)
- C2V2 Had injury from traffic accid-past 6 mos (0=No, 1=Yes)

- C2W1 Have you ever had a head injury (0=No, 1=Yes)
- C2W2 Have you had a head injury-past 6 mos (0=No, 1=Yes)
- C3A1 Have you ever had syphilis (0=No, 1=Yes)
- C3A2 # times had syphilis
- C3A3 Have you had syphilis in last 6 mos (0=No, 1=Yes)
- C3B1 Have you ever had gonorrhea (0=No, 1=Yes)
- C3B2 # times had gonorrhea
- C3B3 Have you had gonorrhea in last 6 mos (0=No, 1=Yes)
- C3C1 Have you ever had chlamydia (0=No, 1=Yes)
- C3C2 # of times had Chlamydia
- C3C3 Have you had chlamydia in last 6 mos (0=No, 1=Yes)
- C3D Have you ever had genital warts (0=No, 1=Yes)
- C3E Have you ever had genital herpes (0=No, 1=Yes)
- C3F1 Have you ever had other STD's (not HIV) (0=No, 1=Yes)
- C3F2 # of times had other STD's (not HIV)
- C3F3 Had other STD's (not HIV)-last 6 mos (0=No, 1=Yes)
- C3F_T a factor with levels 7 CRABS CRABS - TRICHONOMIS CRABS, HEP B DOESNT KNOW NAME HAS HAD ALL 3 ABC HEP B HEP B, TRICAMONAS HEP. B HEPATITIS B HEPATITS B TRICHAMONAS VAGINALA TRICHAMONIS TRICHOMONAS TRICHOMONIASIS TRICHOMONIS TRICHOMONIS VAGINITI TRICHOMORAS TRICHONOMIS
- C3G1 Have you ever been tested for HIV/AIDS (0=No, 1=Yes)
- C3G2 # times tested for HIV/AIDS
- C3G3 Have you been tested for HIV/AIDS-1st 6 mos (0=No, 1=Yes)
- C3G4 What was the result of last test (1=Positive, 2=Negative, 3=Refued, 4=Never got result, 5=Inconclusive)
- C3H1 Have you ever had PID (0=No, 1=Yes)
- C3H2 # of times had PID
- C3H3 Have you had PID in last 6 mos (0=No, 1=Yes)
- C3I Have you ever had a Pap smear (0=No, 1=Yes)
- C3J Have you had a Pap smear in last 3 years (0=No, 1=Yes)
- C3K Are you pregnant (0=No, 1=Yes)
- C3K_M How many mos pregnant
- D1 \$ of times hospitalized for med probs
- D2 Take prescr med regularly for phys prob (0=No, 1=Yes)
- D3 # days had med probs-30 days bef detox
- D4 How bother by med prob-30days bef detox (0=Not at all, 1=Slightly, 2=Moderately, 3=Considerably, 4=Extremely)
- D5 How import is trtmnt for these med probs (0=Not at all, 1=Slightly, 2= Moderately, 3= Considerably, 4= Extremely)

- E2A Detox prog for alc or drug prob-1st 6 mos (0=No, 1=Yes)
- E2B # times entered a detox prog-1st 6 mos
- E2C # nights overnight in detox prg-1st 6 mos
- E3A Holding unit for drug/alc prob-1st 6 mos (0=No, 1=Yes)
- E3B # times in holding unit=1st 6 mos
- E3C # total nights in holding unit-1st 6 mos
- E4A In halfway hse/resid facil-1st 6 mos (0=No, 1=Yes)
- E4B # times in hlfwy hse/res facil-1st 6 mos
- E4C Ttl nites in hlfwy hse/res fac-last 6 mos
- E5A In day trtmt prg for alcohol/drug-1st 6 mos (0=No, 1=Yes)
- E5B Total # days in day trtmt prg-1st 6 mos
- E6 In methadone maintenance prg-1st 6 mos (0=No, 1=Yes)
- E7A Visit outpt prg subst ab couns-1st 6 mos (0=No, 1=Yes)
- E7B # visits outpt prg subst ab couns-1st 6 mos
- E8A1 Saw MD/H care wkr re alcohol/drugs-1st 6 mos (0=No, 1=Yes)
- E8A2 Saw Prst/Min/Rabbi re alcohol/drugs-1st 6 mos (0=No, 1=Yes)
- E8A3 Employ Asst Prg for alcohol/drug prb-1st 6 mos (0=No, 1=Yes)
- E8A4 Oth source cnsl for alcohol/drug prb-1st 6 mos (0=No, 1=Yes)
- E9A AA/NA/slf-hlp for drug/alcohol/emot-1st 6 mos (0=No, 1=Yes)
- E9B How often attend AA/NA/slf-hlp-1st 6 mos (1=Daily, 2=2-3 Times/week, 3=Weekly, 4=Every 2 weeks, 5=Once/month)
- E10A have you been to med clinic-1st 6 mos (0=No, 1=Yes)
- E10B1 # x visit ment hlth clin/prof-1st 6 mos
- E10B2 # x visited med clin/priv MD-1st 6 mos
- E10C19 Visited private MD-last 6 mos (0=No, 1=Yes)
- E11A Did you stay ovrnite/+ in hosp-1st 6 mos (0=No, 1=Yes)
- E11B # times overnight/+ in hosp-last 6 mos
- E11C Total # nights in hosp-last 6 mos
- E12A Visited Hosp ER for med care-past 6 mos (0=No, 1=Yes)
- E12B # times visited hosp ER-last 6 mos
- E13 Tlt # visits to MDs-1st 2 wks bef detox
- E14A Recd trtmt from acupuncturist-last 6 mos (0=No, 1=Yes)
- E14B Recd trtmt from chiropractor-last 6 mos (0=No, 1=Yes)
- E14C Trtd by hol/herb/hom med prac-1st 6 mos (0=No, 1=Yes)
- E14D Recd trtmt from spirit healer-1st 6 mos (0=No, 1=Yes)
- E14E Have you had biofeedback-last 6 mos (0=No, 1=Yes)
- E14F Have you underwent hypnosis-1st 6 mos (0=No, 1=Yes)

- E14G Received other treatment-last 6 mos (0=No, 1=Yes)
- E15A Tried to get subst ab services-1st 6 mos (0=No, 1=Yes)
- E15B Always able to get subst ab servies (0=No, 1=Yes)
- E15C1 I could not pay for services (0=No, 1=Yes)
- E15C2 I did not know where to go for help (0=No, 1=Yes)
- E15C3 Couldn't get to services due to transp prob (0=No, 1=Yes)
- E15C4 The offie/clinic hrs were inconvenient (0=No, 1=Yes)
- E15C5 Didn't speak/understnd English well enough (0=No, 1=Yes)
- E15C6 Afraid other might find out about prob (0=No, 1=Yes)
- E15C7 My substance abuse interfered (0=No, 1=Yes)
- E15C8 Didn't have someone to watch my children (0=No, 1=Yes)
- E15C9 I did not want to lose my job (0=No, 1=Yes)
- E15C10 My insurance didn't cover services (0=No, 1=Yes)
- E15C11 There were no beds available at the prog (0=No, 1=Yes)
- E15C12 Other reason not get sub ab services (0=No, 1=Yes)
- E16A1 I cannot pay for services (0=No, 1=Yes)
- E16A2 I am not eligible for free care (0=No, 1=Yes)
- E16A3 I do not know where to go (0=No, 1=Yes)
- E16A4 Can't get to services due to trans prob (0=No, 1=Yes)
- E16A5 a numeric vectorOffice/clinic hours are inconvenient (0=No, 1=Yes)
- E16A6 I don't speak/understnd enough English (0=No, 1=Yes)
- E16A7 Afraid othrs find out about my hlth prob (0=No, 1=Yes)
- E16A8 My substance abuse interferes (0=No, 1=Yes)
- E16A9 I don't have someone to watch my childrn (0=No, 1=Yes)
- E16A10 I do not want to lose my job (0=No, 1=Yes)
- E16A11 My insurance doesn't cover charges (0=No, 1=Yes)
- E16A12 I do not feel I need a regular MD (0=No, 1=Yes)
- E16A13 Other reasons don't have regular MD (0=No, 1=Yes)
- E18A I could not pay for services (0=No, 1=Yes)
- E18B I did not know where to go for help (0=No, 1=Yes)
- E18C Couldn't get to services due to transp prob (0=No, 1=Yes)
- E18D The office/clinic hrs were inconvenient (0=No, 1=Yes)
- E18F Afraid others might find out about prob (0=No, 1=Yes)
- E18G My substance abuse interfered (0=No, 1=Yes)
- E18H Didn't have someone to watch my children (0=No, 1=Yes)
- E18I I did not want to lose my job (0=No, 1=Yes)
- E18J My insurance didn't cover services (0=No, 1=Yes)

- E18K There were no beds available at the prog (0=No, 1=Yes)
- E18L I do not need substance abuse services (0=No, 1=Yes)
- E18M Other reason not get sub ab services (0=No, 1=Yes)
- F1A Bothered by thngs not gen boethered by (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1B My appretite was poor (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1C Couldn't shake blues evn w/fam+frnds hlp (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1D Felt I was just as good as other people (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1E Had trouble keeping mind on what doing (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1F I felt depressed (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1G I felt everthing I did was an effort (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1H I felt hopeful about the future (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1I I thought my life had been a failure (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1J I felt fearful (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1K My sleep was restless (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1L I was happy (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1M I talked less than usual (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1N I felt lonely (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1O People were unfriendly (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1P I enjoyed life (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1Q I had crying spells (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1R I felt sad (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1S I felt that people dislike me (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)
- F1T I could not get going (0=Rarely/never, 1=Some of the time, 2=Occas/moderately, 3=Most of the time)

- G1A Diff contr viol beh for sig time per evr (0=No, 1=Yes)
- G1A_30 Diff contr viol beh-sig per lst 30 days (0=No, 1=Yes)
- G1B Ever had thoughts of suicide (0=No, 1=Yes)
- G1B_30 Had thoughts of suicide-lst 30 days (0=No, 1=Yes)
- G1C Attempted suicide ever (0=No, 1=Yes)
- G1C_30 Attempted suicide-lst 30 days (0=No, 1=Yes)
- G1D Prescr med for pst/emot prob ever (0=No, 1=Yes)
- G1D_30 Prescr med for psy/emot prob-lst 30 days (0=No, 1=Yes)
- H1_30 # days in past 30 bef detox used alcohol
- H1_LT # yrs regularly used alcohol
- H1_RT Route of administration use alcohol (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H2_30 #days in 3- bef detox use alc to intox
- H2_LT # yrs regularly used alcohol to intox
- H2_RT Route of admin use alcohol to intox (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H3_30 # days in past 30 bef detox used heroin
- H3_LT # yrs regularly used heroin
- H3_RT Route of administration of heroin (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H4_30 # days used methadone-lst 30 bef detox
- H4_LT # yrs regularly used methadone
- H4_RT Route of administration of methadone (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H5_30 # days used opi/analg-lst 30 bef detox
- H5_LT # yrs regularly used oth opiates/analg
- H5_RT Route of admin of oth opiates/analg (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H6_30 # days in past 30 bef detox used barbit
- H6_LT # yrs regularly used barbiturates
- H6_RT Route of admin of barbiturates (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H7_30 # days used sed/hyp/trnq-lst 30 bef det
- H7_LT # yrs regularly used sed/hyp/trnq
- H7_RT Route of admin of sed/hyp/trnq (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H8_30 # days in lst 30 bef detox used cocaine
- H8_LT # yrs regularly used cocaine

- H8_RT Route of admin of cocaine (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H9_30 # days in lst 30 bef detox used amphet
- H9_LT # yrs regularly used amphetamines
- H9_RT Route of admin of amphetamines (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H10_30 # days in lst 30 bef detox used cannabis
- H10_LT # yrs regularly used cannabis
- H10_RT Route of admin of cannabis (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H11_30 # days in lst 30 bef detox used halluc
- H11_LT # yrs regularly used hallucinogens
- H11_RT Route of admin of hallucinogens (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H12_30 # days in lst 30 bef detox used inhalant
- H12_LT # yrs regularly used inhalants
- H12_RT Route of admin of inhalants (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H13_30 # days used >1 sub/day-lst 30 bef detox
- H13_LT # yrs regularly used >1 subst/day
- H13_RT Route of admin of >1 subst/day (0=N/A. 1=Oral, 2=Nasal, 3=Smoking, 4=Non-IV injection, 5=IV)
- H14 Accord to interview w/c subst is main prob (0=No problem, 1=Alcohol, 2=Alcool to intox, 3=Heroin 4=Methodone, 5=Oth opiate/analg, 6=Barbituates, 7=Sed/hyp/tranq, 8=Cocaine, 9=Amphetamines, 10=Marij/cannabis)
- H15A # times had alchol DTs
- H15B # times overdosed on drugs
- H16A \$ spent on alc-lst 30 days bef detox
- H16B \$ spent on drugs-lst 30 days bef detox
- H17A # days had alc prob-lst 30 days bef det
- H17B # days had drug prob-lst 30 days bef det
- H18A How troubled by alc probs-lst 30 days (0=Not at all, 1=Slightly, 2=Moderately, 3=Considerably, 4=Extremely)
- H18B How troubled by drug probs-lst 30 days (0=Not at all, 1=Slightly, 2=Moderately, 3=Considerably, 4=Extremely)
- H19A How import is trtmnt for alc probs now (0=Not at all, 1=Slightly, 2=Moderately, 3=Considerably, 4=Extremely)
- H19B How importy is trtmnt for drug probs now (0=Not at all, 1=Slightly, 2=Moderately, 3=Considerably, 4=Extremely)
- I1 Avg # drinks in lst 30 days bef detox

- I2 Most drank any 1 day in lst 30 bef detox
- I3 On days used heroin, avg # bags used
- I4 Most bgs heroin use any 1 day-30 bef det
- I5 Avg \$ amt of heorin used per day
- I6A On days used cocaine, avg # bags used
- I6B On days used cocaine, avg # rocks used
- I7A Mst bgs cocaine use any 1 day-30 bef det
- I7B Mst rcks cocaine use any 1 day-30 bef det
- I8 Avg \$ amt of cocaine used per day
- J1 Evr don't stop using cocaine when should (0=No, 1=Yes)
- J2 Ever tried to cut down on cocaine (0=No, 1=Yes)
- J3 Does cocaine take up a lot of your time (0=No, 1=Yes)
- J4 Need use > cocaine to get some feeling (0=No, 1=Yes)
- J5A Get phys sick when stop using cocaine (0=No, 1=Yes)
- J5B Ever use cocaine to prevent getting sick (0=No, 1=Yes)
- J6 Ever don't stop using heroin when should (0=No, 1=Yes)
- J7 Ever tried to cut down on heroin (0=No, 1=Yes)
- J8 Does heroin take up a lot of your time (0=No, 1=Yes)
- J9 Need use > heroin to get some feeling (0=No, 1=Yes)
- J10A Get phys sick when stop using heroin (0=No, 1=Yes)
- J10B Ever use heroin to prevent getting sick (0=No, 1=Yes)
- K1 Do you currently smoke cigarettes (1=Yes-every day, 2=Yes-some days, 3=No-former smoker, 4=No-never>100 cigs)
- K2 Avg # cigarettes smoked per day
- K3 Considering quitting cigs w/in next 6 mo (0=No, 1=Yes)
- L1 How often drink last time drank (1=To get high/less, 2=To get drunk, 3=To pass out)
- L2 Often have hangovrs Sun or Mon mornings (0=No, 1=Yes)
- L3 Have you had the shakes when sobering (0=No, 1=Sometimes, 2=Alm evry time drink)
- L4 Do you get phys sick as reslt of drinking (0=No, 1=Sometimes, 2=Alm evry time drink)
- L5 have you had the DTs (0=No, 1=Once, 2=Several times)
- L6 When drink do you stumble/stagger/weave (0=No, 1=Sometimes, 2=Often)
- L7 D/t drinkng felt overly hot/sweaty (0=No, 1=Once, 2=Several times)
- L8 As result of drinkng saw thngs not there (0=No, 1=Once, 2=Several times)
- L9 Panic because fear not have drink if need it (0=No, 1=Yes)
- L10 Have had blkouts as result of drinkng (0=No, never, 1=Sometimes, 2=Often, 3=Alm evry time drink)
- L11 Do you carry bottle or keep close by (0=No, 1=Some of the time, 2=Most of the time)
- L12 After abstin end up drink heavily again (0=No, 1=Sometimes, 2=Almost evry time)

- L13 Passed out due to drinking-1st 12 mos (0=No, 1=Once, 2=More than once)
- L14 Had convuls following period of drinkng (0=No, 1=Once, 2=Several times)
- L15 Do you drink throughout the day (0=No, 1=Yes)
- L16 Aftr drinkng heavily was thinkng unclear (0=No, 1=Yes, few hrs, 2=Yes,1-2 days, 3=Yes, many days)
- L17 D/t drinkng felt heart beat rapidly (0=No, 1=Once, 2=Several times)
- L18 Do you constntly think about drinkng/alc (0=No, 1=Yes)
- L19 D/t drinkng heard things not there (0=No, 1=Once, 2= Several times)
- L20 Had weird/fright sensations when drinkng (0=No, 1=Once or twice, 2=Often)
- L21 When drinkng felt things rawl not there (0=No, 1=Once, 2=Several times)
- L22 With respect to blackouts (0=Never had one, 1=Had for <1hr, 2=Had several hrs, 3=Had for day/+)
- L23 Ever tried to cut down on drinking & failed (0=No, 1=Once, 2=Several times)
- L24 Do you gulp drinks (0=No, 1=Yes)
- L25 After taking 1 or 2 drinks can you stop (0=No, 1=Yes)
- M1 Had hangover/felt bad aftr using alcohol/drugs (0=No, 1=Yes)
- M2 Felt bad about self because of alcohol/drug use (0=No, 1=Yes)
- M3 Missed days wrk/sch because of alcohol/drug use (0=No, 1=Yes)
- M4 Fam/frinds worry/compl about alcohol/drug use (0=No, 1=Yes)
- M5 I have enjoyed drinking/using drugs (0=No, 1=Yes)
- M6 Qual of work suffered because of alcohol/drug use (0=No, 1=Yes)
- M7 Parenting ability harmed by alcohol/drug use (0=No, 1=Yes)
- M8 Trouble sleeping/nightmares aftr alcohol/drugs (0=No, 1=Yes)
- M9 Driven motor veh while undr inf alcohol/drugs (0=No, 1=Yes)
- M10 Using alcohol/1 drug caused > use othr drugs (0=No, 1=Yes)
- M11 I have been sick/vomited aft alcohol/drug use (0=No, 1=Yes)
- M12 I have been unhappy because of alcohol/drug use (0=No, 1=Yes)
- M13 Lost weight/eaten poorly due to alcohol/drug use (0=No, 1=Yes)
- M14 Fail to do what expected due to alcohol/drug use (0=No, 1=Yes)
- M15 Using alcohol/drugs has helped me to relax (0=No, 1=Yes)
- M16 Felt guilt/ashamed because of my alc drug use (0=No, 1=Yes)
- M17 Said/done emarras thngs when on alcohol/drug (0=No, 1=Yes)
- M18 Personality changed for worse on alcohol/drug (0=No, 1=Yes)
- M19 Taken foolish risk when using alcohol/drugs (0=No, 1=Yes)
- M20 Gotten into trouble because of alcohol/drug use (0=No, 1=Yes)
- M21 Said cruel things while using alcohol/drugs (0=No, 1=Yes)
- M22 Done impuls thngs regret due to alcohol/drug use (0=No, 1=Yes)
- M23 Gotten in phys fights when use alcohol/drugs (0=No, 1=Yes)

- M24 My phys health was harmed by alcohol/drug use (0=No, 1=Yes)
- M25 Using alcohol/drug helped me have more + outlook (0=No, 1=Yes)
- M26 I have had money probs because of my alcohol/drug use (0=No, 1=Yes)
- M27 My love relat harmed due to my alcohol/drug use (0=No, 1=Yes)
- M28 Smoked tobacco more when using alcohol/drugs (0=No, 1=Yes)
- M29 <y phys appearance harmed by alcohol/drug use (0=No, 1=Yes)
- M30 My family hurt because of my alc drug use (0=No, 1=Yes)
- M31 Close relationsp damaged due to alcohol/drug use (0=No, 1=Yes)
- M32 Spent time in jail because of my alcohol/drug use (0=No, 1=Yes)
- M33 My sex life suffered due to my alcohol/drug use (0=No, 1=Yes)
- M34 Lost interst in activity due to my alcohol/drug use (0=No, 1=Yes)
- M35 Soc life> enjoyable when using alcohol/drug (0=No, 1=Yes)
- M36 Spirit/moral life harmed by alcohol/drug use (0=No, 1=Yes)
- M37 Not had kind life want due to alcohol/drug use (0=No, 1=Yes)
- M38 My alcohol/drug use in way of personal growth (0=No, 1=Yes)
- M39 My alcohol/drug use damaged soc life/reputat (0=No, 1=Yes)
- M40 Spent/lost too much \$ because alcohol/drug use (0=No, 1=Yes)
- M41 Arrested for DUI of alc or oth drugs (0=No, 1=Yes)
- M42 Arrested for offenses rel to alcohol/drug use (0=No, 1=Yes)
- M43 Lost marriage/love relat due to alcohol/drug use (0=No, 1=Yes)
- M44 Susp/fired/left job/sch due to alcohol/drug use (0=No, 1=Yes)
- M45 I used drugs moderately w/o having probs (0=No, 1=Yes)
- M46 I have lost a friend due to my alcohol/drug use (0=No, 1=Yes)
- M47 Had an accident while using alcohol/drugs (0=No, 1=Yes)
- M48 Phys hurt/inj/burned when using alcohol/drugs (0=No, 1=Yes)
- M49 I injured someone while using alcohol/drugs (0=No, 1=Yes)
- M50 Damaged things/prop when using alcohol/drugs (0=No, 1=Yes)
- N1A My friends give me the moral support I need (0=No, 1=Yes)
- N1B Most people closer to friends than I am (0=No, 1=Yes)
- N1C My friends enjoy hearing what I think (0=No, 1=Yes)
- N1D I rely on my friends for emot support (0=No, 1=Yes)
- N1E Friend go to when down w/o feel funny later (0=No, 1=Yes)
- N1F Frnds and I open re what thnk about things (0=No, 1=Yes)
- N1G My friends sensitive to my pers needs (0=No, 1=Yes)
- N1H My friends good at helping me solve probs (0=No, 1=Yes)
- N1I have deep sharing relat w/ a # of frnds (0=No, 1=Yes)
- N1J When confide in frnds makes me uncomfot (0=No, 1=Yes)

- N1K My friends seek me out for companionship (0=No, 1=Yes)
- N1L Not have as int relat w/frnds as others (0=No, 1=Yes)
- N1M Recent good idea how to do somethng frm frnd (0=No, 1=Yes)
- N1N I wish my friends were much different (0=No, 1=Yes)
- N2A My family gives me the moral support I need (0=No, 1=Yes)
- N2B Good ideas of how do/make thngs from fam (0=No, 1=Yes)
- N2C Most peop closer to their fam than I am (0=No, 1=Yes)
- N2D When confide make close fam membs uncomf (0=No, 1=Yes)
- N2E My fam enjoys hearing about what I think (0=No, 1=Yes)
- N2F Membs of my fam share many of my intrsts (0=No, 1=Yes)
- N2G I rely on my fam for emot support (0=No, 1=Yes)
- N2H Fam memb go to when down w/o feel funny (0=No, 1=Yes)
- N2I Fam and I open about what thnk about thngs (0=No, 1=Yes)
- N2J My fam is sensitive to my personal needs (0=No, 1=Yes)
- N2K Fam memb good at helping me solve probs (0=No, 1=Yes)
- N2L Have deep sharing relat w/# of fam membs (0=No, 1=Yes)
- N2M Makes me uncomf to confide in fam membs (0=No, 1=Yes)
- N2N I wish my family were much different (0=No, 1=Yes)
- 01A # people spend tx w/who drink alc (1=None, 2= A few, 3=About half, 4= Most, 5=All)
- 01B # people spend tx w/who are heavy drinkrs (1=None, 2= A few, 3=About half, 4= Most, 5=All)
- 01C # people spend tx w/who use drugs (1=None, 2= A few, 3=About half, 4= Most, 5=All)
- 01D # peop spend tx w/who supprt your abstin (1=None, 2= A few, 3=About half, 4= Most, 5=All)
- 02 Does live-in part/spouse drink/use drugs (0=No, 1=Yes, 2=N/A)
- P1A Phys abuse/assaul by fam memb/pers know (0=No, 1=Yes, 7=Not sure)
- P1B Age first phys assaulted by pers know
- P1C Phys assaulted by pers know-last 6 mos (0=No, 1=Yes)
- P2A Phys abuse/assaul by stranger (0=No, 1=Yes, 7=Not sure)
- P2B Age first phys assaulted by stranger
- P2C Phys assaulted by stranger-last 6 mos (0=No, 1=Yes)
- P3 Using drugs/alc when phys assaulted (1=Don't know, 2=Never, 3=Some cases, 4=Most cases, 5=All cases, 9=Never assaulted)
- P4 Pers who phys assault you using alcohol/drugs (1=Don't know, 2=Never, 3=Some cases, 4=Most cases, 5=All cases, 9=Never assaulted)
- P5A Sex abuse/assual by fam memb/pers know (0=No, 1= Yes, 7=Not sure)
- P5B Age first sex assaulted by pers know
- P5C Sex assaulted by pers know-last 6 mos (0=No, 1=Yes)

- P6A Sex abuse/assault by stranger (0=No, 1=Yes, 7=Not sure)
- P6B Age first sex assaulted by stranger
- P6C Sex assaulted by stranger-last 6 mos (0=No, 1=Yes)
- P7 Using drugs/alc when sex assaulted (1=Don't know, 2=Never, 3=Some cases, 4=Most cases, 5=All cases, 9=Never assaulted)
- P8 Person who sex assaulted you using alcohol/drugs (1=Don't know, 2=Never, 3=Some cases, 4=Most cases, 5=All cases, 9=Never assaulted)
- Q1A Have you ever injected drugs (0=No, 1=Yes)
- Q1B Have you injected drugs-1st 6 mos (0=No, 1=Yes)
- Q2 Have you shared needles/works-last 6 mos (0=No/Not shot up, 3=Yes)
- Q3 # people shared needles w/past 6 mos (0=No/Not shot up, 1=1 other person, 2=2-3 diff people, 3=4/+ diff people)
- Q4 How often been to shoot gall/hse-1st 6 mos (0=Never, 1=Few times or less, 2= Few times/month, 3= Once or more/week)
- Q5 How often been to crack house-last 6 mos (0=Never, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q6 How often shared rinse-water-last 6 mos (0=Never/Not shot up, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q7 How often shared a cooker-last 6 mos (0=Never/Not shot up, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q8 How often shared a cotton-last 6 mos (0=Never/Not shot up, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q9 How often use syringe to div drugs-1st 6 mos (0=Never/Not shot up, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q10 How would you describe yourself (0=Straight, 1=Gay/bisexual)
- Q11 # men had sex w/in past 6 months (0=0 men, 1=1 man, 2=2-3 men, 3=4+ men)
- Q12 # women had sex w/in past 6 months (0=0 women, 1=1 woman, 2=2-3 women, 3=4+ women)
- Q13 # times had sex In past 6 mos (0=Never, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q14 How often had sex to get drugs-last 6 mos (0=Never, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q15 How often given drugs to have sex-1st 6 mos (0=Never, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q16 How often were you paid for sex-1st 6 mos (0=Never, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q17 How often you pay pers for sex-1st 6 mos (0=Never, 1=Few times or less, 2=Few times/month, 3=Once or more/week)
- Q18 How often use condoms during sex=1st 6 mos (0=No sex/always, 1=Most of the time, 2=Some of the time, 3=None of the time)
- Q19 Condoms are too much of a hassle to use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)

- Q20 Safer sex is always your responsibility (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1A I really want to hange my alcohol/drug use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1B Sometimes I wonder if I'm an alcohol/addict (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1C Id I don't chng alcohol/drug probs will worsen (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1D I started making changes in alcohol/drug use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1E Was using too much but managed to change (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1F I wonder if my alcohol/drug use hurting othrs (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1G I am a prob drinker or have drug prob (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1H Already doing thngs to chnge alcohol/drug use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1I have changed use-trying to not slip back (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1J I have a serious problem w/ alcohol/drugs (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1K I wonder if I'm in contrl of alcohol/drug use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1L My alcohol/drug use is causing a lot of harm (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1M Actively curring down/stopping alcohol/drug use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1N Want help to not go back to alcohol/drugs (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1O I know that I have an alcohol/drug problem (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1P I wonder if I use alcohol/drugs too much (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1Q I am an alcoholic or drug addict (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1R I am working hard to change alcohol/drug use (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- R1S Some changes-want help from going back (1=Strongly disagree, 2=Disagree, 3= Agree, 4=Strongly agree)
- S1A At interview pt obviously depressed/withdrawn (0=No, 1=Yes)
- S1B at interview pt obviously hostile (0=No, 1=Yes)

- S1C At interview pt obviously anx/nervous (0=No, 1=Yes)
- S1D Trouble w/real tst/thght dis/par at interview (0=No, 1=Yes)
- S1E At interview pt trbl w/ compr/concen/rememb (0=No, 1=Yes)
- S1F At interview pt had suicidal thoughts (0=No, 1=Yes)
- T1 Have used alc since leaving River St. (0=No, 1=Yes)
- T1B # days in row continued to drink
- T1C Longest period abstain-1st 6 mos (alc)
- T2 Have used heroin since leaving River St (0=No, 1=Yes)
- T2B # days in row continued to use heroin
- T2C Longest period abstain-1st 6 mos (heroin)
- T3 Have used cocaine since leaving River St (0=No, 1=Yes)
- T3B # days in row continued to use cocaine
- T3C Lngest period abstain-1st 6 mos (cocaine)
- U1 It is important to have a regular MD (1=Strongly agree, 2=Agree, 3=Uncertain, 4=Disagree, 5=Strongly Disagree)
- U2A I cannot pay for services (0=No, 1=Yes)
- U2B I am not eligible for free care (0=No, 1=Yes)
- U2C I do not know where to go (0=No, 1=Yes)
- U2D Can't get services due to transport probs (0=No, 1=Yes)
- U2E Office/clinic hours are inconvenient (0=No, 1=Yes)
- U2F I do not speak/understand English well (0=No, 1=Yes)
- U2G Afraid others discover hlth prb I have (0=No, 1=Yes)
- U2H My substance abuse interferes (0=No, 1=Yes)
- U2I I do not have a babysitter (0=No, 1=Yes)
- U2J I do not want to lose my job (0=No, 1=Yes)
- U2K My insurance does not cover services (0=No, 1=Yes)
- U2L Medical care is not important to me (0=No, 1=Yes)
- U2M I do not have time (0=No, 1=Yes)
- U2N Med staff do not treat me with respect (0=No, 1=Yes)
- U2O I do not trust my doctors or nurses (0=No, 1=Yes)
- U2P Often been unsatisfied w/my med care (0=No, 1=Yes)
- U2Q Other reason hard to get regular med care (0=No, 1=Yes)
- U2Q_T a factor with many levels
- U2R a factor with levels 7 A B C D E F G H I J K L M N O P Q
- U3A Has MD evr talked to you about drug use (0=No, 1=Yes)
- U3B Has MD evr talked to you about alc use (0=No, 1=Yes)
- U4 Is there an MD you consider your regular MD (0=No, 1=Yes)

- U5 Have you seen any MDs in last 6 mos (0=No, 1=Yes)
- U6A Would you go to this MD if med prb not emer (0=No, 1=Yes)
- U6B Think one of these could be your regular MD (0=No, 1=Yes)
- PCP_ID a numeric vector
- U7A What type of MD is your regular MD/this MD (1=OB/GYN, 2=Family medicine, 3=Pediatrician, 4=Adolescent medicine, 5=Internal medicine, 6=AIDS doctor, 7=Asthma doctor, 8=Pulmonary doctor, 9=Cardiologist, 10=Gastroen)
- U7A_T a factor with levels ARTHRITIS DOCTOR CHIROPRACTOR COCAINE STUDY DETOX DOCTOR DO EAR DOCTOR EAR SPECIALIST EAR, NOSE, & THROAT. EAR/NOSE/THROAT ENT FAMILY PHYSICIAN GENERAL MEDICINE GENERAL PRACTICE GENERAL PRACTITIONER GENERAL PRACTITIONER HEAD & NECK SPECIALIST HERBAL/HOMEOPATHIC/ACUPUNCTURE ID DOCTOR MAYBE GENERAL PRACTITIONER MEDICAL STUDENT NEUROLOGIST NURSE NURSE PRACTITIONER NURSE PRACTITIONER ONCOLOGIST PRENATAL PRIMARY PRIMARY CAEE PRIMARY CARE PRIMARY CARE DOCTOR PRIMERY CARE THERAPIST UROLOGIST WOMENS CLINIC BMC
- U8A Only saw this person once (=Only saw once)
- U8B Saw this person for <6 mos (1=<6 mos)
- U8C Saw tis person for 6 mos-1year (2=Betwn 6 mos & 1 yr)
- U8D Saw this person for 1-2 years (3=1-2 years)
- U8E Saw this person for 3-5 years (4=3-5 years)
- U8F Saw this person for more than 5 years (5=>5 years)
- U10A # times been to regular MDs office-pst 6 mos
- U10B # times saw regular MD in office-pst 6 mos
- U10C # times saw oth prof in office-pst 6 mos
- U11 Rate convenience of MD office location (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U12 Rate hours MD office open for med appts (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U13 Usual wait for appt when sick (unsched) (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U14 Time wait for appt to start at MD office (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U15A DO you pay for any/all of MD visits (0=No, 1=Yes)
- U15B How rate amt of \$ you pay for MD visits (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U16A Do you pay for any/all of prescript meds (0=No, 1=Yes)
- U16B Rate amt \$ pay for meds/prescript trtmnts (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U17 Ever skip meds/trtmnts because too expensive (1=Yes, often, 2=Yes, occasionally, 3=No, never)
- U18A Ability to reach MC office by phone (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)

- U18B Ability to speak to MD by phone if need (1=Very poor, 2=Poor, 3=Fair, 4=Good, 5=Very good, 6=Excellent)
- U19 How often see regular MD when have regular check-up (1=Always, 2=Almost always, 3=A lot of the time, 4=Some of the time, 5=Almost never, 6=Never)
- U20 When sick + go to MD how often see regular MD (1=Always, 2=Almost always, 3=A lot of the time, 4=Some of the time, 5=Almost never, 6=Never)
- U21A How thorough MD exam to check hlth prb (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U21B How often question if MD diagnosis right (1=Always, 2=Almost always, 3=A lot of the time, 4=Some of the time, 5=Almost never, 6=Never)
- U22A Thoroughness of MD questions re symptoms (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U22B Attn MD gives to what you have to say (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U22C MD explanations of hlth prbs/trtmnts need (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U22D MD instrcts re sympt report/further care (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U22E MD advice in decisions about your care (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U23 How often leave MD office w/unanswd quests (1=Always, 2=Almost always, 3=A lot of the time, 4=Some of the time, 5=Almost never, 6=Never)
- U24A Amount of time your MD spends w/you (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U24B MDs patience w/ your questions/worries (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U24C MDs friendliness and warmth toward you (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U24D MDs caring and concern for you (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U24E MDs respect for you (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U25A Reg MD ever talked to you about smoking (0=No, 1=Yes)
- U25B Reg MD ever talked to you about alc use (0=No, 1=Yes)
- U25C Reg MD ever talk to you about seat belt use (0=No, 1=Yes)
- U25D Reg MD ever talked to you about diet (0=No, 1=Yes)
- U25E Reg Mdever talked to you about exercise (0=No, 1=Yes)
- U25F Reg MD ever talked to you about stress (0=No, 1=Yes)
- U25G Reg MD ever talked to you about safe sex (0=No, 1=Yes)
- U25H Reg MD ever talked to you about drug use (0=No, 1=Yes)
- U25I Reg MD ever talked to you about HIV testing (0=No, 1=Yes)

- U26A Cut/quit smoking because of MDs advice (0=No, 1=Yes)
- U26B Tried to drink less alcohol because of MD advice (0=No, 1=Yes)
- U26C Wore my seat belt more because of MDs advice (0=No, 1=Yes)
- U26D Changed diet because of MDs advice (0=No, 1=Yes)
- U26E Done more exercise because MDs advice (0=No, 1=Yes)
- U26F Relax/reduce stress because of MDs advice (0=No, 1=Yes)
- U26G Practiced safer sex because of MDs advice (0=No, 1=Yes)
- U26H Tried to cut down/quit drugs because MD advice (0=No, 1=Yes)"
- U26I Got HIV tested because of MDs advice (0=No, 1=Yes)"
- U27A I can tell my MD anything (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U27B My MD pretends to know thngs if not sure (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U27C I trust my MDs judgement re my med care (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U27D My MD cares > about < costs than my hlth (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U27E My MD always tell truth about my health (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U27F My MD cares as much as I about my hlth (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U27G My MD would try to hide a mistake in trtmt (1=Strongly agree, 2= Agree, 3= Not sure, 4=Disagree, 5=Strongly disagree)"
- U28 How much to you trst this MD (0=Not at all, 1=1, 2=2, 3=3, 4=4, 5=5, 6=6, 7=7, 8=8, 9=9, 10=Completely)"
- U29A MDs knowledge of your entire med history (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)"
- U29B MD knowldg of your respons-home/work/sch (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)"
- U29C MD knowldg of what worries you most-hlth (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)"
- U29D MDs knowledge of you as a person (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)"
- U30 MD would know what want done if unconsc (1=Strongly agree, 2=Agree, 3=Not sure, 4= Disagree, 5=Strongly disagree)"
- U31 Oth MDs/RNs who play roel in your care (0=No, 1=Yes)" *
- U32A Their knowledge of you as a person (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U32B The quality of care they provide (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)

- U32C Coordination betw them and your regular MD (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U32D Their expl of your hlth prbs/trtmnts need (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U32D_T N/A, only my regular MD does this
- U33 Amt regular MD knows about care from others (1=Knows everything, 2=Knows almost everything, 3=Knows some things, 4=Knows very little, 5=Knows nothing)
- U34 Has MD ever recommended you see MD sepcialist (0=No, 1=Yes)
- U35A How helpful MD in deciding on specialist (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U35B How helpful MD getting appt w/specialist (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U35C MDs involvmt when you trtd by specialist (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U35D MDs communic w/your specialists/oth MDs (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U35E MD help in explain what specialists said (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U35F Quality of specialists MD sent you to (1=Very poor, 2= Poor, 3=Fair, 4=Good, 5= Very good, 6= Excellent)
- U36 How many minutes to get to MDs office (1=<15, 2=16-30, 3=31-60, 4=More than 60)
- U37 When sick+call how long take to see you (1=Same day, 2=Next day, 3=In 2-3 days, 4=In 4-5 days, 5=in >5 days)
- U38 How mant minutes late appt usually begin (1=None, 2=<5 minutes, 3=6-10 minutes, 4=11-20 minutes, 5=21-30 minutes, 6=31-45 minutes, 7=>45 minutes)
- U39 How satisfied are you w/your regular MD (1=Completely satisfied, 2=Very satisfied, 3=Somewhat satisfied, 4=Neither, 5=Somewhat dissatisfied, 6=Very dissatisfied, 7=Completely dissatisfied)
- V1 Evr needed to drink much more to get effect (0=No, 1=Yes)
- V2 Evr find alc had < effect than once did (0=No, 1=Yes)
- Z1 Breath Alcohol Concentration:1st test
- Z2 Breath Alcohol Concentration:2nd test
- AGE Age in years
- REALM REALM score
- E16A_RT Barrier to regular MD: red tape (0=No, 1=Yes)
- E16A_IB Barrier to regular MD: internal barriers (0=No, 1=Yes)
- E16A_TM Barrier to regular MD: time restrictions (0=No, 1=Yes)
- E16A_DD Barrier to regular MD: dislike docs/system (0=No, 1=Yes)
- GROUP Randomization Group (0=Control, 1=Clinic)
- MMSEC MMSEC

- PRIM_SUB First drug of choice (0=None, 1=Alcohol, 3=Cocaine, 3=Heroin, 4=Barbiturates, 5=Benzos, 6=Marijuana, 7=Methadone, 8=Opiates)
- SECD_SUB Second drug of choice (0=None, 1=Alcohol, 3=Cocaine, 3=Heroin, 4=Barbiturates, 5=Benzos, 6=Marijuana, 7=Methadone, 8=Opiates)
- ALCOHOL 1st/2nd drug of choice=Alcohol (0=No, 1=Yes)
- COC_HER 1st/2nd drug of choice=cocaine or heroin (0=No, 1=Yes)
- REALM2 REALM score (dichotomous) (1=0-60, 2=61-66)
- REALM3 REALM score (categorical) (1=0-44), 2=45-60), 3=61-66)
- RACE Race (recode) (1=Afr Amer/Black, 2=White, 3=Hispanic, 4=Other)
- RACE2 Race (recode) (1=White, 2=Minority)
- BIRTHPLC Where born (recode) (0=USA, 1=Foreign)
- PRIMLANG First language (recode) (0=English, 1=Other lang)
- MD_LANG Lang prefer to speak to MD (recode) (0=English, 1=Other lang)
- HS_GRAD High school graduate (0=No, 1=Yes)
- MAR_STAT Marital status (recode) (0=Married, 1=Not married)
- A12B_REC Hollingshead category (recode) (0=Cat 1,2,3, 1=Cat 4,5,6, 2=Cat 7,8,9)
- UNEMPLOY Usually unemployed last 6m (0=No, 1=Yes)
- ALONE6M Usually lived alone past 6m y/n (0=No, 1=Yes)
- HOMELESS Homeless-shelter/street past 6 m (0=No, 1=Yes)
- JAIL_MOS Total months in jail past 5 years
- JAIL_5YR Any jail time past 5 years y/n (0=No, 1=Yes)
- GOV_SUPP Received governemtn support past 6 m (0=No, 1=Yes)
- A18_REC1 Most money made in 1 yr (recode) (0=\$19,000 or less, 1=\$20,000-\$49,000, 2=\$50,000 or more)
- A18_REC2 Most money made-continuous recode
- STD_EVER Ever had an STD y/n (0=No, 1=Yes)
- STD_6M Had an STD past 6m y/n (0=No, 1=Yes)
- CHR_SUM Sum chronic medical conds/HIV ever
- CHR_EVER Chronic medical conds/HIV-ever y/n (0=No, 1=Yes)
- EPI_SUM Sum episodic (C2A-C2O, C2R-C2U, STD)-6m
- EPI_6M Episodic (C2A-C2O,C2R-C2U, STD)-6m y/n (0=No, 1=Yes)
- EPI_6M2B Episodic(C2A-C2O)-6m y/n (0=No, 1=Yes)
- SER_INJ Recent (6m) serious injury y/n (0=No, 1=Yes)
- D3_REC Any medical problems past 30d y/n (0=No, 1=Yes)
- D4_REC Bothered by medical problems y/n (0=No, 1=Yes)
- D5_REC Medical trtmt is important y/n (0=No, 1=Yes)
- ANY_INS Did you have health insurance past 6 m (0=No, 1=Yes)
- FRML_SAT Formal substance abuse treatment y/n (0=No, 1=Yes)

- E10B1_R Mental health treatment past 6m y/n (0=No, 1=Yes)
- E10B2_R Med clinic/private MD past 6m y/n (0=No, 1=Yes)
- ALT_TRT Alternative treatments y/n (0=No, 1=Yes)
- ANY_UTIL Any recent health utilization (0=No, 1=Yes)
- NUM_BARR # of perceived barriers to linkage
- G1B_REC Suicidal thoughts past 30 days y/n (0=No, 1=Yes)
- G1D_REC Prescribed psych meds past 30 days y/n (0=No, 1=Yes)
- PRIMSUB2 First drug of choice (no marijuana) (0=None, 1=Alcohol, 2=Cocaine, 3=Heroin, 4=Barbituates, 5=Benzos, 6=Marijuana, 7=Methadone, 8=Opiates)
- ALCQ_30 Total number drinks past 30 days
- H2_PRB Problem sub: alc to intox (0=No, 1=Yes)
- H3_PRB Problem sub: heroin (0=No, 1=Yes)
- H4_PRB Problem sub: methadone (0=No, 1=Yes)
- H5_PRB Problem sub: oth opiates/analg (0=No, 1=Yes)
- H6_PRB Problem sub: barbituates (0=No, 1=Yes)
- H7_PRB Problem sub: sedat/hyp/tranq (0=No, 1=Yes)
- H8_PRB Problem sub: cocaine (0=No, 1=Yes)
- H9_PRB Problem sub: amphetamines (0=No, 1=Yes)
- H10_PRB Problem sub: marijuana, cannabis (0=No, 1=Yes)
- H11_PRB Problem sub: hallucinogens (0=No, 1=Yes)
- H12_PRB Problem sub: inhalants (0=No, 1=Yes)
- POLYSUB Polysubstance abuser y/n (0=No, 1=Yes)
- SMOKER Current smoker (every/some days) y/n (0=No, 1=Yes)
- O1B_REC Family/friends heavy drinkers y/n (0=No, 1=Yes)
- O1C_REC Family/friends use drugs y/n (0=No, 1=Yes)
- O1D_REC Family/friends support abst. y/n (0=No, 1=Yes)
- O2_REC Live-in partner drinks/drugs y/n (0=No, 1=Yes)
- PHYABUSE Physical abuse-stranger or family (0=No, 1=Yes)
- SEXABUSE Sexual abuse-stranger or family (0=No, 1=Yes)
- PHSXABUS Any abuse (0=No, 1=Yes)
- ABUSE2 Type of abuse (0=No abuse, 1=Physical only, 2=Sexual only, 3=Physical and sexual)
- ABUSE3 Type of abuse (0=No abuse, 1=Physical only, 2=Sexual +/- physical (0=No, 1=Yes)
- CURPHYAB Current abuse-physical (0=No, 1=Yes)
- CURSEXAB Current abuse-sexual (0=No, 1=Yes)
- CURPHYSEXAB Current abuse-physical or sexual (0=No abuse, 1=Physical only, 2=Sexual +/- physical)
- FAMABUSE Family abuse-physical or sexual (0=No, 1=Yes)
- STRABUSE Stranger abuse-physical or sexual (0=No, 1=Yes)

- ABUSE Abuse-physical or sexual (0=No abuse, 1= Family abuse, 2= Stranger only abuse)
- RAWPF Raw SF-36 physical functioning
- PF SF-36 physical functioning (0-100)
- RAWRP Raw SF-36 role-physical
- RP SF-36 role physical (0-100)
- RAWBP Raw SF-36 pain index
- BP SF-36 pain index (0-100)
- RAWGH Raw SF-36 general health perceptions
- GH SF-36 general health perceptions (0-100)
- RAWVT Raw SF-36 vitality
- VT SF-36 vitality 0-100)
- RAWSF Raw SF-36 social functioning
- SF SF-36 social functioning (0-100)
- RAWRE Raw SF-36 role-emotional
- RE SF-36 role-emotional (0-100)
- RAWMH Raw SF-36 mental health index
- MH SF-36 mental health index (0-100)
- HT Raw SF-36 health transition item
- PCS Standardized physical component scale-00
- MCS Standardized mental component scale-00
- CES_D CES-D score, measure of depressive symptoms, high scores are worse
- CESD_CUT CES-D score > 21 y/n (0=No, 1=Yes)
- C_MS ASI-Composite medical status
- C_AU ASI-Composite score for alcohol use
- C_DU ASI-Composite score for drug use
- CUAD_C CUAD-Cocaine
- CUAD_H CUAD-Heroin
- RAW_RE SOCRATES-Rocognition-Raw
- DEC_RE SOCRATES-Recognition-Decile
- RAW_AM SOCRATES-Ambivalence-Raw
- DEC_AM SOCRATES-Ambivalence-Decile
- RAW_TS SOCRATES-Taking steps-Raw
- DEC_TS SOCRATES-Taking steps-Decile
- RAW_ADS ADS score
- PHYS InDUC-2L-Physical-Raw
- PHYS2 InDUC-2L-Physical 9Raw (w/o M48)
- INTER InDUC-2L-Interpersonal-Raw

- INTRA InDUC-2L-Intrapersonal-Raw
- IMPUL InDUL-2L-Impulse control-Raw
- IMPUL2 InDUC-2L-Impulse control-Raw (w/0 M23)
- SR InDUC-2L-Social responsibility-Raw
- CNTRL InDUC-2L-Control score
- INDTOT InDUC-2LTotal drlnC sore-Raw
- INDTOT2 InDUC-2L-Total drlnC-Raw- w/o M23 and M48
- PSS_FR Perceived social support-friends
- PSS_FA Perceived social support-family
- DRUGRISK RAB-Drug risk total
- SEXRISK RAB-Sex risk total
- TOTALRAB RAB-Total RAB sore
- RABSCALE RAB scale sore
- CHR_6M Chronic medical conds/HIV-past 6m y/n (0=No, 1=Yes)
- RCT_LINK Did subject link to primary care (RCT)–This time point (0=No, 1=Yes)
- REG_MD Did subject report having regular doctor–This time point (0=No, 1=Yes)
- ANY_VIS # visits to regular doctor’s office–This time point
- ANY_VIS_CUMUL Cumulative # visits to regular doctor’s office
- PC_REC Primary care received: Linked & #visits (0=Not linked, 1=Linked, 1 visit, 2=Linked, 2+ visits)
- PC_REC7 Primary cared received: linked & # visits (0=Not linked, 1=Linked, 1 visit, 2=Linked, 2 visits, 3=Linked, 3 visits, 4=Linked, 4 visits, 5= Linked, 5 visits, 6=Linked, 6+visits)
- SATREAT Any BSAS substance abuse this time point (0=No, 1=Yes)
- DRINKSTATUS Drank alcohol since leaving detox-6m
- DAYSDRINK Time (days) from baseline to first drink since leaving detox-6m
- ANYSUBSTATUS Used alcohol, heroin, or cocaine since leaving detox-6m
- DAYSANYSUB time (days) from baseline to first alcohol, heroin, or cocaine since leaving detox-6m
- LINKSTATUS Linked to primary care within 12 months (by administrative record)
- DAYSLINK Time (days) to linkage to primary care within 12 months (by administrative record)

Details

Eligible subjects were adults, who spoke Spanish or English, reported alcohol, heroin or cocaine as their first or second drug of choice, resided in proximity to the primary care clinic to which they would be referred or were homeless. Patients with established primary care relationships they planned to continue, significant dementia, specific plans to leave the Boston area that would prevent research participation, failure to provide contact information for tracking purposes, or pregnancy were excluded.

Subjects were interviewed at baseline during their detoxification stay and follow-up interviews were undertaken every 6 months for 2 years. A variety of continuous, count, discrete, and survival time predictors and outcomes were collected at each of these five occasions.

This dataset is a superset of the HELPmiss and HELPrct datasets which include far fewer variables.

Source

<http://www.math.smith.edu/help>

References

Samet JH, Larson MJ, Horton NJ, Doyle K, Winter M, and Saitz R. Linking alcohol and drug-dependent adults to primary medical care: A randomized controlled trial of a multi-disciplinary health intervention in a detoxification unit. *Addiction*, 2003; 98(4):509-516.

See Also

[HELPrct](#), and [HELPMiss](#).

Examples

```
data(HELFull)
```

HELPMiss

Health Evaluation and Linkage to Primary Care

Description

The HELP study was a clinical trial for adult inpatients recruited from a detoxification unit. Patients with no primary care physician were randomized to receive a multidisciplinary assessment and a brief motivational intervention or usual care, with the goal of linking them to primary medical care.

Usage

```
data(HELPMiss)
```

Format

Data frame with 470 observations on the following variables.

- `age` subject age at baseline (in years)
- `anysub` use of any substance post-detox: a factor with levels no yes
- `cesd` Center for Epidemiologic Studies Depression measure of depressive symptoms at baseline (higher scores indicate more symptoms)
- `d1` lifetime number of hospitalizations for medical problems (measured at baseline)
- `daysanysub` time (in days) to first use of any substance post-detox
- `dayslink` time (in days) to linkage to primary care
- `drugrisk` Risk Assessment Battery drug risk scale at baseline
- `e2b` number of times in past 6 months entered a detox program (measured at baseline)
- `female` 0 for male, 1 for female
- `sex` a factor with levels male female

- g1b experienced serious thoughts of suicide in last 30 days (measured at baseline): a factor with levels no yes
- homeless housing status: a factor with levels housed homeless
- i1 average number of drinks (standard units) consumed per day, in the past 30 days (measured at baseline)
- i2 maximum number of drinks (standard units) consumed per day, in the past 30 days (measured at baseline)
- id subject identifier
- indtot Inventory of Drug Use Consequences (InDUC) total score (measured at baseline)
- linkstatus post-detox linkage to primary care (0 = no, 1 = yes)
- link post-detox linkage to primary care: no yes
- mcs SF-36 Mental Component Score (measured at baseline, higher scores are better)
- pcs SF-36 Physical Component Score (measured at baseline, higher scores are better)
- pss_fr perceived social support by friends (measured at baseline)
- racegrp race/ethnicity: levels black hispanic other white
- satreat any BSAS substance abuse treatment at baseline: no yes
- sexrisk Risk Assessment Battery sex risk score (measured at baseline)
- substance primary substance of abuse: alcohol cocaine heroin
- treat randomized to HELP clinic: no yes

Details

Eligible subjects were adults, who spoke Spanish or English, reported alcohol, heroin or cocaine as their first or second drug of choice, resided in proximity to the primary care clinic to which they would be referred or were homeless. Patients with established primary care relationships they planned to continue, significant dementia, specific plans to leave the Boston area that would prevent research participation, failure to provide contact information for tracking purposes, or pregnancy were excluded.

Subjects were interviewed at baseline during their detoxification stay and follow-up interviews were undertaken every 6 months for 2 years. A variety of continuous, count, discrete, and survival time predictors and outcomes were collected at each of these five occasions.

This dataset is a superset of the HELPrct data with 17 subjects with partially observed data on some of the baseline variables. This is a subset of the HELPfull data which includes 5 timepoints and many additional variables.

Source

<http://www.math.smith.edu/help>

References

Samet JH, Larson MJ, Horton NJ, Doyle K, Winter M, and Saitz R. Linking alcohol and drug-dependent adults to primary medical care: A randomized controlled trial of a multi-disciplinary health intervention in a detoxification unit. *Addiction*, 2003; 98(4):509-516.

See Also

[HELPrct](#) , and [HELPrctFull](#).

Examples

```
data(HELPrct)
```

HELPrct

Health Evaluation and Linkage to Primary Care

Description

The HELP study was a clinical trial for adult inpatients recruited from a detoxification unit. Patients with no primary care physician were randomized to receive a multidisciplinary assessment and a brief motivational intervention or usual care, with the goal of linking them to primary medical care.

Usage

```
data(HELPrct)
```

Format

Data frame with 453 observations on the following variables.

- `age` subject age at baseline (in years)
- `anysub` use of any substance post-detox: a factor with levels no yes
- `cesd` Center for Epidemiologic Studies Depression measure at baseline (high scores indicate more depressive symptoms)
- `d1` lifetime number of hospitalizations for medical problems (measured at baseline)
- `daysanysub` time (in days) to first use of any substance post-detox
- `dayslink` time (in days) to linkage to primary care
- `drugrisk` Risk Assessment Battery drug risk scale at baseline
- `e2b` number of times in past 6 months entered a detox program (measured at baseline)
- `female` 0 for male, 1 for female
- `sex` a factor with levels male female
- `g1b` experienced serious thoughts of suicide in last 30 days (measured at baseline): a factor with levels no yes
- `homeless` housing status: a factor with levels housed homeless
- `i1` average number of drinks (standard units) consumed per day, in the past 30 days (measured at baseline)
- `i2` maximum number of drinks (standard units) consumed per day, in the past 30 days (measured at baseline)
- `id` subject identifier

- indtot Inventory of Drug Use Consequences (InDUC) total score (measured at baseline)
- linkstatus post-detox linkage to primary care (0 = no, 1 = yes)
- link post-detox linkage to primary care: no yes
- mcs SF-36 Mental Component Score (measured at baseline, lower scores indicate worse status)
- pcs SF-36 Physical Component Score (measured at baseline, lower scores indicate worse status)
- pss_fr perceived social support by friends (measured at baseline, higher scores indicate more support)
- racegrp race/ethnicity: levels black hispanic other white
- satreat any BSAS substance abuse treatment at baseline: no yes
- sexrisk Risk Assessment Battery sex risk score (measured at baseline)
- substance primary substance of abuse: alcohol cocaine heroin
- treat randomized to HELP clinic: no yes

Details

Eligible subjects were adults, who spoke Spanish or English, reported alcohol, heroin or cocaine as their first or second drug of choice, resided in proximity to the primary care clinic to which they would be referred or were homeless. Patients with established primary care relationships they planned to continue, significant dementia, specific plans to leave the Boston area that would prevent research participation, failure to provide contact information for tracking purposes, or pregnancy were excluded.

Subjects were interviewed at baseline during their detoxification stay and follow-up interviews were undertaken every 6 months for 2 years. A variety of continuous, count, discrete, and survival time predictors and outcomes were collected at each of these five occasions.

This dataset is a subset of the [HELPrct](#) data which includes an additional 17 subjects with partially observed data on some of the baseline variables. This is also a subset of the [HELPrct](#) data which includes 5 timepoints and many additional variables for all subjects.

Note

The HELPrct data set was originally named HELP but has been renamed to avoid confusion with the help function.

Source

<http://www.math.smith.edu/help>

References

Samet JH, Larson MJ, Horton NJ, Doyle K, Winter M, and Saitz R. Linking alcohol and drug-dependent adults to primary medical care: A randomized controlled trial of a multi-disciplinary health intervention in a detoxification unit. *Addiction*, 2003; 98(4):509-516.

See Also

[HELPmiss](#), and [HELPfull](#).

Examples

```
data(HELPrct)
```

KidsFeet

Foot measurements in children

Description

These data were collected by a statistician, Mary C. Meyer, in a fourth grade classroom in Ann Arbor, MI, in October 1997. They are a convenience sample — the kids who were in the fourth grade.

Usage

```
data(KidsFeet)
```

Format

A data frame with 39 observations on the following variables.

- name a factor with levels corresponding to the name of each child
- birthmonth the month of birth
- birthyear the year of birth
- length length of longer foot (in cm)
- width width of longer foot (in cm)
- sex a factor with levels B G
- biggerfoot a factor with levels L R
- domhand a factor with levels L R

Details

Quoted from the source: “From a very young age, shoes for boys tend to be wider than shoes for girls. Is this because boys have wider feet, or because it is assumed that girls, even in elementary school, are willing to sacrifice comfort for fashion? To assess the former, a statistician measures kids’ feet.”

References

Mary C. Meyer (2006) “Wider Shoes for Wider Feet?” *Journal of Statistics Education* 14(1), www.amstat.org/publications/jse/v14n1/datasets.meyer.html

Examples

```
data(KidsFeet)
```

Marriage

Marriage records

Description

Marriage records from the Mobile County, Alabama, probate court.

Usage

```
data(Marriage)
```

Format

A data frame with 98 observations on the following variables.

- bookpageID a factor with levels for each book and page (unique identifier)
- appdate a factor with levels corresponding to each of the dates on which the application was filed (in the form MO/DY/YY, e.g. 1/22/99 represents January 22, 1999)
- ceremonydate a factor with levels corresponding to the date of the ceremony
- delay number of days between the application and the ceremony
- officialTitle a factor with levels BISHOP CATHOLIC PRIEST CHIEF CLERK CIRCUIT JUDGE ELDER MARRIAGE OFFICIAL MINISTER PASTOR REVEREND
- person a factor with levels Bride Groom
- dob a factor with levels corresponding to the date of birth of the person
- age age of the person (in years)
- race a factor with levels American Indian Black Hispanic White
- prevcount the number of previous marriages of the person, as listed on the application
- prevconc the way the last marriage ended, as listed on the application
- hs the number of years of high school education, as listed on the application
- college the number of years College education, as listed on the application. Where no number was listed, this field was left blank, unless less than 12 years High School was reported, in which case it was entered as 0.
- dayOfBirth the day of birth, as a number from 1 to 365 counting from January 1
- sign the astrological sign, with levels Aquarius Aries Cancer Capricorn Gemini Leo Libra Pisces Saggitarius Scorpio Taurus Virgo

Details

The calculation of the astrological sign may not correctly sort people directly on the borders between signs. This variable is not part of the original record.

Source

The records were collected through <http://www.mobilecounty.org/probatecourt/recordssearch.htm>

Examples

```
data(Marriage)
```

Mites

Mites and Wilt Disease

Description

Data from an experiment to test whether exposure to mites protects against Wilt Disease in cotton plants.

Usage

```
data(Mites)
```

Format

A data frame with 47 observations on the following variables.

- treatment a factor with levels mites and no mites
- outcome a factor with levels wilt and no wilt

Details

Researchers suspected that attack of a plant by one organism induced resistance to subsequent attack by a different organism. Individually potted cotton plants were randomly allocated to two groups: infestation by spider mites or no infestation. After two weeks the mites were dutifully removed by a conscientious research assistant, and both groups were inoculated with *Verticillium*, a fungus that causes Wilt disease. More information can be found at <https://www.causeweb.org/webinar/activity/2010-01/>.

Source

Statistics for the Life Sciences, Third Edition; Myra Samuels & Jeffrey Witmer (2003), page 409.

Examples

```
data(Mites)
if (require(mosaic)) {
  tally(~ treatment + outcome, data=Mites)
  tally(~ outcome | treatment, format="percent", data=Mites)
}
```

RailTrail

Volume of Users of a Rail Trail

Description

The Pioneer Valley Planning Commission (PVPC) collected data north of Chestnut Street in Florence, MA for ninety days from April 5, 2005 to November 15, 2005. Data collectors set up a laser sensor, with breaks in the laser beam recording when a rail-trail user passed the data collection station.

Usage

```
data(RailTrail)
```

Format

A data frame with 90 observations on the following variables.

- hightemp daily high temperature (in degrees Fahrenheit)
- lowtemp daily low temperature (in degrees Fahrenheit)
- avgtemp average of daily low and daily high temperature (in degrees Fahrenheit)
- spring indicator of whether the season was Spring
- summer indicator of whether the season was Summer
- fall indicator of whether the season was Fall
- cloudcover measure of cloud cover (in oktas)
- precip measure of precipitation (in inches)
- volume estimated number of trail users that day (number of breaks recorded)
- weekday indicator of whether the day was a non-holiday weekday

Details

There is a potential for error when two users trigger the infrared beam at exactly the same time since the counter would only logs one of the crossings. The collectors left the motion detector out during the winter, but because the counter drops data when the temperature falls below 14 degrees Fahrenheit, there is no data for the cold winter months.

Source

Pioneer Valley Planning Commission

References

<http://www.fvgreenway.org/pdfs/Northampton-Bikepath-Volume-Counts>

Examples

```
data(RailTrail)
```

SAT

*State by State SAT data***Description**

SAT data assembled for a statistics education journal article on the link between SAT scores and measures of educational expenditures

Usage

```
data(SAT)
```

Format

A data frame with 50 observations on the following variables.

- state a factor with names of each state
- expend expenditure per pupil in average daily attendance in public elementary and secondary schools, 1994-95 (in thousands of US dollars)
- ratio average pupil/teacher ratio in public elementary and secondary schools, Fall 1994
- salary estimated average annual salary of teachers in public elementary and secondary schools, 1994-95 (in thousands of US dollars)
- frac percentage of all eligible students taking the SAT, 1994-95
- verbal average verbal SAT score, 1994-95
- math average math SAT score, 1994-95
- sat average total SAT score, 1994-95

Source

<http://www.amstat.org/publications/jse/secure/v7n2/datasets.guber.cfm>

References

Deborah Lynn Guber, "Getting what you pay for: the debate over equity in public school expenditures" (1999), *Journal of Statistics Education* 7(2).

Examples

```
data(SAT)
if (require(lattice)) {
  xyplot(sat ~ expend, SAT)
  xyplot(sat ~ expend, SAT,
    panel=function(x,y){grid.text(abbreviate(SAT$state, 3), x, y, default.units='native')})
}
```

SnowGR

Snowfall data for Grand Rapids, MI

Description

Official snowfall data by month and season for Grand Rapids, MI, going back to 1893.

Usage

```
data(SnowGR)
```

Format

A data frame with 119 observations of the following variables.

- SeasonStart Year in which season started (July is start of season)
- SeasonEnd Year in which season ended (June is end of season)
- Jul Inches of snow in July
- Aug Inches of snow in August
- Sep Inches of snow in September
- Oct Inches of snow in October
- Nov Inches of snow in November
- Dec Inches of snow in December
- Jan Inches of snow in January
- Feb Inches of snow in February
- Mar Inches of snow in March
- Apr Inches of snow in April
- May Inches of snow in May
- Jun Inches of snow in June
- Total Inches of snow for entire season (July-June)

Source

These data were compiled by Laura Kapitula from data available at <http://www.crh.noaa.gov/grr/climate/data/grr/snowfall/>.

Examples

```
data(SnowGR)
if (require(mosaic)) {
  favstats(SnowGR$Total)
  histogram(~Total, data=SnowGR)
  xyplot(Total ~ SeasonStart, SnowGR, type=c('p','smooth'))
}
if (require(reshape2)) {
  Snow2 <- melt(SnowGR, id=1:2)
  names(Snow2)[3:4] <- c('Time','Snow')
  bwplot(Snow ~ Time, Snow2)
}
```

SwimRecords

100 m Swimming World Records

Description

World records for men and women over time from 1905 through 2004.

Usage

```
data(SwimRecords)
```

Format

A data frame with 62 observations of the following variables.

- time time (in seconds) of the world record
- year Year in which the record was set
- sex a factor with levels M and F

Examples

```
data(SwimRecords)
if (require(lattice)) {
  xyplot(time~year, data=SwimRecords, groups=sex)
}
```

TenMileRace	<i>Cherry Blossom Race</i>
-------------	----------------------------

Description

The Cherry Blossom 10 Mile Run is a road race held in Washington, D.C. in April each year. (The name comes from the famous cherry trees that are in bloom in April in Washington.) The results of this race are published. This data frame contains the results from the 2005 race.

Usage

```
data(TenMileRace)
```

Format

A data frame with 8636 observations on the following variables.

- `state` State of residence of runner.
- `time` Official time from starting gun to finish line.
- `net` The recorded time (in seconds) from when the runner crossed the starting line to when the runner crossed the finish line. This is generally less than the official time because of the large number of runners in the race: it takes time to reach the starting line after the gun has gone off.
- `age` Age of runner in years.
- `sex` A factor with levels F M.

Examples

```
data(TenMileRace)
if (require(lattice)) {
  xyplot(net ~ age, data=TenMileRace, groups=sex)
  lm(net ~ age + sex, data=TenMileRace)
}
```

Utilities	<i>Utility bills</i>
-----------	----------------------

Description

Data from utility bills at a residence. [Utilities2](#) is a similar data set with some additional variables.

Usage

```
data(Utilities)
```

Format

A data frame containing 117 observations for the following variables.

- month month (coded as a number)
- day day of month on which bill was calculated
- year year of bill
- temp average temperature (F) for billing period
- kwh electricity usage (kwh)
- ccf gas usage (ccf)
- thermsPerDay a numeric vector
- billingDays number of billing days in billing period
- totalbill total bill (in dollars)
- gasbill gas bill (in dollars)
- elecbill electric bill (in dollars)
- notes notes about the billing period

Source

Daniel T. Kaplan, *Statistical modeling: A fresh approach*, 2009.

See Also

[Utilities2](#).

Examples

```
data(Utilities)
if (require(lattice)) {
  xyplot(gasbill ~ temp, Utilities)
}
```

Utilities2

Utility bills

Description

Data from utility bills at a private residence. This is an augmented version of [Utilities](#).

Usage

```
data(Utilities2)
```

Format

A data frame containing 117 observations for the following variables.

- month month (coded as a number)
- day day of month on which bill was calculated
- year year of bill
- temp average temperature (F) for billing period
- kwh electricity usage (kwh)
- ccf gas usage (ccf)
- thermsPerDay a numeric vector
- billingDays number of billing days in billing period
- totalbill total bill (in dollars)
- gasbill gas bill (in dollars)
- elecbill exectric bill (in dollars)
- notes notes about the billing period
- ccfpday average gas usage per day [Utilities2 only]
- kwphpday average electric usage per day [Utilities2 only]
- gasbillpday gas bill divided by billing days [Utilities2 only]
- elecbillpday electric bill divided by billing days a numeric vector [Utilities2 only]
- totalbillpday total bill divided by billing days a numeric vector [Utilities2 only]
- therms thermsPerDay * billingDays [Utilities2 only]
- monthsSinceY2K months since 2000 [Utilities2 only]

Source

Daniel T. Kaplan, *Statistical modeling: A fresh approach*, 2009.

See Also

[Utilities.](#)

Examples

```
data(Utilities2)
if (require(lattice)) {
  xyplot(gasbillpday ~ temp, Utilities2)
}
```

Whickham

Data from the Whickham survey

Description

Data on age, smoking, and mortality from a one-in-six survey of the electoral roll in Whickham, a mixed urban and rural district near Newcastle upon Tyne, in the UK. The survey was conducted in 1972-1974 to study heart disease and thyroid disease. A follow-up on those in the survey was conducted twenty years later.

Usage

```
data(Whickham)
```

Format

A data frame with 1314 observations on women for the following variables.

- outcome survival status after 20 years: a factor with levels Alive Dead
- smoker smoking status at baseline: a factor with levels No Yes
- age age (in years) at the time of the first survey

Details

This dataset contains a subset of the survey sample: women who were classified as current smokers or as never having smoked. The data were synthesized from the summary description tables given in the Appleton et al al paper.

References

DR Appleton, JM French, MPJ Vanderpump. "Ignoring a covariate: an example of Simpson's paradox". (1996) *American Statistician*, 50(4):340-341.

Examples

```
data(Whickham)
```

Index

*Topic **datasets**

- Cards, [4](#)
 - CoolingWater, [5](#)
 - Countries, [6](#)
 - Galton, [8](#)
 - Gestation, [9](#)
 - HeatX, [10](#)
 - Heightweight, [11](#)
 - HELFull, [12](#)
 - HELPMiss, [38](#)
 - HELPrct, [40](#)
 - KidsFeet, [42](#)
 - Marriage, [43](#)
 - Mites, [44](#)
 - SAT, [46](#)
 - SnowGR, [47](#)
 - SwimRecords, [48](#)
 - TenMileRace, [49](#)
 - Utilities, [49](#), [50](#), [51](#)
 - Utilities2, [49](#), [50](#), [50](#)
 - Whickham, [52](#)
- Alcohol, [2](#)
- Birthdays, [3](#)
- Births78, [4](#)
- card (Cards), [4](#)
- Cards, [4](#)
- CoolingWater, [5](#)
- Countries, [6](#)
- CPS85, [6](#)
- Galton, [8](#)
- Gestation, [9](#)
- HeatX, [10](#)
- Heightweight, [11](#)
- HELFull, [12](#), [40–42](#)
- HELPMiss, [38](#), [38](#), [41](#), [42](#)
- HELPrct, [38](#), [40](#), [40](#)
- KidsFeet, [42](#)
- Marriage, [43](#)
- Mites, [44](#)
- RailTrail, [45](#)
- SAT, [46](#)
- SnowGR, [47](#)
- SwimRecords, [48](#)
- TenMileRace, [49](#)
- Utilities, [49](#), [50](#), [51](#)
- Utilities2, [49](#), [50](#), [50](#)
- Whickham, [52](#)