

Package ‘JMbayes’

July 2, 2014

Title Joint Modeling of Longitudinal and Time-to-Event Data under a Bayesian Approach

Version 0.6-1

Date 2014-06-11

Author Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

Maintainer Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

Description Shared parameter models for the joint modeling of longitudinal and time-to-event data using MCMC.

Depends R (>= 3.0.0), MASS, nlme, splines, survival

Enhances xtable

LazyLoad yes

LazyData yes

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2014-06-11 09:10:11

R topics documented:

aids	2
anova	3
aucJM	4
bma.combine	7
coef	8
DerivSplines	9
dynCJM	10
fitted & residuals	13
gt	15

JMbayes	16
JMbayesObject	17
jointModelBayes	19
logLik.JMbayes	25
marglogLik	27
pb2	29
plot	30
plot.survfit.JMbayes	31
prederrJM	33
predict	36
prothro	39
ranef	39
survfitJM	40
xtable	44

Index	46
--------------	-----------

aids *Didanosine versus Zalcitabine in HIV Patients*

Description

A randomized clinical trial in which both longitudinal and survival data were collected to compare the efficacy and safety of two antiretroviral drugs in treating patients who had failed or were intolerant of zidovudine (AZT) therapy.

Format

A data frame with 1408 observations on the following 9 variables.

patient patients identifier; in total there are 467 patients.

Time the time to death or censoring.

death a numeric vector with 0 denoting censoring and 1 death.

CD4 the CD4 cells count.

obstime the time points at which the CD4 cells count was recorded.

drug a factor with levels ddC denoting zalcitabine and ddI denoting didanosine.

gender a factor with levels female and male.

prevOI a factor with levels AIDS denoting previous opportunistic infection (AIDS diagnosis) at study entry, and noAIDS denoting no previous infection.

AZT a factor with levels intolerance and failure denoting AZT intolerance and AZT failure, respectively.

Note

The data frame `aids.id` contains the first CD4 cell count measurement for each patient. This data frame is used to fit the survival model.

Source

<http://www.biostat.umn.edu/~brad/data.html>, <http://www.biostat.umn.edu/~brad/software.html>

References

Goldman, A., Carlin, B., Crane, L., Launer, C., Korvick, J., Deyton, L. and Abrams, D. (1996) Response of CD4+ and clinical consequences to treatment using ddI or ddC in patients with advanced HIV infection. *Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology* **11**, 161–169.

Guo, X. and Carlin, B. (2004) Separate and joint modeling of longitudinal and event time data using standard computer packages. *The American Statistician* **58**, 16–24.

Examples

```
summary(aids.id)
```

anova

Anova Method for Fitted Joint Models

Description

Comparison of (non)nested joint models using information criteria.

Usage

```
## S3 method for class 'JMbayes'  
anova(object, ...)
```

Arguments

object, ... objects inheriting from class JMbayes.

Value

A data frame with rows the different models, and columns the number of parameters in each model, the the log pseudo marginal likelihood value, the deviance information criterion value, and the pD value.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

See Also

[jointModelBayes](#)

Examples

```

## Not run:
# composite event indicator
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# linear mixed model with natural cubic splines for the time
# effect
lmeFit.pbc1 <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
                 random = ~ ns(year, 2) | id, method = "ML")

# Cox regression model with baseline covariates
coxFit.pbc1 <- coxph(Surv(years, status2) ~ drug * age, data = pbc2.id, x = TRUE)

# the standard joint model fit with only the m_i(t) term in
# the linear predictor of the survival submodel
jointFit.pbc1 <- jointModelBayes(lmeFit.pbc1, coxFit.pbc1, timeVar = "year")

# we include the time-dependent slopes term
dForm <- list(fixed = ~ 0 + dns(year, 2), random = ~ 0 + dns(year, 2),
             indFixed = 2:3, indRandom = 2:3)

jointFit.pbc2 <- update(jointFit.pbc1, param = "td-both", extraForm = dForm)

# we include the cumulative effect of the marker
iForm <- list(fixed = ~ 0 + year + ins(year, 2), random = ~ 0 + year + ins(year, 2),
             indFixed = 1:3, indRandom = 1:3)

jointFit.pbc3 <- update(jointFit.pbc1, param = "td-extra", extraForm = iForm)

# we compare the three models
anova(jointFit.pbc1, jointFit.pbc2, jointFit.pbc3)

## End(Not run)

```

aucJM

Time-Dependent AUCs for Joint Models

Description

Using the available longitudinal information up to a starting time point, this function computes an estimate of the prediction error of survival at a horizon time point based on joint models.

Usage

```
aucJM(object, newdata, Tstart, ...)
```

```
## S3 method for class 'JMbayes'
```

```
aucJM(object, newdata, Tstart, Thoriz = NULL,
      Dt = NULL, idVar = "id", simulate = FALSE, M = 100, ...)
```

Arguments

object	an object inheriting from class JMBayes.
newdata	a data frame that contains the longitudinal and covariate information for the subjects for which prediction of survival probabilities is required. The names of the variables in this data frame must be the same as in the data frames that were used to fit the linear mixed effects model (using <code>lme()</code>) and the survival model (using <code>coxph()</code>) that were supplied as the two first argument of <code>jointModelBayes</code> . In addition, this data frame should contain a variable that identifies the different subjects (see also argument <code>idVar</code>).
Tstart	numeric scalar denoting the time point up to which longitudinal information is to be used to derive predictions.
Thoriz	numeric scalar denoting the time point for which a prediction of the survival status is of interest; <code>Thoriz</code> must be later than <code>Tstart</code> and either <code>Dt</code> or <code>Thoriz</code> must be specified. If <code>Thoriz</code> is NULL is set equal to <code>Tstart + Dt</code> .
Dt	numeric scalar denoting the length of the time interval of prediction; either <code>Dt</code> or <code>Thoriz</code> must be specified.
idVar	the name of the variable in <code>newdata</code> that identifies the different subjects.
simulate	logical; if TRUE, a Monte Carlo approach is used to estimate survival probabilities. If FALSE, a first order estimator is used instead. See <code>survfitJM</code> for mote details.
M	a numeric scalar denoting the number of Monte Carlo samples; see <code>survfitJM</code> for mote details.
...	additional arguments; currently none is used.

Details

Based on a fitted joint model (represented by `object`) and using the data supplied in argument `newdata`, this function computes the following estimate of the AUC:

$$\text{AUC}(t, \Delta t) = \Pr[\pi_i(t + \Delta t | t) < \pi_j(t + \Delta t | t) | \{T_i^* \in (t, t + \Delta t)\} \cap \{T_j^* > t + \Delta t\}],$$

with i and j denote a randomly selected pair of subjects, and $\pi_i(t + \Delta t | t)$ and $\pi_j(t + \Delta t | t)$ denote the conditional survival probabilities calculated by `survfitJM` for these two subjects, for different time windows Δt specified by argument `Dt` using the longitudinal information recorded up to time $t = Tstart$.

The estimate of $\text{AUC}(t, \Delta t)$ provided by `aucJM()` is in the spirit of Harrell's c -index, that is for the comparable subjects (i.e., the ones whose observed event times can be ordered), we compare their dynamic survival probabilities calculated by `survfitJM`. For the subjects who due to censoring we do not know if they are comparable, they contribute in the AUC with the probability that they would have been comparable.

Value

A list of class aucJM with components:

auc	a numeric scalar denoting the estimated prediction error.
Tstart	a copy of the Tstart argument.
Thoriz	a copy of the Thoriz argument.
nr	a numeric scalar denoting the number of subjects at risk at time Tstart.
classObject	the class of object.
nameObject	the name of object.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

- Antolini, L., Boracchi, P., and Biganzoli, E. (2005). A time-dependent discrimination index for survival data. *Statistics in Medicine* **24**, 3927–3944.
- Harrell, F., Kerry, L. and Mark, D. (1996). Multivariable prognostic models: issues in developing models, evaluating assumptions and adequacy, and measuring and reducing errors. *Statistics in Medicine* **15**, 361–387.
- Heagerty, P. and Zheng, Y. (2005). Survival model predictive accuracy and ROC curves. *Biometrics* **61**, 92–105.
- Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.
- Rizopoulos, D. (2011). Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.
- Rizopoulos, D., Murawska, M., Andrinopoulou, E.-R., Lesaffre, E. and Takkenberg, J. (2013). Dynamic predictions with time-dependent covariates in survival analysis: A comparison between joint modeling and landmarking. *under preparation*.

See Also

[survfitJM](#), [dynCJM](#), [jointModelBayes](#)

Examples

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit the joint model using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function
lmeFit <- lme(log(serBilir) ~ ns(year, 3),
  random = list(id = pdDiag(form = ~ ns(year, 3))), data = pbc2)
```

```
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

# AUC using data up to year 5 with horizon at year 8
aucJM(jointFit, pbc2, Tstart = 5, Thoriz = 8)

## End(Not run)
```

bma.combine

Combines Predictions for Bayesian Model Averaging

Description

Combines estimated survival probabilities or predictions for longitudinal responses.

Usage

```
bma.combine(..., JMLis = NULL, weights = NULL)
```

Arguments

...	objects inheriting from class <code>survfit.JMbayes</code> or <code>predict.JMbayes</code> .
JMLis	a list of <code>survfit.JMbayes</code> or <code>predict.JMbayes</code> objects.
weights	a numeric vector of weights to be applied in each object.

Value

an object of class `survfit.JMbayes` or `predict.JMbayes`.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D., Hatfield, L., Carlin, B. and Takkenberg, J. (2014). Combining dynamic predictions from joint models for longitudinal and time-to-event data using Bayesian model averaging. *Journal of the American Statistical Association*. to appear.

Examples

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit two joint models using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function; the first one with the current value parameterization
```

```

# and the other with the shared random effects parameterization
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
             random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)

jointFit1 <- jointModelBayes(lmeFit, survFit, timeVar = "year")
jointFit2 <- update(jointFit1, param = "shared-betasRE")

# we compute survival probabilities for Subject 2 with
# different weights
ND <- pbc2[pbc2$id == 2, ] # the data of Subject 2
survPreds1 <- survfitJM(jointFit1, newdata = ND, weight = 0.4)
survPreds2 <- survfitJM(jointFit2, newdata = ND, weight = 0.6)

survPreds.bma <- bma.combine(survPreds1, survPreds2)
survPreds.bma
plot(survPreds.bma)

## End(Not run)

```

coef

Estimated Coefficients and Confidence Intervals for Joint Models

Description

Extracts estimated coefficients and confidence intervals from fitted joint models.

Usage

```

## S3 method for class 'JMbayes'
coef(object, process = c("Longitudinal", "Event"), ...)

## S3 method for class 'JMbayes'
fixef(object, process = c("Longitudinal", "Event"), ...)

## S3 method for class 'JMbayes'
confint(object, parm = c("all", "Longitudinal", "Event"), ...)

```

Arguments

object	an object inheriting from class JMbayes.
process	for which submodel (i.e., linear mixed model or survival model) to extract the estimated coefficients.
parm	for which submodel (i.e., linear mixed model or survival model) to extract credible intervals.
...	additional arguments; currently none is used.

Details

When `process = "Event"` both methods return the same output. However, for `process = "Longitudinal"`, the `coef()` method returns the subject-specific coefficients, whereas `fixef()` only the fixed effects.

Value

A numeric vector or a matrix of the estimated parameters or confidence intervals for the fitted model.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

See Also

[ranef.JMbayes](#), [jointModelBayes](#)

Examples

```
## Not run:
# linear mixed model fit
fitLME <- lme(sqrt(CD4) ~ obstime * drug - drug,
             random = ~ 1 | patient, data = aids)
# cox model fit
fitCOX <- coxph(Surv(Time, death) ~ drug, data = aids.id, x = TRUE)

# joint model fit
fitJOINT <- jointModelBayes(fitLME, fitCOX,
                           timeVar = "obstime")

# fixed effects for the longitudinal process
fixef(fitJOINT)

# fixed effects + random effects estimates for the longitudinal
# process
coef(fitJOINT)

# fixed effects for the event process
fixef(fitJOINT, process = "Event")
coef(fitJOINT, process = "Event")

## End(Not run)
```

Description

Numerical derivatives and integrals of functions `bs()` and `ns()` at their first argument.

Usage

```
dns(x, df = NULL, knots = NULL, intercept = FALSE,
    Boundary.knots = range(x), eps = 1e-03)

dbs(x, df = NULL, knots = NULL, intercept = FALSE,
    Boundary.knots = range(x), eps = 1e-03)

ins(x, df = NULL, knots = NULL, intercept = FALSE,
    Boundary.knots = range(x), from = 0, weight.fun = NULL, ...)

ibs(x, df = NULL, knots = NULL, intercept = FALSE,
    Boundary.knots = range(x), from = 0, weight.fun = NULL, ...)
```

Arguments

`x`, `df`, `knots`, `intercept`, `Boundary.knots`
see the help pages of functions `ns()` and `bs()`.

`eps` a numeric scalar denoting the step length for the central difference approximation, which calculates the derivative.

`from` a numeric scalar denoting the lower limit of the integral.

`weight.fun` a function to be applied as weights.

`...` extra arguments passed to `weight.fun`.

Value

an object of class `dns`, `dbs`, `ins` or `ibs`.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

Examples

```
x <- rnorm(10)
dns(x, df = 4)
ins(x, df = 4)
```

Description

This function computes a dynamic discrimination index for joint models based on a weighted average of time-dependent AUCs.

Usage

```

dynCJM(object, newdata, Dt, ...)

## S3 method for class 'JMBayes'
dynCJM(object, newdata, Dt, idVar = "id", t.max = NULL,
        simulate = FALSE, M = 100, weightFun = NULL, ...)

```

Arguments

object	an object inheriting from class JMBayes.
newdata	a data frame that contains the longitudinal and covariate information for the subjects for which prediction of survival probabilities is required. The names of the variables in this data frame must be the same as in the data frames that were used to fit the linear mixed effects model (using <code>lme()</code>) and the survival model (using <code>coxph()</code>) that were supplied as the two first argument of <code>jointModelBayes</code> . In addition, this data frame should contain a variable that identifies the different subjects (see also argument <code>idVar</code>).
Dt	a numeric scalar denoting the time frame within which the occurrence of events is of interest.
idVar	the name of the variable in <code>newdata</code> that identifies the different subjects.
t.max	a numeric scalar denoting the time maximum follow-up time up to which the dynamic discrimination index is to be calculated. If <code>NULL</code> , it is set equal to <code>max(Time) + 1e-05</code> where <code>Time</code> denotes the observed event times.
simulate	logical; if <code>TRUE</code> , a Monte Carlo approach is used to estimate survival probabilities. If <code>FALSE</code> , a first order estimator is used instead. See <code>survfitJM</code> for more details.
M	a numeric scalar denoting the number of Monte Carlo samples; see <code>survfitJM</code> for more details.
weightFun	a function of two arguments the first denoting time and the second the length of the time frame of interest, i.e., <code>Dt</code> .
...	additional arguments; currently none is used.

Details

(Note: The following contain some math formulas, which are better viewed in the pdf version of the manual accessible at <http://cran.r-project.org/package=JMBayes>.)

Function `dynC` computes the following discrimination index

$$C_{dyn}^{\Delta t} = \int_0^{t_{max}} \text{AUC}(t, \Delta t) \Pr\{\mathcal{E}(t, \Delta t)\} dt / \int_0^{t_{max}} \Pr\{\mathcal{E}(t, \Delta t)\} dt,$$

where

$$\text{AUC}(t, \Delta t) = \Pr[\pi_i(t + \Delta t | t) < \pi_j(t + \Delta t | t) | \{T_i^* \in (t, t + \Delta t]\} \cap \{T_j^* > t + \Delta t\}],$$

and

$$\mathcal{E}(t, \Delta t) = [\{T_i^* \in (t, t + \Delta t]\} \cap \{T_j^* > t + \Delta t\}],$$

with i and j denote a randomly selected pair subjects, and $\pi_i(t+\Delta t | t)$ and $\pi_j(t+\Delta t | t)$ denote the conditional survival probabilities calculated by `survfitJM` for these two subjects, for different time windows Δt specified by argument `Dt`. The upper limit of integral is specified by argument `t.max`. The integrals in the numerator and denominator are approximated using a 15-point Gauss-Kronrod quadrature rule.

Value

A list of class `dynCJM` with components:

<code>dynC</code>	a numeric scalar denoting the dynamic discrimination index.
<code>times</code>	a numeric vector of time points at which the AUC was calculated.
<code>AUCs</code>	a numeric vector of the estimated AUCs at the aforementioned time points.
<code>weights</code>	a numeric vector of the estimated weights at the aforementioned time points.
<code>t.max</code>	a copy of the <code>t.max</code> argument.
<code>Dt</code>	a copy of the <code>Dt</code> argument.
<code>classObject</code>	the class of object.
<code>nameObject</code>	the name of object.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

- Antolini, L., Boracchi, P., and Biganzoli, E. (2005). A time-dependent discrimination index for survival data. *Statistics in Medicine* **24**, 3927–3944.
- Harrell, F., Kerry, L. and Mark, D. (1996). Multivariable prognostic models: issues in developing models, evaluating assumptions and adequacy, and measuring and reducing errors. *Statistics in Medicine* **15**, 361–387.
- Heagerty, P. and Zheng, Y. (2005). Survival model predictive accuracy and ROC curves. *Biometrics* **61**, 92–105.
- Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.
- Rizopoulos, D. (2011). Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.
- Rizopoulos, D., Murawska, M., Andrinopoulou, E.-R., Lesaffre, E. and Takkenberg, J. (2013). Dynamic predictions with time-dependent covariates in survival analysis: A comparison between joint modeling and landmarking. *under preparation*.

See Also

[survfitJM](#), [aucJM](#), [jointModelBayes](#)

Examples

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit the joint model using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
             random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

# dynamic discrimination index up to year 10 using a two-year interval
dynCJM(jointFit, pbc2, Dt = 2, t.max = 10)

## End(Not run)
```

fitted & residuals *Fitted Values and Residuals for Joint Models*

Description

Calculates fitted values for joint models.

Usage

```
## S3 method for class 'JMbayes'
fitted(object,
       process = c("Longitudinal", "longitudinal", "Event", "event"),
       type = c("Marginal", "marginal", "Subject", "subject"), nully = FALSE, ...)

## S3 method for class 'JMbayes'
residuals(object,
          process = c("Longitudinal", "longitudinal", "Event", "event"),
          type = c("Marginal", "marginal", "Subject", "subject",
                  "Martingale", "martingale", "nullMartingale", "nullmartingale"),
          standardized = FALSE, ...)
```

Arguments

object	an object inheriting from class <code>jointModel</code> .
process	for which model (i.e., linear mixed model or survival model) to calculate fitted values or residuals.
type	what type of fitted values or residuals to calculate. See Details .

nully	logical; if TRUE the association parameters that connect the longitudinal and event time process are set to zero.
standardized	logical; if TRUE standardized residuals are calculated.
...	additional arguments; currently none is used.

Details

For process = "Longitudinal", let X denote the design matrix for the fixed effects β , and Z the design matrix for the random effects b . Then for type = "Marginal" the fitted values are $X\hat{\beta}$, whereas for type = "Subject" they are $X\hat{\beta} + Z\hat{b}$, where $\hat{\beta}$ and \hat{b} denote the corresponding posterior means for the fixed and random effects. The corresponding residuals are calculated by subtracting the fitted values from the observed data y . If type = "Subject" and standardized = TRUE, the residuals are divided by the estimated residual standard error.

For process = "Event" function fitted() calculates the cumulative hazard function at each time point a longitudinal measurement has been recorded. If nully = TRUE, then the cumulative hazard is calculated without the contribution of the longitudinal process. Function residuals() calculates the martingales residuals or the martingale residuals without the contribution of the longitudinal process when type = "nullMartingale".

Value

a numeric vector of fitted values or residuals.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.

Examples

```
## Not run:
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
             random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ 1, data = pbc2.id, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

fitted(jointFit, process = "Event")
residuals(jointFit, type = "Subject", standardized = TRUE)

## End(Not run)
```

Description

Density, distribution function, quantile function and random generation for the generalized Student's t distribution.

Usage

```
dgt(x, mu = 0, sigma = 1, df = stop("no df arg"), log = FALSE)
pgt(q, mu = 0, sigma = 1, df = stop("no df arg"))
qgt(p, mu = 0, sigma = 1, df = stop("no df arg"))
rgt(n, mu = 0, sigma = 1, df = stop("no df arg"))
```

Arguments

x, q	vector of quantiles.
p	vector of probabilities.
n	a numeric scalar denoting the number of observations.
mu	a vector of means.
sigma	a vector of standard deviations.
log	logical; if TRUE the density is computed in the log scale.
df	a numeric scalar denoting the degrees of freedom.

Value

dgt gives the density, pgt gives the distribution function, qgt gives the quantile function, and rgt generates random deviates.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

Examples

```
x <- rnorm(10, mean = 10, sd = 3)
dgt(x, mu = 10, sigma = 3, df = 4)
rgt(10, mu = 10, sigma = 3, df = 4)
```

JMbayes

Joint Modeling of Longitudinal and Time-to-Event Data in R under a Bayesian Approach

Description

This package fits shared parameter models for the joint modeling of normal longitudinal responses and event times under a Bayesian approach. Various options for the survival model and the association structure are provided.

Details

Package: JMbayes
Type: Package
Version: 0.6-1
Date: 2014-06-11
License: GPL (>=2)

The package has a single model-fitting function called `jointModelBayes`, which accepts as main arguments a linear mixed effects object fit returned by function `lme()` of package `nlme`, and a Cox model object fit returned by function `coxph()` of package `survival`. The `survMod` argument of `jointModelBayes` specifies the type of survival submodel to be fitted; available options are a relative risk model with a Weibull baseline hazard (default) and a relative risk model with a B-spline approximation of the log baseline risk function. In addition, the `param` specifies the association structure between the longitudinal and survival processes; available options are: "td-value" which is the classic formulation used in Wulfsohn and Tsiatis (1997); "td-extra" which is a user-defined, possibly time-dependent, term based on the specification of the `extraForm` argument of `jointModelBayes`. This could be used to include terms, such as the time-dependent slope (i.e., the derivative of the subject-specific linear predictor of the linear mixed model) and the time-dependent cumulative effect (i.e., the integral of the subject-specific linear predictor of the linear mixed model); "td-both" which is the combination of the previous two parameterizations, i.e., the current value and the user-specified terms are included in the linear predictor of the relative risk model; and "shared-RE" where only the random effects of the linear mixed model are included in the linear predictor of the survival submodel.

The package also offers several utility functions that can extract useful information from fitted joint models. The most important of those are included in the **See also** Section below.

Author(s)

Dimitris Rizopoulos

Maintainer: Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

- Guo, X. and Carlin, B. (2004) Separate and joint modeling of longitudinal and event time data using standard computer packages. *The American Statistician* **54**, 16–24.
- Henderson, R., Diggle, P. and Dobson, A. (2000) Joint modelling of longitudinal measurements and event time data. *Biostatistics* **1**, 465–480.
- Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.
- Rizopoulos, D. (2011) Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.
- Rizopoulos, D. and Ghosh, P. (2011) A Bayesian semiparametric multivariate joint model for multiple longitudinal outcomes and a time-to-event. *Statistics in Medicine* **30**, 1366–1380.
- Rizopoulos, D., Verbeke, G. and Molenberghs, G. (2010) Multiple-imputation-based residuals and diagnostic plots for joint models of longitudinal and survival outcomes. *Biometrics* **66**, 20–29.
- Tsiatis, A. and Davidian, M. (2004) Joint modeling of longitudinal and time-to-event data: an overview. *Statistica Sinica* **14**, 809–834.
- Wulfsohn, M. and Tsiatis, A. (1997) A joint model for survival and longitudinal data measured with error. *Biometrics* **53**, 330–339.

See Also

[jointModelBayes](#), [survfitJM](#), [aucJM](#), [dynCJM](#), [prederrJM](#), [predict.JMbayes](#), [logLik.JMbayes](#)

JMbayesObject

Fitted JMbayes Object

Description

An object returned by the `jointModelBayes` function, inheriting from class `JMbayes` and representing a fitted joint model for longitudinal and time-to-event data. Objects of this class have methods for the generic functions `coef`, `confint`, `fixed.effects`, `logLik`, `plot`, `print`, `random.effects`, `summary`, and `vcov`.

Value

The following components must be included in a legitimate `JMbayes` object.

<code>mcmc</code>	a list with the MCMC samples for each parameter (except from the random effects if control argument <code>keepRE</code> is <code>FALSE</code>).
<code>postMeans</code>	a list with posterior means.
<code>postMeans</code>	a list with posterior modes calculated using kernel density estimation.
<code>postVarsRE</code>	a list with the posterior variance-covariance matrix for the random effects of each subject.
<code>StErr</code>	a list with posterior standard errors.

EffectiveSize	a list with effective sample sizes.
StDev	a list with posterior standard deviations.
CI	a list with 95% credible intervals.
vcov	the variance-covariance matrix of the model's parameters based.
pD	the pD value.
DIC	the deviance information criterion value.
CPO	the conditional predictive ordinate value.
LPML	the log pseudo marginal likelihood value.
time	the time used to fit the model.
scales	a list with scaling constants in the Metropolis algorithm.
Covs	a list with the covariance matrices of the proposals in the Metropolis algorithm.
acceptRates	a list of acceptance rates.
x	a list with the design matrices for the longitudinal and event processes.
y	a list with the response vectors for the longitudinal and event processes.
Data	a list of data frames with the data used to fit the models.
Terms	a list of terms objects for the various parts of the joint model.
Funs	a list of functions used for the various parts of the joint model.
Forms	a list of formulas for the two submodels.
timeVar	the value of the timeVar argument
control	the value of the control argument.
densLongCheck	a logical indicating whether a scale parameter is required in the longitudinal submodel.
param	the value of the param argument.
priors	a list with the specification of the prior distributions for the model's parameters. This has the same components as the priors argument of the jointModelBayes function.
baseHaz	the value of the baseHaz argument.
df.RE	the value of the df.RE argument.
call	the matched call.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

See Also

[jointModelBayes](#)

jointModelBayes *Joint Models for Longitudinal and Time-to-Event Data*

Description

Fits shared parameter joint models for longitudinal and survival outcomes under a Bayesian approach.

Usage

```
jointModelBayes(lmeObject, survObject, timeVar,
  param = c("td-value", "td-extra", "td-both", "shared-betasRE", "shared-RE"),
  extraForm = NULL, baseHaz = c("P-splines", "regression-splines"),
  transFun = NULL, densLong = NULL, lag = 0, df.RE = NULL,
  estimateWeightFun = FALSE, weightFun = NULL, init = NULL,
  priors = NULL, scales = NULL, control = list(), ...)
```

Arguments

lmeObject	an object of class 'lme' fitted by function <code>lme()</code> from package nlme or by function <code>glmmPQL()</code> from package MASS .
survObject	an object of class 'coxph' fitted by function <code>coxph()</code> from package survival .
timeVar	a character string indicating the time variable in the mixed effects model.
param	a character string specifying the type of association structure between the longitudinal and survival processes. See Details .
extraForm	a list with components <code>fixed</code> a formula representing the fixed-effects part of the user-defined term, <code>indFixed</code> a numeric vector indicating which fixed effects of <code>lmeObject</code> are involved in the user-defined term, <code>random</code> a formula representing the random-effects part of the user-defined term, and <code>indRandom</code> a numeric vector indicating which random effects of <code>lmeObject</code> are involved in the user-defined term. Required only when <code>param = "td-extra"</code> or <code>param = "td-both"</code> . See Examples .
baseHaz	a character string specifying the type of the baseline hazard function. See Details .
transFun	a function or a named list with elements <code>value</code> and <code>extra</code> which should be functions. In either case the functions should always have two arguments, namely <code>x</code> and <code>data</code> (even when the second one is not needed). The purpose is to transform the <code>value</code> and/or <code>extra</code> , for example including an interaction term, a nonlinear function, etc.
densLong	a function with arguments <code>y</code> , <code>eta.y</code> , <code>scale</code> , <code>log</code> , and <code>data</code> that calculates the density of the longitudinal outcome. <code>y</code> denotes the longitudinal responses, <code>eta.y</code> the linear predictor that includes the fixed and random effects, <code>scale</code> a possible scale parameter (e.g., the measurement error standard deviation), <code>log</code> a logical argument that controls whether the density should be calculated in the log scale, and <code>data</code> a data frame which may be used to extract variables used in the

	definition of the density function (e.g., a censoring indicator for left censored longitudinal data).
lag	a numeric scalar denoting a lag effect in the time-dependent covariate represented by the mixed model; default is 0.
df.RE	a numeric scalar denoting the number of degrees of freedom for the Student's- t random-effects distribution. If NULL the random effects are assumed to have a multivariate normal distribution.
estimateWeightFun	logical; experimental, not in use yet.
weightFun	a weight function; experimental, not in use yet.
init	a named list of user-specified initial values: betas the vector of fixed effects for the linear mixed effects model. tau the precision parameter from the linear mixed effects model (i.e., $\tau = 1/\sigma^2$ with σ denoting the error terms standard deviation). invD the inverse variance-covariance matrix of the random effects. b a matrix of random effects values. gammas the vector of baseline covariates for the survival model. alphas the association parameter(s). Dalphas the association parameter for the true slopes formulation. Bs.gammas the vector of spline coefficients for the spline-approximated baseline risk function.
	When this list of initial values does not contain some of these components or contains components not of the appropriate length, then the default initial values are used instead.
priors	a named list of user-specified prior parameters: priorMean.betas the prior mean vector of the normal prior for the fixed effects of the linear mixed effects model. priorTau.betas the prior precision matrix of the normal prior for the fixed effects of the linear mixed effects model. priorA.tau the prior shape parameter of the Gamma prior for the precision parameter of the linear mixed effects model. priorB.tau the prior rate parameter of the Gamma prior for the precision parameter of the linear mixed effects model. priorMean.gammas the prior mean vector of the normal prior for the regression coefficients of the survival model. priorTau.gammas the prior precision matrix of the normal prior for the regression coefficients of the survival model. priorMean.alphas the prior mean vector of the normal prior for the association parameter in the survival model. priorTau.alphas the prior precision matrix of the normal prior for the association parameter in the survival model. priorMean.Dalphas the prior mean vector of the normal prior for the slope association parameter in the survival model.

	<p>priorTau.Dalphas the prior precision matrix of the normal prior for the slope association parameter in the survival model.</p> <p>priorMean.Bs.gammas the prior mean vector of the normal prior for the spline coefficients of the baseline risk function.</p> <p>priorTau.Bs.gammas the prior precision matrix of the normal prior for the spline coefficients of the baseline risk function.</p> <p>priorA.tauBs the prior shape parameter of the Gamma prior for the precision parameter of the penalty term when baseHaz = "P-splines".</p> <p>priorB.tauBs the prior rate parameter of the Gamma prior for the precision parameter of the penal term when baseHaz = "P-splines".</p> <p>priorR.D the prior precision matrix of the Wishart prior for the precision matrix of the random effects.</p> <p>priorK.D the degrees of freedom of the Wishart prior for the precision matrix of the random effects.</p>
scales	a named list with names as in <code>init</code> specifying scaling constants for the proposal distributions in the Metropolis algorithm.
control	<p>a list of control values with components:</p> <p>adapt logical default FALSE; should adaptive Metropolis be used. Currently experimental.</p> <p>n.iter integer specifying the total number of iterations; default is 20000.</p> <p>n.burnin integer specifying how many of <code>n.iter</code> to discard as burn-in; default is 3000.</p> <p>n.thin integer specifying the thinning of the chains; default is to set <code>n.thin</code> such that 2000 samples are kept.</p> <p>n.adapt integer specifying the number of iterations to use for adaptation; default is 3000.</p> <p>keepRE logical; if TRUE the MCMC samples for the random effect are kept in the output object.</p> <p>priorVar integer used as the prior precision in the normal prior for the fixed effects, the regression coefficients of the survival submodel, the association parameters, the extra association parameters, and in the spline coefficients; default is 100.</p> <p>knots a numeric vector of knots positions for the spline approximation of the log baseline risk function; default is NULL, which means that the knots are calculated based on the percentiles of the observed event times.</p> <p>ObsTimes.knots logical; if TRUE (default), the knots are set using the percentiles of the observed event times (i.e., including both true events and censored observations). If FALSE, the knots are set based on the percentiles of the true event times alone.</p> <p>lng.in.kn a numeric scalar indicating the number of knots to use (based on the percentiles); default is 15 for the penalized spline baseline hazard and 5 for the regression spline baseline hazard.</p> <p>ordSpline a numeric scalar setting the order of the spline function. This is the number of coefficients in each piecewise polynomial segment, thus a cubic spline has order 4; default is 4.</p>

diff a numeric scalar setting the order of the differences in the calculation of the penalty term for the penalized baseline hazard; default is 2.
seed a numeric scalar setting the random seed; default is 1.
verbose logical; if TRUE (default), a progress bar is shown in the console.
 ... options passed to the control argument.

Details

Function `jointModelBayes` fits joint models for longitudinal and survival data under a Bayesian approach. For the longitudinal responses a linear mixed effects model represented by the `lmeObject` is assumed, unless the user specifies his own probability density function using argument `densLong`. For the survival times, let w_i denote the vector of baseline covariates in `survObject`, with associated parameter vector γ , $m_i(t)$ the subject-specific linear predictor at time point t as defined by the mixed model (i.e., $m_i(t)$ equals the fixed-effects part + random-effects part of the mixed effects model for sample unit i), $m'_i(t)$ denotes an extra user-defined term (based on the specification of argument `extraForm`) to be included in the linear predictor of the survival submodel, and α and α_e vector of association parameters for $m_i(t)$ and $m'_i(t)$, respectively. Then, `jointModelBayes` assumes a relative risk model of the form

$$h_i(t) = h_0(t) \exp\{\gamma^\top w_i + f(m_i(t), m'_i(t), b_i; \alpha, \alpha_e)\},$$

where the baseline risk function is approximated using splines, i.e.,

$$\log h_0(t) = \sum_k \tilde{\gamma}_k B(t; \lambda),$$

with $B(\cdot)$ denoting a B-spline basis function, λ a vector of knots, and $\tilde{\gamma}_k$ the corresponding splines coefficients ($\tilde{\gamma}$ correspond to `Bs.gammas` above). Argument `baseHaz` specifies whether a penalized- or regression-spline-approximation is employed. For the former the P-splines approach of Eilers and Marx (1996) is used, namely the prior for $\tilde{\gamma}$ is taken to be proportional to

$$p(\tilde{\gamma}) \propto \exp\left(-\frac{\tau_{bs}}{2} \tilde{\gamma}^\top \Delta^\top \Delta \tilde{\gamma}\right),$$

where Δ denotes the differences matrix (the order of the differences is set by the control argument `diff`).

Function $f(m_i(t), m'_i(t), b_i; \alpha, \alpha_d)$ specifies the association structure between the two processes. In particular, for `param = "td-value"`,

$$f(m_i(t), m'_i(t), b_i; \alpha, \alpha_d) = f_1(m_i(t))\alpha,$$

for `param = "td-extra"`,

$$f(m_i(t), m'_i(t), b_i; \alpha, \alpha_d) = f_2(m'_i(t))\alpha_e,$$

for `param = "td-both"`,

$$f(m_i(t), m'_i(t), b_i; \alpha, \alpha_d) = f_1(m_i(t))\alpha + f_2(m'_i(t))\alpha_e,$$

for `param = "shared-RE"`,

$$f(m_i(t), m'_i(t), b_i; \alpha, \alpha_d) = \alpha^\top b_i,$$

and for param = "shared-betasRE",

$$f(m_i(t), m'_i(t), b_i; \alpha, \alpha_d) = \alpha^\top (\beta^* + b_i),$$

where $f_1(\cdot)$ and $f_2(\cdot)$ denote possible transformation functions, b_i denotes the vector of random effects for the i th subject and β^* the fixed effects that correspond to the random effects.

Value

See [JMbayesObject](#) for the components of the fit.

Note

1. The `lmeObject` argument should represent a mixed model object without any special structure in the random-effects covariance matrix (i.e., no use of `pdMats`).
2. The `lmeObject` object should not contain any within-group correlation structure (i.e., `correlation` argument of `lme()`) or within-group heteroscedasticity structure (i.e., `weights` argument of `lme()`).
3. It is assumed that the linear mixed effects model `lmeObject` and the survival model `survObject` have been fitted to the same subjects. Moreover, it is assumed that the ordering of the subjects is the same for both `lmeObject` and `survObject`, i.e., that the first line in the data frame containing the event times corresponds to the first set of lines identified by the grouping variable in the data frame containing the repeated measurements, and so on. Furthermore, the scale of the time variable (e.g., days, months, years) should be the same in both the `lmeObject` and `survObject` objects.
4. In the `print` and `summary` generic functions for class `jointModel`, the estimated coefficients (and standard errors for the `summary` generic) for the event process are augmented with the element "Assoct" that corresponds to the association parameter α and the element "AssoctE" that corresponds to the parameter α_e when parameterization is "td-extra" or "td-both" (see **Details**).

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

- Henderson, R., Diggle, P. and Dobson, A. (2000) Joint modelling of longitudinal measurements and event time data. *Biostatistics* **1**, 465–480.
- Hsieh, F., Tseng, Y.-K. and Wang, J.-L. (2006) Joint modeling of survival and longitudinal data: Likelihood approach revisited. *Biometrics* **62**, 1037–1043.
- Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: With Applications in R*. Boca Raton: Chapman and Hall/CRC.
- Rizopoulos, D. (2011) Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.
- Tsiatis, A. and Davidian, M. (2004) Joint modeling of longitudinal and time-to-event data: an overview. *Statistica Sinica* **14**, 809–834.
- Wulfsohn, M. and Tsiatis, A. (1997) A joint model for survival and longitudinal data measured with error. *Biometrics* **53**, 330–339.

See Also

[coef.JMbayes](#), [ranef.JMbayes](#), [logLik.JMbayes](#), [survfitJM](#), [aucJM](#), [dynCJM](#), [prederrJM](#), [predict.JMbayes](#)

Examples

```
## Not run:
# A joint model for the AIDS dataset:
# First we fit the linear mixed model for the longitudinal measurements of
# sqrt CD4 cell counts
lmeFit.aids <- lme(CD4 ~ obstime * drug, random = ~ obstime | patient, data = aids)
# next we fit the Cox model for the time to death (including the 'x = TRUE' argument)
survFit.aids <- coxph(Surv(Time, death) ~ drug, data = aids.id, x = TRUE)

# the corresponding joint model is fitted by (the default is to assume
# the current value parameterization)
jointFit.aids <- jointModelBayes(lmeFit.aids, survFit.aids, timeVar = "obstime")
summary(jointFit.aids)

# A joint model for the PBC dataset:
# We first fit the linear mixed and Cox models. In the first we include
# splines to model flexibly the subject-specific longitudinal trajectories
lmeFit.pbc <- lme(log(serBilir) ~ ns(year, 2),
  random = list(id = pdDiag(form = ~ ns(year, 2))), data = pbc2)
survFit.pbc <- coxph(Surv(years, status2) ~ 1, data = pbc2.id, x = TRUE)

# the corresponding joint model is fitted by:
jointFit.pbc <- jointModelBayes(lmeFit.pbc, survFit.pbc, timeVar = "year",
  baseHaz = "regression-splines")
summary(jointFit.pbc)

# we update the joint model fitted for the PBC dataset by including
# the time-dependent slopes term. To achieve this we need to define
# the 'extraForm' argument, in which we use function dns() to numerically
# compute the derivative of the natural cubic spline. In addition, we increase
# the number of MCMC iterations to 35000
dform = list(fixed = ~ 0 + dns(year, 2), random = ~ 0 + dns(year, 2),
  indFixed = 2:3, indRandom = 2:3)
jointFit.pbc2 <- update(jointFit.pbc, param = "td-both", extraForm = dform,
  n.iter = 35000)
summary(jointFit.pbc2)

# we fit the same model with the shared random effects formulation
jointFit.pbc3 <- update(jointFit.pbc, param = "shared-betasRE")
summary(jointFit.pbc3)

# a joint model for left censored longitudinal data
# we create artificial left censoring in serum bilirubin
pbc2$CensInd <- as.numeric(pbc2$serBilir <= 0.8)
pbc2$serBilir2 <- pbc2$serBilir
pbc2$serBilir2[pbc2$CensInd == 1] <- 0.8
```



```

censdLong <- function (y, eta.y, scale, log = FALSE, data) {
  log.f <- dnorm(x = y, mean = eta.y, sd = scale, log = TRUE)
  log.F <- pnorm(q = y, mean = eta.y, sd = scale, log.p = TRUE)
  ind <- data$CensInd
  if (log) {
    (1 - ind) * log.f + ind * log.F
  } else {
    exp((1 - ind) * log.f + ind * log.F)
  }
}
lmeFit.pbc2 <- lme(log(serBilir2) ~ ns(year, 2), data = pbc2,
  random = ~ ns(year, 2) | id, method = "ML")
jointFit.pbc4 <- jointModelBayes(lmeFit.pbc2, survFit.pbc, timeVar = "year",
  densLong = censdLong)

summary(jointFit.pbc4)

# a joint model for a binary outcome
pbc2$serBilirD <- 1 * (pbc2$serBilir > 1.8)
lmeFit.pbc3 <- glmmPQL(serBilirD ~ year, random = ~ year | id,
  family = binomial, data = pbc2)

dLongBin <- function (y, eta.y, scale, log = FALSE, data) {
  dbinom(x = y, size = 1, prob = plogis(eta.y), log = log)
}

jointFit.pbc5 <- jointModelBayes(lmeFit.pbc3, survFit.pbc, timeVar = "year",
  densLong = dLongBin)

summary(jointFit.pbc5)

## End(Not run)

```

logLik.JMbayes

Log-Likelihood for Joint Models

Description

Computes the log-likelihood for a fitted joint model.

Usage

```

## S3 method for class 'JMbayes'
logLik(object, thetas, b, priors = TRUE, marginal.b = TRUE,
  marginal.thetas = FALSE, full.Laplace = FALSE, useModes = TRUE, ...)

```

Arguments

object an object inheriting from class JMbayes.

thetas	a list with values for the joint model's parameters. This should have the same structure as the coefficients component of a fitted joint model. If missing object\$postMeans is used.
b	a numeric matrix with random effects value. This should have the same structure as the ranef component of a fitted joint model. If missing ranef(object) is used.
priors	logical, if TRUE the priors are also included in the computation.
marginal.b	logical, if TRUE the marginal log-likelihood over the random effects is returned. This marginalization is done using a Laplace approximation.
marginal.thetas	logical, if TRUE the marginal log-likelihood over the parameters is returned. This marginalization is done using a Laplace approximation.
full.Laplace	logical, if FALSE the posterior means and posterior variances are used in the Laplace approximation instead of the posterior modes and posterior hessian matrix of the random effects. Sacrificing a bit of accuracy, this will be much faster than calculating the posterior modes. Relevant only when marginal.b = TRUE.
useModes	logical, if TRUE the modes are used in the Laplace approximation otherwise the means.
...	extra arguments; currently none is used.

Details

Let y_i denote the vectors of longitudinal responses, T_i the observed event time, and δ_i the event indicator for subject i ($i = 1, \dots, n$). Let also $p(y_i|b_i; \theta)$ denote the probability density function (pdf) for the linear mixed model, $p(T_i, \delta_i|b_i; \theta)$ the pdf for the survival submodel, and $p(b_i; \theta)$ the multivariate normal pdf for the random effects, where θ denotes the full parameter vector. Then, if `priors = TRUE`, and `marginal.b = TRUE`, function `logLik()` computes

$$\log \int p(y_i|b_i; \theta)p(T_i, \delta_i|b_i; \theta)p(b_i; \theta)db_i + \log p(\theta),$$

where $p(\theta)$ denotes the prior distribution for the parameters. If `priors = FALSE` the prior is excluded from the computation, i.e.,

$$\log \int p(y_i|b_i; \theta)p(T_i, \delta_i|b_i; \theta)p(b_i; \theta)db_i,$$

and when `marginal.b = FALSE`, then the conditional on the random effects log-likelihood is computed, i.e.,

$$\log p(y_i|b_i; \theta) + \log p(T_i, \delta_i|b_i; \theta) + \log p(b_i; \theta) + \log p(\theta),$$

when `priors = TRUE` and

$$\log p(y_i|b_i; \theta) + \log p(T_i, \delta_i|b_i; \theta) + \log p(b_i; \theta),$$

when `priors = FALSE`.

Value

a numeric scalar of class `logLik` with the value of the log-likelihood. It also has the attributes `df` the number of parameter (excluding the random effects), and `nobs` the number of subjects.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D., Hatfield, L., Carlin, B. and Takkenberg, J. (2014). Combining dynamic predictions from joint models for longitudinal and time-to-event data using Bayesian model averaging. *Journal of the American Statistical Association*. to appear.

See Also

[jointModelBayes](#)

Examples

```
## Not run:
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
             random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ 1, data = pbc2.id, x = TRUE)

jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

logLik(jointFit)
logLik(jointFit, priors = FALSE)
logLik(jointFit, marginal.b = FALSE)

## End(Not run)
```

marglogLik

Calculates Marginal Subject-specific Log-Likelihood Contributions

Description

This function computes marginal subject-specific log-likelihood contributions based on a fitted joint model. The marginalization is done with respect to both the random effects and the parameters using a Laplace approximation.

Usage

```
marglogLik(object, newdata, idVar = "id", method = "BFGS", control = NULL)
```

Arguments

object	an object inheriting from class JMBayes.
newdata	a data frame that contains the longitudinal and covariate information for the subjects for which prediction of survival probabilities is required. The names of the variables in this data frame must be the same as in the data frames that were used to fit the linear mixed effects model (using <code>lme()</code>) and the survival model (using <code>coxph()</code>) that were supplied as the two first argument of <code>jointModelBayes</code> . In addition, this data frame should contain a variable that identifies the different subjects (see also argument <code>idVar</code>).
idVar	the name of the variable in <code>newdata</code> that identifies the different subjects.
method	the method argument of <code>optim()</code> .
control	the control argument of <code>optim()</code> .

Value

a numeric vector of marginal log-likelihood contributions.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

Examples

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit a joint model using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
  random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)

jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

# we compute marginal log-likelihood contribution for Subject 2
ND <- pbc2[pbc2$id == 2, ] # the data of Subject 2
marglogLik(jointFit, newdata = ND)

## End(Not run)
```

pbc2

*Mayo Clinic Primary Biliary Cirrhosis Data***Description**

Followup of 312 randomised patients with primary biliary cirrhosis, a rare autoimmune liver disease, at Mayo Clinic.

Format

A data frame with 1945 observations on the following 20 variables.

id patients identifier; in total there are 312 patients.

years number of years between registration and the earlier of death, transplantation, or study analysis time.

status a factor with levels alive, transplanted and dead.

drug a factor with levels placebo and D-penicil.

age at registration in years.

sex a factor with levels male and female.

year number of years between enrollment and this visit date, remaining values on the line of data refer to this visit.

ascites a factor with levels No and Yes.

hepatomegaly a factor with levels No and Yes.

spiders a factor with levels No and Yes.

edema a factor with levels No edema (i.e., no edema and no diuretic therapy for edema), edema no diuretics (i.e., edema present without diuretics, or edema resolved by diuretics), and edema despite diuretics (i.e., edema despite diuretic therapy).

serBilir serum bilirubin in mg/dl.

serChol serum cholesterol in mg/dl.

albumin albumin in gm/dl.

alkaline alkaline phosphatase in U/liter.

SGOT SGOT in U/ml.

platelets platelets per cubic ml / 1000.

prothrombin prothrombin time in seconds.

histologic histologic stage of disease.

status2 a numeric vector with the value 1 denoting if the patient was dead, and 0 if the patient was alive or transplanted.

Note

The data frame pbc2.id contains the first measurement for each patient. This data frame is used to fit the survival model.

Source

<http://lib.stat.cmu.edu/datasets/pbcseq>

References

Fleming, T. and Harrington, D. (1991) *Counting Processes and Survival Analysis*. Wiley, New York.

Therneau, T. and Grambsch, P. (2000) *Modeling Survival Data: Extending the Cox Model*. Springer-Verlag, New York.

Examples

```
summary(pbc2.id)
```

plot

MCMC Diagnostics for Joint Models

Description

Produces MCMC diagnostics plots.

Usage

```
## S3 method for class 'JMbayes'
plot(x, which = c("trace", "autocorr", "density", "CPO", "weightFun"),
     param = c("betas", "sigma", "D", "gammas", "alphas", "Dalphas",
              "shapes", "Bs.gammas", "tauBs"), ask = TRUE, max.t = NULL,
     from = 0, ...)
```

Arguments

x	an object inheriting from class JMbayes.
which	which types of plots to produce.
param	for which parameter to produce the MCMC diagnostic plots; default is for all parameters.
ask	logical, if TRUE the user is asked for input, before a new figure is drawn.
max.t	numeric scalar; up to which time point to plot the weight function, default is up to the third quantile of the observed event times.
from	numeric scalar; from which time point to start plotting the weight function, default is zero.
...	additional arguments; currently none is used.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.

See Also

[jointModelBayes](#)

Examples

```
## Not run:
# linear mixed model fit
fitLME <- lme(log(serBilir) ~ drug * year, random = ~ 1 | id, data = pbc2)

# survival regression fit
fitSURV <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)

# joint model fit, under the (default) Weibull model
fitJOINT <- jointModelBayes(fitLME, fitSURV, timeVar = "year")

plot(fitJOINT)

## End(Not run)
```

plot.survfit.JMbayes *Plot Method for survfit.JMbayes Objects*

Description

Produces plots of conditional probabilities of survival.

Usage

```
## S3 method for class 'survfit.JMbayes'
plot(x, estimator = c("both", "mean", "median"),
     which = NULL, fun = NULL, invlink = NULL, conf.int = FALSE,
     fill.area = FALSE, col.area = "grey", col.abline = "black", col.points = "black",
     add.last.time.axis.tick = FALSE, include.y = FALSE, main = NULL,
     xlab = NULL, ylab = NULL, ylab2 = NULL, lty = NULL, col = NULL,
     lwd = NULL, pch = NULL, ask = NULL, legend = FALSE, ...,
     cex.axis.z = 1, cex.lab.z = 1, xlim = NULL)
```

Arguments

x	an object inheriting from class <code>survfit.JMbayes</code> .
estimator	character string specifying, whether to include in the plot the mean of the conditional probabilities of survival, the median or both. The mean and median are taken as estimates of these conditional probabilities over the M replications of the Monte Carlo scheme described in survfitJM .

which	a numeric or character vector specifying for which subjects to produce the plot. If a character vector, then it should contain a subset of the values of the idVar variable of the newdata argument of <code>survfit.JM</code> .
fun	a vectorized function defining a transformation of the survival curve. For example with <code>fun=log</code> the log-survival curve is drawn.
invlink	a function to transform the fitted values of the longitudinal outcome.
conf.int	logical; if TRUE, then a pointwise confidence interval is included in the plot.
fill.area	logical; if TRUE the area defined by the confidence interval of the survival function is put in color.
col.area	the color of the area defined by the confidence interval of the survival function.
col.abline, col.points	the color for the vertical line and the points when <code>include.y</code> is TRUE.
add.last.time.axis.tick	logical; if TRUE, a tick is added in the x-axis for the last available time point for which a longitudinal measurement was available.
include.y	logical; if TRUE, two plots are produced per subject, i.e., the plot of conditional probabilities of survival and a scatterplot of his longitudinal measurements.
main	a character string specifying the title in the plot.
xlab	a character string specifying the x-axis label in the plot.
ylab	a character string specifying the y-axis label in the plot.
ylab2	a character string specifying the y-axis label in the plot, when <code>include.y = TRUE</code> .
lty	what types of lines to use.
col	which colors to use.
lwd	the thickness of the lines.
pch	the type of points to use.
ask	logical; if TRUE, the user is asked before each plot, see <code>par()</code> .
legend	logical; if TRUE, a legend is included in the plot.
cex.axis.z, cex.lab.z	the <code>par cex</code> argument for the axis at side 4, when <code>include.y = TRUE</code> .
xlim	the <code>par xlim</code> argument.
...	extra graphical parameters passed to <code>plot()</code> .

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

- Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.
- Rizopoulos, D. (2011). Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.

See Also[survfitJM](#)**Examples**

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit the joint model using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
  random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

# we will compute survival probabilities for Subject 2 in a dynamic manner,
# i.e., after each longitudinal measurement is recorded
ND <- pbc2[pbc2$id == 2, ] # the data of Subject 2
survPreds <- vector("list", nrow(ND))
for (i in 1:nrow(ND)) {
  survPreds[[i]] <- survfitJM(jointFit, newdata = ND[1:i, ])
}

# the default call to the plot method using the first three
# longitudinal measurements
plot(survPreds[[3]])

# we produce the corresponding plot
par(mfrow = c(2, 2), oma = c(0, 2, 0, 2))
for (i in c(1,3,5,7)) {
  plot(survPreds[[i]], estimator = "median", conf.int = TRUE,
    include.y = TRUE, main = paste("Follow-up time:",
    round(survPreds[[i]]$last.time, 1)), ylab = "", ylab2 = "")
}
mtext("log serum bilirubin", side = 2, line = -1, outer = TRUE)
mtext("Survival Probability", side = 4, line = -1, outer = TRUE)

## End(Not run)
```

Description

Using the available longitudinal information up to a starting time point, this function computes an estimate of the prediction error of survival at a horizon time point based on joint models.

Usage

```
prederrJM(object, newdata, Tstart, Thoriz, ...)

## S3 method for class 'JMBayes'
prederrJM(object, newdata, Tstart, Thoriz,
  lossFun = c("square", "absolute"), interval = FALSE, idVar = "id",
  simulate = FALSE, M = 100, ...)
```

Arguments

object	an object inheriting from class JMBayes.
newdata	a data frame that contains the longitudinal and covariate information for the subjects for which prediction of survival probabilities is required. The names of the variables in this data frame must be the same as in the data frames that were used to fit the linear mixed effects model (using <code>lme()</code>) and the survival model (using <code>coxph()</code>) that were supplied as the two first argument of <code>jointModelBayes</code> . In addition, this data frame should contain a variable that identifies the different subjects (see also argument <code>idVar</code>).
Tstart	numeric scalar denoting the time point up to which longitudinal information is to be used to derive predictions.
Thoriz	numeric scalar denoting the time point for which a prediction of the survival status is of interest; Thoriz must be later than Tstart.
lossFun	either the options "absolute" or "square" (default), or a user-specified loss function. As the names suggest, when <code>lossFun = "absolute"</code> the loss function is $L(x) = x $, whereas when <code>lossFun = "square"</code> the loss function is $L(x) = x^2$. If a user-specified function is supplied, this should have a single argument and be vectorized.
interval	logical; if TRUE the weighted prediction error in the interval [Tstart, Thoriz] is calculated, while if FALSE the prediction error at time Thoriz is calculated using the longitudinal information up to time Tstart.
idVar	the name of the variable in newdata that identifies the different subjects.
simulate	logical; if TRUE, a Monte Carlo approach is used to estimate survival probabilities. If FALSE, a first order estimator is used instead. See <code>survfitJM</code> for mote details.
M	a numeric scalar denoting the number of Monte Carlo samples; see <code>survfitJM</code> for mote details.
...	additional arguments; currently none is used.

Details

Based on a fitted joint model (represented by `object`) and using the data supplied in argument `newdata`, this function computes the following estimate of the prediction:

$$PE(u|t) = \{R(t)\}^{-1} \sum_{i:T_i \geq s} I(T_i \geq u) L\{1 - Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)\}$$

$$\begin{aligned}
& +\delta_i I(T_i < u) L\{0 - Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)\} \\
& + (1 - \delta_i) I(T_i < u) [S_i(u | T_i, \tilde{y}_i(t)) L\{1 - Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)\} \\
& + \{1 - S_i(u | T_i, \tilde{y}_i(t))\} L\{0 - Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)\}],
\end{aligned}$$

where $R(t)$ denotes the number of subjects at risk at time $t = T_{start}$, $\tilde{y}_i(t) = \{y_i(s), 0 \leq s \leq t\}$ denotes the available longitudinal measurements up to time t , T_i denotes the observed event time for subject i , δ_i is the event indicator, s is the starting time point T_{start} up to which the longitudinal information is used, and $u > s$ is the horizon time point T_{horiz} . Function $L(\cdot)$ is the loss function that can be the absolute value (i.e., $L(x) = |x|$), the squared value (i.e., $L(x) = x^2$), or a user-specified function. The probabilities $Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)$ are calculated by `survfitJM`.

When interval is set to TRUE, then function `prederrJM` computes the integrated prediction error in the interval $(u, t) = (T_{start}, T_{horiz})$ defined as

$$IPE(u|t) = \sum_{i:t \leq T_i \leq u} w_i(T_i) PE(T_i|t),$$

where

$$w_i(T_i) = \frac{\delta_i G(T_i)/G(t)}{\sum_{i:t \leq T_i \leq u} \delta_i G(T_i)/G(t)},$$

with $G(\cdot)$ denoting the Kaplan-Meier estimator of the censoring time distribution.

Value

A list of class `prederrJM` with components:

<code>prederr</code>	a numeric scalar denoting the estimated prediction error.
<code>nr</code>	a numeric scalar denoting the number of subjects at risk at time <code>Tstart</code> .
<code>Tstart</code>	a copy of the <code>Tstart</code> argument.
<code>Thoriz</code>	a copy of the <code>Thoriz</code> argument.
<code>interval</code>	a copy of the <code>interval</code> argument.
<code>classObject</code>	the class of object.
<code>nameObject</code>	the name of object.
<code>lossFun</code>	a copy of the <code>lossFun</code> argument.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

- Henderson, R., Diggle, P. and Dobson, A. (2002). Identification and efficacy of longitudinal markers for survival. *Biostatistics* **3**, 33–50.
- Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.
- Rizopoulos, D. (2011). Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.
- Rizopoulos, D., Murawska, M., Andrinopoulou, E.-R., Lesaffre, E. and Takkenberg, J. (2013). Dynamic predictions with time-dependent covariates in survival analysis: A comparison between joint modeling and landmarking. *under preparation*.

See Also

[survfitJM](#), [aucJM](#), [dynCJM](#), [jointModelBayes](#)

Examples

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit the joint model using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
  random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

# prediction error at year 10 using longitudinal data up to year 5
prederrJM(jointFit, pbc2, Tstart = 5, Thoriz = 10)
prederrJM(jointFit, pbc2, Tstart = 5, Thoriz = 6.5, interval = TRUE)

## End(Not run)
```

predict

Predictions for Joint Models

Description

Calculates predicted values for the longitudinal part of a joint model.

Usage

```
## S3 method for class 'JMBayes'
predict(object, newdata, type = c("Marginal", "Subject"),
  interval = c("none", "confidence", "prediction"), level = 0.95, idVar = "id",
  FtTimes = NULL, last.time = NULL, M = 300, returnData = FALSE,
  scale = 1.6, weight = rep(1, nrow(newdata)), invlink = NULL,
  seed = 1, ...)
```

Arguments

object	an object inheriting from class JMBayes.
newdata	a data frame in which to look for variables with which to predict.
type	a character string indicating the type of predictions to compute, marginal or subject-specific. See Details .
interval	a character string indicating what type of intervals should be computed.

level	a numeric scalar denoting the tolerance/confidence level.
idVar	a character string indicating the name of the variable in <code>newdata</code> that corresponds to the subject identifier; required when <code>type = "Subject"</code> .
FtTimes	a list with components numeric vectors denoting the time points for which we wish to compute subject-specific predictions after the last available measurement provided in <code>newdata</code> . For each subject in <code>newdata</code> the default is a sequence of 25 equally spaced time points from the last available measurement to the maximum follow-up time of all subjects (plus a small quantity). This argument is only used when <code>type = "Subject"</code> .
last.time	a numeric vector. This specifies the known time at which each of the subjects in <code>newdata</code> was known to be alive. If <code>NULL</code> , then this is automatically taken as the last time each subject provided a longitudinal measurement. If a numeric vector, then it is assumed to contain this last time point for each subject.
M	numeric scalar denoting the number of Monte Carlo samples. See Details .
returnData	logical; if <code>TRUE</code> the data frame supplied in <code>newdata</code> is returned augmented with the outputs of the function.
scale	a numeric value setting the scaling of the covariance matrix of the empirical Bayes estimates in the Metropolis step during the Monte Carlo sampling.
weight	a numeric vector of weights to be applied to the predictions of each subject.
invlink	a function to transform the linear predictor of the mixed model to fitted means; relevant when the user has specified her own density for the longitudinal outcome in jointModelBayes .
seed	numeric scalar, the random seed used to produce the results.
...	additional arguments; currently none is used.

Details

When `type = "Marginal"`, this function computes predicted values for the fixed-effects part of the longitudinal submodel. In particular, let X denote the fixed-effects design matrix calculated using `newdata`. The `predict()` calculates $\hat{y} = X\hat{\beta}$, and if `interval = "confidence"`, then it calculates the confidence intervals based on the percentiles of the MCMC sample for β .

When `type = "Subject"`, this function computes subject-specific predictions for the longitudinal outcome based on the joint model. This is accomplished with a Monte Carlo simulation scheme, similar to the one described in [survfitJM](#). The only difference is in Step 3, where for `interval = "confidence"` $y_i^* = X_i\beta^* + Z_ib_i^*$, whereas for `interval = "prediction"` y_i^* is a random vector from a normal distribution with mean $X_i\beta^* + Z_ib_i^*$ and standard deviation σ^* . Based on this Monte Carlo simulation scheme we take as estimate of \hat{y}_i the average of the M estimates y_i^* from each Monte Carlo sample. Confidence intervals are constructed using the percentiles of y_i^* from the Monte Carlo samples.

Value

If `se.fit = FALSE` a numeric vector of predicted values, otherwise a list with components `pred` the predicted values, `se.fit` the standard error for the fitted values, and `low` and `upp` the lower and upper limits of the confidence interval. If `returnData = TRUE`, it returns the data frame `newdata` with the previously mentioned components added.

Note

The user is responsible to appropriately set the `invlink` argument when a user-specified mixed effects model has been fitted.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.

See Also

[survfitJM.JMbayes](#), [jointModelBayes](#)

Examples

```
## Not run:
# linear mixed model fit
fitLME <- lme(log(serBilir) ~ drug * year, data = pbc2,
  random = ~ year | id)
# survival regression fit
fitSURV <- coxph(Surv(years, status2) ~ drug, data = pbc2.id,
  x = TRUE)
# joint model fit, under the (default) Weibull model
fitJOINT <- jointModelBayes(fitLME, fitSURV, timeVar = "year")

DF <- with(pbc2, expand.grid(drug = levels(drug),
  year = seq(min(year), max(year), len = 100)))
Ps <- predict(fitJOINT, DF, interval = "confidence", return = TRUE)
require(lattice)
xyplot(pred + low + upp ~ year | drug, data = Ps,
  type = "l", col = c(2,1,1), lty = c(1,2,2), lwd = 2,
  ylab = "Average log serum Bilirubin")

# Subject-specific predictions
ND <- pbc2[pbc2$id == 2, ]
Ps.ss <- predict(fitJOINT, ND, type = "Subject",
  interval = "confidence", return = TRUE)
xyplot(pred + low + upp ~ year | id, data = Ps.ss,
  type = "l", col = c(2,1,1), lty = c(1,2,2), lwd = 2,
  ylab = "Average log serum Bilirubin")

## End(Not run)
```

prothro

Prednisone versus Placebo in Liver Cirrhosis Patients

Description

A randomized trial on 488 liver cirrhosis patients

Format

Two data frames with the following variable.

id patients identifier; in total there are 467 patients.

pro prothrobins measurements.

time for data frame prothro the time points at which the prothrobins measurements were taken;
for data frame prothros the time to death or censoring.

death a numeric vector with 0 denoting censoring and 1 death.

treat randomized treatment; a factor with levels "placebo" and "prednisone".

Source

<http://www.gllamm.org/books/readme.html#14.6>,

References

Andersen, P. K., Borgan, O., Gill, R. D. and Keiding, N. (1993). *Statistical Models Based on Counting Processes*. New York: Springer.

Examples

```
summary(prothros)
```

ranef

Random Effects Estimates for Joint Models

Description

Extracts the random effects estimates from a fitted joint model.

Usage

```
## S3 method for class 'JMbayes'  
ranef(object, postVar = FALSE, ...)
```

Arguments

object an object inheriting from class Jmbayes.
 postVar logical; if TRUE the variance of the posterior distribution is also returned.
 ... additional arguments; currently none is used.

Value

a numeric matrix with rows denoting the individuals and columns the random effects (e.g., intercepts, slopes, etc.). If `postVar = TRUE`, the numeric matrix has an extra attribute "postVar".

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.

See Also

[coef.Jmbayes](#), [jointModelBayes](#)

Examples

```
## Not run:
# linear mixed model fit
fitLME <- lme(log(serBilir) ~ drug * year, random = ~ 1 | id, data = pbc2)
# survival regression fit
fitSURV <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)

# joint model fit, under the (default) Weibull model
fitJOINT <- jointModelBayes(fitLME, fitSURV, timeVar = "year")
ranef(fitJOINT)

## End(Not run)
```

Description

This function computes the conditional probability of surviving later times than the last observed time for which a longitudinal measurement was available.

Usage

```
survfitJM(object, newdata, ...)

## S3 method for class 'JMBayes'
survfitJM(object, newdata,
  type = c("SurvProb", "Density"), idVar = "id",
  simulate = TRUE, survTimes = NULL, last.time = NULL, M = 200L,
  CI.levels = c(0.025, 0.975), scale = 1.6,
  weight = rep(1, nrow(newdata)),
  init.b = NULL, seed = 1L, ...)
```

Arguments

object	an object inheriting from class JMBayes.
newdata	a data frame that contains the longitudinal and covariate information for the subjects for which prediction of survival probabilities is required. The names of the variables in this data frame must be the same as in the data frames that were used to fit the linear mixed effects model (using <code>lme()</code>) and the survival model (using <code>coxph()</code>) that were supplied as the two first argument of <code>jointModelBayes</code> . In addition, this data frame should contain a variable that identifies the different subjects (see also argument <code>idVar</code>).
type	character string indicating what to compute, i.e., survival probabilities or the log conditional density.
idVar	the name of the variable in <code>newdata</code> that identifies the different subjects.
simulate	logical; if TRUE, a Monte Carlo approach is used to estimate survival probabilities. If FALSE, a first order estimator is used instead. (see Details)
survTimes	a numeric vector of times for which prediction survival probabilities are to be computed.
last.time	a numeric vector or character string. This specifies the known time at which each of the subjects in <code>newdata</code> was known to be alive. If NULL, then this is automatically taken as the last time each subject provided a longitudinal measurement. If a numeric vector, then it is assumed to contain this last time point for each subject. If a character string, then it should be a variable in the data frame <code>newdata</code> .
M	integer denoting how many Monte Carlo samples to use – see Details .
CI.levels	a numeric vector of length two that specifies which quantiles to use for the calculation of confidence interval for the predicted probabilities – see Details .
scale	a numeric scalar that controls the acceptance rate of the Metropolis-Hastings algorithm – see Details .
weight	a numeric vector of weights to be applied to the predictions of each subject.
init.b	a numeric matrix of initial values for the random effects. These are used in the optimization procedure that finds the mode of the posterior distribution described in Step 2 below.
seed	numeric scalar, the random seed used to produce the results.
...	additional arguments; currently none is used.

Details

Based on a fitted joint model (represented by object), and a history of longitudinal responses $\tilde{y}_i(t) = \{y_i(s), 0 \leq s \leq t\}$ and a covariates vector x_i (stored in newdata), this function provides estimates of $Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)$, i.e., the conditional probability of surviving time u given that subject i , with covariate information x_i , has survived up to time t and has provided longitudinal the measurements $\tilde{y}_i(t)$.

To estimate $Pr(T_i > u | T_i > t, \tilde{y}_i(t), x_i)$ and if `simulate = TRUE`, a Monte Carlo procedure is followed with the following steps:

Step 1: Take randomly a realization, say θ^* from the MCMC sample of posterior of the joint model represented by object.

Step 2: Simulate random effects values, say b_i^* , from their posterior distribution given survival up to time t , the vector of longitudinal responses $\tilde{y}_i(t)$ and θ^* . This is achieved using a Metropolis-Hastings algorithm with independent proposals from a properly centered and scaled multivariate t distribution. The `scale` argument controls the acceptance rate for this algorithm.

Step 3 Using θ^* and b_i^* , compute $Pr(T_i > u | T_i > t, b_i^*, x_i; \theta^*)$.

Step 4: Repeat Steps 1-3 M times.

Based on the M estimates of the conditional probabilities, we compute useful summary statistics, such as their mean, median, and percentiles (to produce a confidence interval).

If `simulate = FALSE`, then survival probabilities are estimated using the formula

$$Pr(T_i > u | T_i > t, \hat{b}_i, x_i; \hat{\theta}),$$

where $\hat{\theta}$ denotes the posterior means for the parameters, and \hat{b}_i denotes the posterior means for the random effects.

Value

A list of class `survfit.JMbayes` with components:

<code>summaries</code>	a list with elements numeric matrices with numeric summaries of the predicted probabilities for each subject.
<code>survTimes</code>	a copy of the <code>survTimes</code> argument.
<code>last.time</code>	a numeric vector with the time of the last available longitudinal measurement of each subject.
<code>obs.times</code>	a list with elements numeric vectors denoting the timings of the longitudinal measurements for each subject.
<code>y</code>	a list with elements numeric vectors denoting the longitudinal responses for each subject.
<code>full.results</code>	a list with elements numeric matrices with predicted probabilities for each subject in each replication of the Monte Carlo scheme described above.
<code>success.rate</code>	a numeric vector with the success rates of the Metropolis-Hastings algorithm described above for each subject.
<code>scale</code>	a copy of the <code>scale</code> argument.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

References

Rizopoulos, D. (2012) *Joint Models for Longitudinal and Time-to-Event Data: with Applications in R*. Boca Raton: Chapman and Hall/CRC.

Rizopoulos, D. (2011). Dynamic predictions and prospective accuracy in joint models for longitudinal and time-to-event data. *Biometrics* **67**, 819–829.

See Also

[plot.survfit.JMbayes](#), [predict.JMbayes](#), [aucJM](#), [dynCJM](#), [prederrJM](#), [jointModelBayes](#)

Examples

```
## Not run:
# we construct the composite event indicator (transplantation or death)
pbc2$status2 <- as.numeric(pbc2$status != "alive")
pbc2.id$status2 <- as.numeric(pbc2.id$status != "alive")

# we fit the joint model using splines for the subject-specific
# longitudinal trajectories and a spline-approximated baseline
# risk function
lmeFit <- lme(log(serBilir) ~ ns(year, 2), data = pbc2,
             random = ~ ns(year, 2) | id)
survFit <- coxph(Surv(years, status2) ~ drug, data = pbc2.id, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "year")

# we will compute survival probabilities for Subject 2 in a dynamic manner,
# i.e., after each longitudinal measurement is recorded
ND <- pbc2[pbc2$id == 2, ] # the data of Subject 2
survPreds <- vector("list", nrow(ND))
for (i in 1:nrow(ND)) {
  survPreds[[i]] <- survfitJM(jointFit, newdata = ND[1:i, ])
}
survPreds

# run Shiny app
library("shiny")
runApp(file.path(.Library, "JMbayes/demo"))

## End(Not run)
```

xtable *xtable Method from Joint Models.*

Description

produces a LaTeX table with the results of a joint model using package xtable.

Usage

```
## S3 method for class 'JMbayes'  
xtable(x, caption = NULL, label = NULL, align = NULL,  
       digits = NULL, display = NULL, which = c("all", "Longitudinal", "Event"),  
       varNames.Long = NULL, varNames.Event = NULL, ...)
```

Arguments

x	an object inheriting from class JMbayes.
caption	the caption argument of xtable().
label	the label argument of xtable().
align	the align argument of xtable().
digits	the digits argument of xtable().
display	the display argument of xtable().
which	a character string indicating which results to include in the LaTeX table. Options are all results, the results of longitudinal submodel or the results of the survival submodel.
varNames.Long	a character vector of the variable names for the longitudinal submodel.
varNames.Event	a character vector of the variable names for the survival submodel.
...	additional arguments; currently none is used.

Value

A LaTeX code chunk with the results of the joint modeling analysis.

Author(s)

Dimitris Rizopoulos <d.rizopoulos@erasmusmc.nl>

See Also

[jointModelBayes](#)

Examples

```
## Not run:
require(xtable)
prothro$t0 <- as.numeric(prothro$time == 0)
lmeFit <- lme(pro ~ treat * (time + t0), random = ~ time | id, data = prothro)
survFit <- coxph(Surv(Time, death) ~ treat, data = prothros, x = TRUE)
jointFit <- jointModelBayes(lmeFit, survFit, timeVar = "time")

xtable(jointFit, math.style.negative = TRUE)

## End(Not run)
```

Index

- *Topic **datasets**
 - aids, 2
 - pb2, 29
 - prothro, 39
- *Topic **methods**
 - anova, 3
 - aucJM, 4
 - bma.combine, 7
 - coef, 8
 - dynCJM, 10
 - fitted & residuals, 13
 - marglogLik, 27
 - plot, 30
 - plot.survfit.JMbayes, 31
 - prederrJM, 33
 - predict, 36
 - ranef, 39
 - survfitJM, 40
 - xtable, 44
- *Topic **misc**
 - gt, 15
- *Topic **multivariate**
 - JMbayes, 16
 - JMbayesObject, 17
 - jointModelBayes, 19
- *Topic **package**
 - JMbayes, 16
- *Topic **regression**
 - DerivSplines, 9
 - JMbayesObject, 17
 - jointModelBayes, 19
 - logLik.JMbayes, 25
- aids, 2
- anova, 3
- aucJM, 4, 12, 17, 24, 36, 43
- bma.combine, 7
- coef, 8
- coef.JMbayes, 24, 40
- confint.JMbayes (coef), 8
- dbs (DerivSplines), 9
- DerivSplines, 9
- dgt (gt), 15
- dns (DerivSplines), 9
- dynCJM, 6, 10, 17, 24, 36, 43
- fitted & residuals, 13
- fitted.JMbayes (fitted & residuals), 13
- fixef.JMbayes (coef), 8
- gt, 15
- ibs (DerivSplines), 9
- ins (DerivSplines), 9
- JMbayes, 16
- JMbayes-package (JMbayes), 16
- JMbayesObject, 17, 23
- jointModelBayes, 3, 5, 6, 9, 11, 12, 16–18, 19, 27, 28, 31, 34, 36–38, 40, 41, 43, 44
- logLik.JMbayes, 17, 24, 25
- marglogLik, 27
- pb2, 29
- pgt (gt), 15
- plot, 30
- plot.survfit.JMbayes, 31, 43
- prederrJM, 17, 24, 33, 43
- predict, 36
- predict.JMbayes, 17, 24, 43
- prothro, 39
- prothros (prothro), 39
- qgt (gt), 15
- ranef, 39

ranef.JMbayes, [9](#), [24](#)
residuals.JMbayes (fitted & residuals),
 [13](#)
rgt (gt), [15](#)

survfitJM, [5](#), [6](#), [11](#), [12](#), [17](#), [24](#), [31–37](#), [40](#)
survfitJM.JMbayes, [38](#)

xtable, [44](#)