

# Package ‘bayesQR’

July 2, 2014

**Version** 2.2

**Date** 2014-04-17

**Title** Bayesian quantile regression

**Author** Dries F. Benoit, Rahim Al-Hamzawi, Keming Yu, Dirk Van den Poel

**Maintainer** Dries F. Benoit <Dries.Benoit@UGent.be>

**Depends** R (>= 3.0)

**Description** Bayesian quantile regression using the asymmetric Laplace distribution, both continuous as well as binary dependent variables are supported. The package consists of implementations of the methods of Yu & Moyeed (2001), Benoit & Van den Poel (2012) and Al-Hamzawi, Yu & Benoit (2012). To speed up the calculations, the Markov Chain Monte Carlo core of all algorithms is programmed in Fortran and called from R.

**License** GPL (>= 2)

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2014-04-18 00:35:53

## R topics documented:

bayesQR . . . . .	2
Churn . . . . .	4
plot.bayesQR . . . . .	5
predict.bayesQR . . . . .	7
print.bayesQR.summary . . . . .	9
prior . . . . .	10
Prostate . . . . .	11
summary.bayesQR . . . . .	12

<b>Index</b>	<b>14</b>
--------------	-----------

bayesQR

*Bayesian quantile regression***Description**

bayesQR implements a Bayesian method for estimating quantile regression models (see references). To improve the speed of the routine, the Markov Chain Monte Carlo (MCMC) part of the algorithm is programmed in Fortran and is called from within the R function bayesQR.

**Usage**

```
bayesQR(formula, data, quantile, alasso, ndraw, keep, prior)
```

**Arguments**

formula	a symbolic description of the model to be fit.
data	an optional data frame containing the variables in the model.
quantile	numerical scalar or vector containing quantile(s) of interest (default=0.5).
alasso	logical flag for adaptive lasso variable selection (default=FALSE).
ndraw	number of MCMC draws.
keep	thinning parameter, i.e. keep every keepth draw (default=1).
prior	an S3 object of class "prior". If omitted, a diffuse prior will be assumed (see <a href="#">prior</a> ).

**Details**

The function bayesQR can estimate four types of models, depending on whether the dependent variable is continuous or binary and whether adaptive lasso variable selection is used.

- Continuous dependent variable without adaptive lasso variable selection:

Model:  $y = X\beta + e$   
 $e \sim \text{ALD}(\text{location}=0, \text{scale}=\sigma, \text{quantile}=p)$   
 Priors:  $\beta \sim N(\beta_0, V_0)$   
 $\sigma \sim \text{invGamma}(\text{shape}_0, \text{scale}_0)$

- Continuous dependent variable with adaptive lasso variable selection:

Model:  $y = X\beta + e$   
 $e \sim \text{ALD}(\text{location}=0, \text{scale}=\sigma, \text{quantile}=p)$   
 Priors:  $\beta \sim \text{ALD}(\text{location}=0, \text{scale}=\sigma/\lambda, p=0.5)$   
 $\sigma \sim \text{InvGamma}(\text{shape}=\sigma\_shape, \text{scale}=\sigma\_scale)$   
 $(\lambda/\sigma)^2 \sim \text{Gamma}(\text{shape}=\text{etasq\_shape}, \text{scale}=\text{etasq\_scale})$

- Binary dependent variable without adaptive lasso variable selection:

Model:  $y^* = X\beta + e$   
 $e \sim \text{ALD}(\text{location}=0, \text{scale}=1, \text{quantile}=p)$   
 $y = 1, \text{ if } (y^* > 0); y = 0, \text{ otherwise}$   
Priors:  $\beta \sim N(\beta_0, V_0)$

- Binary dependent variable with adaptive lasso variable selection:

Model:  $y^* = X\beta + e$   
 $e \sim \text{ALD}(\text{location}=0, \text{scale}=1, \text{quantile}=p)$   
 $y = 1, \text{ if } (y^* > 0); y = 0, \text{ otherwise}$   
Priors:  $\beta \sim \text{ALD}(\text{location}=0, \text{scale}=1/\lambda, p=0.5)$   
 $\lambda^2 \sim \text{Gamma}(\text{shape}=\lambda_{\text{dasq\_shape}}, \text{scale}=\lambda_{\text{dasq\_scale}})$

## Value

An object of class bayesQR, basically a list of lists. For every estimated quantile a list is created containing the following elements:

method	a string containing the method that was used, i.e. indicating whether the dependent variable was continuous or binary and whether adaptive lasso variable selection was used.
quantile	the quantile that was estimated.
names	character vector containing the names of the independent variables in the model.
betadraw	ndraw/keep x nvar(X) matrix of beta draws.
sigmadraw	ndraw/keep vector of sigma draws (only in case of continuous dependent variable).

## Author(s)

Dries F. Benoit, Rahim Al-Hamzawi, Keming Yu and Dirk Van den Poel

## References

- Continuous dependent variable without adaptive lasso variable selection:  
Yu, K. and Moyeed, R. (2001). Bayesian quantile regression, *Statistics and Probability Letters*, 54, 437-447.  
Also see:  
Kozumi, H. and Kobayashi, G. (2011). Gibbs sampling methods for Bayesian quantile regression, *Journal of Statistical Computation and Simulation*, 81(11), 1565-1578.
- Continuous dependent variable with adaptive lasso variable selection:  
Alhamzawi, R., Yu, K. and Benoit, D.F. (2012). Bayesian adaptive LASSO quantile regression, *Statistical Modelling*, 12(3), 279-297.

Also see:

Li, Q., Xi, R. and Lin, N. (2010). Bayesian Regularized Quantile Regression. *Bayesian Analysis*, 5, 1-24.

- Binary dependent variable without adaptive lasso variable selection:  
Benoit, D.F. and Van den Poel, D. (2012). Binary quantile regression: A Bayesian approach based on the asymmetric Laplace distribution, *Journal of Applied Econometrics*, 27(7), 1174-1188.
- Binary dependent variable with adaptive lasso variable selection:  
Al-Hamzawi, R., Benoit, D.F. and Yu, K. (2012). Binary quantile regression with adaptive lasso: A Bayesian approach, working paper.

## Examples

```
# Simulate data from heteroskedastic regression
set.seed(66)
n <- 200
X <- runif(n=n,min=0,max=10)
X <- X
y <- 1 + 2*X + rnorm(n=n, mean=0, sd=.6*X)

# Estimate series of quantile regressions with adaptive lasso
out <- bayesQR(y~X, quantile=c(.05,.25,.5,.75,.95), alasso=TRUE, ndraw=5000)

# Initiate plot
## Plot datapoints
plot(X, y, main="", cex=.6, xlab="X")

## Add quantile regression lines to the plot (exclude first 500 burn-in draws)
sum <- summary(out, burnin=500)
for (i in 1:length(sum)){
  abline(a=sum[[i]]$betadraw[1,1],b=sum[[i]]$betadraw[2,1],lty=i,col=i)
}

# Estimate and plot OLS model
outOLS = lm(y~X)
abline(outOLS,lty=1,lwd=2,col=6)

# Add legend to plot
legend(x=0,y=max(y),legend=c(.05,.25,.50,.75,.95,"OLS"),lty=c(1,2,3,4,5,1),
      lwd=c(1,1,1,1,1,2),col=c(1:6),title="Quantile")
```

## Description

This dataset is a stratified random sample from all active customers (at the end of June 2006) of a European financial services company. The dependent variable in this dataset is the churn behavior of the customers in the period from July 1st until December 31st 2006. Here a churned customer is defined as someone who closed all his/her bank accounts with the company. Note that all predictor variables are standardized. This dataset is a small subset of the dataset used in Benoit and Van den Poel (2013). The dataset is structured as a dataframe with 400 observations and 5 variables.

## Usage

```
data("Churn")
```

## Format

The data frame has the following components:

- **churn** : churn (yes/no)
- **gender** : gender of the customer (male = 1)
- **Social\_Class\_Score** : social class of the customer
- **lor** : length of relationship with the customer
- **recency** : number of days since last purchase

## Source

Benoit, D.F. and Van den Poel, D. (2013). Quantile regression for database marketing: methods and applications. In: Coussement, K., De Bock, K.W. and Neslin, S.A. (eds.). *Advanced database marketing: Innovative methodologies and applications for managing customer relationships*. Gower Publishing: London (UK), (in press).

## References

Benoit, D.F. and Van den Poel, D. (2013). Quantile regression for database marketing: methods and applications. In: Coussement, K., De Bock, K.W. and Neslin, S.A. (eds.). *Advanced database marketing: Innovative methodologies and applications for managing customer relationships*. Gower Publishing: London (UK), (in press).

---

plot.bayesQR

*Produce quantile plots or traceplots with plot.bayesQR*

---

## Description

plot.bayesQR is an S3 method that produces quantile plots, traceplots or posterior histograms based on the estimates obtained by the bayesQR function. For quantile plots, note that the more quantiles are estimated with bayesQR, the more detailed the quantile plot will be.

**Usage**

```
## S3 method for class 'bayesQR'
plot(x, var=NULL, quantile=NULL, burnin=0, credint=c(0.025,0.975), plottype=NULL,
main=NULL, xlab=NULL, ylab=NULL, xlim=NULL, ylim=NULL, ...)
```

**Arguments**

x	an output object of the bayesQR function, i.e. an S3 object of class bayesQR.
var	vector containing the index or name of the variable(s) that has to be plotted (default=all variables).
quantile	vector containing the quantile(s) that has to be plotted (default=all quantiles).
burnin	the number of burnin draws that should be discarded (default=0, meaning all draws are included).
credint	the width of the credible interval (default=c(0.025, 0.975)).
plottype	should be 'quantile', 'trace' or 'hist'.
main	Main title of the plot (default="").
xlab	Label of the x-axis; if omitted, the value chosen based on the input data.
ylab	Label of the y-axis; if omitted, the value chosen based on the input data.
xlim	Plot region of the x-axis; if omitted, the value chosen based on the input data.
ylim	Plot region of the y-axis; if omitted, the value chosen based on the input data.
...	additional arguments that are passed to the generic plot function

**Details**

A quantile plot shows how the value of the regression parameter changes over a range of quantiles together with the associated credible interval. Note that the more quantiles are estimated, the more detailed the quantile plot will be. The minimum number of quantiles to plot is 2. A posterior histogram provides a graphical representation of the marginal posterior distribution of the regression parameters. A traceplot gives the evolution of the MCMC chain and can be used as graphical check of convergence. Note that more formal checks of convergence exist (see, for example, the **coda** package).

**Value**

A (series of) quantile plot(s) or a (series of) traceplot(s).

**Author(s)**

Dries F. Benoit

**Examples**

```
# Simulate data from heteroskedastic regression
set.seed(66)
n <- 200
X <- runif(n=n,min=0,max=10)
```

```

X <- X
y <- 1 + 2*X + rnorm(n=n, mean=0, sd=.6*X)

# Analyze 5 quantiles using default prior
out <- bayesQR(y ~ X, quantile=c(.05,.25,.5,.75,.95), ndraw=5000)

# Check traceplot of first variable of .75 quantile regression
plot(out, var=1, quantile=.75, plottype="trace")

# Check posterior histogram of first variable of .5 quantile regression
plot(out, var=1, quantile=.5, plottype="hist")

# Create default quantile plot of first variable
plot(out, var=1, plottype="quantile")

# Create quantile plot of second variable with 90% credible interval
plot(out, var="X", credint=c(.05, .95), plottype="quantile", main="This is an example")

```

---

predict.bayesQR	<i>Calculate predicted probabilities for binary quantile regression</i>
-----------------	---

---

## Description

predict.bayesQR is an S3 method that calculates predicted probabilities for binary quantile regression, both with or without adaptive lasso.

## Usage

```
## S3 method for class 'bayesQR'
predict(object, X, burnin=0, ...)
```

## Arguments

object	an output object of the bayesQR function, S3 class bayesQR, with binary dependent variable, with or without adaptive lasso. At least 9 estimated quantiles are required.
X	matrix of predictors (should be of the same type as the variables used to estimate the model).
burnin	the number of burnin draws that should be discarded (default=0, meaning all draws are included).
...	additional parameters passed to the generic predict function.

## Details

predict.bayesQR is an S3 method that calculates the predicted probabilities based on a matrix of predictors  $X$  and an object containing the parameter estimates of a sequence of binary quantile regressions. The rationale behind the approach is described in Kordas (2006) and applied in Migueis, V.L., Benoit, D.F. and Van den Poel, D. (2012). Note that the more quantiles are estimated, the more fine-grained the predicted probabilities will be.

**Value**

A vector containing the predicted probabilities.

**Author(s)**

Dries F. Benoit

**References**

Kordas, G. (2006). Binary regression quantiles, *Journal of Applied Econometrics*, **21**(3), 387-407.

Migueis, V.L., Benoit, D.F. and Van den Poel, D. (2012). Enhanced decision support in credit scoring using Bayesian binary quantile regression, *Journal of the Operational Research Society*, (in press).

**Examples**

```
# Simulate data from binary regression model
set.seed(1234)
n <- 200
X <- matrix(runif(n=n*2, min=-5, max=5),ncol=2)
ystar <- cbind(1,X)%*% c(1,1.5,-.5) + rnorm(n=n, mean=0, sd=abs(2*X[,1]))
y <- as.numeric(ystar>0)

## Estimate a sequence of binary quantile regression models
out <- bayesQR(y ~ X, quantile=seq(.1,.9,.1), ndraw=4000)

# Calculate predicted probabilities
pred <- predict(object=out, X=cbind(1,X), burnin=2000)

# Make histogram of predicted probabilities
hist(pred,breaks=10)

# Calculate Percentage Correctly Classified (PCC)
mean(y==as.numeric(pred>.5))

# Compare with logit model
mylogit <- glm(y ~ X, family=binomial(logit))

# Make histogram of predicted probabilities
hist(mylogit$fit,breaks=10)

# Calculate Percentage Correctly Classified (PCC)
mean(y==as.numeric(mylogit$fit>.5))
```



---

print.bayesQR.summary *Prints the contents of bayesQR.summary object to the console*

---

### Description

print.bayesQR.summary is an S3 method that prints the content of an S3 object of class bayesQR.summary to the console.

### Usage

```
## S3 method for class 'bayesQR.summary'  
print(x, digits=3, ...)
```

### Arguments

x	an output object of the summary.bayesQR function, i.e. an S3 object of class bayesQR.summary.
digits	the number of printed digits of the estimates (default=3).
...	additional arguments that are passed to the generic print function

### Value

Formatted output of a bayesQR.summary object.

### Author(s)

Dries F. Benoit

### Examples

```
# Simulate data from heteroskedastic regression  
set.seed(666)  
n <- 200  
X <- runif(n=n,min=0,max=10)  
y <- 1 + 2*X + rnorm(n=n, mean=0, sd=.6*X)  
  
# Analyze 0.5 quantile using default prior and adaptive lasso  
out <- bayesQR(y ~ X, alasso=TRUE, ndraw=5000)  
  
# Return Bayes estimates and credible intervals  
sum <- summary(out, burnin=1000)  
  
# Print the bayesQR.summary object  
sum
```

---

prior *Create prior for Bayesian quantile regression*

---

### Description

prior creates an S3 object of class bayesQR.prior that contains all necessary prior information to estimate a Bayesian quantile regression model.

### Usage

```
prior(formula, data, alasso, ...)
```

### Arguments

formula	a symbolic description of the model to be fit.
data	an optional data frame containing the variables in the model.
alasso	logical flag for adaptive lasso variable selection (default=FALSE).
...	the prior parameters that are dependent on the method that is used. If omitted, a standard diffuse prior will be used (see details section).

### Details

The function prior builds the prior for four types of models, depending on whether the dependent variable is continuous or binary and whether adaptive lasso variable selection is used. Every non-specified prior parameter will get the default value.

Continuous dependent variable without adaptive lasso variable selection:

- **beta0** :  $nvar(X) \times 1$  vector of prior means (default: 0)
- **V0** :  $nvar(X) \times nvar(X)$  prior covariance matrix (default:  $100 \times \text{diag}(ncol(X))$ )
- **shape0** : shape parameter for inverse Gamma prior for sigma (default: 0.01)
- **scale0** : scale parameter for inverse Gamma prior for sigma (default: 0.01)

Continuous dependent variable with adaptive lasso variable selection:

- **sigma\_shape** : shape parameter for the inverse gamma prior on sigma (default: 0.01)
- **sigma\_scale** : scale parameter for the inverse gamma prior on sigma (default: 0.01)
- **etasq\_shape** : shape parameter for the gamma prior on etasq (default: 0.01)
- **etasq\_scale** : scale parameter for the gamma prior on etasq (default: 0.01)

Binary dependent variable without adaptive lasso variable selection:

- **beta0** :  $nvar(X) \times 1$  vector of prior means (default: 0)
- **V0** :  $nvar(X) \times nvar(X)$  prior covariance matrix (default:  $100 \times \text{diag}(ncol(X))$ )

Binary dependent variable with adaptive lasso variable selection:

- **lambdasq\_shape** : shape parameter for the gamma prior on lambdasq (default: 0.01)
- **lambdasq\_scale** : scale parameter for the gamma prior on lambdasq (default: 0.01)

**Value**

An object of class `bayesQR`, basically a list containing the following elements:

<code>method</code>	a string containing the method that was used, i.e. indicating whether the dependent variable was continuous or binary and whether adaptive lasso variable selection was used.
<code>...</code>	the prior parameters that are dependent on the method that is used (see details section).

**Author(s)**

Dries F. Benoit

**Examples**

```
# Load the Prostate cancer dataset
data(Prostate)

# Create informative prior object
prior <- prior(lpsa~., data=Prostate, beta0=rep(5,9), V0=diag(9))

# Investigate structure of bayesQR.prior object
str(prior)

# Estimate the model parameters with informative prior
out <- bayesQR(lpsa~., data=Prostate, prior=prior, ndraw=5000)

# Print results
summary(out)
```

---

Prostate

*Prostate Cancer Data*

---

**Description**

These data come from a study that examined the correlation between the level of prostate specific antigen and a number of clinical measures in men who were about to receive a radical prostatectomy. It is a data frame with 97 rows and 9 columns.

**Usage**

```
data("Prostate")
```

**Format**

The data frame has the following components:

- **lcavol** : log(cancer volume)
- **lweight** : log(prostate weight)
- **age** : age
- **lbph** : log(benign prostatic hyperplasia amount)
- **svi** : seminal vesicle invasion
- **lcp** : log(capsular penetration)
- **gleason** : Gleason score
- **pgg45** : percentage Gleason scores 4 or 5
- **lpsa** : log(prostate specific antigen)

**Source**

Stamey, T.A., Kabalin, J.N., McNeal, J.E., Johnstone, I.M., Freiha, F., Redwine, E.A. and Yang, N. (1989). Prostate specific antigen in the diagnosis and treatment of adenocarcinoma of the prostate: II. radical prostatectomy treated patients, *Journal of Urology* **141**(5), 1076–1083.

**References**

Stamey, T.A., Kabalin, J.N., McNeal, J.E., Johnstone, I.M., Freiha, F., Redwine, E.A. and Yang, N. (1989). Prostate specific antigen in the diagnosis and treatment of adenocarcinoma of the prostate: II. radical prostatectomy treated patients, *Journal of Urology*, **141**(5), 1076–1083.

This dataset also appears in the R-package: *lasso2*.

Lokhorst, J., Venables, B. and Turlach, B. (2011). *lasso2*: L1 constrained estimation aka 'lasso', published on R CRAN website: <http://cran.r-project.org/web/packages/lasso2/index.html>.

---

summary.bayesQR

*Summarize the output of the bayesQR function*

---

**Description**

summary.bayesQR is an S3 method that summarizes the output of the bayesQR function in an object of class bayesQR.summary. For every estimated beta and sigma, this object contains the Bayes estimate and the posterior credible interval is calculated. The object also contains other relevant information about the estimation procedure, such as the quantile, the variable names, etc.

**Usage**

```
## S3 method for class 'bayesQR'
summary(object, burnin=0, credint=c(.025,.975), quantile=NULL, ...)
```

**Arguments**

object	an output object of the bayesQR function, i.e. an S3 object of class bayesQR.
burnin	the number of burnin draws that should be discarded (default=0, meaning all draws are included).
credint	the width of the credible interval (default=c(0.025, 0.975)).
quantile	the quantile(s) of the quantile regressions that have to be summarized (default: all estimated quantiles in QRobj).
...	additional arguments passed to the generic summary function.

**Value**

An object of class bayesQR.summary, basically a list including elements:

method	a string containing the method that was used, i.e. indicating whether the dependent variable was continuous or binary and whether adaptive lasso variable selection was used.
quantile	the quantile that was estimated.
names	character vector containing the names of the independent variables in the model.
burnin	the number of burnin draws that were discarded.
retained	the number of draws that were retained and used to calculate the summary statistics.
credint	the width of the credible interval.
betadraw	the Bayes estimate and credible interval of the beta draws.
sigmadraw	the Bayes estimate and credible interval of the sigma draws.

**Author(s)**

Dries F. Benoit

**Examples**

```
# Load the Prostate cancer dataset
data(Churn)

# Estimate the model parameters with default prior
out <- bayesQR(churn~gender+recency, data=Churn, ndraw=5000)

# Return Bayes estimates and credible intervals
sum <- summary(out, burnin=1000)

# Inspect structure of bayesQR.summary object
str(sum)

# Print bayesQR.summary object
sum
```

# Index

## \*Topic **datasets**

Churn, [4](#)

Prostate, [11](#)

bayesQR, [2](#)

Churn, [4](#)

plot.bayesQR, [5](#)

predict.bayesQR, [7](#)

print.bayesQR.summary, [9](#)

prior, [2](#), [10](#)

Prostate, [11](#)

summary.bayesQR, [12](#)