

Package ‘DeducerExtras’

February 19, 2015

Type Package

Title Additional dialogs and functions for Deducer

Version 1.7

Date 2012-10-01

Author Ian Fellows and Helios De Rosario

Maintainer Ian Fellows <ian@fellstat.com>

Description Added functionality for Deducer. This package includes additional dialogs for calculating distribution function values, cluster analysis and more.

Depends Deducer (>= 0.4-4), irr

Suggests pwr, rgl

Imports rJava

License GPL-2

LazyLoad yes

NeedsCompilation no

Repository CRAN

Date/Publication 2013-03-19 07:12:53

R topics documented:

DeducerExtras	1
predict.kmeans	2
Index	3

DeducerExtras *Imports from org.rosuda.deducer.widgets.param*

Description

Java imports

predict.kmeans	<i>Applies cluster labels</i>
----------------	-------------------------------

Description

Applies cluster labels

Usage

```
## S3 method for class 'kmeans'  
predict(object,data=NULL,...)  
applyModel(object,data,...)
```

Arguments

object	A kmeans object
data	a dataset to apply the model to
...	Additional parameters

Value

predict returns a vector of cluster assignments. applyModel returns the data with a column of cluster assignments appended to it.

Index

`applyModel (predict.kmeans)`, 2

`DeducerExtras`, 1

`Param (DeducerExtras)`, 1

`ParamAny (DeducerExtras)`, 1

`ParamCharacter (DeducerExtras)`, 1

`ParamLogical (DeducerExtras)`, 1

`ParamMultipleVariables (DeducerExtras)`,
1

`ParamNumeric (DeducerExtras)`, 1

`ParamRFunctionResult (DeducerExtras)`, 1

`ParamRObject (DeducerExtras)`, 1

`ParamVariable (DeducerExtras)`, 1

`predict.kmeans`, 2

`RFunction (DeducerExtras)`, 1

`RFunctionDialog (DeducerExtras)`, 1

`RFunctionList (DeducerExtras)`, 1

`RFunctionListDialog (DeducerExtras)`, 1