

Package ‘tnet’

November 18, 2015

Type Package

Version 3.0.14

Date 2015-11-17

Title Software for Analysis of Weighted, Two-Mode, and Longitudinal Networks

Author Tore Opsahl

Maintainer Tore Opsahl <tore@opsahl.co.uk>

Depends R (>= 2.13.0), igraph, survival

Description R package for analyzing weighted, two-mode, and longitudinal networks.

License GPL-3

NeedsCompilation no

Repository CRAN

Date/Publication 2015-11-18 15:48:52

R topics documented:

tnet-package	2
add_window_1	4
as.static.tnet	5
as.tnet	6
betweenness_w	7
celegans.n306.net	8
closeness_w	9
clustering_local_tm	10
clustering_local_w	11
clustering_tm	13
clustering_w	14
compress_ids	15
Cross.Parker.Consulting.net.info	16
Cross.Parker.Manufacturing.net.info	17
Davis.Southern.women.2mode	18
degree_tm	19

degree_w	20
dichotomise_tm	21
dichotomise_w	22
distance_tm	23
distance_w	25
Freemans.EIES.net.1.n48	26
growth_1	27
Newman.Condmat.95.99.net.2mode	28
OnlineSocialNetwork.n1899.net	29
projecting_tm	30
reinforcement_tm	31
rg_resuffling_1	32
rg_resuffling_tm	33
rg_resuffling_w	34
rg_tm	35
rg_w	36
shrink_to_weighted_network	37
symmetrise_w	39
tnet_igraph	40
tnet_ucinet	41
USairport.n500.net	42
weighted_richclub_local_w	43
weighted_richclub_tm	44
weighted_richclub_w	45

Index	47
--------------	-----------

tnet-package	<i>Collection of functions for analysing weighted networks, two-mode networks, and longitudinal networks</i>
--------------	--

Description

This package is created to analyse weighted networks, two-mode networks, and longitudinal networks datasets. Binary ties limit the richness of network analyses as relations are unique. The two-mode structure contains a number of features lost when projection it to a one-mode network. Longitudinal datasets allow for an understanding of the causal relationship among ties, which is not the case in cross-sectional datasets as ties are dependent upon each other.

Details

Package:	tnet
Type:	Package
Version:	3.0.14
Date:	2015-11-17

This package is created to analyse weighted networks, two-mode networks, and longitudinal networks datasets. More information is available on <http://toreopsahl.com/tnet/>

It utilises three forms of data structures (it can automatically convert matrices etc into these formats, see the `as.tnet`-function):

1) simple weighted data in the following format (creator.node.id target.node.id tie.weight):

```
1 2 4
```

```
1 3 2
```

Note: For undirected networks, each tie must be mentioned twice (see the `symmetrise_w`-function).

For example,

```
1 2 4
```

```
2 1 4
```

```
1 3 2
```

```
3 1 2
```

2) two-mode data in the following format (primary.node.id secondar.node.id tie.weight.optional):

```
1 1 1
```

```
2 1 2
```

3) timed data in the following format (MySQL-timestamp.as.character.string creator.node.id target.node.id tie.weight):

```
"2007-09-12 13:45:00" 1 2 1
```

```
"2007-09-12 13:46:31" 1 2 1
```

If ties are repeated, the tie increases the weighted. The weight column decides how much weight is added at each time (this can take a negative value to decrease the weight).

Attribute files are read as follows:

```
0 1 3
```

```
0 3 2
```

```
1 3 3
```

where the first row refers to node 1, the second row to node 2, etc. The first column refers to the first attribute, second column to the second attribute and so on.

A big thank you to the igraph guys as this package relies on their work for many of the more computational tasks!

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/tnet/>

Examples

```
# Generate a random weighted graph
rg <- rg_w(nodes=100,arcs=300,directed=TRUE)

# Calculate clustering coefficient
clustering_w(rg)
```

`add_window_l`*Add smoothing window to a longitudinal network*

Description

This function adds negative ties (i.e., a smoothing window) to a longitudinal network.

Usage

```
add_window_l(net,window=21, remove.nodes=TRUE)
```

Arguments

<code>net</code>	Longitudinal network
<code>window</code>	Number of days before ties 'expire'.
<code>remove.nodes</code>	Whether or not nodes should be removed from the network if they have no more ties. This function adds a self-loop with a negative weight at the time of a node's last tie plus the length of the window. .

Value

Returns the longitudinal network with negative arcs.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

tore@opsahl.co.uk

Examples

```
t <- c('2007-09-12 13:45:00',
      '2007-09-12 13:46:31',
      '2007-09-12 13:47:54',
      '2007-09-12 13:48:21',
      '2007-09-12 13:49:27',
      '2007-09-12 13:58:14',
      '2007-09-12 13:52:17',
      '2007-09-12 13:56:59');
i <- c(1,1,1,1,1,1,1,1);
j <- c(2,2,2,2,2,2,3,3);
w <- c(1,1,1,1,1,1,1,1);
```

```
sample <- data.frame(t, i, j, w);  
  
## Run the programme  
add_window_l(sample, window=21)
```

as.static.tnet

Transform a longitudinal network to a static edgelist network

Description

This function transforms a longitudinal network to a static edgelist

Usage

```
as.static.tnet(ld)
```

Arguments

ld Longitudinal network

Value

Returns the data in an edgelist format.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

tore@opsahl.co.uk

Examples

```
t <- c('2007-09-12 13:45:00',  
      '2007-09-12 13:46:31',  
      '2007-09-12 13:47:54',  
      '2007-09-12 13:48:21',  
      '2007-09-12 13:49:27',  
      '2007-09-12 13:58:14',  
      '2007-09-12 13:52:17',  
      '2007-09-12 13:56:59');  
i <- c(1,1,1,1,1,1,1,1);  
j <- c(2,2,2,2,2,2,3,3);
```

```
w <- c(1,1,1,1,1,-1,1,1);
net <- data.frame(t, i, j, w);

## Run the programme
as.static.tnet(net)
```

as.tnet

Ensures that networks conform to the tnet standards

Description

Checks that a network conforms to the tnet standards, and attaches a label. If the type parameter is not set, the network is assumed to be a binary two-mode network, a weighted one-mode network, or a longitudinal network if there are 2, 3, or 4 columns respectively. Moreover, if a matrix is entered (more than 4 columns and rows), it is assumed to be a weighted one-mode network if square or a two-mode network if non-square.

Usage

```
as.tnet(net, type=NULL)
```

Arguments

net	A network in an edgelist or matrix format. It can be a weighted one-mode network, a binary two-mode network, a weighted two-mode network, or a longitudinal network. If the data-object has two-columns, it is assumed to be a binary two-mode network; three columns, weighted one-mode network; four columns, longitudinal; five or more and the same number of rows and columns, weighted one-mode network; five or more and –not– the same number of rows and columns, it is assumed to be a two-mode network.
type	If you would like to specify the type of network. This could be "weighted one-mode tnet", "binary two-mode tnet", "weighted two-mode tnet", or "longitudinal tnet".

Value

Returns the network with an attached label.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1))

## Run the programme
as.tnet(sample)
```

betweenness_w

Betweenness centrality in a weighted network

Description

This function calculates betweenness scores for nodes in a weighted network based on the `distance_w` function.

Note: This algorithm relies on the `igraphs` package's implementation of Dijkstra's algorithm. Currently, it does not find multiple shortest paths if two exist.

Usage

```
betweenness_w(net, directed=NULL, alpha=1)
```

Arguments

<code>net</code>	A weighted edgelist
<code>directed</code>	logical, whether the network is directed or undirected. Default is <code>NULL</code> , this means that the function checks whether the edgelist is directed or not.
<code>alpha</code>	sets the alpha parameter in the generalised measures from Opsahl, T., Agneessens, F., Skvoretz, J., 2010. Node Centrality in Weighted Networks: Generalizing Degree and Shortest Paths. <i>Social Networks</i> . If this parameter is set to 1 (default), the Dijkstra shortest paths are used. The length of these paths rely simply on the tie weights and disregards the number of nodes on the paths.

Value

Returns a data.frame with two columns: the first column contains the nodes' ids, and the second column contains the nodes' betweenness scores.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2009/02/20/betweenness-in-weighted-networks/>

Examples

```
## Load sample data
sampledata <- rbind(
  c(1,2,1),
  c(1,3,5),
  c(2,1,1),
  c(2,4,6),
  c(3,1,5),
  c(3,4,10),
  c(4,2,6),
  c(4,3,10))

## Run the programme
betweenness_w(sampledata)
```

celegans.n306.net

The neural network of the Caenorhabditis elegans worm (c.elegans)

Description

This dataset contains the neural network of the *Caenorhabditis elegans* worm (*C.elegans*). It was studied by Watts and Strogatz (1998). The network contains 306 nodes that represent neurons. Two neurons are connected if at least one synapse or gap junction exist between them. The weight is the number of synapses and gap junctions. This network was obtained from the Collective Dynamics Group's website.

Usage

celegans.n306.net

Format

A data frame with three columns. The first is the id of the sender; the second is the id of the receiver; and the third is the weight of the tie.

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Watts, D. J., Strogatz, S. H., 1998. Collective dynamics of "small-world" networks. *Nature* 393, 440-442.
<http://toreopsahl.com/datasets/>

closeness_w

Closeness centrality in a weighted network

Description

This function calculates closeness scores for nodes in a weighted network based on the distance_w-function.

Usage

```
closeness_w(net, directed=NULL, gconly=TRUE, precomp.dist=NULL, alpha=1)
```

Arguments

net	A weighted edgelist
directed	Logical: whether the edgelist is directed or undirected. Default is NULL, then the function detects this parameter.
gconly	Logical: whether to calculate closeness only on the main component (traditional closeness). Default is TRUE. If this parameter is set to FALSE, a closeness measure for all nodes is computed. For details, see http://toreopsahl.com/2010/03/20/closeness-centrality-in-networks-with-disconnected-components/
precomp.dist	If you have already computed the distance matrix using distance_w-function, you can enter the name of the matrix-object here.
alpha	sets the alpha parameter in the generalised measures from Opsahl, T., Agneessens, F., Skvoretz, J., 2010. Node Centrality in Weighted Networks: Generalizing Degree and Shortest Paths. <i>Social Networks</i> . If this parameter is set to 1 (default), the Dijkstra shortest paths are used. The identification procedure of these paths rely simply on the tie weights and disregards the number of nodes on the paths.

Value

Returns a data.frame with three columns: the first column contains the nodes' ids, the second column contains the closeness scores, and the third column contains the normalised closeness scores (i.e., divided by N-1).

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2009/01/09/average-shortest-distance-in-weighted-networks/>

Examples

```
## Load sample data
sampledata <- rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1))

## Run the programme
closeness_w(sampledata)
```

clustering_local_tm *Redefined local clustering coefficient for two-mode networks*

Description

This function calculates the local two-mode clustering coefficient as proposed in Opsahl, T., 2010. Triadic closure in two-mode networks: Redefining the global and local clustering coefficients. arXiv:1006.0887.

Usage

```
clustering_local_tm(net)
```

Arguments

net A binary or weighted two-mode edgelist

Value

Returns the local clustering coefficient for the primary node set (the first of an edgelist or the rows of a matrix)

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl, T., 2010. Triadic closure in two-mode networks: Redefining the global and local clustering coefficients. arXiv:1006.0887

Examples

```
# Weighted two-mode network
net <- cbind(
  i=c(1,1,2,2,2,3,3,4,5,5,6),
  p=c(1,2,1,3,4,2,3,4,3,5,5),
  w=c(3,5,6,1,2,6,2,1,3,1,2))

## Run binary clustering function
clustering_local_tm(net[,1:2])

## Run weighted clustering function
clustering_local_tm(net)
```

clustering_local_w *Barrat et al. (2004) generalised local clustering coefficient*

Description

This function calculates Barrat et al. (2004) generalised local clustering coefficient. See <http://toreopsahl.com/2009/01/23/weighted-local-clustering-coefficient/> for a detailed description. By default it defines the triplet value as the average of the two tie weights; however it can also define it differently. See the blog post.

Note: If there are very large tie weights in a network, the geometric method in R fails. However, this can be fixed by transforming the values.

```
net[,"w"] <- (net[,"w"]/min(net[,"w"]))
```

This step is not required unless you receive warnings when running the function.

Usage

```
clustering_local_w(net, measure = "am")
```

Arguments

net	A weighted edgelist
measure	The measure-switch control the method used to calculate the value of the triplets. am implies the arithmetic mean method (default) gm implies the geometric mean method mi implies the minimum method ma implies the maximum method bi implies the binary measures This can be c("am", "gm", "mi", "ma", "bi") to calculate all.

Value

Returns a data.frame with at least two columns: the first column contains the nodes' ids, and the remaining columns contain the corresponding clustering scores.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Barrat, A., Barthelemy, M., Pastor-Satorras, R., Vespignani, A., 2004. The architecture of complex weighted networks. Proceedings of the National Academy of Sciences 101 (11), 3747-3752. arXiv:cond-mat/0311416
<http://toreopsahl.com/2009/01/23/weighted-local-clustering-coefficient/>

Examples

```
## Generate a random graph
#density: 300/(100*99)=0.03030303;
#this should be average from random samples
rg <- rg_w(nodes=100,arcs=300,weights=1:10,directed=FALSE)

## Run clustering function
clustering_local_w(rg)
```

`clustering_tm`*Redefined clustering coefficient for two-mode networks*

Description

This function calculates the two-mode clustering coefficient as proposed by Opsahl, T., 2010. Triadic closure in two-mode networks: Redefining the global and local clustering coefficients. arXiv:1006.0887. Note: If you are having problems with this function (i.e., run out of memory or it being slow for simulations), there is a quicker and much more memory efficient c++ function. However, this function is not fully integrated in R, and requires a few extra steps. Send me an email to get the source-code and Windows-compiled files.

Usage

```
clustering_tm(net, subsample=1, seed=NULL)
```

Arguments

<code>net</code>	A binary or weighted two-mode edgelist
<code>subsample</code>	Whether a only a subset of 4-paths should we used when calculating the measure. This is particularly useful when running out of memory analysing large networks. If it is set to 1, all the 4-paths are analysed. If it set to a value below one, this is roughly the proportion of 4-paths that will be analysed. If it is set to an interger greater than 1, this number of ties that form the first part of a 4-path that will be analysed. Note: The c++ functions are better as they analyse the full network.
<code>seed</code>	If a subset of 4-paths is analysed, by setting this parameter, the results are reproducible.

Value

Returns the outcome of the equation presented in the paper

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Tore Opsahl. Triadic closure in two-mode networks: Redefining the global and local clustering coefficients. arXiv:1006.0887

Examples

```
# Weighted two-mode network
net <- cbind(
  i=c(1,1,2,2,2,3,3,4,5,5,6),
  p=c(1,2,1,3,4,2,3,4,3,5,5),
  w=c(3,5,6,1,2,6,2,1,3,1,2))

## Run binary clustering function
clustering_tm(net[,1:2])

## Run weighted clustering function
clustering_tm(net)
```

clustering_w

Generalised clusering coefficient

Description

This function calculates the generalised clusering coefficient as proposed by Opsahl, T., Panzarasa, P., 2009. Clustering in weighted networks. *Social Networks* 31 (2), 155-163, doi: 10.1016/j.socnet.2009.02.002

Note: If you are having problems with this function (i.e., run out of memory or it being slow for simulations), there is a quicker and much more memory efficient c++ function. However, this function is not fully integrated in R, and requires a few extra steps. Send me an email to get the source-code and Windows-compiled files.

Usage

```
clustering_w(net, measure = "am")
```

Arguments

net	A weighted edgelist
measure	The measure-switch control the method used to calculate the value of the triplets. am implies the arithmetic mean method (default) gm implies the geometric mean method mi implies the minimum method ma implies the maximum method bi implies the binary measure This can be c("am", "gm", "mi", "ma", "bi") to calculate all.

Value

Returns the outcome of the equation presented in the paper for the method specific (measure)

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl, T., Panzarasa, P., 2009. Clustering in weighted networks. *Social Networks* 31 (2), 155-163, doi: 10.1016/j.socnet.2009.02.002
<http://toreopsahl.com/2009/04/03/article-clustering-in-weighted-networks/>

Examples

```
## Generate a random graph
#density: 300/(100*99)=0.03030303;
#this should be average from random samples
rg <- rg_w(nodes=100,arcs=300,weights=1:10)

## Run clustering function
clustering_w(rg)
```

compress_ids	<i>Remove non-active nodes from one-mode/two-mode/longitudinal networks</i>
--------------	---

Description

The compress_ids function removes non-active nodes from one-mode/two-mode/longitudinal networks.

Usage

```
compress_ids(net, type=NULL)
```

Arguments

net	A network in an edgelist or matrix format. See as.tnet
type	See as.tnet

Value

Returns a list with either 2 or 3 objects. The first one is the network with the compressed id. The second object is the translation table between the original node identification numbers and the newly assigned. For two-mode networks, the second object is the translation table of the primary nodes, and the third object is the translation table for the secondary nodes .

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/>

Examples

```
## Load sample data
t <- c("2007-09-12 13:45:00",
      "2007-09-12 13:45:00",
      "2007-09-12 13:45:01",
      "2007-09-12 13:46:31",
      "2007-09-12 13:46:31",
      "2007-09-12 13:47:54",
      "2007-09-12 13:48:21",
      "2007-09-12 13:49:27",
      "2007-09-12 13:49:27",
      "2007-09-12 13:52:17",
      "2007-09-12 13:56:59",
      "2007-09-12 13:58:14")
i <- c(1,2,1,3,1,2,3,5,1,3,1,1);
j <- c(1,2,2,3,3,1,2,5,5,2,3,5);
w <- c(1,1,1,1,1,1,1,1,1,1,1,1);
samplenet <- data.frame(t, i, j, w);

## Run the function
compress_ids(samplenet)
```

Cross.Parker.Consulting.net.info

Intra-organisational networks

Description

This dataset contains two intra-organizational networks from a consulting company (46 employees). These networks was used by Cross and Parker (2004).

In the first network, the ties are differentiated on a scale from 0 to 5 in terms of frequency of information or advice requests ("Please indicate how often you have turned to this person for information or advice on work-related topics in the past three months"). 0: I Do Not Know This Person; 1: Never; 2: Seldom; 3: Sometimes; 4: Often; and 5:Very Often.

In the second network, ties are differentiated in terms of the value placed on the information or advice received ("For each person in the list below, please show how strongly you agree or disagree

with the following statement: In general, this person has expertise in areas that are important in the kind of work I do."). The weights in this network is also based on a scale from 0 to 5. 0: I Do Not Know This Person; 1: Strongly Disagree; 2: Disagree; 3: Neutral; 4: Agree; and 5: Strongly Agree.

In addition to the relational data, the dataset also contains information about the people (nodal attributes). The following attributes are known: the organisational level (1 Research Assistant; 2: Junior Consultant; 3: Senior Consultant; 4: Managing Consultant; 5: Partner), gender (1: male; 2: female), region (1: Europe; 2: USA), and location (1: Boston; 2: London; 3: Paris; 4: Rome; 5: Madrid; 6: Oslo; 7: Copenhagen).

See <http://toreopsahl.com/datasets/>

Usage

```
Cross.Parker.Consulting.net.info
Cross.Parker.Consulting.net.value
Cross.Parker.Consulting.node.gender
Cross.Parker.Consulting.node.location
Cross.Parker.Consulting.node.orglevel
Cross.Parker.Consulting.node.region
```

Format

The networks are data frames with three columns. The first column is the id of the sender, the second column is the id of the receiver, and the third column is the weight of the tie. The nodal attributes are vectors.

References

Cross, R., Parker, A., 2004. The Hidden Power of Social Networks. Harvard Business School Press, Boston, MA.
<http://toreopsahl.com/datasets/>

Cross.Parker.Manufacturing.net.info
Intra-organisational networks

Description

This dataset contains two intra-organizational networks from a research team in a manufacturing company (77 employees). These networks was used by Cross and Parker (2004).

In the first network, the ties among the researchers are differentiated in terms of advice ("Please indicate the extent to which the people listed below provide you with information you use to accomplish your work"). The weights are based on the following scale: 0: I Do Not Know This Person/I Have Never Met this Person; 1: Very Infrequently; 2: Infrequently; 3: Somewhat Infrequently; 4: Somewhat Frequently; 5: Frequently; and 6: Very Frequently.

The second network is based on the employees' awareness of each others' knowledge and skills ("I understand this person's knowledge and skills. This does not necessarily mean that I have these skills or am knowledgeable in these domains but that I understand what skills this person has and domains they are knowledgeable in"). The weight scale in this network is: 0: I Do Not Know This Person/I Have Never Met this Person; 1: Strongly Disagree; 2: Disagree; 3: Somewhat Disagree; 4: Somewhat Agree; 5: Agree; and 6: Strongly Agree.

In addition to the relational data, the dataset also contains information about the people (nodal attributes). The following attributes are known: location (1: Paris; 2: Frankfurt; 3: Warsaw; 4: Geneva), tenure (1: 1-12 months; 2: 13-36 months; 3: 37-60 months; 4: 61+ months) and the organisational level (1: Global Dept Manager; 2: Local Dept Manager; 3: Project Leader; 4: Researcher).

See <http://toreopsahl.com/datasets/>

Usage

```
Cross.Parker.Manufacturing.net.info
Cross.Parker.Manufacturing.net.aware
Cross.Parker.Manufacturing.node.location
Cross.Parker.Manufacturing.node.orglevel
Cross.Parker.Manufacturing.node.tenure
```

Format

The networks are data frames with three columns. The first column is the id of the sender; the second column is the id of the receiver; and the third column is the weight of the tie. The nodal attributes are vectors.

References

Cross, R., Parker, A., 2004. *The Hidden Power of Social Networks*. Harvard Business School Press, Boston, MA.
<http://toreopsahl.com/datasets/>

Davis.Southern.women.2mode

Davis' Southern Women network

Description

This dataset was collected by Davis and colleague in the 1930s. It contains the observed attendance by 18 Southern women (primary nodes) at 14 social events (secondary nodes). This has been projected onto a co-occurrence one-mode network, and a one-mode network based on Newman's (2001) method.

Usage

```
Davis.Southern.women.2mode
Davis.Southern.women.1mode.Cooccurrence
Davis.Southern.women.1mode.Newman
```

Format

The two-mode network is a data frame with two columns (primary nodes and secondary nodes, respectively). The one-mode networks are data frames with three columns: the first column is the id of the sender; the second column is the id of the receiver; and the column third is the weight of the tie.

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Davis, A., Gardner, B. B., Gardner, M. R., 1941. Deep South. University of Chicago Press, Chicago, IL.
<http://toreopsahl.com/datasets/>

degree_tm

Degree centrality in a two-mode network

Description

This function calculates two degree measures: the number of contacts that a node is connected to, and the sum of weights on ties originating from a node (strength).

Usage

```
degree_tm(net,measure=c("degree","output"))
```

Arguments

net	A two-mode network
measure	specifies which measures should be calculated

Value

Returns a data.frame with two or three columns: the first column contains the nodes' ids, and the remaining columns contain the scores of the measures specified in the measure-parameter.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/blog/>

Examples

```
## Load sample data
network <- cbind(
  i=c(1,1,2,2,2,3,3,4,5,5,6),
  p=c(1,2,1,3,4,2,3,4,3,5,5),
  w=c(3,5,6,1,2,6,2,1,3,1,2))

## Run the programme
degree_tm(network)
```

degree_w

Degree centrality in a weighted network

Description

This function calculates two degree measures: the number of contacts that a node is connected to, and the sum of weights on ties originating from a node (out-strength). To calculate the reverse (in-degree, in-strength), specify `type="in"`.

Usage

```
degree_w(net,measure=c("degree","output"), type="out", alpha=1)
```

Arguments

<code>net</code>	A weighted edgelist
<code>measure</code>	specifies which measures should be calculated
<code>type</code>	shall out- or in-measures be calculated? Default is out. For undirected networks, this setting is irrelevant, but must be specified.
<code>alpha</code>	sets the alpha parameter in the generalised measures from Opsahl, T., Agneessens, F., Skvoretz, J., 2010. Node Centrality in Weighted Networks: Generalizing Degree and Shortest Paths. <i>Social Networks</i> . If this parameter is set to 1 (default), the sum of tie weights is used. This measure simply use the tie weights and disregards the number of nodes on the paths.

Value

Returns a data.frame with two or more columns: the first column contains the nodes' ids, and the remaining columns contain the scores of the measures specified in the `measure`-parameter.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2008/11/28/network-weighted-network/>

Examples

```
## Load sample data
network <- rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1))

## Run the programme
degree_w(network)
```

dichotomise_tm	<i>Dichotomise a weighted two-mode network into a binary two-mode network</i>
----------------	---

Description

The dichotomise function creates a binary two-mode network from a weighted edgelist.

Usage

```
dichotomise_tm(net,GT=0)
```

Arguments

net	A weighted two-mode network
GT	the cut-off parameter. Default is set to 0, so edges/arcs with a weight greater than 0 is set to 1.

Value

Returns the edgelist with edges below the cut-off removed, and all weights equal to 1.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2008/11/28/network-weighted-network/>

Examples

```
## Load sample data
sample <- cbind(
  i=c(1,1,2,2,2,3,3,4,5,5,6),
  p=c(1,2,1,3,4,2,3,4,3,5,5),
  w=c(3,5,6,1,2,6,2,1,3,1,2))

## Run the programme
dichotomise_tm(sample, GT=2)
```

dichotomise_w	<i>Dichotomise a weighted one-mode network into a binary one-mode network</i>
---------------	---

Description

The dichotomise function creates a binary one-mode network from a weighted edgelist.

Usage

```
dichotomise_w(net,GT=0)
```

Arguments

net	A weighted one-mode network
GT	the cut-off parameter. Default is set to 0, so edges/arcs with a weight greater than 0 is set to 1.

Value

Returns the edgelist with edges below the cut-off removed, and all weights equal to 1.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2008/11/28/network-weighted-network/>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1))

## Run the programme
dichotomise_w(sample, GT=2)
```

distance_tm

Distance in a two-mode network

Description

The shortest path length, or geodesic distance, between two nodes in a binary network is the minimum number of steps you need to make to go from one of them to the other. See the distance_w-function for more details.

Usage

```
distance_tm(net, projection.method="sum", gconly=TRUE, subsample=1, seed=NULL)
```

Arguments

net	A two-mode network
projection.method	The way the two-mode network is projected. The sum method defines tie weights as the number of common nodes (e.g., events, projects etc) that two individuals had contact through. In certain cases, "Newman" might be better. See the projecting_tm-function.
gconly	logical, whether the function should only be calculated for the giant component. Default is TRUE.
subsample	Whether a only a subset of starting nodes should we used when calculating the measure. This is particularly useful when running out of memory analysing large networks. If it is set to 1, all distances are analysed. If it set to a value below one, this is roughly the proportion of starting noes that will be analysed. If it is set to an interger greater than 1, this number of starting nodes that will be analysed.
seed	If a subset of starting nodes is analysed, by setting this parameter, the results are reproducible.

Value

Returns a distance matrix.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2009/01/09/average-shortest-distance-in-weighted-networks/>

Examples

```
# Load networks
net <- cbind(
  i=c(1,1,2,2,2,3,3,4,5,5,6),
  p=c(1,2,1,3,4,2,3,4,3,5,5),
  w=c(3,5,6,1,2,6,2,1,3,1,2))

# Run the function
distance_tm(net)
```

distance_w	<i>Distance in a weighted network</i>
------------	---------------------------------------

Description

The shortest path length, or geodesic distance, between two nodes in a binary network is the minimum number of steps you need to make to go from one of them to the other. This distance is the quickest connection between nodes when all ties are the same. However, in a weighted network, all ties are not the same. See <http://toreopsahl.com/2009/01/09/average-shortest-distance-in-weighted-networks/> for more details.

Usage

```
distance_w(net, directed=NULL, gonly=TRUE, subsample=1, seed=NULL)
```

Arguments

net	A weighted edgelist
directed	logical, whether the network is directed or undirected. Default is NULL, this means that the function checks whether the edgelist is directed or not.
gonly	logical, whether the function should only be calculated for the giant component. Default is TRUE.
subsample	Whether a only a subset of starting nodes should be used when calculating the measure. This is particularly useful when running out of memory analysing large networks. If it is set to 1, all distances are analysed. If it is set to a value below one, this is roughly the proportion of starting nodes that will be analysed. If it is set to an integer greater than 1, this number of starting nodes that will be analysed.
seed	If a subset of starting nodes is analysed, by setting this parameter, the results are reproducible.

Value

Returns a distance matrix.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2009/01/09/average-shortest-distance-in-weighted-networks/>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2,8),
  c(1,4,1),
  c(2,1,8),
  c(2,3,6),
  c(3,2,6),
  c(3,4,10),
  c(4,1,1),
  c(4,3,10))

## Run the programme
distance_w(sample)
```

```
Freemans.EIES.net.1.n48
```

Freeman's EIES network data

Description

Freeman's EIES networks (Freeman, 1979) was the main network used in Wasserman and Faust (1994). This dataset was collected in 1978 and contains three networks of researchers working on social network analysis. The first network contains the personal relationships among 48 of the researchers at the beginning of the study (time 1). The second network is the personal relationship at the end of the study (time 2). In these two networks, all ties have a weight between 0 and 4. 4 represents a close personal friend of the researcher's; 3 represents a friend; 2 represents a person the researcher has met; 1 represents a person the researcher has heard of, but not met; and 0 represents a person unknown to the researcher. The third network is different. It is a matrix with the number of messages sent among 32 of the researchers that used an electronic communication tool (frequency matrix).

There are two pieces of information about each of the 32 researchers that were part of the third network (nodal attributes): the main disciplinary affiliation (1: sociology; 2: anthropology; 3: mathematics or statistics; and 4: others) and the number of citations each researcher had in the Social Science Citation Index in 1978.

See <http://toreopsahl.com/datasets/>

Usage

```
Freemans.EIES.net.1.n48
Freemans.EIES.net.2.n48
Freemans.EIES.net.3.n32
Freemans.EIES.node.Name.n32
Freemans.EIES.node.Citations.n32
Freemans.EIES.node.Discipline.n32
```

Format

The networks are data frames with three columns. The first column is the id of the sender, the second column is the id of the receiver; and the third column is the weight of the tie. The attributes are vectors.

References

Freeman, S.C., Freeman, L.C., 1979. The networkers network: A study of the impact of a new communications medium on sociometric structure. Social Science Research Reports 46. University of California, Irvine, CA.

See <http://toreopsahl.com/datasets/>

growth_l	<i>Identifies growth mechanisms responsible for tie generation in longitudinal networks</i>
----------	---

Description

This function identifies growth mechanisms responsible for tie generation in longitudinal networks.

Usage

```
growth_l(net, perspective = "actor", effects, window=NULL,
binary=FALSE, nstrata=10, seed=NULL, regression=TRUE)
```

Arguments

net	A longitudinal network
perspective	whether an actor or dyadic perspective should be used (i.e., whether the network is directed or undirected). Currently, only the actor perspective is included.
effects	The effects to be analysed
window	Whether a window should be used.
binary	Whether duplicated ties should be removed.
nstrata	Total number of regression observations for each observed tie (i.e., number of control cases plus 1 for the observed tie). Minimum is 2 in which 1 control case is used for each observed case.
seed	seed for random generator, set to have reproducible results.
regression	Whether R should perform the regression or output a regression table. If you want to run multiple regression, it is quicker to output the table, and then run multiple regressions. By outputting the table, it is also possible to add square terms and additional data.

Value

Returns a regression result or table.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Tore Opsahl, Bernie Hogan. Growth mechanisms in continuously-observed networks: Communication in a Facebook-like community. arXiv:1010.2141

Examples

```
## Load sample data
t <- c('2007-09-12 13:45:00',
      '2007-09-12 13:46:31',
      '2007-09-12 13:47:54',
      '2007-09-12 13:48:21',
      '2007-09-12 13:49:27',
      '2007-09-12 13:58:14',
      '2007-09-12 13:52:17',
      '2007-09-12 13:56:59');
i <- c(1,1,2,3,1,3,1,1);
j <- c(2,3,1,2,4,2,3,4);
w <- c(1,1,1,1,1,1,1,1);
sample <- data.frame(t, i, j, w);

## Run the function
growth_l(sample, effects="indegree", nstrata=2)
```

Newman.Condmat.95.99.net.2mode

Newman's condmat 95-99 network (two-mode structure)

Description

This is the co-authorship network of scientists based on preprints posted to Condensed Matter section of arXiv E-Print Archive between 1995 and 1999.

This network can be classified as a two-mode or affiliation network since there are two types of "nodes" (authors and papers) and connections exist only between different types of nodes. An author is connected to a paper if her or his name appeared on it.

Few network measures exist for two-mode networks, and therefore, these networks are often projected onto a one-mode (only one type of nodes) network by selecting one of the types of nodes and linking two nodes if they were connected to the same node (of the other kind).

Traditionally, the ties in projected one-mode networks do not have weights. Recent empirical studies of two-mode networks has created a weighted network by defining the weights as the number of co-occurrences (e.g., the number of papers that two authors had collaborated on).

This method was refined by Newman (2001). He argued that smaller collaborations created stronger social bonds among scientists than larger ones. Therefore, he extended this procedure and proposed to define weights among the nodes use the following formula:

$$w_{ij} = \sum_p 1/(N_p - 1)$$

where w_{ij} is the weight between node i and node j , p is the papers that they have collaborated on, and N_p is the number of authors on a paper. This implies that if two authors only write a single paper together with no other co-authors, they get a weight of 1. However, if they have a co-author, the weight on the tie between them is 0.5. If two authors have written two papers together without any co-author, the weight of their tie would be 2. A more complicated example is the tie between two authors who have written two papers together: one without any other co-author and one with one co-author. The first paper would give their tie a weight of 1, and the second tie would add 0.5 to the weight of this tie. Therefore, the weight is 1.5.

Note: This method has been explained in more detail in the following post:

<http://toreopsahl.com/2009/05/01/projecting-two-mode-networks-onto-weighted-one-mode-networks/>

This is the two-mode network. See <http://toreopsahl.com/datasets/>

Usage

```
Newman.Condmat.95.99.net.2mode
```

```
Newman.Condmat.95.99.net.1mode.wNewman
```

Format

The two-mode network is a data frame with two columns. The first column is the id of authors and the second column is the id of papers. The one-mode network is a data frame with three columns. The first two columns are ids of the authors, and the third column is the weight of the tie. This is calculated based on Newman's (2001) method for defining tie weights. See the `projecting_tm` function.

References

Newman, M. E. J., 2001. The structure of scientific collaboration networks. *Proceedings of the National Academy of Sciences of the United States of America* 98, 404-409.

See <http://toreopsahl.com/datasets/>

Description

This network is the Facebook-like Social Network-dataset used in my Ph.D. thesis. This network has also been described in *Patterns and Dynamics of Users' Behaviour and Interaction: Network Analysis of an Online Community* and used in *Prominence and control: The weighted rich-club effect and Clustering in weighted networks*. The network originates from a virtual community among students at University of California, Irvine. The edgelist includes the users that sent or received at least one message during that period (1,899). A total number of 59,835 online messages were sent among over 20,296 directed ties.

Usage

```
OnlineSocialNetwork.n1899.net  
OnlineSocialNetwork.n1899.lnet
```

Format

OnlineSocialNetwork.n1899.net: A data frame with three columns. The first column is the id of the sender, the second column is the id of the receiver, and the third column is the weight of the tie.
OnlineSocialNetwork.n1899.lnet: A data frame with four columns. The first column is the timestamp, the second column is the id of the sender, the third column is the id of the receiver, and the fourth column is the weight of the tie (always 1).

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl, T., Panzarasa, P., 2009. Clustering in weighted networks. *Social Networks* 31 (2), 155-163, doi: 10.1016/j.socnet.2009.02.002
<http://toreopsahl.com/datasets/>

projecting_tm

Projecting binary and weighted two-mode networks onto weighted one-mode networks.

Description

This function is the implementation of the procedure outlined on <http://toreopsahl.com/2009/05/01/projecting-two-mode-networks-onto-weighted-one-mode-networks/>

Usage

```
projecting_tm(net, method = "sum")
```

Arguments

net	A two-mode edgelist
method	The method-switch control the method used to calculate the weights. binary sets all weights to 1 sum sets the weights to the number of cooccurances Newman bases the weights on Newman's (2001) method of discounting for the size of collaborations.

Value

Returns a one-mode network

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl. T., 2009. Projecting two-mode networks onto weighted one-mode networks. Available at: <http://toreopsahl.com/2009/05/01/projecting-two-mode-networks-onto-weighted-one-mode-networks/>

Examples

```
## define two-mode network
two.mode.net <- cbind(
  i=c(1,1,2,2,2,2,2,3,4,5,5,5,6),
  p=c(1,2,1,2,3,4,5,2,3,4,5,6,6))

## Run the function
projecting_tm(two.mode.net, method="Newman")
```

reinforcement_tm	<i>Reinforcement_tm</i>
------------------	-------------------------

Description

The reinforcement_tm-function computes Robin and Alexander's (2004) 4-cycle metric for two-mode networks.

Usage

```
reinforcement_tm(net)
```

Arguments

net A two-mode network

Value

Returns the score

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/tnet/two-mode-networks/clustering/>

Examples

```
## Load sample data
net <- rg_tm(10, 7, 0.4)

## Run the programme
reinforcement_tm(net)
```

rg_reshuffling_1 *Reshuffling a longitudinal network*

Description

This function reshuffles a longitudinal dataset.

Usage

```
rg_reshuffling_1(net, keep.i = FALSE, keep.j = FALSE, seed = NULL)
```

Arguments

net Longitudinal network
keep.i Whether or not the tie creators should be maintained
keep.j Whether or not the tie receivers should be maintained
seed the random seed. If you want it to have reproducible result, set using an integer

Value

Returns a reshuffled longitudinal network

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

tore@opsahl.co.uk

Examples

```
t <- c('2007-09-12 13:45:00',
      '2007-09-12 13:46:31',
      '2007-09-12 13:47:54',
      '2007-09-12 13:48:21',
      '2007-09-12 13:49:27',
      '2007-09-12 13:58:14',
      '2007-09-12 13:52:17',
      '2007-09-12 13:56:59');
i <- c(1,1,1,1,1,1,1,1);
j <- c(2,2,2,2,2,2,3,3);
w <- c(1,1,1,1,1,1,1,1);
sample <- data.frame(t, i, j, w);

rg_resuffling_l(sample)
```

rg_resuffling_tm *Reshuffle of a binary two-mode network*

Description

This function randomly resuffles a binary two-mode edgelist whilst maintaining each nodes' degree (both primary and secondary nodes).

Usage

```
rg_resuffling_tm(net, option="links", seed=NULL)
```

Arguments

net	A two-mode network
option	Either link reshuffling (option="links") or weight reshuffling (option="weights"), see Opsahl et al. (2008).
seed	seed for random generator, set if you want random yet reproducible results.

Value

Returns a binary two-mode edgelist.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2009/05/29/weighted-rich-club-effect-a-more-appropriate-null-model-for-scientific-collaboration-networks/>

Examples

```
## Load data
net <- rg_tm(10, 8, 0.4)

## Run the function on a subset
rg_reshuffling_tm(net, seed=1)
```

rg_reshuffling_w *Reshuffle of a weighted network*

Description

This function randomly resuffles a weighted edgelist.

Usage

```
rg_reshuffling_w(net, option="weights", directed=NULL, seed=NULL)
```

Arguments

net	A weighted edgelist
option	what should be reshuffled: 1) weights (default): randomly assigns the weights to the edges; 2) links: maintain the degree distribution, but changes the contacts randomly.
directed	logical: is the network directed or undirected. Default: NULL
seed	seed for random generator, set if you want random yet reproducible results.

Value

Returns a randomised (reshuffled) network.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Molloy, M., Reed, B., 1995. A critical point for random graphs with a given degree sequence. *Random Structures and Algorithms* 6, 161-180.

Opsahl, T., Colizza, V., Panzarasa, P., Ramasco, J. J., 2008. Prominence and control: The weighted rich-club effect. *Physical Review Letters* 101 (168702). arXiv:0804.0417.

<http://toreopsahl.com/2008/12/12/article-prominence-and-control-the-weighted-rich-club-effect/>

Examples

```
## Load sample data
sampledata<-rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1));

## Run the function
rg_resuffling_w(sampledata, option="weights", directed=FALSE)
```

rg_tm

Random binary and weighted two-mode network

Description

Creates classical random binary and weighted two-mode networks

Usage

```
rg_tm(ni=100,np=100,ties=300,weights=1,seed=NULL)
```

Arguments

ni	Number of nodes in the first set
np	Number of nodes in the second set
ties	Number of ties; if this value is between 0 and 1, a random network where each tie is based on this probability will be produced
weights	A tie weight vector to be randomly sampled. If set to 1 (default), all tie weights will be 1, and hence a binary two-mode network will be created.
seed	the random seed. If you want it to be non-reproducible, use NULL otherwise, use a number

Value

Returns a random two-mode network

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Tore Opsahl. Triadic closure in two-mode networks: Redefining the global and local clustering coefficients. arXiv:1006.0887

Examples

```
## Run the programme
rg_tm(ni=10,np=10,ties=20)
```

rg_w

Random weighted network generator

Description

This function creates a classical random network with random edge weights.

Usage

```
rg_w(nodes=100,arcs=300,weights=1,directed=TRUE,seed=NULL)
```

Arguments

nodes	number of nodes
arcs	number of arcs; if this value is between 0 and 1, a random network where each tie is based on this probability will be produced
weights	A tie weight vector to be randomly sampled.
directed	whether you want a directed or undirected network, values TRUE or FALSE
seed	the random seed. If you want it to be non-reproducible, use NULL otherwise, use a number

Value

Returns a one-mode network with random weights.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/tnet/>

Examples

```
rg_w(nodes=10,arcs=30,directed=FALSE,seed=1)
```

shrink_to_weighted_network

Shrink a repetative edgelist into a weighted

Description

This function creates a weighted edgelist from a list of edges where a duplicate means an increase in the weight.

Usage

```
shrink_to_weighted_network(net)
```

Arguments

`net` can use both undirected and directed edgelist in the following format (sender.id receiver.id):

```
1 2
1 2
1 2
1 2
1 3
1 3
```

Value

Returns a weighted one-mode network, e.g.,

```
1 2 4
1 3 2
```

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2008/11/28/network-weighted-network/>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2),
  c(1,2),
  c(1,2),
  c(1,2),
  c(1,3),
  c(1,3),
  c(2,1),
  c(2,1),
  c(2,1),
  c(2,1),
  c(2,3),
  c(2,3),
  c(2,3),
  c(2,3),
  c(2,4),
  c(2,5),
  c(2,5),
  c(3,1),
  c(3,1),
```

```

c(3,2),
c(3,2),
c(3,2),
c(3,2),
c(4,2),
c(5,2),
c(5,2),
c(5,6),
c(6,5))

## Run the programme
shrink_to_weighted_network(sample)

```

symmetrise_w

Symmetrise_w

Description

The `symmetrise_w`-function creates an undirected one-mode network from a directed one-mode network.

Usage

```
symmetrise_w(net, method="MAX")
```

Arguments

<code>net</code>	A one-mode network
<code>method</code>	the method used to decide the weight of the undirected edge. It can be: "MAX" sets the weight to the maximum of the weight(s) of the arc(s) "MIN" sets the weight to the minimum of the weight(s) of the arc(s) "AMEAN" sets the weight to the average (arithmetic mean) of the weight(s) of the arc(s) "SUM" sets the weight to the sum of the weight(s) of the arc(s) "PROD" sets the weight to the product of the weight(s) of the arc(s) "DIFF" sets the weight to the absolute difference between the weight(s) of the arc(s)

Value

Returns the undirected network

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/2008/11/28/network-weighted-network/>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2,2),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(5,2,2),
  c(5,6,1))

## Run the programme
symmetrise_w(sample, method="MAX")
```

tnet_igraph

Exports a tnet network to an igraph object

Description

The tnet_igraph function creates an igraph object from a tnet network.

Usage

```
tnet_igraph(net,type=NULL, directed=NULL)
```

Arguments

net	A tnet network
type	type of tnet network, see as.tnet.
directed	if a one-mode networks, this can be set to avoid testing whether the network is directed.

Value

Returns the igraph object.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1))

## Run the programme
tnet_igraph(sample, type="weighted one-mode tnet")
```

tnet_ucinet

Exports a tnet network to a DL file for UCINET

Description

The `tnet_sna` function creates a DL file which can easily be imported into UCINET.

Usage

```
tnet_ucinet(net, type=NULL, file=NULL)
```

Arguments

<code>net</code>	A tnet network
<code>type</code>	type of tnet network, see <code>as.tnet</code> .
<code>file</code>	filename of output file. If this is set to <code>NULL</code> , a file is created in the working directory with the current time (e.g., <code>tnet_ucinet_network-2011-04-10_150817.dl</code>).

Value

Writes a UCINET dl file.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

<http://toreopsahl.com/>

Examples

```
## Load sample data
sample <- rbind(
  c(1,2,4),
  c(1,3,2),
  c(2,1,4),
  c(2,3,4),
  c(2,4,1),
  c(2,5,2),
  c(3,1,2),
  c(3,2,4),
  c(4,2,1),
  c(5,2,2),
  c(5,6,1),
  c(6,5,1))

## Run the programme
tnet_ucinet(sample, type="weighted one-mode tnet")
```

USairport.n500.net *The network among the 500 busiest US commercial airports.*

Description

The nodes in this network is the 500 busiest commercial airports in the United States. A tie exists between two airports if a flight was scheduled between them in 2002. The weights corresponds to the number of seats available on the scheduled flights. Even though this type of networks is directed by nature as a flight is scheduled from one airport and to another, the networks are highly symmetric (Barrat et al., 2004). Therefore, the version of this network is undirected (i.e., the weight of the tie from one airport towards another is equal to the weight of the reciprocal tie). This network was obtained from the Complex Networks Collaboratory's website

See <http://toreopsahl.com/datasets/>

Usage

```
USairport.n500.net
```

Format

A data frame with three columns. The first two columns are the nodes' ids, and the third column is the weight of the tie.

References

Colizza, V., Pastor-Satorras, R., Vespignani, A., 2007. Reaction-diffusion processes and metapopulation models in heterogeneous networks. *Nature Physics* 3, 276-282.

See <http://toreopsahl.com/datasets/>

weighted_richclub_local_w

The weighted rich-club effect (local measure)

Description

This function calculates the local weighted rich-club coefficient proposed in Opsahl, T., 2008. Local weighted rich-club measure.

<http://toreopsahl.com/2008/12/26/local-weighted-rich-club-measure/>

Usage

```
weighted_richclub_local_w(net, prominence)
```

Arguments

net	A weighted edgelist
prominence	A vector with 1 denoting prominent, and 0 non-prominent. This list must be as long as the highest node id number.

Value

Returns a table with the fraction of $\phi(\text{observed})$ over $\phi(\text{null})$ for each k or s in the dataset.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl et al., 2008. Prominence and control: The weighted rich-club effect. PRL 101
<http://toreopsahl.com/2008/12/12/article-prominence-and-control-the-weighted-rich-club-effect/>

Examples

```
## Load sample data
sample <- cbind(
  i=c(1,1,2,2,2,2,3,3,4,5,5,6),
  j=c(2,3,1,3,4,5,1,2,2,2,6,5),
  w=c(4,2,4,4,1,2,2,4,1,2,1,1))
prominence <- c(1,1,1,0,0,0)

## Run the function
weighted_richclub_local_w(sample, prominence)
```

weighted_richclub_tm *The weighted rich-club effect (two-mode networks)*

Description

This function calculates the weighted rich-club coefficient proposed in Opsahl, T., Colizza, V., Panzarasa, P., Ramasco, J.J., 2008. Prominence and control: The weighted rich-club effect. PRL 101. It incorporates two extensions explained in this blog post <http://toreopsahl.com/2009/05/29/weighted-rich-club-effect-a-more-appropriate-null-model-for-scientific-collaboration-networks/>:

- 1) a new way of reshuffling (two-mode link reshuffling;
- 2) calculating significance levels if there are more than 100 random networks (see my PhD thesis; <http://toreopsahl.com/publications/thesis/>)

Usage

```
weighted_richclub_tm(net, NR=1000, seed=NULL, projection.method="Newman", nbins=30)
```

Arguments

net	A binary two-mode edgelist
NR	number of random networks used.
seed	the random generators seed, used to produce random yet reproducible results.
projection.method	the method used to project the two-mode network to a weighted one-mode network: either "sum" or "Newman"
nbins	the number of bins in the output

Value

Returns a table with the fraction of $\phi(\text{observed})$ over $\phi(\text{null})$. Nbins controls the number of rows.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl et al., 2008. Prominence and control: The weighted rich-club effect. PRL 101
<http://toreopsahl.com/2008/12/12/article-prominence-and-control-the-weighted-rich-club-effect/>
<http://toreopsahl.com/2009/05/29/weighted-rich-club-effect-a-more-appropriate-null-model-for-scientific-collaboration-networks/>

Examples

```
## Load data
data(tnet)

## Run the function on a subset
weighted_richclub_tm(Newman.Condmat.95.99.net.2mode[1:100,], NR=10)
```

weighted_richclub_w *The weighted rich-club effect*

Description

This function calculates the weighted rich-club coefficient proposed in Opsahl, T., Colizza, V., Panzarasa, P., Ramasco, J.J., 2008. Prominence and control: The weighted rich-club effect. PRL 101.
<http://toreopsahl.com/2008/12/12/article-prominence-and-control-the-weighted-rich-club-effect/>

Usage

```
weighted_richclub_w(net, rich="k", reshuffle="weights", NR=1000,
nbins=30, seed=NULL, directed=NULL)
```

Arguments

net	A weighted edgelist
rich	specifies the richness parameter, either "k" or "s".
reshuffle	specifies the reshuffling procedure used, either "weights" or "links".
NR	number of random networks used.
nbins	the number of bins in the output
seed	the random generators seed, used to produce random yet reproducible results.
directed	logical parameter: whether the network is directed or undirected.

Value

Returns a table with the fraction of $\phi(\text{observed})$ over $\phi(\text{null})$ for each k or s in the dataset.

Note

version 1.0.0

Author(s)

Tore Opsahl; <http://toreopsahl.com>

References

Opsahl et al., 2008. Prominence and control: The weighted rich-club effect. PRL 101
<http://toreopsahl.com/2008/12/12/article-prominence-and-control-the-weighted-rich-club-effect/>

Examples

```
## Load sample data
sample <- cbind(
  i=c(1,1,2,2,2,2,3,3,4,5,5,6),
  j=c(2,3,1,3,4,5,1,2,2,2,6,5),
  w=c(4,2,4,4,1,2,2,4,1,2,1,1))

## Run the function
weighted_richclub_w(sample, rich="k", reshuffle="weights")
```

Index

*Topic **datasets**

- celegans.n306.net, [8](#)
- Cross.Parker.Consulting.net.info,
[16](#)
- Cross.Parker.Manufacturing.net.info,
[17](#)
- Davis.Southern.women.2mode, [18](#)
- Freemans.EIES.net.1.n48, [26](#)
- Newman.Condmat.95.99.net.2mode, [28](#)
- OnlineSocialNetwork.n1899.net, [29](#)
- USairport.n500.net, [42](#)

- Cross.Parker.Consulting.net.info
(Cross.Parker.Consulting.net.info),
[16](#)
- Cross.Parker.Consulting.net.value
(Cross.Parker.Consulting.net.info),
[16](#)
- Cross.Parker.Consulting.node.gender
(Cross.Parker.Consulting.net.info),
[16](#)
- Cross.Parker.Consulting.node.location
(Cross.Parker.Consulting.net.info),
[16](#)
- Cross.Parker.Consulting.node.orglevel
(Cross.Parker.Consulting.net.info),
[16](#)
- Cross.Parker.Consulting.node.region
(Cross.Parker.Consulting.net.info),
[16](#)
- OnlineSocialNetwork.n1899.lnet
(OnlineSocialNetwork.n1899.net),
[29](#)
- OnlineSocialNetwork.n1899.net
(OnlineSocialNetwork.n1899.net),
[29](#)

- add_window_l, [4](#)
- as.static.tnet, [5](#)
- as.tnet, [6](#)

- betweenness_w, [7](#)

- celegans.n306.net, [8](#)
- closeness_w, [9](#)
- clustering_local_tm, [10](#)
- clustering_local_w, [11](#)
- clustering_tm, [13](#)
- clustering_w, [14](#)
- compress_ids, [15](#)
- Cross.Parker.Consulting.net.info, [16](#)
- Cross.Parker.Manufacturing.net.aware
(Cross.Parker.Manufacturing.net.info),
[17](#)
- Cross.Parker.Manufacturing.net.info,
[17](#)
- Cross.Parker.Manufacturing.node.location
(Cross.Parker.Manufacturing.net.info),
[17](#)
- Cross.Parker.Manufacturing.node.orglevel
(Cross.Parker.Manufacturing.net.info),
[17](#)
- Cross.Parker.Manufacturing.node.tenure
(Cross.Parker.Manufacturing.net.info),
[17](#)

- Davis.Southern.women.1mode.Cooccurrence
(Davis.Southern.women.2mode),
[18](#)
- Davis.Southern.women.1mode.Newman
(Davis.Southern.women.2mode),
[18](#)
- Davis.Southern.women.2mode, [18](#)
- degree_tm, [19](#)
- degree_w, [20](#)
- dichotomise_tm, [21](#)
- dichotomise_w, [22](#)
- distance_tm, [23](#)
- distance_w, [25](#)

- Freemans.EIES.net.1.n48, [26](#)

Freemans.EIES.net.2.n48
 (Freemans.EIES.net.1.n48), [26](#)

Freemans.EIES.net.3.n32
 (Freemans.EIES.net.1.n48), [26](#)

Freemans.EIES.node.Citations.n32
 (Freemans.EIES.net.1.n48), [26](#)

Freemans.EIES.node.Discipline.n32
 (Freemans.EIES.net.1.n48), [26](#)

Freemans.EIES.node.Name.n32
 (Freemans.EIES.net.1.n48), [26](#)

growth_l, [27](#)

Newman.Condmat.95.99.net.1mode.wNewman
 (Newman.Condmat.95.99.net.2mode),
 [28](#)

Newman.Condmat.95.99.net.2mode, [28](#)

OnlineSocialNetwork.n1899.net, [29](#)

projecting_tm, [30](#)

reinforcement_tm, [31](#)

rg_resuffling_l, [32](#)

rg_resuffling_tm, [33](#)

rg_resuffling_w, [34](#)

rg_tm, [35](#)

rg_w, [36](#)

shrink_to_weighted_network, [37](#)

symmetrise_w, [39](#)

tnet (tnet-package), [2](#)

tnet-package, [2](#)

tnet_igraph, [40](#)

tnet_ucinet, [41](#)

USairport.n500.net, [42](#)

weighted_richclub_local_w, [43](#)

weighted_richclub_tm, [44](#)

weighted_richclub_w, [45](#)