

sybilSBML – Quick Start

Gabriel Gelius-Dietrich

July 6, 2015

1 Introduction

The package *sybilSBML* is an addition to package *sybil*¹ providing support for metabolic networks written in SBML (Systems Biology Markup Language), in particular those developed by Bernhard Ø. Palsson's lab² and those from the BiGG database³ [Schellenberger et al., 2010].

2 Installation

The package *sybilSBML* depends on a working installation of LibSBML [Bornstein et al., 2008] available from the SBML homepage⁴ (in particular libraries and header files). See `INSTALL` for installation instructions and platform specific details.

3 Usage

The package *sybilSBML* provides the command `readSBMLmod()` which reads SBML formatted files and returns instances of class `modelorg`.

```
> library(sybilSBML)
> model <- readSBMLmod("<model>.xml")
```

4 Input files

The function `readSBMLmod()` reads metabolic network models written in SBML format (Systems Biology Markup Language). Among the models available in this de-facto standard format are in particular those developed by Bernhard Ø. Palsson's lab.

The file `ecoli_core_model.xml` (in `extdata/`) contains an exemplarily metabolic network written in SBML for the core energy metabolism of *E. coli* [Palsson, 2006, Orth

¹<http://CRAN.R-project.org/package=sybil>

²<http://gcrg.ucsd.edu/>

³<http://bigg.ucsd.edu/>

⁴<http://www.sbml.org/>, libSBML version 5.6.0 or higher

et al., 2010]. The exact location of the file can be retrieved with the `system.file()` command:

```
> library(sybilSBML)
> mp      <- system.file(package = "sybilSBML", "extdata")
> ec_mod <- file.path(mp, "ecoli_core_model.xml")
```

The model can be read in by using the command `readSBMLmod()`:

```
> mod <- readSBMLmod(ec_mod, bndCond = FALSE)

model name:          Ecoli_core_model
number of compartments 2
                   C_c
                   C_e
number of reactions:  95
number of metabolites: 72
number of unique genes: 137
objective function:   +1 Biomass_Ecoli_core_w_GAM
```

The metabolite id's of the SBML files are written in the format `M_<metabolite abbreviation>_<compartment abbreviation>`. The compartment abbreviation is a one letter abbreviation, e.g. `c` for cytosol. All metabolites outside the system boundary belong to compartment `b`. Those metabolites are transported into or outside the system. As long as they are mentioned, the network is closed. The function `readSBMLmod()` will remove them in order to produce an open network.

5 Validation of input files

SBML files can be validated by using the command `validateSBMLdocument()`:

```
> err <- validateSBMLdocument(ec_mod)
```

The variable `err` is of class `sbmlError`, storing error messages generated by the validation procedure.

References

- S. A. Becker et al. Quantitative prediction of cellular metabolism with constraint-based models: the COBRA Toolbox. *Nat Protoc*, 2(3):727–738, 2007. doi: 10.1038/nprot.2007.99.
- B. J. Bornstein et al. LibSBML: an API library for SBML. *Bioinformatics*, 24(6):880–881, Mar 2008. doi: 10.1093/bioinformatics/btn051.
- J. D. Orth, R. M. T. Fleming, and B. Ø. Palsson. Reconstruction and use of microbial metabolic networks: the core *Escherichia coli* metabolic model as an educational guide. EcoSal Chapter 10.2.1, 2010.

- B. Ø. Palsson. *Systems Biology: Properties of Reconstructed Networks*. Cambridge University Press, 2006.
- J. Schellenberger, J. O. Park, T. M. Conrad, and B. Ø. Palsson. BiGG: a biochemical genetic and genomic knowledgebase of large scale metabolic reconstructions. *BMC Bioinformatics*, 11:213, 2010. doi: 10.1186/1471-2105-11-213.
- J. Schellenberger, R. Que, R. M. T. Fleming, I. Thiele, J. D. Orth, A. M. Feist, D. C. Zielinski, A. Bordbar, N. E. Lewis, S. Rahmanian, J. Kang, D. R. Hyduke, and B. Ø. Palsson. Quantitative prediction of cellular metabolism with constraint-based models: the COBRA Toolbox v2.0. *Nat Protoc*, 6(9):1290–1307, 2011. doi: 10.1038/nprot.2011.308.