

Package ‘DTRreg’

March 9, 2016

Type Package

Title DTR Estimation and Inference via G-Estimation, Dynamic WOLS, and Q-Learning

Version 1.0

Date 2016-02-17

Author Michael Wallace, Erica E M Moodie and David A Stephens

Maintainer Michael Wallace <michael.wallace@mcgill.ca>

Description Dynamic treatment regime estimation and inference via G-estimation, dynamic weighted ordinary least squares (dWOLS) and Q-learning. Inference via bootstrap and (for G-estimation) recursive sandwich estimation.

License GPL-2

Imports graphics, stats, utils

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-03-09 00:52:30

R topics documented:

DTRreg	2
plot	5
predict	7

Index	9
--------------	----------

DTRreg *DTR Estimation and Inference via G-estimation, Dynamic WOLS, and Q-Learning*

Description

Dynamic treatment regimen estimation and inference via G-estimation and dynamic WOLS. Estimation of blip model parameters for multi-stage data.

Usage

```
DTRreg(outcome, blip.mod, treat.mod, tf.mod, data = NULL,
       method = "gest", weight = "default", var.estim = "none",
       B = 200, M = 0, truncate = 0, verbose = "FALSE",
       interrupt = "FALSE", treat.range = NULL, missing = "default",
       interactive = FALSE, treat.mod.man = NULL, type = "DTR")
```

Arguments

outcome	The outcome variable.
blip.mod	A list of formula objects specifying covariates of a (linear) blip function for each stage in order. No dependent variable should be specified.
treat.mod	A list of formula objects specifying the treatment model for each stage in order. Treatment variable should be included as the dependent variable. If treatment is binary a logistic regression model will be used, otherwise a linear regression model will be used.
tf.mod	A list of formula objects specifying covariates of a (linear) treatment-free model for each stage in order. No dependent variable should be specified.
data	A data frame containing all necessary covariates contained in the above models.
method	The DTR method to be used, choose "dwols" for dynamic WOLS, "gest" for G-estimation, or "qlern" for Q-learning.
weight	If using dynamic WOLS the option for the weights used. Default is the form $ A - E[A \dots] $, "iptw" gives inverse probability of treatment style weights.
var.estim	Covariance matrix estimation method, either "bootstrap" (for either dWOLS or G-estimation) or "sandwich" for recursive sandwich estimation in the G-estimation context.
B	Number of bootstrap samples.
M	Subsample size for m out of n bootstrap. If unspecified this is set to the sample size (i.e. n)
truncate	Bootstrap option. Truncate (a number between 0 and 0.5) will replace the lowest and highest specified proportion of parameter estimates with the relevant quantiles affording some robustness to extreme values when estimating covariance.
verbose	Bootstrap option. If TRUE then estimated time to completion will be printed approximately every 30 seconds.

<code>interrupt</code>	Bootstrap option. If TRUE then user will be given the option to abort if estimated time to completion exceeds 10 minutes.
<code>treat.range</code>	For continuous treatments. Specify the maximum/minimum value that treatments can be take. If unspecified then the minimum/maximum value of observed treatments is used. If you wish to have unrestricted treatments set this option to <code>c(-Inf,+Inf)</code> .
<code>missing</code>	If set to "icpw" and data are missing then inverse probability of censored weights is used with the probability of censoring estimated via logistic regression on the full covariate history up to that point.
<code>interactive</code>	If TRUE on-screen prompts will guide the user through the specification of blip, treatment and treatment-free models.
<code>treat.mod.man</code>	A list of vectors of known treatment weights can be specified to be used instead of those estimated by the routine.
<code>type</code>	If specified as something other than "DTR", DTRreg will take an 'effect estimation' (as opposed to a DTR estimation) approach, treating the observed outcome as being equal to an outcome assuming no treatment is received at any stage, plus a blip component at each stage. The main difference is that each stage's pseudo-outcome is generated by subtracting a blip function, rather than adding a regret function as in the DTR framework. Note that most of the DTR-specific output will either be suppressed or irrelevant.

Details

DTRreg allows the estimation of optimal dynamic treatment regimens (DTRs, also known as adaptive treatment strategies) from multi-stage trials using G-estimation and dynamic weighted ordinary least squares (dWOLS). Both methods focus on estimating the parameters of the blip: a model of the difference in expected outcome under the observed treatment and some reference treatment (usually a control) at a given stage, assuming identical histories and optimal treatment thereafter. The reader is referred to Chakraborty and Moodie (2013) for a thorough introduction and review of DTR methods. The dWOLS method may be used to obtain parameter estimates identical to those from Q-learning (by setting `method = "qlearn"`). This option is intended primarily for exploratory purposes; the authors note that there is a dedicated R package for Q-learning (`qLearn`), although it is limited to the 2-stage setting.

Both of these methods require the specification of three models for each stage of the analysis: a treatment model (conditional mean of the treatment variable), a treatment-free model (conditional mean of outcome assuming only reference treatments are used), and a blip model. Only the blip model must be correctly specified (or over-specified), with consistent parameter estimates obtainable if at least one of the other two models is correctly specified. Note that all of these must be specified as lists of formula objects, even if only one stage of treatment is considered.

Note that as is conventional, it is assumed a larger value of the outcome is preferred (which can be easily achieved via transformation of your data if necessary).

When treatment is binary, if confidence intervals are computed (via specification of `var.estim` other than 'none'), then DTRreg will calculate the proportion of subjects at each stage for whom optimal treatment is non-unique. If this proportion exceeds 0.05 a non-regularity warning will be displayed, along with the proportion of subjects for whom this is the case. Note that this warning is only displayed if a variance estimation option is selected.

Value

An object of class DTR, a list including elements

psi	Blip parameter estimates for each stage of treatment.
opt.treat	Optimal treatment decisions for each subject at each stage of treatment.
covmat	Covariance matrix of blip parameter estimates.
regret	Estimates of the regret for each subject based on observed treatment and blip parameter estimates.
beta	Treatment-free model parameter estimates (note that these may not be consistent).
opt.Y	Predicted optimal outcome under recommended regimen.
nonreg	Non-regularity estimates.

The functions `coef`, `predict` and `confint` may be used with such model objects. The first two have specific help files for their implementation, while `confint` is used in the same way as the standard `confint` command, with the exception of the `parm` option, which is not available.

Author(s)

Michael Wallace

References

- Chakraborty, B., Moodie, E. E. M. (2013) *Statistical Methods for Dynamic Treatment Regimes*. New York: Springer.
- Robins, J. M. (2004) *Optimal structural nested models for optimal sequential decisions*. In Proceedings of the Second Seattle Symposium on Biostatistics, D. Y. Lin and P. J. Heagerty (eds), 189–326. New York: Springer.
- Wallace, M. P., Moodie, E. M. (2015) Doubly-Robust Dynamic Treatment Regimen Estimation Via Weighted Least Squares. *Biometrics* **71**(3), 636–644 (doi:10.1111/biom.12306.)

Examples

```
#####
# example single run of a 2-stage g-estimation analysis
set.seed(1)
# expit function
expit <- function(x) {1 / (1 + exp(-x))}
# sample size
n <- 10000
# variables (X = patient information, A = treatment)
X1 <- rnorm(n)
A1 <- rbinom(n, 1, expit(X1))
X2 <- rnorm(n)
A2 <- rbinom(n, 1, expit(X2))
# blip functions
gamma1 <- A1 * (1 + X1)
gamma2 <- A2 * (1 + X2)
```

```

# observed outcome: treatment-free outcome plus blip functions
Y <- exp(X1) + exp(X2) + gamma1 + gamma2 + rnorm(n)
# models to be passed to DTRreg
# blip model
blip.mod <- list(~X1, ~X2)
# treatment model (correctly specified)
treat.mod <- list(A1~X1, A2~X2)
# treatment-free model (incorrectly specified)
tf.mod <- list(~X1, ~X2)

# perform G-estimation
mod1 <- DTRreg(Y, blip.mod, treat.mod, tf.mod, method = "gest")
mod1
#####

```

plot

Diagnostic Plots for DTR Estimation

Description

Diagnostic plots for assessment of treatment, treatment-free and blip models following DTR estimation using DTRreg.

Usage

```

## S3 method for class 'DTRreg'
plot(x, ...)

```

Arguments

x	A model object generated by the function DTRreg.
...	Space for additional arguments (not currently used by DTRreg)

Details

DTR estimation using G-estimation and dWOLS requires the specification of three models: the treatment, treatment-free and blip. The treatment model may be assessed via standard diagnostics, whereas the treatment-free and blip models may be simultaneously assessed using diagnostic plots introduced by Rich et al. The plot() function first presents diagnostic plots that assess the latter, plotting fitted values against residuals and covariates following DTR estimation. If there is any evidence of a relationship between the variables in these plots, this is evidence that at least one of the blip or treatment-free models is mis-specified.

Following these plots, the plot() function will present standard diagnostic plots for the treatment model. These are produced directly by the standard plot() command applied to the models that were fit. For example, if treatment is binary, the resulting plots are the same as those that are generated by the plot() command applied to a glm object for logistic regression.

Author(s)

Michael Wallace

References

- Chakraborty, B., Moodie, E. E. M. (2013) *Statistical Methods for Dynamic Treatment Regimes*. New York: Springer.
- Rich B., Moodie E. E. M., Stephens D. A., Platt R. W. (2010) Model Checking with Residuals for G-estimation of Optimal Dynamic Treatment Regimes. *International Journal of Biostatistics* **6**(2), Article 12.
- Robins, J. M. (2004) *Optimal structural nested models for optimal sequential decisions*. In Proceedings of the Second Seattle Symposium on Biostatistics, D. Y. Lin and P. J. Heagerty (eds), 189–326. New York: Springer.
- Wallace, M. P., Moodie, E. M. (2015) Doubly-Robust Dynamic Treatment Regimen Estimation Via Weighted Least Squares. *Biometrics* **71**(3), 636–644 (doi:10.1111/biom.12306.)

Examples

```
#####
# example single run of a 2-stage g-estimation analysis
set.seed(1)
# expit function
expit <- function(x) {1 / (1 + exp(-x))}
# sample size
n <- 10000
# variables (X = patient information, A = treatment)
X1 <- rnorm(n)
A1 <- rbinom(n, 1, expit(X1))
X2 <- rnorm(n)
A2 <- rbinom(n, 1, expit(X2))
# blip functions
gamma1 <- A1 * (1 + X1)
gamma2 <- A2 * (1 + X2)
# observed outcome: treatment-free outcome plus blip functions
Y <- exp(X1) + exp(X2) + gamma1 + gamma2 + rnorm(n)
# models to be passed to DTRreg
# blip model
blip.mod <- list(~X1, ~X2)
# treatment model (correctly specified)
treat.mod <- list(A1~X1, A2~X2)
# treatment-free model (incorrectly specified)
tf.mod <- list(~X1, ~X2)

# perform G-estimation
mod1 <- DTRreg(Y, blip.mod, treat.mod, tf.mod, method = "gest")

# model diagnostics: note treatment-free model is mis-specified
plot(mod1)
#####
```

predict

Optimal Outcome Prediction for DTRs

Description

Predicted outcome assuming optimal treatment (according to analysis via G-estimation or dWOLS) was followed. Assumes blip and treatment-free models correctly specified.

Usage

```
## S3 method for class 'DTRreg'  
predict(object, newdata, treat.range = NULL, ...)
```

Arguments

object	A model object generated by the function DTRreg.
newdata	A dataset (usually the data analyzed by DTRreg for which predicted outcomes are desired. If a new dataset is provided, variable names should correspond to those presented to DTRreg
treat.range	If treatment is continuous (rather than binary), a list of vectors of the form $c(\min, \max)$ which specify the minimum and maximum value the treatment may take. If unspecified, this will be inferred from the treat.range provided with use of the original DTRreg command. As such, if no treatment range was specified there either, treat.range will be the minimum and maximum observed treatment value at each stage.
...	Space for additional arguments (not currently used by DTRreg)

Details

This function may be used in a similar fashion to more traditional modelling commands (such as lm). Users are referred to the primary DTRreg help command (and associated literature) for information concerning model specification. In particular, we note that the predict function assumes that the treatment-free model has been correctly specified, as the treatment-free parameters are used in the prediction process.

Value

An $n \times 1$ matrix of predicted outcome values.

Author(s)

Michael Wallace

References

- Chakraborty, B., Moodie, E. E. M. (2013) *Statistical Methods for Dynamic Treatment Regimes*. New York: Springer.
- Robins, J. M. (2004) *Optimal structural nested models for optimal sequential decisions*. In Proceedings of the Second Seattle Symposium on Biostatistics, D. Y. Lin and P. J. Heagerty (eds), 189–326. New York: Springer.
- Wallace, M. P., Moodie, E. M. (2015) Doubly-Robust Dynamic Treatment Regimen Estimation Via Weighted Least Squares. *Biometrics* **71**(3), 636–644 (doi:10.1111/biom.12306.)

Examples

```
#####
# example single run of a 2-stage g-estimation analysis
set.seed(1)
# expit function
expit <- function(x) {1 / (1 + exp(-x))}
# sample size
n <- 10000
# variables (X = patient information, A = treatment)
X1 <- rnorm(n)
A1 <- rbinom(n, 1, expit(X1))
X2 <- rnorm(n)
A2 <- rbinom(n, 1, expit(X2))
# blip functions
gamma1 <- A1 * (1 + X1)
gamma2 <- A2 * (1 + X2)
# observed outcome: treatment-free outcome plus blip functions
Y <- exp(X1) + exp(X2) + gamma1 + gamma2 + rnorm(n)
# models to be passed to DTRreg
# blip model
blip.mod <- list(~X1, ~X2)
# treatment model (correctly specified)
treat.mod <- list(A1~X1, A2~X2)
# treatment-free model (incorrectly specified)
tf.mod <- list(~X1, ~X2)

# perform G-estimation
mod1 <- DTRreg(Y, blip.mod, treat.mod, tf.mod, method = "gest")

# predicted Y for optimal treatment
dat <- data.frame(X1,X2,A1,A2)
predict(mod1, newdata = dat)
#####
```


Index

*Topic **dynamic treatment
regimens,adaptive treatment
strategies,personalized
medicine,g-
estimation,dynamic weighted
ordinary least squares**

DTRreg, [2](#)
plot, [5](#)
predict, [7](#)

DTRreg, [2](#)

plot, [5](#)
predict, [7](#)
print.DTRreg (DTRreg), [2](#)