

Package ‘VWPre’

September 28, 2016

Type Package

Title Tools for Preprocessing Visual World Data

Version 0.9.0

Date 2016-09-28

Author Vincent Porretta [aut, cre],
Aki-Juhani Kyröläinen [aut],
Jacolien van Rij [ctb],
Juhani Järvikivi [ctb]

Maintainer Vincent Porretta <vincentporretta@gmail.com>

Description Gaze data from the Visual World Paradigm requires significant preprocessing prior to plotting and analyzing the data. This package provides functions for preparing visual world eye-tracking data for statistical analysis and plotting. It can prepare data for linear analyses (e.g., ANOVA, Gaussian-family LMER, Gaussian-family GAMM) as well as logistic analyses (e.g., binomial-family LMER and binomial-family GAMM). Additionally, it contains various plotting functions for creating grand average and conditional average plots. See the vignette for samples of the functionality. Currently, the functions in this package are designed for handling data collected with SR Research Eyelink eye trackers using Sample Reports created in SR Research Data Viewer; however, in subsequent releases we would like to add functionality for data collected with other systems.

Depends R (>= 3.3.1), dplyr (>= 0.5.0), lazyeval (>= 0.2.0), ggplot2 (>= 2.1.0)

Imports mgcv (>= 1.8-15), shiny (>= 0.14), tidyr (>= 0.6.0)

License GPL (>= 2)

LazyData true

Suggests knitr, rmarkdown

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-09-28 23:09:01

R topics documented:

align_msg	2
bin_prop	3
check_eye_recording	4
check_ia	5
check_msg_time	5
check_samples_per_bin	6
check_samplingrate	7
check_time_series	7
create_binomial	8
create_time_series	9
custom_ia	10
ds_options	11
fasttrack	11
plot_avg	13
plot_avg_contour	14
plot_avg_diff	15
plot_indiv_app	16
plot_transformation_app	17
plot_var_app	17
prep_data	18
recode_ia	19
relabel_na	20
rename_columns	20
select_recorded_eye	21
transform_to_elogit	22
VWdat	23
VWPre	23
Index	26

align_msg

Aligns samples to a specific message.

Description

align_msg examines the data from each recording event and locates the first instance of the specified message in the column SAMPLE_MESSAGE. The function creates a new column containing the aligned series which can be utilized by subsequent functions for checking and creating the time series column.

Usage

```
align_msg(data = data, Msg = Msg)
```

Arguments

data	A data table object output from <code>prep_data</code> .
Msg	An obligatory string containing the exact message to be found in the column <code>SAMPLE_MESSAGE</code> .

Value

A data table object.

Examples

```
## Not run:
# To align the samples to a specific message...
library(VWPre)
df <- align_msg(data = dat, Msg = "ExperimentDisplay")

## End(Not run)
```

bin_prop

Bins the sample data and calculates proportion looks by interest area

Description

`bin_prop` calculates the proportion of looks (samples) to each interest area in a particular window of time (bin size). This function first checks to see if the procedure is possible given the sampling rate and desired bin size. It then performs the calculation and downsampling, returning new columns corresponding to each interest area ID (e.g., 'IA_1_C', 'IA_1_P'). The extension '_C' indicates the count of samples in the bin and the extension '_P' indicates the proportion. N.B.: This function will work for data with a maximum of 8 interest areas.

Usage

```
bin_prop(data = data, NoIA = NoIA, BinSize = BinSize,
         SamplingRate = SamplingRate)
```

Arguments

data	A data table object output by select_recorded_eye or check_samplingrate .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
BinSize	A positive integer indicating the size of the binning window (in milliseconds).
SamplingRate	A positive integer indicating the sampling rate (in Hertz) used to record the gaze data, which can be determined with the function check_samplingrate .

Value

A data table with additional columns (the number of which depends on the number of interest areas specified) added to data.

Examples

```
## Not run:
library(VWPre)
# Bin samples and calculation proportions...
df <- bin_prop(dat, NoIA = 4, BinSize = 20, SamplingRate = 1000)

## End(Not run)
```

check_eye_recording *Check which eyes were recorded during the experiment*

Description

check_eye_recording quickly checks if the dataset contains gaze data in both the Right and Left interest area columns. It prints a summary and suggests which setting to use for the Recording parameter in the function [select_recorded_eye](#).

Usage

```
check_eye_recording(data = data)
```

Arguments

data A data table object output by [create_time_series](#).

Value

Text feedback and instruction.

Examples

```
## Not run:
library(VWPre)
# Create a unified columns for the gaze data...
check_eye_recording(dat)

## End(Not run)
```

check_ia	<i>Check the interest area IDs and labels</i>
----------	---

Description

check_ia examines both the interest area IDs and interest area labels (and their mapping) for both eyes. It returns a summary of the information.

Usage

```
check_ia(data = data)
```

Arguments

data A data table object output by [relabel_na](#).

Value

The value(s) and label(s) of interest areas and how they map for each eye.

Examples

```
## Not run:
library(VWPre)
# Check the interest area information...
check_ia(dat)

## End(Not run)
```

check_msg_time	<i>Check the time value(s) at a specific message</i>
----------------	--

Description

check_msg_time examines the time point of a specific Sample Message for each event. Depending on the format of the data, it will use one of three columns: `TIMESTAMP`, `Align`, or `Time`.

Usage

```
check_msg_time(data = data, Msg = Msg, ReturnData = F)
```

Arguments

data A data table object output by [relabel_na](#), [align_msg](#), or [create_time_series](#).
 Msg A character string containing the exact message to be found in the column `SAMPLE_MESSAGE`.
 ReturnData A logical indicating whether to return a data table containing Message Time information for each event.

Value

The value(s) of Time (in milliseconds) at which the Sample Message is found.

Examples

```
## Not run:  
library(VWPre)  
# Check the Sample Message time...  
check_msg_time(data = dat)  
  
## End(Not run)
```

check_samples_per_bin *Check the number of samples in each bin*

Description

check_samples_per_bin determines the number of samples in each bin produced by [bin_prop](#). This function may be helpful for determining the obligatory parameter 'ObsPerBin' which is input to [transform_to_elogit](#).

Usage

```
check_samples_per_bin(data = data)
```

Arguments

data A data table object output by [bin_prop](#).

Value

A printed summary of the number of samples in each bin.

Examples

```
## Not run:  
library(VWPre)  
# Determine the number of samples per bin...  
check_samples_per_bin(dat)  
  
## End(Not run)
```

check_samplingrate *Determine the sampling rate present in the data*

Description

check_samplingrate determines the sampling rate in the data. This function is helpful for determining the obligatory parameter input to [bin_prop](#). If different sampling rates were used, the function adds a sampling rate column, which can be used to subset the data for further processing.

Usage

```
check_samplingrate(data = data, ReturnData = FALSE)
```

Arguments

data	A data table object output by select_recorded_eye .
ReturnData	A logical indicating whether to return a data table containing a new column called SamplingRate

Value

A printed summary and/or a data table object

Examples

```
## Not run:  
library(VWPre)  
# Determine the sampling rate...  
check_samplingrate(dat)  
  
## End(Not run)
```

check_time_series *Check the new time series*

Description

check_time_series examines the first value in the Time column for each event. If they are equal, it will return a single value. The returned value(s) will vary depending on the interest period (if defined), message alignment (if completed), and the Adjustment parameter ('Adj') supplied to [create_time_series](#).

Usage

```
check_time_series(data = data, ReturnData = F)
```

Arguments

data	A data table object output by create_time_series .
ReturnData	A logical indicating whether to return a data table containing Start Time information for each event.

Value

The value(s) of Time (in milliseconds) at which events begin relative to the onset of the auditory stimulus.

Examples

```
## Not run:
library(VWPre)
# Check the starting Time column...
check_time_series(data = dat)

## End(Not run)
```

create_binomial	<i>Creates a success/failure column for each IA based on counts.</i>
-----------------	--

Description

create_binomial uses interest area count columns to create a success/failure column for each IA which is suitable for logistic regression. N.B.: This function will work for data with a maximum of 8 interest areas.

Usage

```
create_binomial(data = data, NoIA = NoIA, ObsPerBin = ObsPerBin,
  ObsOverride = FALSE, CustomBinom = NULL)
```

Arguments

data	A data table object output by either bin_prop or transform_to_elogit .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
ObsPerBin	A positive integer indicating the number of observations to use in the calculation. Typically, this will be the number of samples per bin, which can be determined with check_samples_per_bin .
ObsOverride	A logical value controlling restrictions on the value provided to ObsPerBin. Default value is FALSE.
CustomBinom	An optional parameter specifying a vector containing two integers corresponding to the interest area IDs to be combined.

Value

A data table with additional columns (the number of which depends on the number of interest areas specified) added to data.

Examples

```
## Not run:
library(VWPre)
# Create binomial (success/failure) column...
df <- create_binomial(data = dat, NoIA = 4, ObsPerBin = 20)

## End(Not run)
```

create_time_series *Create a time series column*

Description

create_time_series standardizes the starting point for each event, creates a time series for each event including the offset for the amount of time prior to (or after) the zero point. The time series is indicated in a new column called Time.

Usage

```
create_time_series(data = data, Adj = Adj)
```

Arguments

data	A data table object output by relabel_na or align_msg .
Adj	Optionally an integer value or a text string. If an integer (positive or negative), this will indicate an amount of time in milliseconds. Positive values get added to the time points; negative get subtracted. If a text string, this will be the name of a column in the data set which contains values indicating when the critical stimulus was presented relative to the zero point.

Value

A data table object.

Examples

```
## Not run:
library(VWPre)
# To create the Time column...
df <- create_time_series(data = dat, Adj = "SoundOnsetColumn")
# or
df <- create_time_series(data = dat, Adj = -100)
# or
```

```
df <- create_time_series(data = dat, Adj = 100)

## End(Not run)
```

custom_ia

Map gaze data to newly defined interest areas

Description

custom_ia uses a lookup data frame to map Left and Right gaze data to newly defined/supplied interest areas for each recording event. The lookup data should contain columns Event, IA_LABEL, IA_ID, Top, Bottom, Left, Right, which specify the Interest area label, its corresponding ID, and the boundaries (in pixel values) for each recording event. The function will overwrite existing columns RIGHT_INTEREST_AREA_LABEL, RIGHT_INTEREST_AREA_ID, LEFT_INTEREST_AREA_LABEL, and LEFT_INTEREST_AREA_ID.

Usage

```
custom_ia(data = data, iaLookup = iaLookup)
```

Arguments

data A data table object output by [prep_data](#).

iaLookup A data frame object containing by-event mapping information.

Value

A data table object.

Examples

```
## Not run:
library(VWPre)
# Map gaze data to newly defined interest areas...
df <- custom_ia(data = dat, iaLookup = LookUpDF)

## End(Not run)
```

ds_options	<i>Determine downsampling options based on current sampling rate</i>
------------	--

Description

ds_options determines the possible rates to which the current sampling rate can be downsampled. It then prints the options in both bin size (milliseconds) and corresponding sampling rate (Hertz).

Usage

```
ds_options(SamplingRate = SamplingRate)
```

Arguments

SamplingRate A positive integer indicating the sampling rate (in Hertz) used to record the gaze data, which can be determined with the function [check_samplingrate](#).

Value

A printed summary of options (bin size and rate) for downsampling.

Examples

```
## Not run:
library(VWPre)
# Determine downsampling options...
ds_options(SamplingRate = 1000)

## End(Not run)
```

fasttrack	<i>Fast-track basic preprocessing</i>
-----------	---------------------------------------

Description

fasttrack is a meta-function for advanced users who are already familiar with the package functions and do not need to take remedial actions such as recoding interest areas, remapping gaze data, or performing message alignment. It takes all necessary arguments for the component functions to produce proportion looks and can output either empirical logits or binomial data. The function returns a dataframe containing the result of the series of subroutines.

Usage

```
fasttrack(data = data, Subject = Subject, Item = Item,
  EventColumns = c("Subject", "TRIAL_INDEX"), NoIA = NoIA, Adj = Adj,
  Recording = Recording, WhenLandR = WhenLandR, BinSize = BinSize,
  SamplingRate = SamplingRate, ObsPerBin = ObsPerBin, ObsOverride = FALSE,
  Constant = 0.5, CustomBinom = NULL, Output = Output)
```

Arguments

data	A data frame object created from an Eyelink Sample Report.
Subject	An obligatory string containing the column name corresponding to the subject identifier.
Item	An optional string containing the column name corresponding to the item identifier; by default, NA.
EventColumns	A vector specifying the columns which will be used for creating the Event variable; by default, Subject and TRIAL_INDEX.
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
Adj	An integer indicating amount of time in milliseconds by which to offset the time series.
Recording	A string indicating which eyes were used for recording gaze data.
WhenLandR	A string indicating which eye ("Right" or "Left") to use if gaze data is available for both eyes (i.e., Recording = "LandR").
BinSize	A positive integer indicating the size of the binning window (in milliseconds).
SamplingRate	A positive integer indicating the sampling rate (in Hertz) used to record the gaze data.
ObsPerBin	A positive integer indicating the desired number of observations to be used in the calculations.
ObsOverride	A logical value controlling restrictions on the value provided to ObsPerBin. Default value is FALSE.
Constant	A positive number used for the empirical logit and weights calculation; by default, 0.5 as in Barr (2008).
CustomBinom	An optional parameter specifying a vector containing two integers corresponding to the interest area IDs to be combined.
Output	An obligatory string containing either "ELogit" or "Binomial".

Value

A data table containing formatting and calculations.

Examples

```
## Not run:
library(VWPre)
# Perform meta-function on data
df <- fasttrack(data = dat, Subject = "RECORDING_SESSION_LABEL", Item = "itemid",
  EventColumns = c("Subject", "TRIAL_INDEX"), NoIA = 4, Adj = -100,
  Recording = "LandR", WhenLandR = "Right", BinSize = 20,
  SamplingRate = 1000, ObsPerBin = 20, Constant = 0.5,
  Output = "ELogit")

## End(Not run)
```

plot_avg	<i>Plots average looks to interest areas.</i>
----------	---

Description

plot_avg calculates the grand or conditional averages of looks to each interest area along with standard error. It then plots the results. N.B.: This function will work for data with a maximum of 8 interest areas and 2 conditions.

Usage

```
plot_avg(data = data, type = NA, xlim = NA, IAColumns = IAColumns,
         Condition1 = NA, Condition2 = NA, Cond1Labels = NA, Cond2Labels = NA,
         ErrorBar = TRUE, VWPreTheme = TRUE)
```

Arguments

data	A data table object output by either bin_prop , transform_to_elogit , or create_binomial .
type	A character string indicating "proportion" or "elogit".
xlim	A vector of two integers specifying the limits of the x-axis.
IAColumns	A named character vector specifying the desired interest area columns with custom strings for the legend.
Condition1	A string containing the column name corresponding to the first condition, if available.
Condition2	A string containing the column name corresponding to the second condition, if available.
Cond1Labels	A named character vector specifying the desired custom labels of the levels of the first condition.
Cond2Labels	A named character vector specifying the desired custom labels of the levels of the second condition.
ErrorBar	A logical indicating whether standard error bars should included in the plot.
VWPreTheme	A logical indicating whether the theme included with the function should be applied, or ggplot2's base theme (to which any other custom theme could be added).

Examples

```
## Not run:
library(VWPre)
# For plotting the grand average with the included theme
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
         IAColumns = c(IA_1_ELogit = "Target", IA_2_ELogit = "Rhyme",
                       IA_3_ELogit = "OnsetComp", IA_4_ELogit = "Distractor"),
         Condition1 = NA, Condition2 = NA, Cond1Labels = NA, Cond2Labels = NA,
```

```

ErrorBar = TRUE, VWPreTheme = TRUE)

# For plotting conditional averages (one condition) with the included theme.
# This produces plots arranged vertically.
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
  IAColumns = IAColumns = c(IA_1_ELogit = "Target", IA_2_ELogit = "Rhyme",
  IA_3_ELogit = "OnsetComp", IA_4_ELogit = "Distractor"),
  Condition1 = "talker", Condition2 = NA,
  Cond1Labels = c(CH1 = "Chinese 1", CH10 = "Chinese 3", CH9 = "Chinese 2",
  EN3 = "English 1"), Cond2Labels = NA, ErrorBar = TRUE, VWPreTheme = TRUE)

# For plotting conditional averages (one condition) with the included theme.
# This produces plots arranged horizontally
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
  IAColumns = IAColumns = c(IA_1_ELogit = "Target", IA_2_ELogit = "Rhyme",
  IA_3_ELogit = "OnsetComp", IA_4_ELogit = "Distractor"),
  Condition1 = NA, Condition2 = "talker", Cond1Labels = NA,
  Cond2Labels = c(CH1 = "Chinese 1", CH10 = "Chinese 3", CH9 = "Chinese 2",
  EN3 = "English 1"), ErrorBar = TRUE, VWPreTheme = TRUE)

# For plotting conditional averages (two conditions) with the included theme.
# This produces plots arranged in grid format.
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
  IAColumns = IAColumns = c(IA_1_ELogit = "Target", IA_2_ELogit = "Rhyme",
  IA_3_ELogit = "OnsetComp", IA_4_ELogit = "Distractor"),
  Condition1 = "talker", Condition2 = "Exp",
  Cond1Labels = c(CH1 = "Chinese 1", CH10 = "Chinese 3", CH9 = "Chinese 2",
  EN3 = "English 1"), Cond2Labels = c(High = "H Exp", Low = "L Exp"),
  ErrorBar = TRUE, VWPreTheme = TRUE)

## End(Not run)

```

plot_avg_contour

Plots average contour surface of looks to a given interest area.

Description

plot_avg_contour calculates the conditional average of proportions or empirical logit looks to a given interest area by Time and a specified continuous variable. It then applies a 3D smooth (derived using [gam](#)) over the surface and plots the results as a contour plot.

Usage

```

plot_avg_contour(data = data, IA = "IA_1_P", type = NA, Var = Var,
  VarLabel = VarLabel, xlim = NA, Theme = TRUE, Colors = c("gray20",
  "gray90"))

```

Arguments

data	A data table object output by either bin_prop , transform_to_elogit , or create_binomial .
IA	A string specifying the column name of the IA to use.
type	A character string indicating "proportion" or "elogit".
Var	A string containing the column name corresponding to the continuous variable.
VarLabel	A string specifying the axis label to use for Var.
xlim	A vector of two integers specifying the limits of the x-axis.
Theme	A logical indicating whether the theme included with the function, or ggplot2's base theme (which any other custom theme could be added).
Colors	A vector of two strings specifying the colors of the contour shading - The default values represent grayscale.

Examples

```
## Not run:
library(VWPre)
# For plotting a conditional contour surface...
plot_avg_contour(data = dat, IA = "IA_1_ELogit", type = "elogit",
                 Var = "Rating", VarLabel = "Accent Rating", xlim = c(0,1000),
                 Theme = FALSE, Color = c("red", "white"))

## End(Not run)
```

plot_avg_diff *Plots average difference between looks to interest areas.*

Description

plot_avg_diff calculates the grand or conditional averages of differences between looks to two interest area along with standard error. It then plots the results.

Usage

```
plot_avg_diff(data = data, DiffCols = DiffCols, xlim = NA,
              Condition1 = NA, Condition2 = NA, Cond1Labels = NA, Cond2Labels = NA,
              ErrorBar = TRUE, VWPreTheme = TRUE)
```

Arguments

data	A data table object output by either bin_prop , transform_to_elogit , or create_binomial .
DiffCols	A named character vector specifying the desired columns corresponding to the interest areas.
xlim	A vector of two integers specifying the limits of the x-axis.

Condition1	A string containing the column name corresponding to the first condition, if available.
Condition2	A string containing the column name corresponding to the second condition, if available.
Cond1Labels	A named character vector specifying the desired labels of the levels of the first condition.
Cond2Labels	A named character vector specifying the desired labels of the levels of the second condition.
ErrorBar	A logical indicating whether standard error bars should included in the plot.
VWPreTheme	A logical indicating whether the theme included with the function should be applied, or ggplot2's base theme (which any other custom theme could be added).

Examples

```
## Not run:
library(VWPre)
# For plotting grand average differences...
plot_avg_diff(data = dat, xlim = c(0, 1000), DiffCols = c(IA_1_P = "Target", IA_2_P = "Rhyme"),
              Condition1 = NA, Condition2 = NA, Cond1Labels = NA, Cond2Labels = NA,
              ErrorBar = TRUE, VWPreTheme = TRUE)

# For plotting conditional average differences (one condition) with the included theme.
plot_avg_diff(data = dat, xlim = c(0, 1000), DiffCols = c(IA_1_P = "Target", IA_2_P = "Rhyme"),
              Condition1 = "talker", Condition2 = NA, Cond1Labels = c(CH1 = "Chinese 1",
              CH10 = "Chinese 3", CH9 = "Chinese 2", EN3 = "English 1"),
              Cond2Labels = NA, ErrorBar = TRUE, VWPreTheme = TRUE)

# For plotting conditional average differences (two conditions) with the included theme.
plot_avg_diff(data = dat, xlim = c(0, 1000), DiffCols = c(IA_1_P = "Target", IA_2_P = "Rhyme"),
              Condition1 = "talker", Condition2 = "Exp", Cond1Labels = c(CH1 = "Chinese 1",
              CH10 = "Chinese 3", CH9 = "Chinese 2", EN3 = "English 1"),
              Cond2Labels = c(High = "H Exp", Low = "L Exp"), ErrorBar = TRUE,
              VWPreTheme = TRUE)

## End(Not run)
```

plot_indiv_app

Plots diagnostic average plots of subjects/items.

Description

plot_indiv_app calculates and plots interest area averages for a given subject/item.

Usage

```
plot_indiv_app(data = data)
```


Arguments

data A data table object output by either `bin_prop`, `transform_to_elogit`, or `create_binomial`.

Examples

```
## Not run:  
library(VWPre)  
# For plotting the grand average with the included theme  
plot_indiv_app(data = dat)  
  
## End(Not run)
```

plot_transformation_app

Plots diagnostic plots of the empirical logit transformation.

Description

plot_transformation_app plots the empirical logit values for a given number of observations and constant against proportions, in order to examine the effect of these variables on the resulting transformation.

Usage

```
plot_transformation_app()
```

Examples

```
## Not run:  
library(VWPre)  
# For plotting the empirical logit transformation  
plot_transformation_app()  
  
## End(Not run)
```

plot_var_app

Plots diagnostic plots of subject/item variance.

Description

plot_var_app calculates and plots within-subject/item standard deviation, along with standardized by-subject/item means for a given interest area, within a given time window.

Usage

```
plot_var_app(data = data)
```

Arguments

`data` A data table object output by either `bin_prop`, `transform_to_elogit`, or `create_binomial`.

Examples

```
## Not run:
library(VWPre)
# For plotting the grand average with the included theme
plot_var_app(data = dat)

## End(Not run)
```

```
prep_data
```

Check the classes of specific columns and re-assigns as necessary.

Description

`prep_data` converts the data frame to a data table and examines the required columns (RECORDING_SESSION_LABEL, LEFT_INTEREST_AREA_ID, RIGHT_INTEREST_AREA_ID, LEFT_INTEREST_AREA_LABEL, RIGHT_INTEREST_AREA_LABEL, TIMESTAMP, and TRIAL_INDEX) and optional columns (SAMPLE_MESSAGE, LEFT_GAZE_X, LEFT_GAZE_Y, RIGHT_GAZE_X, and RIGHT_GAZE_Y). It renames the subject and item columns, ensures required/optional columns are of the appropriate data class, and creates a new column called Event which indexes each unique series of samples corresponding to the combination of Subject and TRIAL_INDEX (can be changed), necessary for performing subsequent operations.

Usage

```
prep_data(data = data, Subject = Subject, Item = NA,
          EventColumns = c("Subject", "TRIAL_INDEX"))
```

Arguments

`data` A data frame object created from an Eyelink Sample Report.

`Subject` An obligatory string containing the column name corresponding to the subject identifier.

`Item` An optional string containing the column name corresponding to the item identifier; by default, NA.

`EventColumns` A vector specifying the columns which will be used for creating the Event variable; by default, Subject and TRIAL_INDEX.

Value

An object of type data table as described in `tbl_df`.

Examples

```
## Not run:
# Typical DataViewer output contains a column called "RECORDING_SESSION_LABEL"
# corresponding to the subject.
# To prepare the data...
library(VWPre)
df <- prep_data(data = dat, Subject = "RECORDING_SESSION_LABEL", Item = "ItemCol")

## End(Not run)
```

recode_ia	<i>Recode interest area IDs and/or interest area labels</i>
-----------	---

Description

recode_ia replaces existing interest area IDs and/or labels for both eyes. For subsequent data processing, it is important that the ID values range between 0 and 8 (with 0 representing Outside all predefined interest areas).

Usage

```
recode_ia(data = data, IDs = NULL, Labels = NULL)
```

Arguments

data	A data table object output by relabel_na .
IDs	A named character vector specifying the desired interest area IDs and the corresponding existing IDs where the first element is the old value and the second element is the new value.
Labels	A named character vector specifying the desired interest area labels and the corresponding existing labels where the first element is the old value and the second element is the new value.

Value

A data table with the same dimensions as data.

Examples

```
## Not run:
library(VWPre)
# To recode both IDs and Labels...
df <- recode_ia(data=dat, IDs=c("234"="2", "0"="0", "35"="3", "11"="1",
"4"="6666"), Labels=c(Outside="Outside", Target="NewTargName",
Dist2="NewDist2Name", Comp="NewCompName", Dist1="NewDist1Name"))

## End(Not run)
```

relabel_na	<i>Relabel samples containing 'NA' as outside any interest area</i>
------------	---

Description

relabel_na examines interest area columns (LEFT_INTEREST_AREA_ID, RIGHT_INTEREST_AREA_ID, LEFT_INTEREST_AREA_LABEL, and RIGHT_INTEREST_AREA_LABEL) for cells containing NAs. If NA, the missing values in the ID columns are relabeled as 0 and missing values in the LABEL columns are relabeled as 'Outside'.

Usage

```
relabel_na(data = data, NoIA = NoIA)
```

Arguments

data	A data table object output by prep_data .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.

Value

A data table with the same dimensions as data.

Examples

```
## Not run:
library(VWPre)
# To relabel the NAs...
df <- relabel_na(data = dat, NoIA = 4)

## End(Not run)
```

rename_columns	<i>Rename default column names for interest areas.</i>
----------------	--

Description

rename_columns will replace the default numerical coding of the interest area columns with more meaningful user-specified names. For example, IA_1_C and IA_1_P could be converted to IA_Target_C and IA_Target_P. Again, this will work for upto 8 interest areas.

Usage

```
rename_columns(data = data, Labels = Labels)
```

Arguments

data	A data table object output by either bin_prop , transform_to_elogit , or create_binomial .
Labels	A named character vector specifying the interest areas and the desired names to be inserted in place of the numerical labelling.

Value

A data table object with renamed columns.

Examples

```
## Not run:
library(VWPre)
# For renaming default interest area columns
dat2 <- rename_columns(dat, Labels = c(IA1="Target", IA2="Rhyme",
                                       IA3="OnsetComp", IA4="Distractor"))

## End(Not run)
```

select_recorded_eye *Select the eye used during recording*

Description

select_recorded_eye examines each event and determines which eye contains interest area information, based on the Recording parameter (which can be determined using [check_eye_recording](#)). This function then selects the data from the recorded eye and copies it new columns (IA_ID and IA_LABEL). The function prints a summary of the output.

Usage

```
select_recorded_eye(data = data, Recording = Recording, WhenLandR = NA)
```

Arguments

data	A data table object output by create_time_series .
Recording	A string indicating which eyes were used for recording gaze data.
WhenLandR	A string indicating which eye ("Right" or "Left) to use if gaze data is available for both eyes (i.e., Recording = "LandR").

Value

A data table with four additional columns ('EyeRecorded', 'EyeSelected', 'IA_ID', 'IA_LABEL') added to data.

Examples

```
## Not run:
library(VWPre)
# Create a unified columns for the gaze data...
df <- select_recorded_eye(data = dat, Recording = "LandR", WhenLandR = "Right")

## End(Not run)
```

transform_to_elogit *Transforms proportion looks to empirical logits.*

Description

transform_to_elogit transforms the proportion of looks for each interest area to empirical logits. Proportions are inherently bound between 0 and 1 and are therefore not suitable for some types of analysis. Logits provide an unbounded measure, though range from negative infinity to infinity, so it is important to know that this logit function adds a constant (hence, empirical logit). Additionally this calculates weights which estimate the variance in each bin (because the variance of the logit depends on the mean). This is important for regression analyses. N.B.: This function will work for data with a maximum of 8 interest areas.

Usage

```
transform_to_elogit(data = data, NoIA = NoIA, ObsPerBin = ObsPerBin,
  Constant = 0.5, ObsOverride = FALSE)
```

Arguments

data	A data table object output by bin_prop .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
ObsPerBin	A positive integer indicating the number of observations to use in the calculation. Typically, this will be the number of samples per bin, which can be determined with check_samples_per_bin .
Constant	A positive number used for the empirical logit and weights calculation; by default, 0.5 as in Barr (2008).
ObsOverride	A logical value controlling restrictions on the value provided to ObsPerBin. Default value is FALSE.

Details

These calculations were adapted from: Barr, D. J., (2008) Analyzing 'visual world' eyetracking data using multilevel logistic regression, *Journal of Memory and Language*, 59(4), 457–474.

Value

A data table with additional columns (the number of which depends on the number of interest areas specified) added to data.

Examples

```
## Not run:
library(VWPre)
# Convert proportions to empirical logits and calculate weights...
df <- transform_to_elogit(dat, NoIA = 4, ObsPerBin = 20, Constant = 0.5)

## End(Not run)
```

VWdat

This is a sample eye-tracking dataset included in the package

Description

This is a sample eye-tracking dataset included in the package

Author(s)

Vincent Porretta

VWPre

VWPre: Tools for Preprocessing Visual World Data.

Description

The VWPre package provides a set of functions for preparing Visual World data collected with SR Research Eyelink eye trackers.

Formatting functions

- The function `create_time_series` returns a time columns in milliseconds.
- The function `prep_data` returns a data table with correctly assigned classes for important columns.
- The function `relabel_na` returns a data table with samples containing 'NA' relabeled as outside any interest area.
- The function `recode_ia` returns a data table containing recoded interest area IDs and/or interest area labels.
- The function `select_recorded_eye` returns a data table with data from the the recorded eye in new columns (IA_ID and IA_LABEL).
- The function `custom_ia` returns a data table with gaze data remapped to new interest areas.
- The function `align_msg` returns a data table with newly aligned sample data in a new column (Align).

Calculation functions

- The function `bin_prop` returns a downsampled data table containing proportion of looks (samples) to each interest area in a particular window of time (bin size).
- The function `transform_to_elogit` returns a data table with proportion looks transformed to empirical logits with weights.
- The function `create_binomial` returns a data table with a new success/failure column for each IA which is suitable for logistic regression.

Fasttrack formatting function

- The function `fasttrack` a meta-function that returns a data table of processed data containing the result of the series of necessary subroutines. This is intended for experienced users doing basic preprocessing.

Utility functions

- The function `check_eye_recording` returns a summary of whether or not the dataset contains gaze data in both the Right and Left interest area columns.
- The function `check_time_series` returns the first value in the Time column for each event.
- The function `check_samples_per_bin` returns the number of samples in each bin.
- The function `check_samplingrate` returns the value corresponding to the sampling rate in the data.
- The function `ds_options` returns the binning (downsampling) options possible for the given sampling rate.
- The function `check_ia` returns a summary of the interest area IDs and Labels present in the data.
- The function `check_msg_time` returns a summary of the the time value at a given sample message for each recording event.

Plotting functions

- The function `plot_avg` returns a plot of the grand or conditional averages of proportion (or empirical logit) looks to each interest area along with standard error bars.
- The function `plot_avg_contour` returns a contour plot of the conditional average of proportion (or empirical logit) looks to a given interest area over Time and a specified continuous variable.

Diagnostic functions

- The function `plot_transformation_app` opens a Shiny app for visualizing the effect of both number of observations and constant on the results of the empirical logit transformation and weight calculations.
- The function `plot_indiv_app` opens a Shiny app for inspecting by-subject or by-item averages for all interest areas, alongside the grand average (for proportion or empirical logit looks) within a specified time window.
- The function `plot_var_app` opens a Shiny app for inspecting by-subject or by-item Z-scores with respect to the overall mean for a given interest area within a specified time window.

Notes

- The vignettes are available via `browseVignettes()`.
- A list of all available functions is provided in `help(package="VWPre")`.

Author(s)

Vincent Porretta, Aki-Juhani Kyröläinen, Jacolien van Rij, Juhani Järvikivi

Maintainer: Vincent Porretta (<vincentporretta@gmail.com>)

University of Alberta, Canada

Index

*Topic **data**

VWdat, 23

align_msg, 2, 5, 9, 23

bin_prop, 3, 6–8, 13, 15, 17, 18, 21, 22, 24

check_eye_recording, 4, 21, 24

check_ia, 5, 24

check_msg_time, 5, 24

check_samples_per_bin, 6, 8, 22, 24

check_samplingrate, 3, 7, 11, 24

check_time_series, 7, 24

create_binomial, 8, 13, 15, 17, 18, 21, 24

create_time_series, 4, 5, 7, 8, 9, 21, 23

custom_ia, 10, 23

ds_options, 11, 24

fasttrack, 11, 24

gam, 14

plot_avg, 13, 24

plot_avg_contour, 14, 24

plot_avg_diff, 15

plot_indiv_app, 16, 24

plot_transformation_app, 17, 24

plot_var_app, 17, 24

prep_data, 10, 18, 20, 23

recode_ia, 19, 23

relabel_na, 5, 9, 19, 20, 23

rename_columns, 20

select_recorded_eye, 3, 4, 7, 21, 23

tbl_df, 18

transform_to_elogit, 6, 8, 13, 15, 17, 18, 21, 22, 24

VWdat, 23

VWPre, 23

VWPre-package (VWPre), 23