

Package ‘getPass’

August 29, 2016

Type Package

Title Masked User Input

Version 0.1-1

Description A micro-package for reading “passwords”, i.e. reading user input with masking, so that the input is not displayed as it is typed. Currently we have support for ‘RStudio’, the command line (every OS), and any platform where ‘tcltk’ is present.

License BSD 2-clause License + file LICENSE

Depends R (>= 3.0.0)

Imports utils, rstudioapi (>= 0.5)

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation yes

ByteCompile yes

URL <https://github.com/wrathematics/getPass>

BugReports <https://github.com/wrathematics/getPass/issues>

Maintainer Drew Schmidt <wrathematics@gmail.com>

RoxygenNote 5.0.1

Author Drew Schmidt [aut, cre],
Wei-Chen Chen [aut],
Gabor Csardi [ctb] (Improved terminal detection)

Repository CRAN

Date/Publication 2016-04-26 08:44:21

R topics documented:

getPass-package	2
getPass	2

Index	4
--------------	----------

getPass-package	<i>getPass</i>
-----------------	----------------

Description

A micro-package for reading "passwords", i.e. reading user input with masking. The package's only exported function, `getPass()`, behaves similarly to R's own `readline()`, only the user text is not printed as it is typed. Currently we have support for RStudio, the command line (every OS), and any platform where `tcltk` is present.

Author(s)

Drew Schmidt and Wei-Chen Chen

References

Project URL: <https://github.com/wrathematics/getPass>

getPass	<i>Password Input</i>
---------	-----------------------

Description

Password reader. Like R's `readline()` but the user-typed input text is not printed to the screen.

Usage

```
getPass(msg = "PASSWORD: ", forcemask = FALSE)
```

Arguments

<code>msg</code>	The message to enter into the R session before prompting for the masked input. This can be any single string, including a "blank", namely "".
<code>forcemask</code>	Logical; should the function stop with an error if masking is not supported? If FALSE, the function will default to use <code>readline()</code> with a warning message that the input is not masked, and otherwise will stop with an error.

Details

Masking (i.e., not displaying the literal typed text as input) is supported on most, but not all platforms. It is supported in RStudio, provided you have a suitable version of the GUI. It should also work in the terminal on any major OS. Finally, it will work in any environment where the `tcltk` package is available.

In the terminal, the maximum length for input is 200 characters. Additionally, messages printed to the terminal (including the "*" masking) are printed to `stderr`.

Value

If input is provided, then that is returned. If the user cancels (e.g., cancel button on RStudio or ctrl+c in the terminal), then NULL is returned.

Examples

```
## Not run:  
# Basic usage  
getPass::getPass()  
  
# Get password with a custom message  
getPass::getPass("Enter the password: ")  
  
## End(Not run)
```

Index

*Topic **package**

getPass-package, [2](#)

getPass, [2](#)

getPass-package, [2](#)