

Package ‘recexcavAAR’

October 17, 2016

Type Package

Title 3D Reconstruction of Archaeological Excavations

Version 0.2.2

Maintainer Clemens Schmid <clemens@nevrome.de>

Description A toolset for 3D reconstruction and analysis of excavations. It provides methods to reconstruct natural and artificial surfaces based on field measurements. This allows to spatially contextualize documented subunits and features. Intended to be part of a 3D visualization workflow.

Date 2016-10-16

License GPL-2

LazyData TRUE

RoxygenNote 5.0.1

URL <https://github.com/ISAAKiel/recexcavAAR>

Imports Rcpp (>= 0.12.7)

Suggests devtools (>= 1.12.0), dplyr (>= 0.5.0), knitr, magrittr (>= 1.5), rgl (>= 0.96.0), rmarkdown (>= 1.0), roxygen2 (>= 5.0.1), testthat (>= 1.0.2)

VignetteBuilder knitr

Depends R (>= 3.3.0), kriging (>= 1.1)

LinkingTo Rcpp

NeedsCompilation yes

Author Clemens Schmid [cre, cph, aut]

Repository CRAN

Date/Publication 2016-10-17 00:44:49

R topics documented:

fillhexa	2
kriglist	3
KT_spits	4

KT_squarecorners	5
KT_vessel	5
pnf	6
pnfmulti	7
posdec	8
posdeclist	9
spatiallong	10
spatialwide	11
spitcenter	12
spitcenternat	13
spitcenternatlist	14
Index	16

fillhexa	<i>Fills hexahedrons with a regular point raster (3D)</i>
----------	---

Description

A hexahedron is a three dimensional shape that is defined by 6 faces and 8 corner points. `fillhexa` allows to fill such a shape with a regular point raster.

Usage

```
fillhexa(hex, res)
```

Arguments

hex	dataframe with three columns and eight rows to define a hexahedron by its corner point coordinates x, y and z
res	numeric value > 0 and <= 1 for the resolution of the point raster

Details

See <https://stackoverflow.com/questions/36115215/filling-a-3d-body-with-a-systematic-point-raster> for a description of the function and how it was developed.

Value

data.frame with the spatial coordinates of the resulting points of the grid

Examples

```
hexatestdf <- data.frame(  
  x = c(0,1,0,4,5,5,5,5),  
  y = c(1,1,4,4,1,1,4,4),  
  z = c(4,8,4,9,4,8,4,6)  
)  
  
cx = fillhexa(hexatestdf, 0.1)  
  
#library(rgl)  
#plot3d(  
# cx[,1], cx[,2], cx[,3],  
# type = "p",  
# xlab = "x", ylab = "y", zlab = "z"  
#)
```

kriglist

Apply kriging {kriging} to a list of data.frames

Description

kriging {kriging} is a simple and highly optimized ordinary kriging algorithm to plot geographical data. This interface to the method allows to not just apply it to one data.frame but to a list of data.frames. The result is reduced to the data.frame with the predicted values. For a more detailed output kriging {kriging} has to be called for the individual input data.frames.

Usage

```
kriglist(plist, x = 1, y = 2, z = 3, rdup = TRUE, ...)
```

Arguments

plist	List of data.frames with point coordinates
x	index of data.frame column with x-axis spatial points. Defaults to 1
y	index of data.frame column with y-axis spatial points. Defaults to 2
z	index of data.frame column with z-axis spatial points. Defaults to 3
rdup	switch to activate removal of double values for single horizontal positions in the input data.frames. Defaults to TRUE
...	Arguments to be passed to method kriging {kriging}

Value

list with data.frames which contains the predicted values along with the coordinate covariates

Examples

```
df1 <- data.frame(  
  x = rnorm(50),  
  y = rnorm(50),  
  z = rnorm(50) - 5  
)  
  
df2 <- data.frame(  
  x = rnorm(50),  
  y = rnorm(50),  
  z = rnorm(50) + 5  
)  
  
lpoints <- list(df1, df2)  
  
kriglist(lpoints, lags = 3, model = "spherical")
```

KT_spits

KT_data: Niveau measurements from the fictional trench of a excavation KT

Description

A dataset containing coordinates of niveau measurements of a fictional excavation KT with 4 spits.

Format

A data frame with 304 rows and 4 variables:

- id: IDs of individual measurements with the information about to which level they belong
- x: x axis coordinates of measurements
- y: y axis coordinates of measurements
- z: z axis coordinates of measurements

See Also

Other KT_data: [KT_squarecorners](#), [KT_vessel](#)

KT_squarecorners	<i>KT_data: Corner points of a 1m*1m raster within the trench of a fictional excavation KT</i>
------------------	--

Description

A dataset containing horizontal coordinates of corner points of a 1m*1m raster within the rectangular trench (corner points of squares).

Format

A data frame with 63 rows and 2 variables:

- x: x axis coordinates of corner points
- y: y axis coordinates of corner points

See Also

Other KT_data: [KT_spits](#), [KT_vessel](#)

KT_vessel	<i>KT_data: Information about individual sherds of a reconstructed vessel from the trench of a fictional excavation KT</i>
-----------	--

Description

A dataset containing spatial and contextual information for individual sherds of a single vessel. Some sherds were documented in the field with single find measurements. For the others only spit and square attribution is possible.

Format

A data frame with 7 rows and 7 variables:

- inv: Inventory numbers of sherds. KTF means single find with individual measurement, KTM means mass find without this precise information.
- spit: spits where the sherds were found
- square: squares where the sherds were found
- feature: features where the sherds were found
- x: x axis coordinates of sherds
- y: y axis coordinates of sherds
- z: z axis coordinates of sherds

See Also

Other KT_data: [KT_spits](#), [KT_squarecorners](#)

pnp

Check if a point is within a polygon (2D)

Description

pnp is able to determine if a point is within a polygon in 2D space. The polygon is described by its corner points. The points must be in a correct drawing order.

Based on this solution: Copyright (c) 1970-2003, Wm. Randolph Franklin https://www.ecse.rpi.edu/Homepages/wrf/Research/Short_Notes/pnpoly.html

Usage

```
pnp(vertex, verty, testx, testy)
```

Arguments

vertex	vector of x axis values of polygon corner points
verty	vector of y axis values of polygon corner points
testx	x axis value of point of interest
testy	y axis value of point of interest

Details

For discussion see: <http://stackoverflow.com/questions/217578/how-can-i-determine-whether-a-2d-point-is-2922778#2922778>

Value

boolean value - TRUE, if the point is within the polygon. Otherwise FALSE.

See Also

Other pnpfuncs: [pnpmulti](#)

Examples

```
df <- data.frame(
  x = c(1,1,2,2),
  y = c(1,2,1,2)
)

pnp(df$x, df$y, 1.5, 1.5)
pnp(df$x, df$y, 2.5, 2.5)

# caution: false-negatives in edge-cases:
pnp(df$x, df$y, 2, 1.5)
```

`pnpmulti`*Check if multiple points are within a polygon (2D)*

Description

`pnpmulti` works as [pnp](#) but for multiple points.

Usage

```
pnpmulti(vertex, verty, testx, testy)
```

Arguments

<code>vertex</code>	vector of x axis values of polygon corner points
<code>verty</code>	vector of y axis values of polygon corner points
<code>testx</code>	vector of x axis values of points of interest
<code>testy</code>	vector of y axis values of points of interest

Value

vector with boolean values - TRUE, if the respective point is within the polygon. Otherwise FALSE.

See Also

Other `pnp`funcs: [pnp](#)

Examples

```
polydf <- data.frame(  
  x = c(1,1,2,2),  
  y = c(1,2,1,2)  
)  
  
testdf <- data.frame(  
  x = c(1.5, 2.5),  
  y = c(1.5, 2.5)  
)  
  
pnpmulti(polydf$x, polydf$y, testdf$x, testdf$y)
```

posdec	<i>Multiple point position decision in relation to a set of stacked surfaces (3D)</i>
--------	---

Description

posdec has the purpose to make a decision about the position of individual points in relation to a set of stacked surfaces in 3D space. The decision is made by comparing the mean z axis value of the four horizontally closest points of a surface to the z axis value of the point in question.

Usage

```
posdec(crdf, maplist)
```

Arguments

crdf	data.frame with the spatial coordinates of the points of interest. Must contain three columns with the x axis values, y axis values and z axis values of the points in the order x, y, z
maplist	list of data.frames which contain the points that make up the surfaces. The individual data.frames must have the same structure as crdf

Value

data.frame with the spatial coordinates of the points of interest and the respective position information

See Also

Other posdecfuncs: [posdeclist](#)

Examples

```
df1 <- data.frame(  
  x = rnorm(50),  
  y = rnorm(50),  
  z = rnorm(50) - 5  
)  
  
df2 <- data.frame(  
  x = rnorm(50),  
  y = rnorm(50),  
  z = rnorm(50) + 5  
)  
  
lpoints <- list(df1, df2)  
  
maps <- kriglist(lpoints, lags = 3, model = "spherical")
```



```
finds <- data.frame(  
  x = c(0, 1, 0.5, 0.7),  
  y = c(0.5, 0, 1, 0.7),  
  z = c(-10, 10, 0, 2)  
)  
  
posdec(finds, maps)
```

posdeclist	<i>Multiple point position decision in relation to a set of stacked surfaces (3D) for multiple data.frames in a list</i>
------------	--

Description

posdeclist works as [posdec](#) but not just for a single data.frame with individual points but for a list of data.frames

Usage

```
posdeclist(crdflist, maplist)
```

Arguments

crdflist	list of data.frames with the spatial coordinates of the points of interest (for details see posdec)
maplist	list of data.frames which contain the points that make up the surfaces

Value

list of data.frames with the spatial coordinates of the points of interest and the respective position information

See Also

Other posdecfuncs: [posdec](#)

Examples

```
df1 <- data.frame(  
  x = rnorm(50),  
  y = rnorm(50),  
  z = rnorm(50) - 5  
)  
  
df2 <- data.frame(  
  x = rnorm(50),  
  y = rnorm(50),  
  z = rnorm(50) + 5
```

```
)  
  
lpoints <- list(df1, df2)  
  
maps <- kriglist(lpoints, lags = 3, model = "spherical")  
  
hexadf1 <- data.frame(  
  x = c(0, 1, 0, 4, 5, 5, 5, 5),  
  y = c(1, 1, 4, 4, 1, 1, 4, 4),  
  z = c(1, 5, 1, 6, 1, 5, 1, 3)  
)  
  
hexadf2 <- data.frame(  
  x = c(0, 1, 0, 4, 5, 5, 5, 5),  
  y = c(1, 1, 4, 4, 1, 1, 4, 4),  
  z = c(-1, -5, -1, -6, -1, -5, -1, -3)  
)  
  
cx1 <- fillhexa(hexadf1, 0.1)  
cx2 <- fillhexa(hexadf2, 0.1)  
  
cubelist <- list(cx1, cx2)  
  
posdeclist(cubelist, maps)
```

spatiallong

Transformation of numeric matrices from wide to long format

Description

spatiallong transforms a set of two independent variables in vectors and a dependent variable in a wide matrix to a long matrix that combines the information. The result is exported as a data.frame.

Usage

```
spatiallong(x, y, z)
```

Arguments

x	vector of first independent variable. e.g. vector with x axis spatial points
y	vector of second independent variable. e.g. vector with y axis spatial points
z	matrix of dependent variable. e.g. matrix with z axis spatial points

Value

data.frame with three columns x, y and z

See Also

Other transfuns: [spatialwide](#)

Examples

```
x <- c(1, 1, 1, 2, 2, 2, 3, 3, 4)
y <- c(1, 2, 3, 1, 2, 3, 1, 2, 3)
z <- c(3, 4, 2, 3, NA, 5, 6, 3, 1)

sw <- spatialwide(x, y, z, digits = 3)

spatiallong(sw$x, sw$y, sw$z)
```

spatialwide

Transformation of numeric matrices from long to wide format

Description

Transforms a set of two independent and one dependent variables in vectors from a long to a wide format and exports this result as a list

Usage

```
spatialwide(x, y, z, digits)
```

Arguments

x	vector of first independent variable. e.g. vector with x-axis spatial points
y	vector of second independent variable. e.g. vector with y-axis spatial points
z	vector of dependent variable. e.g. vector with z-axis spatial points
digits	integer indicating the number of decimal places to be used for rounding the dependent variables x and y.

Value

List with three elements:

\$x: vector with ascendingly sorted, unique values of the first independent variable x

\$y: vector with ascendingly sorted, unique values of the second independent variable y

\$z: matrix with the values of z for the defined combinations of x (columns) and y (rows)

See Also

Other transfuns: [spatiallong](#)

Examples

```
x <- c(1, 1, 1, 2, 2, 2, 3, 3, 4)
y <- c(1, 2, 3, 1, 2, 3, 1, 2, 3)
z <- c(3, 4, 2, 3, NA, 5, 6, 3, 1)

spatialwide(x, y, z, digits = 3)
```

spitcenter

Center determination for hexahedrons

Description

A hexahedron is a three dimensional shape that is defined by 6 faces and 8 corner points. `spitcenter` determines a center point for an input hexahedron by calculating the mean of the maximal extent on all three axis.

Usage

```
spitcenter(hex)
```

Arguments

`hex` dataframe with three columns and eight rows to define a hexahedron by its corner point coordinates `x`, `y` and `z`

Value

vector with the spatial coordinates of the center point of the input hexahedron

See Also

Other centerdetfuncs: [spitcenternatlist](#), [spitcenternat](#)

Examples

```
hexatestdf <- data.frame(
  x = c(0,1,0,4,5,5,5,5),
  y = c(1,1,4,4,1,1,4,4),
  z = c(4,8,4,9,4,8,4,6)
)

center <- spitcenter(hexatestdf)

#library(rgl)
#plot3d(
# hexatestdf$x, hexatestdf$y, hexatestdf$z,
# type = "p",
# xlab = "x", ylab = "y", zlab = "z"
```

```

#)
#plot3d(
# center[1], center[2], center[3],
# type = "p",
# col = "red",
# add = TRUE
#)

```

spitcenternat	<i>Center determination for rectangles whose tops and bottoms are defined by irregular surfaces (3D)</i>
---------------	--

Description

spitcenternat first of all calculates the horizontal center of an input rectangle. Then it determines the vertical positions of the center points in relation to a surface stack.

Usage

```
spitcenternat(hex, maplist)
```

Arguments

hex	data.frame with the 2D corners of the rectangle defined by four points
maplist	list of data.frames which contain the points that make up the surfaces

Value

data.frame with the spatial coordinates of the center points

See Also

Other centerdetfuncs: [spitcenternatlist](#), [spitcenter](#)

Examples

```

df1 <- data.frame(
  x = c(rep(0, 6), seq(0.2, 2.8, 0.2), seq(0.2, 2.8, 0.2), rep(3,6)),
  y = c(seq(0, 1, 0.2), rep(0, 14), rep(1, 14), seq(0, 1, 0.2)),
  z = c(0.9+0.05*rnorm(6), 0.9+0.05*rnorm(14), 1.3+0.05*rnorm(14), 1.2+0.05*rnorm(6))
)

df2 <- data.frame(
  x = c(rep(0, 6), seq(0.2, 2.8, 0.2), seq(0.2, 2.8, 0.2), rep(3,6)),
  y = c(seq(0, 1, 0.2), rep(0, 14), rep(1, 14), seq(0, 1, 0.2)),
  z = c(0.6+0.05*rnorm(6), 0.6+0.05*rnorm(14), 1.0+0.05*rnorm(14), 0.9+0.05*rnorm(6))
)

```

```

df3 <- data.frame(
  x = c(rep(0, 6), seq(0.2, 2.8, 0.2), seq(0.2, 2.8, 0.2), rep(3,6)),
  y = c(seq(0, 1, 0.2), rep(0, 14), rep(1, 14), seq(0, 1, 0.2)),
  z = c(0.3+0.05*rnorm(6), 0.3+0.05*rnorm(14), 0.7+0.05*rnorm(14), 0.6+0.05*rnorm(6))
)

lpoints <- list(df1, df2, df3)

maps <- kriglist(lpoints, lags = 3, model = "spherical")

hexatestdf <- data.frame(
  x = c(1, 1, 1, 1, 2, 2, 2, 2),
  y = c(0, 1, 0, 1, 0, 1, 0, 1)
)

spitcenternat(hexatestdf, maps)

```

spitcenternatlist	<i>Center determination for rectangles whose tops and bottoms are defined by irregular surfaces (3D) for multiple data.frames in a list</i>
-------------------	---

Description

spitcenternatlist works as [spitcenternat](#) but not just for a single data.frame but for a list of data.frames

Usage

```
spitcenternatlist(hexlist, maplist)
```

Arguments

hexlist	list of data.frames with the 2D corners of the rectangles
maplist	list of data.frames which contain the points that make up the surfaces

Value

list of data.frames with the spatial coordinates of the center points

See Also

Other centerdetfuncs: [spitcenternat](#), [spitcenter](#)

Examples

```
df1 <- data.frame(
  x = c(rep(0, 6), seq(0.2, 2.8, 0.2), seq(0.2, 2.8, 0.2), rep(3,6)),
  y = c(seq(0, 1, 0.2), rep(0, 14), rep(1, 14), seq(0, 1, 0.2)),
  z = c(0.9+0.05*rnorm(6), 0.9+0.05*rnorm(14), 1.3+0.05*rnorm(14), 1.2+0.05*rnorm(6))
)

df2 <- data.frame(
  x = c(rep(0, 6), seq(0.2, 2.8, 0.2), seq(0.2, 2.8, 0.2), rep(3,6)),
  y = c(seq(0, 1, 0.2), rep(0, 14), rep(1, 14), seq(0, 1, 0.2)),
  z = c(0.6+0.05*rnorm(6), 0.6+0.05*rnorm(14), 1.0+0.05*rnorm(14), 0.9+0.05*rnorm(6))
)

df3 <- data.frame(
  x = c(rep(0, 6), seq(0.2, 2.8, 0.2), seq(0.2, 2.8, 0.2), rep(3,6)),
  y = c(seq(0, 1, 0.2), rep(0, 14), rep(1, 14), seq(0, 1, 0.2)),
  z = c(0.3+0.05*rnorm(6), 0.3+0.05*rnorm(14), 0.7+0.05*rnorm(14), 0.6+0.05*rnorm(6))
)

lpoints <- list(df1, df2, df3)

maps <- kriglist(lpoints, lags = 3, model = "spherical")

hexatestdf1 <- data.frame(
  x = c(1, 1, 1, 1, 2, 2, 2, 2),
  y = c(0, 1, 0, 1, 0, 1, 0, 1)
)

hexatestdf2 <- data.frame(
  x = c(0, 0, 0, 0, 1, 1, 1, 1),
  y = c(0, 1, 0, 1, 0, 1, 0, 1)
)

hexs <- list(hexatestdf1, hexatestdf2)

spitcenternatlist(hexs, maps)
```

Index

fillhexa, [2](#)

kriglist, [3](#)

KT_spits, [4](#), [5](#)

KT_squarecorners, [4](#), [5](#), [5](#)

KT_vessel, [4](#), [5](#), [5](#)

pnf, [6](#), [7](#)

pnpmulti, [6](#), [7](#)

posdec, [8](#), [9](#)

posdeclist, [8](#), [9](#)

spatiallong, [10](#), [11](#)

spatialwide, [11](#), [11](#)

spitcenter, [12](#), [13](#), [14](#)

spitcenternat, [12](#), [13](#), [14](#)

spitcenternatlist, [12](#), [13](#), [14](#)