

Package ‘odds.converter’

August 29, 2016

Type Package

Title Betting Odds Conversion

Version 1.3

Date 2015-11-17

Author Marco Blume

Maintainer Marco Blume <marco.blume@pinnaclesports.com>

Description Conversion between the most common odds types for sports betting. Hong Kong odds, US odds, Decimal odds, Indonesian odds, Malaysian odds, and raw Probability are covered in this package.

License GPL-2

NeedsCompilation no

Repository CRAN

Date/Publication 2015-11-25 08:54:25

R topics documented:

odds.dec2all	2
odds.dec2hk	3
odds.dec2indo	3
odds.dec2malay	4
odds.dec2prob	4
odds.dec2us	5
odds.fv	5
odds.hk2all	6
odds.hk2dec	7
odds.hk2indo	7
odds.hk2malay	8
odds.hk2prob	8
odds.hk2us	9
odds.indo2all	9
odds.indo2dec	10
odds.indo2hk	10

odds.indo2malay	11
odds.indo2prob	11
odds.indo2us	12
odds.malay2all	12
odds.malay2dec	13
odds.malay2hk	13
odds.malay2indo	14
odds.malay2prob	14
odds.malay2us	15
odds.prob2all	15
odds.prob2dec	16
odds.prob2hk	16
odds.prob2indo	17
odds.prob2malay	17
odds.prob2us	18
odds.us2all	18
odds.us2dec	19
odds.us2hk	19
odds.us2indo	20
odds.us2malay	20
odds.us2prob	21

Index	22
--------------	-----------

odds.dec2all	<i>Convert Decimal Odds to all other formats</i>
--------------	--

Description

Convert Decimal Odds to all other formats

Usage

```
odds.dec2all(x)
```

Arguments

x A vector of Decimal odds

Value

A dataframe

Examples

```
odds.dec2all(c(1.93, 2.05))
```

odds.dec2hk *Convert Decimal Odds to Hong Kong odds*

Description

Convert Decimal Odds to Hong Kong odds

Usage

```
odds.dec2hk(x)
```

Arguments

x A vector of Decimal odds

Value

A vector of Hong Kong odds

Examples

```
odds.dec2hk(c(1.93, 2.05))
```

odds.dec2indo *Convert Decimal Odds to Indonesian odds*

Description

Convert Decimal Odds to Indonesian odds

Usage

```
odds.dec2indo(x)
```

Arguments

x A vector of Decimal odds

Value

A vector of Indonesian odds

Examples

```
odds.dec2indo(c(1.93, 2.05))
```

odds.dec2malay *Convert Decimal Odds to Malaysian odds*

Description

Convert Decimal Odds to Malaysian odds

Usage

```
odds.dec2malay(x)
```

Arguments

x A vector of Decimal odds

Value

A vector of Malaysian odds

Examples

```
odds.dec2malay(c(1.93,2.05))
```

odds.dec2prob *Convert Decimal Odds to Probabilities*

Description

Convert Decimal Odds to Probabilities

Usage

```
odds.dec2prob(x)
```

Arguments

x A vector of Decimal odds

Value

A vector of Probabilities

Examples

```
odds.dec2prob(c(1.93,2.05))
```

`odds.dec2us`*Convert Decimal Odds to US Odds*

Description

Convert Decimal Odds to US Odds

Usage`odds.dec2us(x)`**Arguments**`x` A vector of Decimal odds**Value**

A vector of US odds

Examples`odds.dec2us(c(1.93, 2.05))`

`odds.fv`*Calculate the fair (vigorish free) odds for a vector of vigged odds.*

Description

Calculate the fair (vigorish free) odds for a vector of vigged odds.

Usage`odds.fv(..., input = "us", output = "us")`**Arguments**

<code>...</code>	Odds of the format defined in input, the odds can be submitted as a data.frame or as a vector
<code>input</code>	Default to US Odds. Valid selections are "us" for US odds, "prob" for Probability, "dec" for Decimal odds, "malay" for Malaysian odds, "hk" for Hong Kong odds, "indo" for Indonesian odds
<code>output</code>	Default to US Odds. Valid selections are "us" for US odds, "prob" for Probability, "dec" for Decimal odds, "malay" for Malaysian odds, "hk" for Hong Kong odds, "indo" for Indonesian odds

Value

A vector or a matrix of the fair values of the the given vigged values in the format chosen in output

Examples

```
odds.fv(-120,110)
odds.fv(2.05,3.12,2.90,input="dec",output="prob")
df <- data.frame(Home = c(1.5,1.8,1.9),
                 Away = c(2.9,2.2,2.05))
odds.fv(df,input = "dec",output = "prob")
odds.fv(df$Home,df$Away,input="dec",output="prob")
```

odds.hk2all

Convert Hong Kong Odds to all other formats

Description

Convert Hong Kong Odds to all other formats

Usage

```
odds.hk2all(x)
```

Arguments

x A vector of Hong Kong odds

Value

A dataframe

Examples

```
odds.hk2all(c(1.93,0.05))
```

`odds.hk2dec`*Convert Hong Kong Odds to Decimal Odds*

Description

Convert Hong Kong Odds to Decimal Odds

Usage

```
odds.hk2dec(x)
```

Arguments

`x` A vector of Hong Kong odds

Value

A vector of Decimal odds

Examples

```
odds.hk2dec(c(1.93, 0.05))
```

`odds.hk2indo`*Convert Hong Kong Odds to Indonesian Odds*

Description

Convert Hong Kong Odds to Indonesian Odds

Usage

```
odds.hk2indo(x)
```

Arguments

`x` A vector of Hong Kong odds

Value

A vector of Indonesian odds

Examples

```
odds.hk2indo(c(1.93, 0.05))
```

odds.hk2malay *Convert Hong Kong Odds to Malaysian Odds*

Description

Convert Hong Kong Odds to Malaysian Odds

Usage

```
odds.hk2malay(x)
```

Arguments

x A vector of Hong Kong odds

Value

A vector of Malaysian odds

Examples

```
odds.hk2malay(c(1.93,0.05))
```

odds.hk2prob *Convert Hong Kong Odds to Probabilities*

Description

Convert Hong Kong Odds to Probabilities

Usage

```
odds.hk2prob(x)
```

Arguments

x A vector of Hong Kong odds

Value

A vector of Probabilities

Examples

```
odds.hk2us(c(1.93,0.05))
```

odds.hk2us	<i>Convert Hong Kong Odds to US Odds</i>
------------	--

Description

Convert Hong Kong Odds to US Odds

Usage

```
odds.hk2us(x)
```

Arguments

x A vector of Hong Kong odds

Value

A vector of US odds

Examples

```
odds.hk2us(c(1.93, 0.05))
```

odds.indo2all	<i>Convert Indonesian to all other formats</i>
---------------	--

Description

Convert Indonesian to all other formats

Usage

```
odds.indo2all(x)
```

Arguments

x A vector of Indonesian odds

Value

A vector of US odds

Examples

```
odds.indo2all(c(1.93, 2.05))
```

odds.indo2dec *Convert Indonesian odds to Decimal odds*

Description

Convert Indonesian odds to Decimal odds

Usage

```
odds.indo2dec(x)
```

Arguments

x A vector of Indonesian odds

Value

A vector of Hong Kong odds

Examples

```
odds.indo2dec(c(1.93, 2.05))
```

odds.indo2hk *Convert Indonesian odds to Hong Kong odds*

Description

Convert Indonesian odds to Hong Kong odds

Usage

```
odds.indo2hk(x)
```

Arguments

x A vector of Indonesian odds

Value

A vector of Hong Kong odds

Examples

```
odds.indo2hk(c(1.93, 2.05))
```

odds.indo2malay	<i>Convert Indonesian odds to Malaysian odds</i>
-----------------	--

Description

Convert Indonesian odds to Malaysian odds

Usage

```
odds.indo2malay(x)
```

Arguments

x A vector of Indonesian odds

Value

A vector of Malaysian odds

Examples

```
odds.indo2malay(c(1.93, 2.05))
```

odds.indo2prob	<i>Convert Indonesian odds to Probabilities</i>
----------------	---

Description

Convert Indonesian odds to Probabilities

Usage

```
odds.indo2prob(x)
```

Arguments

x A vector of Indonesian odds

Value

A vector of Probabilities

Examples

```
odds.indo2hk(c(1.93, 2.05))
```

odds.indo2us *Convert Indonesian odds to US odds*

Description

Convert Indonesian odds to US odds

Usage

```
odds.indo2us(x)
```

Arguments

x A vector of Indonesian odds

Value

A vector of US odds

Examples

```
odds.indo2us(c(1.93, 2.05))
```

odds.malay2all *Convert Malaysian Odds to all other formats*

Description

Convert Malaysian Odds to all other formats

Usage

```
odds.malay2all(x)
```

Arguments

x A vector of Malaysian odds

Value

A dataframe

Examples

```
odds.malay2all(c(0.5, -0.6))
```

odds.malay2dec	<i>Convert Malaysian odds to Decimal odds</i>
----------------	---

Description

Convert Malaysian odds to Decimal odds

Usage

```
odds.malay2dec(x)
```

Arguments

x A vector of Malaysian odds

Value

A vector of Decimal odds

Examples

```
odds.malay2dec(c(0.5, -0.6))
```

odds.malay2hk	<i>Convert Malaysian odds to Hong Kong odds</i>
---------------	---

Description

Convert Malaysian odds to Hong Kong odds

Usage

```
odds.malay2hk(x)
```

Arguments

x A vector of Malaysian odds

Value

A vector of Hong Kong odds

Examples

```
odds.malay2hk(c(1.93, 2.05))
```

odds.malay2indo *Convert Malaysian odds to Indonesian odds*

Description

Convert Malaysian odds to Indonesian odds

Usage

```
odds.malay2indo(x)
```

Arguments

x A vector of Malaysian odds

Value

A vector of Indonesian odds

Examples

```
odds.malay2indo(c(1.93, 2.05))
```

odds.malay2prob *Convert Malaysian odds to Probabilities*

Description

Convert Malaysian odds to Probabilities

Usage

```
odds.malay2prob(x)
```

Arguments

x A vector of Malaysian odds

Value

A vector of Probabilities

Examples

```
odds.malay2prob(c(1.93, 2.05))
```

odds.malay2us	<i>Convert Malaysian odds to US odds</i>
---------------	--

Description

Convert Malaysian odds to US odds

Usage

```
odds.malay2us(x)
```

Arguments

x A vector of Malaysian odds

Value

A vector of US odds

Examples

```
odds.malay2us(c(0.5, -0.6))
```

odds.prob2all	<i>Convert Probabilities to to all other formats</i>
---------------	--

Description

Convert Probabilities to to all other formats

Usage

```
odds.prob2all(x)
```

Arguments

x A vector of Probabilities

Value

A dataframe

Examples

```
odds.prob2all(c(0.5, 0.6))
```

odds.prob2dec *Convert Probabilities to Decimal odds*

Description

Convert Probabilities to Decimal odds

Usage

```
odds.prob2dec(x)
```

Arguments

x A vector of Probabilities

Value

A vector of Decimal odds

Examples

```
odds.prob2dec(c(0.5, 0.6))
```

odds.prob2hk *Convert Probabilities to Hong Kong odds*

Description

Convert Probabilities to Hong Kong odds

Usage

```
odds.prob2hk(x)
```

Arguments

x A vector of Probabilities

Value

A vector of Hong Kong odds

Examples

```
odds.prob2hk(c(0.5, 0.6))
```

odds.prob2indo	<i>Convert Probabilities to Indonesian odds</i>
----------------	---

Description

Convert Probabilities to Indonesian odds

Usage

```
odds.prob2indo(x)
```

Arguments

x A vector of Probabilities

Value

A vector of Indonesian odds

Examples

```
odds.prob2indo(c(0.5,0.6))
```

odds.prob2malay	<i>Convert Probabilities to Malaysian odds</i>
-----------------	--

Description

Convert Probabilities to Malaysian odds

Usage

```
odds.prob2malay(x)
```

Arguments

x A vector of Probabilities

Value

A vector of Malaysian odds

Examples

```
odds.prob2malay(c(0.5,0.6))
```

odds.prob2us	<i>Convert Probabilities to US odds</i>
--------------	---

Description

Convert Probabilities to US odds

Usage

```
odds.prob2us(x)
```

Arguments

x A vector of Probabilities

Value

A vector of US odds

Examples

```
odds.prob2us(c(0.5, 0.6))
```

odds.us2all	<i>Convert US Odds to all other formats</i>
-------------	---

Description

Convert US Odds to all other formats

Usage

```
odds.us2all(x)
```

Arguments

x A vector of US odds

Value

A dataframe

Examples

```
odds.us2all(c(-200, 105))
```

odds.us2dec	<i>Convert US odds to Decimal odds</i>
-------------	--

Description

Convert US odds to Decimal odds

Usage

```
odds.us2dec(x)
```

Arguments

x A vector of US odds

Value

A vector of Decimal odds

Examples

```
odds.us2dec(c(-200, 150))
```

odds.us2hk	<i>Convert US odds to Hong Kong odds</i>
------------	--

Description

Convert US odds to Hong Kong odds

Usage

```
odds.us2hk(x)
```

Arguments

x A vector of US odds

Value

A vector of Hong Kong odds

Examples

```
odds.us2hk(c(-200, 150))
```

odds.us2indo *Convert US odds to Indonesian odds*

Description

Convert US odds to Indonesian odds

Usage

```
odds.us2indo(x)
```

Arguments

x A vector of US odds

Value

A vector of Indonesian odds

Examples

```
odds.us2indo(c(-200, 150))
```

odds.us2malay *Convert US odds to Malaysian odds*

Description

Convert US odds to Malaysian odds

Usage

```
odds.us2malay(x)
```

Arguments

x A vector of US odds

Value

A vector of Malaysian odds

Examples

```
odds.us2malay(c(-200, 150))
```

odds.us2prob *Convert US odds to Probabilities*

Description

Convert US odds to Probabilities

Usage

odds.us2prob(x)

Arguments

x A vector of US odds

Value

A vector of Probabilities

Examples

odds.us2prob(c(-200, 150))

Index

odds.dec2all, 2
odds.dec2hk, 3
odds.dec2indo, 3
odds.dec2malay, 4
odds.dec2prob, 4
odds.dec2us, 5
odds.fv, 5
odds.hk2all, 6
odds.hk2dec, 7
odds.hk2indo, 7
odds.hk2malay, 8
odds.hk2prob, 8
odds.hk2us, 9
odds.indo2all, 9
odds.indo2dec, 10
odds.indo2hk, 10
odds.indo2malay, 11
odds.indo2prob, 11
odds.indo2us, 12
odds.malay2all, 12
odds.malay2dec, 13
odds.malay2hk, 13
odds.malay2indo, 14
odds.malay2prob, 14
odds.malay2us, 15
odds.prob2all, 15
odds.prob2dec, 16
odds.prob2hk, 16
odds.prob2indo, 17
odds.prob2malay, 17
odds.prob2us, 18
odds.us2all, 18
odds.us2dec, 19
odds.us2hk, 19
odds.us2indo, 20
odds.us2malay, 20
odds.us2prob, 21