

Package ‘sdcMicroGUI’

December 6, 2016

Type Package

Title Graphical User Interface for Package sdcMicro

Version 1.4.0

Date 2016-12-06

Author Alexander Kowarik, Matthias Templ, Bernhard Meindl, Francois Fonteneau

Maintainer Alexander Kowarik <alexander.kowarik@statistik.gv.at>

Description DEPRECATED: A new version of the graphical user interface is available directly in the package sdcMicro via function sdcApp(). A point and click graphical user interface based on top of the 'sdcMicro' package to create anonymized data set. The graphical user interface provides full reproducibility of any result via the script menu in the GUI.

Depends sdcMicro (< 5.0.0), gWidgetsRGtk2,gWidgets, tcltk, cairoDevice

Imports vcd, foreign, Hmisc,tools,grDevices,graphics,stats,utils

License GPL-2

URL <https://github.com/alexkowa/sdcMicroGUI>

Collate 'aux_functions.R' 'plot.indivRisk.r' 'sdcGUI.r' 'zzz.r'
'HelpHelperFunctions.R'

NeedsCompilation no

Repository CRAN

Date/Publication 2016-12-06 14:04:46

R topics documented:

plot.indivRisk	2
sdcGUI	3
sdcGUIoutput	4

Index	5
--------------	----------

plot.indivRisk *plot method for indivRisk objects*

Description

Plots an interactive histogram or ecdf plot with various interactive sliders.

Usage

```
## S3 method for class 'indivRisk'  
plot(x, ...)
```

Arguments

x object of class 'indivRisk'
... Additional arguments passed through.

Details

With the sliders one can move the individual risk threshold. By this movement the threshold will be moved on the plot and the slider with a re-identification rate and the slider of the number of unsafe records (based on your chosen threshold) are also moved based on the individual risk threshold. This plot is very similar to the individual risk plot of the software mu-Argus.

Author(s)

Matthias Templ

References

look e.g. on the mu-Argus manuals available at <http://neon.vb.cbs.nl/casc/Software/MuManual4.1.pdf>

Templ, M. *Statistical Disclosure Control for Microdata Using the R-Package sdcMicro*, Transactions on Data Privacy, vol. 1, number 2, pp. 67-85, 2008. <http://www.tdp.cat/issues/abs.a004a08.php>

See Also

[indivRisk](#)

Examples

```
## example from Capobianchi, Polettini and Lucarelli:  
data(franccdat)  
ff <- freqCalc(franccdat, keyVars=c(2,4,5,6),w=8)  
irisk <- indivRisk( ff )  
## and now apply:  
## plot(irisk)
```

```
data(free1)
ff <- freqCalc(free1, keyVars=1:3, w=30)
irisk2 <- indivRisk(ff)
## and now apply:
## plot(irisk2)
```

sdcGUI

GUI for the sdcMicro package

Description

This graphical user interface supports the main functions of sdcMicro.

Usage

```
sdcGUI()
```

Details

This GUI provides an extension to the package sdcMicro. The developed GUI makes sdcMicro accessible to a wider range of users including ones not used to the R command line interface. The user can access all basic functions for microdata protection by using this GUI.

The graphical user interface of sdcMicro allows an interactive interaction between objects. Flexibility is provided by automatic displaying of the main results (e.g., the summary of the frequency counts and the estimated disclosure risk) which are updated after a user interaction automatically. Additional flexibility is provided by storing all the users operations with all parameters in a script which can then be saved, modified and/or reloaded. Thus, full reproducibility is provided also when using this GUI instead of the CLI version.

It is programmed based on the gWidgetsRGtk2 and RGtk2 package.

Author(s)

Thomas Petelin, Matthias Templ, Alexander Kowarik

Examples

```
##sdcGUI()
```

`sdcGUIoutput`*Retrieve the current dataset (with changes) from the sdcGUI*

Description

After altering your data set inside the graphical user interface, you can retrieve the data set with `'sdcGUIoutput()'` to use it further in R.

Usage`sdcGUI()`**Details**

Only possible if the GUI has been already used with a dataset.

Author(s)

Alexander Kowarik

Examples

```
## Not run:  
dataSDC <- sdcGUIoutput()  
  
## End(Not run)
```

Index

*Topic **IO**

 sdcGUI, 3

 sdcGUIoutput, 4

*Topic **aplot**

 plot.indivRisk, 2

indivRisk, 2

plot.indivRisk, 2

sdcGUI, 3

sdcGUIoutput, 4