

Package ‘synchronicity’

August 29, 2016

Version 1.1.9.1

Date 2015-12-25

Title Boost Mutex Functionality in R

Author Michael J. Kane <kanepplusplus@gmail.com>

Maintainer Michael J. Kane <bigmemoryauthors@gmail.com>

Contact Michael J. Kane <bigmemoryauthors@gmail.com>

Imports methods, bigmemory.sri, Rcpp

LinkingTo BH, Rcpp

Description Boost mutex functionality in R.

License LGPL-3 | Apache License 2.0

URL <http://www.bigmemory.org>

LazyLoad yes

RoxygenNote 5.0.1

NeedsCompilation yes

OS_type unix

Repository CRAN

Date/Publication 2016-02-17 16:15:37

R topics documented:

| | |
|--|---|
| synchronicity-package | 2 |
| attach.mutex | 3 |
| boost.mutex | 3 |
| boost.mutex-class | 4 |
| boost.mutex.descriptor-class | 5 |
| describe | 5 |
| description | 6 |
| descriptor-class | 6 |
| is.timed, timeout | 7 |
| lock, lock.shared, unlock | 8 |

| | |
|-----------------------|----|
| read | 9 |
| shared.name | 9 |
| uuid | 10 |

| | |
|--------------|-----------|
| Index | 11 |
|--------------|-----------|

synchronicity-package *This package provides support for synchronization via mutexes and may eventually support interprocess communication (ipc) and message passing.*

Description

This package provides support for synchronization via mutexes and may eventually support interprocess communication (ipc) and message passing.

Details

| | |
|-----------|---|
| Package: | synchronicity |
| Type: | Package |
| Version: | 1.1.9 |
| Date: | 2015-11-09 |
| License: | LGPL-3 Apache License 2.0 |
| OS_type: | unix |
| URL: | http://www.bigmemory.org |
| LazyLoad: | yes |

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

References

The Bigmemory Project: <http://www.bigmemory.org/>.

Boost Interprocess Library: <http://www.boost.org/>.

Examples

No examples are provided here.

| | |
|--------------|-------------------------------------|
| attach.mutex | <i>Attach to an existing mutex.</i> |
|--------------|-------------------------------------|

Description

Attach to an existing mutex using either a file or description object

Usage

```
attach.mutex(obj, ...)
```

```
## S4 method for signature 'character'
attach.mutex(obj, ...)
```

```
## S4 method for signature 'boost.mutex.descriptor'
attach.mutex(obj, ...)
```

Arguments

| | |
|-----|-----------------------------------|
| obj | the descriptor object. |
| ... | other arguments needed by attach. |

Value

A mutex.

| | |
|-------------|------------------------------------|
| boost.mutex | <i>Create a boost.mutex object</i> |
|-------------|------------------------------------|

Description

This function creates a boost.mutex object.

Usage

```
boost.mutex(sharedName = NULL, timeout = NULL)
```

Arguments

| | |
|------------|--|
| sharedName | The name of the shared resource corresponding to the mutex. By default a universal unique identifier is supplied. |
| timeout | The amount of time (in seconds) that the mutex should try to attempt to get a lock. By default no timeout is supplied and the mutex will attempt to acquire the lock indefinitely. |

Value

This function returns a `boost.mutex` object.

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

See Also

[synchronicity](#)

Examples

```
# Create a boost.mutex object with default resource name and no timeout.
x = boost.mutex()
```

| | |
|--------------------------------|----------------------------|
| <code>boost.mutex-class</code> | <i>Class "boost.mutex"</i> |
|--------------------------------|----------------------------|

Description

The `boost.mutex` class provides an R interface to the mutex functionality implemented in the Boost C++ library

Objects from the Class

Unlike many R objects, objects should not be created by calls of the form `new("boost.mutex", ...)`. The function `boost.mutex()` is intended for the user.

Slots

isRead: This is used internally to maintain state information and should not be touched by a user.
mutexInfoAddr: Object of class "externalptr" which keeps track of information relevant to the mutex.

Extends

Class "`mutex`", directly.

Methods

describe signature(x = "boost.mutex"): ...
is.timed signature(m = "boost.mutex"): ...
lock.shared signature(m = "boost.mutex"): ...
lock signature(m = "boost.mutex"): ...
shared.name signature(m = "boost.mutex"): ...
timeout signature(m = "boost.mutex"): ...
unlock signature(m = "boost.mutex"): ...

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

See Also

[boost.mutex](#)

Examples

```
showClass("boost.mutex")
```

boost.mutex.descriptor-class

An S4 class holding boost.mutex description information.

Description

Objects of class description allow users to “attach” to existing mutexes within or across processes.

Slots

description the list of description information.

describe

Create descriptors to mutexes and attach

Description

The describe function returns information that is needed to “connect” to a mutex from another process. This connection is performed by the attach.mutex function.

Usage

```
describe(x)
```

Arguments

x a boost.mutex object

Value

The describe function returns a boost.mutex.descriptor object.

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

Examples

```
m = boost.mutex()
mm = attach.mutex(describe(m))
# Now, both m and mm specify the same mutex.
```

| | |
|-------------|--|
| description | <i>Accessor for descriptor objects</i> |
|-------------|--|

Description

Retrieve the list of description information from a descriptor object.

Usage

```
description(x)

## S4 method for signature 'descriptor'
description(x)
```

Arguments

x the descriptor object.

Value

a list of description information.

| | |
|------------------|---|
| descriptor-class | <i>An S4 class holding mutex description information.</i> |
|------------------|---|

Description

Objects of class description allow users to “attach” to existing mutexes within or across processes.

Slots

description the list of description information.

`is.timed, timeout` *Timeout operations for boost.mutex objects*

Description

The `is.timed` function tells if a `boost.mutex` object has a timeout. The `timeout` function tells how long a mutex will wait for a timeout.

Usage

```
is.timed(m)
timeout(m)
```

Arguments

`m` a `boost.mutex` object to get timeout information for

Value

`is.timed` returns `TRUE` if the object has a timeout and `FALSE` otherwise. If a timeout has been set `timeout` returns the number of seconds a `boost.mutex` object will attempt to acquire a lock and `NULL` otherwise.

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

See Also

[synchronicity](#)

Examples

```
x = boost.mutex(timeout=5)
y = boost.mutex()
print(is.timed(x))
print(is.timed(y))
print(timeout(x))
print(timeout(y))
```

lock, lock.shared, unlock

Lock and unlock a mutex

Description

The lock and unlock functions allow a user to specify exclusive or shared access to a resource.

Usage

```
lock(m, ...)  
lock.shared(m, ...)  
unlock(m, ...)
```

Arguments

| | |
|-----|--|
| m | an object derived from class mutex. |
| ... | options associated with the mutex being used including block which forces the mutex to return immediately after trying to acquire a lock |

Details

A call to lock gives exclusive access to a resource; no other mutex may acquire a lock. A call to lock.shared allows other mutexes to acquire a shared lock on the resource. When shared lock is called while a exclusive lock has been acquired, the shared lock will block until the exclusive lock is release. Likewise, if an exclusive lock is called while a shared lock has been acquired, the exclusive lock will block until the shared lock is released.

Value

The function returns TRUE if the lock is successfully called and FALSE otherwise

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

Examples

```
m = boost.mutex()  
lock(m)  
# Some code that needs to be synchronized...  
unlock(m)
```

| | |
|------|-------------------------------------|
| read | <i>Is it a read (shared) mutex?</i> |
|------|-------------------------------------|

Description

Tells the user if a mutex is a read (shared) mutex. If it is not then it must be a write (exclusive) mutex.

Usage

```
read(m)
```

```
## S4 method for signature 'boost.mutex'  
read(m)
```

Arguments

m the mutex

Value

TRUE if the mutex is read (shared), FALSE otherwise.

| | |
|-------------|--|
| shared.name | <i>The name of a mutex's shared resource</i> |
|-------------|--|

Description

This function returns the shared resource associated with a boost.mutex object.

Usage

```
shared.name(m)
```

Arguments

m a boost.mutex object

Value

A string specifying the shared resource associated with the given boost.mutex object.

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

See Also

[synchronicity](#)

Examples

```
x = boost.mutex()
print(shared.name(x))
```

uuid

Create a universal unique identifier.

Description

This function creates an identifier that will be (with high probability) unique on a single machine or group of machines.

Usage

```
uuid()
```

Details

The functions uses the boost uuid functionality.

Value

A unique string.

Author(s)

Michael J. Kane <bigmemoryauthors@gmail.com>

References

http://www.boost.org/doc/libs/1_42_0/libs/uuid/uuid.html

Examples

```
print(uuid())
print(uuid())
```

Index

*Topic **classes**

boost.mutex-class, 4

*Topic **misc**

boost.mutex, 3

describe, 5

is.timed, timeout, 7

lock, lock.shared, unlock, 8

shared.name, 9

*Topic **programming**

boost.mutex, 3

describe, 5

is.timed, timeout, 7

lock, lock.shared, unlock, 8

shared.name, 9

attach.mutex, 3

attach.mutex,boost.mutex.descriptor-method
(attach.mutex), 3

attach.mutex,character-method
(attach.mutex), 3

boost.mutex, 3, 5

boost.mutex-class, 4

boost.mutex.descriptor-class, 5

describe, 5

describe,boost.mutex-method
(boost.mutex-class), 4

description, 6

description,descriptor-method
(description), 6

descriptor-class, 6

is.timed(is.timed, timeout), 7

is.timed, timeout, 7

is.timed,boost.mutex-method
(boost.mutex-class), 4

lock(lock, lock.shared, unlock), 8

lock, lock.shared, unlock, 8

lock,boost.mutex-method

(boost.mutex-class), 4

lock.shared,boost.mutex-method

(boost.mutex-class), 4

mutex, 4

mutex-class(boost.mutex-class), 4

read, 9

read,boost.mutex-method(read), 9

shared.name, 9

shared.name,boost.mutex-method
(boost.mutex-class), 4

synchronicity, 4, 7, 10

synchronicity(synchronicity-package), 2

synchronicity-package, 2

timeout(is.timed, timeout), 7

timeout,boost.mutex-method
(boost.mutex-class), 4

unlock(lock, lock.shared, unlock), 8

unlock,boost.mutex-method
(boost.mutex-class), 4

uuid, 10