

Package ‘fishmethods’

September 20, 2016

Version 1.10-0

Date 2016-9-8

Title Fishery Science Methods and Models in R

Author Gary A. Nelson <gary.nelson@state.ma.us>

Maintainer Gary A. Nelson <gary.nelson@state.ma.us>

Depends R (>= 2.7.0),MASS, boot, bootstrap, lme4

Description

Fishery science methods and models from published literature and contributions from colleagues.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2016-09-20 02:54:05

R topics documented:

| | |
|------------------------|----|
| agesurv | 3 |
| agesurvcl | 5 |
| alk | 6 |
| alkD | 7 |
| alkdata | 8 |
| alkprop | 9 |
| alkss | 10 |
| astrocalc4r | 11 |
| bheq | 14 |
| bhnoneq | 15 |
| bonito | 17 |
| bt.log | 18 |
| buffalo | 19 |
| catch | 20 |
| catch.select | 20 |
| catchmsy | 22 |
| catchsurvey | 26 |

| | |
|--------------------------|----|
| clus.lf | 27 |
| clus.mean | 31 |
| clus.rho | 32 |
| clus.rho.g | 34 |
| clus.str.lf | 35 |
| clus.t.test | 38 |
| clus.vb.fit | 40 |
| codcluslen | 41 |
| codstrcluslen | 41 |
| combinevar | 42 |
| compare2 | 43 |
| convmort | 44 |
| counts | 45 |
| cowcod | 46 |
| cpuekapp | 46 |
| darter | 47 |
| dbsra | 48 |
| deltadist | 52 |
| deplet | 53 |
| dlproj | 55 |
| epr | 56 |
| fm_checkdesign | 58 |
| fm_model_avg | 60 |
| fm_telemetry | 61 |
| gap | 65 |
| Gerking | 66 |
| goosefish | 67 |
| grotag | 67 |
| growhamp | 69 |
| growth | 72 |
| growthResid | 73 |
| growthTraject | 75 |
| growtrans | 77 |
| haddock | 78 |
| Hightower | 79 |
| Hoenig | 79 |
| irm_cr | 80 |
| irm_h | 83 |
| Jensen | 86 |
| Jiang | 87 |
| kappenman | 88 |
| Kimura | 88 |
| lifetable | 89 |
| lingcod | 90 |
| M.empirical | 90 |
| menhaden | 92 |
| mort.al | 93 |
| mrN.single | 94 |

| | |
|-------------------------|------------|
| nshrimp | 95 |
| opt_slot | 96 |
| opt_trophy | 97 |
| pgen | 98 |
| pinfish | 100 |
| powertrend | 100 |
| pwpop | 102 |
| remp | 103 |
| rockbass | 104 |
| sblen | 105 |
| sbotos | 105 |
| sbpr | 106 |
| schnabel | 107 |
| Shepherd | 108 |
| slca | 109 |
| surveyfit | 111 |
| surveyref | 112 |
| tag_model_avg | 113 |
| tanaka | 115 |
| trout | 115 |
| vbfr | 116 |
| vblrt | 117 |
| wolffish | 119 |
| yellowtail | 120 |
| ypr | 120 |
| zt | 122 |
| Index | 123 |

| | |
|---------|--------------------------------------|
| agesurv | <i>Age-based Survival Estimators</i> |
|---------|--------------------------------------|

Description

Calculates annual survival (S) and instantaneous total mortality rates (Z) from age frequency by using catch curve (ln(numbers) versus age in linear regression), Heincke, Chapman-Robson and GLMER methods.

Usage

```
agesurv(age = NULL, full = NULL, last = NULL,
estimate = c("s", "z"), method = c("cc", "he", "cr", "crcb", "mil", "mb"))
```

Arguments

| | |
|----------|---|
| age | the vector of ages. Each row represents the age of an individual. |
| full | the fully-recruited age |
| last | the maximum age to include in the calculation. If not specified, the oldest age is used. |
| estimate | argument to select estimate type: "s" for annual survival, "z" for instantaneous total mortality. Default is both. |
| method | argument to select the estimation method: "cc" for catch curve, "he" for Heincke, "cr" for Chapman-Robson, "crcb" for Chapman-Robson Z estimate bias-correction (Seber p. 418) and SEZ corrected for over-dispersion (Smith et al., 2012), "mil" for Millar (2015) random-intercept poisson log-linear mixed model estimator, "mb" for Maceina-Bettoli weighted regression. Default is all. |

Details

The individual age data are tabulated and subsetted based on the `full` and `last` arguments. Most calculations follow descriptions in Seber(1982), pages 414-418. If only two ages are present, a warning message is generated and the catch curve method is not calculated. Plus groups are not allowed.

Value

| | |
|---------|--|
| results | list element containing table of parameters and standard errors. |
| data | list element containing the age frequency data used in the analysis. |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Seber, G. A. F. 1982. The Estimation of Animal Abundance and Related Parameters, Second Edition. The Blackburn Press, Caldwell, New Jersey. 654 pages.
- Maceina, M. J. and P. W. Bettoli. 1998. Variation in largemouth bass recruitment in four mainstream impoundments of the Tennessee River. *N. Am. J. Fish. Manage.* 18: 990-1003.
- Millar, R. B. 2015. A better estimator of mortality rate from age-frequency data. *Can. J. Fish. Aquat. Sci.* 72: 364-375.
- Quinn, T. J. and R. B. Deriso. 1999. Quantitative Fish Dynamics. Oxford University Press, New York, New York. 542 pages.
- Smith, M. W. and 5 others. 2012. Recommendations for catch-curve analysis. *N. Am. J. Fish. Manage.* 32: 956-967.

Examples

```
data(rockbass)
agesurv(age=rockbass$age, full=6)
```

`agesurvcl`*Age-Based Survival and Mortality Estimators for Cluster Sampling*

Description

Calculates the survival and mortality estimators of Jensen (1996) where net hauls are treated as samples

Usage

```
agesurvcl(age = NULL, group = NULL, full = NULL, last = NULL)
```

Arguments

| | |
|--------------------|---|
| <code>age</code> | the vector of ages. Each row represents the age of an individual. |
| <code>group</code> | the vector containing variable used to identify the sampling unit (e.g., haul). Identifier can be numeric or character. |
| <code>full</code> | the fully-recruited age. |
| <code>last</code> | the maximum age to include in the calculation. If not specified, the oldest age is used. |

Details

The individual age data are tabulated and subsetted based on `full` and `last`. The calculations follow Jensen(1996). If only two ages are present, a warning message is generated.

Value

Matrix containing estimates of annual mortality (a), annual survival (S), and instantaneous total mortality (Z) and associated standard errors.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Jensen, A. L. 1996. *Ratio estimation of mortality using catch curves*. Fisheries Research 27: 61-67.

See Also

[agesurv](#)

Examples

```
data(Jensen)
agesurvcl(age=Jensen$age, group=Jensen$group, full=0)
```

alk *Create An Age-Length Key*

Description

Creates an age-length key in numbers or proportions-at-age per size.

Usage

```
alk(age=NULL, size=NULL, binsize=NULL, type=1)
```

Arguments

| | |
|---------|---|
| age | a vector of individual age data. |
| size | a vector of individual size data. |
| binsize | size of the length class (e.g., 5-cm, 10, cm, etc.) used to group size data. The formula used to create bins is $\text{trunc}(\text{size}/\text{binsize}) * \text{binsize} + \text{binsize}/2$. If use of the raw length classes is desired, then $\text{binsize}=\emptyset$. |
| type | If $\text{type}=1$, numbers-at-age per size are produced. This format is used in functions <code>alkprop</code> , <code>alkss</code> , and <code>alkD</code> . If $\text{type}=2$, proportions-at-age per size are produced. |

Details

Create age-length keys with either numbers-at-age per size class. Records with missing size values are deleted prior to calculation. Missing ages are allowed.

Value

A table of size, total numbers at size, and numbers (or proportions)-at-age per size class.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Quinn, T. J. and R. B. Deriso. 1999. Quantitative Fish Dynamics. Oxford University Press, New York, New York. 542 pages

See Also

[alkD](#) [alkss](#) [alkprop](#)

Examples

```
## Not run:
data(pinfish)
with(pinfish,alk(age=round(age,0),size=s1,binsize=10))

## End(Not run)
```

alkD

*Sample Size Determination for Age Subsampling Using the D statistic***Description**

Calculates the D statistic (sqrt of accumulated variance among ages; Lai 1987) for a range of age sample sizes using data from an age-length key. Assumes a two-stage random sampling design with proportional or fixed allocation.

Usage

```
alkD(x, lss = NULL, minss = NULL, maxss = NULL, sampint = NULL,
      allocate = 1)
```

Arguments

| | |
|----------|--|
| x | a data frame containing an age-length key (similar to Table 8.3 on page 307 of Quinn and Deriso (1999)). The first column must contain the length intervals as numeric labels (no ranges), the second column must contain the number of samples within each length interval (Ll in Q & D), and the third and remaining columns must contain the number of samples for each age class within each length interval (one column for each age class). Column labels are not necessary but are helpful. Columns l and Al in Table 8.3 should not be included. Empty cells must contain zeros. |
| lss | the sample size for length frequency |
| minss | the minimum age sample size |
| maxss | the maximum age sample size. Value can not be larger than the sample size for the length frequency(lss) |
| sampint | the sample size interval |
| allocate | the type of allocation: 1=proportional, 2=fixed. |

Details

Following Quinn and Deriso (1999:pages 308-309), the function calculates the D statistic (sqrt of accumulated variance among ages; Lai 1987) for a range of age sample sizes defined by minss, maxss, and sampint at a given length sample size lss. The size of an age sample at a desired level of D can be obtained by the comparison. See reference to Table 8.8, p. 314 in Quinn and Deriso.

Value

label list element containing the summary of input criteria
 comp2 list element containing the D statistic for each age sample size given lss

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Quinn, T. J. and R. B. Deriso. 1999. Quantitative Fish Dynamics. Oxford University Press, New York, New York. 542 pages
 Lai, H.L. 1987. Optimum allocation for estimating age composition using age-length keys. U.S. Fish. Bull. 85:179-185

See Also

[alkss](#) [alkprop](#)

Examples

```
data(alkdata)
alkD(alkdata,lss=1000,minss=25,maxss=1000,sampint=20,allocate=1)
```

 alkdata

Age-Length Key for Gulf of Hauraki snapper, 1992-1993

Description

The alkdata data frame has 39 rows and 16 columns. The age-length key for Gulf of Hauraki snapper shown in Table 8.3 of Quinn and Deriso (1999)

Usage

```
alkdata
```

Format

This data frame contains the following columns:

len length interval

nl number measured in length interval

A3 number of fish aged in each age class 3 within each length interval

A4 number of fish aged in each age class 4 within each length interval

A5 number of fish aged in each age class 5 within each length interval

A6 number of fish aged in each age class 6 within each length interval

- A7** number of fish aged in each age class 7 within each length interval
- A8** number of fish aged in each age class 8 within each length interval
- A9** number of fish aged in each age class 9 within each length interval
- A10** number of fish aged in each age class 10 within each length interval
- A11** number of fish aged in each age class 11 within each length interval
- A12** number of fish aged in each age class 12 within each length interval
- A13** number of fish aged in each age class 13 within each length interval
- A14** number of fish aged in each age class 14 within each length interval
- A15** number of fish aged in each age class 15 within each length interval
- A16** number of fish aged in each age class 16 within each length interval

Source

Quinn, T. J. and R. B. Deriso. 1999. *Quantitative Fish Dynamics*. Oxford University Press, New York, NY. 542 p.

alkprop

Age-Length Key Proportions-At-Age

Description

Calculates proportions-at-age and standard errors from an age-length key assuming a two-stage random sampling design.

Usage

alkprop(x)

Arguments

x a data frame containing an age-length key (similar to Table 8.3 on page 307 of Quinn and Deriso (1999)). The first column must contain the length intervals as single numeric labels (no ranges), the second column must contain the number of samples within each length interval (LI in Q & D), and the third and remaining columns must contain the number of samples for each age class within each length interval (one column for each age class). Column labels are not necessary but are helpful. Columns l and A1 in Table 8.3 should not be included. Empty cells must contain zeros.

Details

If individual fish from catches are sampled randomly for lengths and then are further subsampled for age structures, Quinn and Deriso (1999: pages 304-305) showed that the proportions of fish in each age class and corresponding standard errors can be calculated assuming a two-stage random sampling design. See reference to Table 8.4, page 308 in Quinn and Deriso.

Value

results list element containing a table of proportions, standard errors, and coefficients of variation for each age class.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Quinn, T. J. and R. B. Deriso. 1999. Quantitative Fish Dynamics. Oxford University Press, New York, New York. 542 pages

See Also

[alkD](#) [alkss](#)

Examples

```
data(alkdata)
alkprop(alkdata)
```

 alkss

Sample Size Determination for Age Subsampling

Description

Calculates sample sizes for age subsampling assuming a two-stage random sampling design with proportional or fixed allocation.

Usage

```
alkss(x, lss = NULL, cv = NULL, allocate = 1)
```

Arguments

x a data frame containing an age-length key (similar to Table 8.3 on page 307 of Quinn and Deriso (1999)). The first column must contain the length intervals as numeric labels (no ranges), the second column must contain the number of samples within each length interval (Ll in Q & D), and the third and remaining columns must contain the number of samples for each age class within each length interval (one column for each age class). Column labels are not necessary but are helpful. Columns l and Al in Table 8.3 should not be included. Empty cells must contain zeros.

lss the sample size for length frequency

cv the desired coefficient of variation

allocate the type of allocation: 1=proportional, 2=fixed.

Details

If individual fish from catches are sampled randomly for lengths and then are further subsampled for age structures, Quinn and Deriso (1999: pages 306-309) showed that sample sizes for age structures can be determined for proportional (the number of fish aged is selected proportional to the length frequencies) and fixed (a constant number are aged per length class) allocation assuming a two-stage random sampling design. Sample sizes are determined based on the length frequency sample size, a specified coefficient of variation, and proportional or fixed allocation. The number of age classes is calculated internally. See reference to Table 8.6, p. 312 in Quinn and Deriso.

Value

| | |
|-------|--|
| label | list element containing the summary of input criteria |
| n | list element containing the sample size estimates for each age |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Quinn, T. J. and R. B. Deriso. 1999. Quantitative Fish Dynamics. Oxford University Press, New York, New York. 542 pages

See Also

[alkD](#) [alkprop](#)

Examples

```
data(alkdata)
alkss(alkdata,lss=1000,cv=0.25,allocate=1)
```

astrocalc4r

Solar zenith angles for biological research

Description

This function calculates the solar zenith, azimuth and declination angles, time at sunrise, local noon and sunset, day length, and PAR (photosynthetically available radiation, 400-700 nm) under clear skies and average atmospheric conditions (marine or continental) anywhere on the surface of the earth based on date, time, and location.

Usage

```
astrocalc4r(day, month, year, hour, timezone, lat, lon, withinput = FALSE,
seaorland = "maritime", acknowledgment = FALSE)
```

Arguments

| | |
|----------------|---|
| day | day of month in the local time zone (integers). Value is required. Multiple observations should be enclosed with the c() function. |
| month | month of year in the local time zone (integers). Value is required. Multiple observations should be enclosed with the c() function. |
| year | year in the local time zone (integers). Value is required. Multiple observations should be enclosed with the c() function. |
| hour | local time for each observation (decimal hours, e.g. 11:30 PM is 23.5, real numbers). Value is required. Multiple observations should be enclosed with the c() function. |
| timezone | local time zone in +/- hours relative to GMT to link local time and GMT. For example, the difference between Eastern Standard Time and GMT is -5 hours. Value is required. Multiple observations should be enclosed with the c() function. timezone should include any necessary adjustments for daylight savings time. |
| lat | Latitude in decimal degrees (0° to 90° in the northern hemisphere and -90° to 0° degrees in the southern hemisphere, real numbers). For example, 42° 30' N is 42.5° and 42° 30' S is -42.5°. Value is required. Multiple observations should be enclosed with the c() function. |
| lon | Longitude in decimal degrees (-0° to 180° in the western hemisphere and 0° to 180° in the eastern hemisphere, real numbers). For example, 110° 15' W is -110.25° and 110° 15' E is 110.25°. Value is required. Multiple observations should be enclosed with the c() function. |
| withinput | logical: TRUE to return results in a dataframe with the input data; otherwise FALSE returns a dataframe with just results. Default is FALSE. |
| searland | text: "maritime" for typical maritime conditions or "continental" for typical continental conditions. Users must select one option or the other based on proximity to the ocean or other factors. |
| acknowledgment | logical: use TRUE to output acknowledgement. Default is FALSE. |

Details

Astronomical definitions are based on definitions in Meeus (2009) and Seidelmann (2006). The solar zenith angle is measured between a line drawn "straight up" from the center of the earth through the observer and a line drawn from the observer to the center of the solar disk. The zenith angle reaches its lowest daily value at local noon when the sun is highest. It reaches its maximum value at night after the sun drops below the horizon. The zenith angle and all of the solar variables calculated by `astrocalc4r` depend on latitude, longitude, date and time of day. For example, solar zenith angles measured at the same time of day and two different locations would differ due to differences in location. Zenith angles at the same location and two different dates or times of day also differ.

Local noon is the time of day when the sun reaches its maximum elevation and minimum solar zenith angle at the observers location. This angle occurs when the leading edge of the sun first appears above, or the trailing edge disappears below the horizon (0.83° accounts for the radius of the sun when seen from the earth and for refraction by the atmosphere). Day length is the time in

hours between sunrise and sunset. Solar declination and azimuth angles describe the exact position of the sun in the sky relative to an observer based on an equatorial coordinate system (Meeus 2009). Solar declination is the angular displacement of the sun above the equatorial plane. The equation of time accounts for the relative position of the observer within the time zone and is provided because it is complicated to calculate. PAR irradiance in lux (lx, approximately $W m^{-2}$) at the surface of the earth under clear skies calculated based on the solar zenith angle and assumptions about marine or terrestrial atmospheric properties. `astrocalc4r` calculates PAR for wavelengths between 400-700 nm. Calculations for other wavelengths can be carried out by modifying the code to use parameters from Frouin et al. (1989). Following Frouin et al. (1989), PAR is assumed to be zero at solar zenith angles $\geq 90^\circ$ although some sunlight may be visible in the sky when the solar zenith angle is $< 108^\circ$. Angles in `astrocalc4r` output are in degrees although radians are used internally for calculations. Time data and results are in decimal hours (e.g. 11:30 pm = 23.5 h) local time but internal calculations are in Greenwich Mean Time (GMT). The user must specify the local time zone in terms of +/- hours relative to GMT to link local time and GMT. For example, the difference between Eastern Standard Time and GMT is -5 hours. The user must ensure that any adjustments for daylight savings time are included in the timezone value. For example, `timezone=-6` for Eastern daylight time.

Value

Time of solar noon, sunrise and sunset, angles of azimuth and zenith, `eqtime`, declination of sun, daylight length (hours) and PAR.

Author(s)

Larry Jacobson, Alan Seaver, and Jiashen Tang NOAA National Marine Fisheries Service Northeast Fisheries Science Center, 166 Water St., Woods Hole, MA 02543

<Larry.Jacobson@noaa.gov>

References

- Frouin, R., Lingner, D., Gautier, C., Baker, K. and Smith, R. 1989. A simple analytical formula to compute total and photosynthetically available solar irradiance at the ocean surface under clear skies. *J. Geophys. Res.* 94: 9731-9742.
- L. D. Jacobson, L. C. Hendrickson, and J. Tang. 2015. Solar zenith angles for biological research and an expected catch model for diel vertical migration patterns that affect stock size estimates for longfin inshore squid (*Doryteuthis pealeii*). *Canadian Journal of Fisheries and Aquatic Sciences* 72: 1329-1338.
- Meeus, J. 2009. *Astronomical Algorithms*, 2nd Edition. Willmann-Bell, Inc., Richmond, VA.
- Seidelmann, P.K. 2006. *Explanatory Supplement to the Astronomical Almanac*. University Science Books, Sausalito, CA.
- Seidelmann, P.K. 2006. *Explanatory Supplement to the Astronomical Almanac*. University Science Books, Sausalito, CA. This function is an R implementation of:
- Jacobson L, Seaver A, Tang J. 2011. *AstroCalc4R: software to calculate solar zenith angle; time at sunrise, local noon and sunset; and photosynthetically available radiation based on date, time and location*. US Dept Commer, Northeast Fish Sci Cent Ref Doc. 11-14; 10 p. Available from: National Marine Fisheries Service, 166 Water Street, Woods Hole, MA 02543-1026, or online

at <http://www.nefsc.noaa.gov/nefsc/publications/>. Note that the documentation may be easiest to obtain at <http://www.nefsc.noaa.gov/publications/crd/crd1114/index.html>

Examples

```
astrocalc4r(day=12,month=9,year=2000,hour=12,timezone=-5,lat=40.9,lon=-110)
```

| | |
|------|---|
| bheq | <i>Length-based Beverton-Holt Equilibrium Total Instantaneous Mortality Estimator</i> |
|------|---|

Description

Calculate the equilibrium Beverton-Holt estimator of instantaneous total mortality (Z) from length data with bootstrapped standard errors or the same using the Ehrhardt and Ault (1992) bias-correction

Usage

```
bheq(len, type = c(1,2), K = NULL, Linf = NULL, Lc = NULL, La = NULL, nboot = 100)
```

Arguments

| | |
|-------|--|
| len | the vector of length data. Each row represents one record per individual fish. |
| type | numeric indicate which estimation method to use. 1 = Beverton-Holt, 2 = Beverton-Holt with bias correction. Default is both, c(1,2). |
| K | the growth coefficient from a von Bertalanffy growth model. |
| Linf | the L-infinity coefficient from a von Bertalanffy growth model. |
| Lc | the length at first capture. |
| La | the largest length of the largest size class. |
| nboot | the number of bootstrap runs. Default=100. |

Details

The standard Beverton-Holt equilibrium estimator of instantaneous total mortality (Z) from length data (page 365 in Quinn and Deriso (1999)) is calculated. The mean length for lengths $\geq L_c$ is calculated automatically. Missing data are removed prior to calculation. Estimates of standard error are made by bootstrapping length data $\geq L_c$ using package boot.

Value

Dataframe of length 1 containing mean length $\geq L_c$, sample size $\geq L_c$, Z estimate and standard error.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Ehrhardt, N. M. and J. S. Ault. 1992. Analysis of two length-based mortality models applied to bounded catch length frequencies. *Trans. Am. Fish. Soc.* 121:115-122.

Quinn, T. J. and R. B. Deriso. 1999. *Quantitative Fish Dynamics*. Oxford University Press, New York, New York. 542 pages.

See Also

[bhoneq](#)

Examples

```
data(pinfish)
bheq(pinfish$sl, type=1, K=0.33, Linf=219.9, Lc=120, nboot=200)
```

bhoneq

Length-based Beverton-Holt Nonequilibrium Z Estimator

Description

A nonequilibrium Beverton-Holt estimator of instantaneous total mortality (Z) from length data.

Usage

```
bhoneq(year=NULL, mlen=NULL, ss=NULL, K = NULL, Linf = NULL,
Lc = NULL, nbreaks = NULL, styrs = NULL, stZ = NULL,
graph = TRUE)
```

Arguments

| | |
|---------|---|
| year | the vector of year values associated with mean length data. The number of year values must correspond to the number of length records. Include year value even if mean length and numbers (see below) are missing. |
| mlen | the vector of mean lengths for lengths $\geq L_c$. One record for each year. |
| ss | the vector of numbers of observations associated with the mean length. |
| K | the growth coefficient from a von Bertalanffy growth model. |
| Linf | the L-infinity coefficient from a von Bertalanffy growth model. |
| Lc | the length at first capture. |
| nbreaks | the number of times (breaks) mortality is thought to change over the time series. Can be 0 or greater. |
| styrs | the starting guess(es) of the year(s) during which mortality is thought to change. The number of starting guesses must match the number of mortality breaks, should be separated by commas within the concatenation function and should be within the range of years present in the data. |

| | |
|-------|--|
| stZ | the starting guesses of Z values enclosed within the concatenation function. There should be <i>nbreaks+1</i> values provided. |
| graph | logical indicating whether the observed vs predicted and residual plots should be drawn. Default=TRUE. |

Details

The mean lengths for each year for lengths \geq Lc. Following Gedamke and Hoening(2006), the model estimates *nbreaks+1* Z values, the year(s) in which the changes in mortality began, the standard deviation of lengths \geq Lc, and standard errors of all parameters. An AIC value is produced for model comparison. The estimated parameters for the number of *nbreaks* is equal to $2*nbreaks+2$. Problematic parameter estimates may have extremely large t-values or extremely small standard error. Quang C. Huynh of Virginia Institute of Marine Science revised the function to make estimation more stable. Specifically, the derivative method BFGS is used in `optim` which allows more reliable convergence to the global minimum from a given set of starting values, a function is included to estimate Z assuming equilibrium, `sigma` is estimated analytically and convergence results . Use 0 *nbreaks* to get Z equilibrium.

Value

| | |
|-------------|--|
| summary | list element containing table of parameters with estimates, standard errors, and t-values. |
| convergence | list element specifying if convergence was reached. |
| hessian | list element specifying if hessian is positive definite |
| results | list element containing, observed value, predicted values, and residuals from the model fit. |

Note

Todd Gedamke provided the predicted mean length code in C++.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

Quang C. Huynh of Virginia Institute of Marine Science

References

Gedamke, T. and J. M. Hoenig. 2006. Estimating mortality from mean length data in nonequilibrium situations, with application to the assessment of goosefish. *Trans. Am. Fish. Soc.* 135:476-487

See Also

[bheq](#)

Examples

```
data(goosefish)
bhoneq(year=goosefish$year,mlen=goosefish$mlen, ss=goosefish$ss,
K=0.108,Linf=126,Lc=30,nbreaks=1,styrs=c(1982),stZ=c(0.1,0.3))
```

bonito

Data from an age and growth study of the pacific bonito.

Description

Growth increment data derived from tagging experiments on Pacific bonito (*Sarda chiliensis*) used to illustrate Francis's maximum likelihood method estimation of growth and growth variability (1988).

Usage

bonito

Format

A data frame with 138 observations on the following 4 variables.

T1 a numeric vector describing the release date

T2 a numeric vector describing the recovery date

L1 a numeric vector describing the length at release in centimeters

L2 a numeric vector describing the length at recapture in centimeters

Details

Note that Francis (1988) has discarded several records from the original dataset collected by Campbell et al. (1975).

Source

- 1 Francis, R.I.C.C., 1988. Maximum likelihood estimation of growth and growth variability from tagging data. *New Zealand Journal of Marine and Freshwater Research*, 22, p.42–51.
- 2 Campbell, G. & Collins, R., 1975. The age and growth of the Pacific bonito, *Sarda chiliensis*, in the eastern north Pacific. *Calif. Dept. Fish Game*, 61(4), p.181-200.

 bt.log

Back-transformation of log-transformed mean and variance

Description

Converts a log-mean and log-variance to the original scale and calculates confidence intervals

Usage

```
bt.log(meanlog = NULL, sdlog = NULL, n = NULL, alpha = 0.05)
```

Arguments

| | |
|---------|---|
| meanlog | sample mean of natural log-transformed values |
| sdlog | sample standard deviation of natural log-transformed values |
| n | sample size |
| alpha | alpha-level used to estimate confidence intervals |

Details

There are two methods of calculating the bias-corrected mean on the original scale. The `bt.mean` is calculated following equation 14 (the infinite series estimation) in Finney (1941). `approx.bt.mean` is calculated using the commonly known approximation from Finney (1941):

$mean = \exp(meanlog + sdlog^2/2)$. The variance is $var = \exp(2 * meanlog) * (Gn(2 * sdlog^2) - Gn((n-2)/(n-1) * sdlog^2))$ and standard deviation is \sqrt{var} where Gn is the infinite series function (equation 10). The variance and standard deviation of the back-transformed mean are $var.mean = var/n$; $sd.mean = \sqrt{var.mean}$. The median is calculated as $\exp(meanlog)$. Confidence intervals for the back-transformed mean are from the Cox method (Zhou and Gao, 1997) modified by substituting the z distribution with the t distribution as recommended by Olsson (2005):

$LCI = \exp(meanlog + sdlog^2/2 - t(df, 1 - alpha/2) * \sqrt{(sdlog^2/n) + (sdlog^4/(2 * (n-1)))})$ and

$UCI = \exp(meanlog + sdlog^2/2 + t(df, 1 - alpha/2) * \sqrt{(sdlog^2/n) + (sdlog^4/(2 * (n-1)))})$

where $df = n - 1$.

Value

A vector containing `bt.mean`, `approx.bt.mean`, `var`, `sd`, `var.mean`, `sd.mean`, `median`, `LCI` (lower confidence interval), and `UCI` (upper confidence interval).

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Finney, D. J. 1941. On the distribution of a variate whose logarithm is normally distributed. *Journal of the Royal Statistical Society Supplement* 7: 155-161.
- Zhou, X-H., and Gao, S. 1997. Confidence intervals for the log-normal mean. *Statistics in Medicine* 16:783-790.
- Olsson, F. 2005. Confidence intervals for the mean of a log-normal distribution. *Journal of Statistics Education* 13(1). www.amstat.org/publications/jse/v13n1/olsson.html

Examples

```
## The example below shows accuracy of the back-transformation
y<-rlnorm(100,meanlog=0.7,sdlog=0.2)
known<-unlist(list(known.mean=mean(y),var=var(y),sd=sd(y),
  var.mean=var(y)/length(y),sd.mean=sqrt(var(y)/length(y))))
est<-bt.log(meanlog=mean(log(y)),sdlog=sd(log(y)),n=length(y))[c(1,3,4,5,6)]
known;est
```

buffalo

Life Table Data for African Buffalo

Description

The buffalo data frame has 20 rows and 3 columns. Cohort size and deaths for African buffalo from Sinclair (1977) as reported by Krebs (1989) in Table 12.1, page 415.

Usage

```
buffalo
```

Format

This data frame contains the following columns:

age age interval

nx number alive at start of each age interval

dx number dying between age interval X and X+1

Source

Krebs, C. J. 1989. *Ecological Methodologies*. Harper and Row, New York, NY. 654 p.

| | |
|-------|--|
| catch | <i>Number of cod captured in 10 standardized bottom trawl hauls from Massachusetts, 1985</i> |
|-------|--|

Description

The catch data frame has 10 rows and 1 column.

Usage

```
catch
```

Format

This data frame contains the following columns:

value catch data

Source

Massachusetts Division of Marine Fisheries

| | |
|--------------|---|
| catch.select | <i>Selectivity Ogive from a Catch Curve</i> |
|--------------|---|

Description

Estimates selectivity-at-length from catch lengths and von Bertalanffy growth parameters.

Usage

```
catch.select(len = NULL, lenmin = NULL, binsize = NULL,
             peakplus = 1, Linf = NULL, K = NULL, t0 = NULL, subobs = FALSE)
```

Arguments

| | |
|----------|---|
| len | vector of lengths. One row per individual. |
| lenmin | the starting length from which to construct length intervals. |
| binsize | the length interval width. Must be >0. This is used to create the lower length of intervals starting from lenmin to the maximum observed in len. |
| peakplus | numeric. Allows user to specify the number of length intervals following the length interval at the peak $\log(\text{catch}/\text{deltat})$ to use as the start length interval in the catch curve analysis. Default = 1 based on standard catch curve analysis recommendations of Smith et al. (2012). |

| | |
|--------|---|
| Linf | numeric. The L-infinity value from a von Bertalanffy growth equation. This is a required value. |
| K | numeric. The growth coefficient from a von Bertalanffy growth equation. This is a required value. |
| t0 | numeric. The t-subzero value from a von Bertalanffy growth equation. This is a required value. |
| subobs | logical. If the "observed" selectivity for those under-represented length intervals not used in the catch curve analysis is equal to 1, the inverse logit (used in fit of selectivity ogive) can not be calculated. If subobs is set to TRUE, 1 will be substituted with 0.9999 |

Details

This function applies the method of Pauly (1984) for calculating the selectivity-at-length from catch lengths and parameters from a von Bertalanffy growth curve. See Sparre and Venema(1998) for a detailed example of the application.

Length intervals are constructed based on the lenmin and binsize specified, and the maximum length observed in the data vector. Catch-at-length is tabularized using the lower and upper intervals and the data vector of lengths. The inclusion of a length in an interval is determined by $\text{lower interval} \leq \text{length} < \text{upper interval}$. The age corresponding to the interval midpoint (t) is determined using the von Bertalanffy equation applied to the lower and upper bounds of each interval, summing the ages and dividing by 2. deltat is calculated for each interval using the equation: $(1/k) * \log((\text{Linf}-L1)/(\text{Linf}-L2))$ where L1 and L2 are the lower and upper bounds of the length interval. $\log(\text{catch}/\text{deltat})$ is the dependent variable and t is the predictor used in linear regression to estimate Z. Using the parameters from the catch curve analysis, "observed" selectivities (stobs) for the length intervals not included in the catch curve analysis are calculated using the equation: $\text{stobs} = \text{catch}/(\text{deltat} * \exp(a-Z*t))$ where a and Z are the intercept and slope from the linear regression. The stobs values are transformed using an inverse logit ($\log(1/\text{stobs}-1)$) and are regressed against t to obtain parameter estimates for the selectivity ogive. The estimated selectivity ogive (stest) is then calculated as $\text{stest} = 1/(1+\exp(T1-T2*t))$ where T1 and T2 are the intercept and slope from the $\log(1/\text{stobs}-1)$ versus t regression.

Value

list containing a dataframe with the lower and upper length intervals, the mid-point length interval, age corresponding to the interval mid-point, catch of the length interval, $\log(\text{catch}/\text{deltat})$, the predicted $\log(\text{catch}/\text{deltat})$ from the catch curve model fit (only for the peakplus interval and greater), the observed selectivities and the estimated selectivity, and two dataframes containing the parameters and their standard errors from the linear regressions for catch curve analysis and the selectivity ogive.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Pauly, D. 1984. Length-converted catch curves. A powerful tool for fisheries research in the tropics (Part III). ICLARM Fishbyte 2(1): 17-19.

Smith, M. W. and 5 others. 2012. Recommendations for catch-curve analysis. N. Am. J. Fish. Manage. 32: 956-967.

Sparre, P. and S. C. Venema. 1998. Introduction to tropical fish stock assessment. Part 1. Manual. FAO Fisheries Technical Paper, No. 206.1, Rev. 2. Rome. 407 p. Available on the world-wide web.

Examples

```
data(sblen)
catch.select(len=sblen$len_inches, binsize=2, lenmin=10, peakplus=1, Linf=47.5, K=0.15,
t0=-0.3)
```

catchmsy

Estimating MSY from catch and resilience

Description

This function estimates MSY following Martell and Froese(2012).

Usage

```
catchmsy(year = NULL, catch = NULL, catchCV = NULL,
catargs = list(dist = "none", low = 0, up = Inf, unit = "MT"),
l0 = list(low = 0, up = 1, step = 0), lt = list(low = 0, up = 1,
refyr = NULL),
sigv = 0, k = list(dist = "unif", low = 0, up = 1, mean = 0, sd = 0),
r = list(dist = "unif", low = 0, up = 1, mean = 0, sd = 0),
M = list(dist = "unif", low = 0.2, up = 0.2, mean = 0, sd = 0),
nsims = 10000, catchout = 0, grout = 1,
graphs = c(1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11),
grargs = list(lwd = 1, pch = 16, cex = 1, nclasses = 20, mains = " ",
cex.main = 1,
cex.axis = 1, cex.lab = 1),
pstats = list(ol = 1, mlty = 1, mlwd = 1.5, llty = 3, llwd = 1, ulty = 3,
ulwd = 1),
grtif = list(zoom = 4, width = 11, height = 13, pointsize = 10))
```

Arguments

| | |
|---------|--|
| year | vector containing the time series of numeric year labels. |
| catch | vector containing the time series of catch data (in weight). Missing values are not allowed. |
| catchCV | vector containing the time series of coefficients of variation associated with catch if resampling of catch is desired; otherwise, catchCV = NULL. |
| catargs | list arguments associated with resampling of catch. dist is the specification of the resampling distribution to use ("none" = no resampling, "unif"=uniform, "norm" = normal, and "lnorm" =log-normal). If "lnorm" is selected, catch is |

log transformed and standard deviation on the log scale is calculated from the specified CVs using the relationship $sdlog = \sqrt{\log(CV^2 + 1)}$. low and up are the lower and upper limit of distribution (if truncation is desired). unit is the weight unit of catch (used in graph labels; default="MT"). If "unif", the catch must be incorporated in low and up arguments. For instance, if the lower limit to sample is the value of catch, specify low=catch. If some maximum above catch will be the upper limit, specify up=50*catch. The limits for each year will be applied to catch internally.

| | |
|----------|--|
| l0 | list arguments for the relative biomass in year 1. low and up are the lower and upper bounds of the starting value of relative biomass (in relation to k) in year 1. step is the step increment to examine. If step=0, then l0 is randomly selected from a uniform distribution using the lower and upper starting values. If step>0, then step increments are used (in this case, the number of simulations (nsims) are used for each increment). |
| lt | list arguments for the depletion level in the selected reference year (refyr). low and up are the lower and upper bounds of depletion level in refyr. refyr can range from the first year to the year after the last year of catch (t+1). |
| sigv | standard deviation of the log-normal random process error. sigv = 0 for no process error. |
| k | list arguments for the carrying capacity. dist is the statistical distribution name from which to sample k. low and up are the lower and upper bounds of k in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. The following are valid distributions: "none", "unif" - uniform, "norm" - normal, "lnorm" - log-normal, "gamma" - gamma, and "beta" - beta distributions. "unif" requires non-missing values for low and up. "norm", "lnorm", "gamma" and "beta", require non-missing values for low, up, mean and sd. If "lnorm" is used, mean and sd must be on the natural log scale (keep low and up on the original scale). If dist = "none", the mean is used as a fixed value. |
| r | list arguments for the intrinsic growth rate. dist is the statistical distribution name from which to sample r. low and up are the lower and upper bounds of r in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. Valid distributions are the same as in k. If dist = "none", the mean is used as a fixed value. |
| M | list arguments for natural mortality. dist is the statistical distribution name from which to sample M. low and up are the lower and upper bounds of M in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. Valid distributions are the same as in k. M is used to determine exploitation rate (Umsy) at MSY. If dist = "none", the mean is used as a fixed value. |
| nsims | number of Monte Carlos samples. |
| catchout | If resampling catch, save catch trajectories from each Monte Carlos simulation - 0 = No (default), 1 = Yes. |
| grout | numeric argument specifying whether graphs should be printed to console only (1) or to both the console and TIF graph files (2). Use setwd before running function to direct .tif files to a specific directory. Each name of each file is automatically determined. |

| | |
|--------|---|
| graphs | vector specifying which graphs should be produced. 1 = line plot of observed catch versus year, 2 = point plot of plausible k versus r values, 3 = histogram of plausible r values, 4 = histogram of plausible k values, 5 = histogram of M values, 6 = histogram of MSY from plausible values of l0,k,r, and Bmsy/k, 7 = histogram of Bmsy from plausible values of l0,k,r, and Bmsy/k, 8 = histogram of Fmsy from plausible values of l0,k,r, and Bmsy/k, 9 = histogram of Umsy values from Fmsy and M, 10 = histogram of overfishing limit (OFL) in last year+1 values from Umsys, and 11 = line plots of accepted and rejected biomass trajectories with median and 2.5th and 97.5th percentiles (in red). Any combinations of graphs can be selected within c(). Default is all. |
| grargs | list control arguments for plotting functions. lwd is the line width for graph = 1 and 11, pch and cex are the symbol character and character expansion value used in graph = 2, nclasses is the nclass argument for the histogram plots (graphs 3-11), mains and cex.main are the titles and character expansion values for the graphs, cex.axis is the character expansion value(s) for the x and y-axis tick labels and cex.lab is the character expansion value(s) for the x and y-axis labels. Single values of nclasses,mains, cex.main,cex.axis, cex.lab are applied to all graphs. To change arguments for specific graphs, enclose arguments within c() in order of the number specified in graphs. |
| pstats | list control arguments for plotting the mean and 95 and management quantities on respective graphs. ol = 0, do not overlay values on plots, 1 = overlay values on plots. m1ty and m1wd are the line type and line width of the mean value; l1ty and l1wd are the line type and line width of the 2.5 ulwd are the line type and line width of the 97.5 |
| grtif | list arguments for the .TIF graph files. See tiff help file in R. |

Details

The method of Martell and Froese (2012) is used to produce estimates of MSY where only catch and information on resilience is known.

The Schaefer production model is

$$B[t+1] <- B[t] + r * B[t] * (1 - B[t]/k) - \text{catch}[t]$$

where B is biomass in year t, r is the intrinsic rate of increase, k is the carrying capacity and catch is the catch in year t. Biomass in the first year is calculated by $B[1] = k * 10$. For $\text{sigv} > 0$, the production equation is multiplied by $\exp(\text{rnorm}(1, 0, \text{sigv}))$ if process error is desired. The maximum sustainable yield (MSY) is calculated as

$$\text{MSY} = r * k / 4$$

Biomass at MSY is calculated as

$$\text{Bmsy} = k / 2$$

Fishing mortality at MSY is calculated as

$$\text{Fmsy} = r / 2$$

Exploitation rate at MSY is calculated as

$$\text{Umsy} = (\text{Fmsy} / (\text{Fmsy} + M)) * (1 - \exp(-\text{Fmsy} - M))$$

The overfishing limit in last year+1 is calculated as

OFL=B[last year +1]*Umsy

length(year)+1 biomass estimates are made for each run.

If using the R Gui (not Rstudio), run

```
graphics.off() windows(width=10, height=12,record=TRUE) .SavedPlots <- NULL
```

before running the catchmsy function to recall plots.

Value

| | |
|------------|--|
| Initial | dataframe containing the initial values for each explored parameter. |
| Parameters | dataframe containing the mean, median, 2.5th and 97.5 plausible (likelihood=1) parameters. |
| Estimates | dataframe containing the mean, median, 2.5th and 97.5 of the management quantities (i.e., MSY, Bmsy, etc.) for the plausible parameters (likelihood=1) |
| Values | dataframe containing the values of l_0 , k , r , $Bmsy/k$, M and associated management quantities for all (likelihood=0 and likelihood=1) random draws. |
| end1yr | value of the last year of catch data + 1 for use in function dlproj. |
| type | designates the output object as a catchmsy object for use in function dlproj. |

The biomass estimates from each simulation are not stored in memory but are automatically saved to a .csv file named "Biotraj-cmsy.csv". Yearly values for each simulation are stored across columns. The first column holds the likelihood values for each simulation (1= accepted, 0 = rejected). The number of rows equals the number of simulations (nsims). This file is loaded to plot graph 11 and it must be present in the default or setwd() directory.

When catchout=1, catch values randomly selected are saved to a .csv file named "Catchtraj-cmsy.csv". Yearly values for each simulation are stored across columns. The first column holds the likelihood values (1= accepted, 0 = rejected). The number of rows equals the number of simulations (nsims).

Use setwd() before running the function to change the directory where .csv files are stored.

Note

The random distribution function was adapted from Nadarajah, S and S. Kotz. 2006. R programs for computing truncated distributions. Journal of Statistical Software 16, code snippet 2.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Martell, S. and R. Froese. 2012. A simple method for estimating MSY from catch and resilience. Fish and Fisheries 14:504-514.

See Also

[dbsra dlproj](#)

Examples

```
## Not run:
data(lingcod)
outpt<-catchmsy(year=lingcod$year,
  catch=lingcod$catch,catchCV=NULL,
  catargs=list(dist="none",low=0,up=Inf,unit="MT"),
  l0=list(low=0.8,up=0.8,step=0),
  lt=list(low=0.01,up=0.25,refyr=2002),sigv=0,
  k=list(dist="unif",low=4333,up=433300,mean=0,sd=0),
  r=list(dist="unif",low=0.015,up=0.1,mean=0,sd=0),
  M=list(dist="unif",low=0.18,up=0.18,mean=0.00,sd=0.00),
  nsims=30000)

## End(Not run)
```

catchsurvey

Catch-Survey Analysis

Description

This function applies the catch-survey analysis method of Collie and Kruse (1998) for estimating abundance from catch and survey indices of relative abundance

Usage

```
catchsurvey(year = NULL, catch = NULL, recr = NULL, post = NULL, M = NULL,
  T = NULL, phi = NULL, w = 1, initial = c(NA,NA,NA),uprn = NA, graph = TRUE)
```

Arguments

| | |
|---------|---|
| year | vector containing the time series of numeric year labels. |
| catch | vector containing the time series of catch (landings) data. |
| recr | vector containing the time series of survey indices for recruit individuals. |
| post | vector containing the time series of survey indices for post-recruit individuals. |
| M | instantaneous natural mortality rate. Assumed constant throughout time series |
| T | proportion of year between survey and fishery. |
| phi | relative recruit catchability. |
| w | recruit sum of squares weight. |
| initial | initial recruit estimate,initial postrecruit estimate in year 1, and initial catchability estimate. |
| uprn | the upper bound for the recruit and postrecruit estimates. |
| graph | logical indicating whether observed versus predicted recruit and post-recruit indices, total abundance and fishing mortality should be plotted. Default=TRUE. |

Details

Details of the model are given in Collie and Kruse (1998).

Value

List containing the estimate of catchability, predicted recruit index by year (rest), estimate of recruit abundance (R), predicted post-recruit index by year (nest), post-recruit abundance (N), total abundance (TA: R+N), total instantaneous mortality (Z), and fishing mortality (Fmort)

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Collie JS and GH Kruse 1998. Estimating king crab (*Paralithodes camtschaticus*) abundance from commercial catch and research survey data. In: Jamieson GS, Campbell A, eds. Proceedings of the North Pacific Symposium on Invertebrate Stock Assessment and Management. Can Spec Publ Fish Aquat Sci. 125; p 73-83.

See also Collie JS and MP Sissenwine. 1983. Estimating population size from relative abundance data measured with error. Can J Fish Aquat Sci. 40:1871-1879.

Examples

```
## Example takes a bit of time to run
## Not run:
data(nshrimp)
catchsurvey(year=nshrimp$year, catch=nshrimp$C, recr=nshrimp$r, post=nshrimp$n, M=0.25,
            T=0.5, phi=0.9, w=1, initial=c(500, 500, 0.7), uprn=10000)
## End(Not run)
```

clus.lf

Statistical Comparison of Length Frequencies from Simple Random Cluster Sampling

Description

Statistical comparison of length frequencies is performed using the two-sample Kolmogorov & Smirnov test. Randomization procedures are used to derive the null probability distribution.

Usage

```
clus.lf(group = NULL, haul = NULL, len = NULL, number = NULL,
        binsize = NULL, resamples = 100)
```

Arguments

| | |
|-----------|---|
| group | vector containing the identifier used for group membership of length data. This variable is used to determine the number of groups and comparisons. Identifier can be numeric or character. |
| haul | vector containing the variable used to identify the sampling unit (e.g., haul) of length data. Identifier can be numeric or character. |
| len | vector containing the length class data. There should be one record for each length class by group and haul. |
| number | vector containing the numbers of fish in each length class. |
| binsize | size of the length class (e.g., 5-cm, 10, cm, etc.) used to construct the cumulative length frequency from raw length data. The formula used to create bins is $\text{trunc}(\text{len}/\text{binsize}) * \text{binsize} + \text{binsize}/2$. If use of the raw length classes is desired, then $\text{binsize}=0$. |
| resamples | number of randomizations. Default = 100. |

Details

Length frequency distributions of fishes are commonly tested for differences among groups (e.g., regions, sexes, etc.) using a two-sample Kolmogorov-Smirnov test (K-S). Like most statistical tests, the K-S test requires that observations are collected at random and are independent of each other to satisfy assumptions. These basic assumptions are violated when gears (e.g., trawls, haul seines, gillnets, etc.) are used to sample fish because individuals are collected in clusters. In this case, the "haul", not the individual fish, is the primary sampling unit and statistical comparisons must take this into account.

To test for difference between length frequency distributions from simple random cluster sampling, a randomization test that uses "hauls" as the primary sampling unit can be used to generate the null probability distribution. In a randomization test, an observed test statistic is compared to an empirical probability density distribution of a test statistic under the null hypothesis of no difference. The observed test statistic used here is the Kolmogorov-Smirnov statistic (D_s) under a two-tailed test:

$$D_s = \max |S_1(X) - S_2(X)|$$

where $S_1(X)$ and $S_2(X)$ are the observed cumulative length frequency distributions of group 1 and group 2 in the paired comparisons. $S_1(X)$ and $S_2(X)$ are calculated such that $S(X)=K/n$ where K is the number of scores equal to or less than X and n is the total number of length observations (Seigel, 1956).

To generate the empirical probability density function (pdf), haul data are randomly assigned without replacement to the two groups with samples sizes equal to the original number of hauls in each group under comparison. The K-S statistic is calculated from the cumulative length frequency distributions of the two groups of randomized data. The randomization procedure is repeated resamples times to obtain the pdf of D . To estimate the significance of D_s , the proportion of all randomized D values that were greater than or equal to D_s is calculated.

It is assumed all fish caught are measured. If subsampling occurs, the number at length (measured) must be expanded to the total caught.

Data vectors described in arguments should be aggregated so that each record contains the number of fish in each length class by group and haul identifier. For example,

| group | tow | length | number |
|-------|-----|--------|--------|
| North | 1 | 10 | 2 |
| North | 1 | 12 | 5 |
| North | 2 | 11 | 3 |
| North | 1 | 10 | 17 |
| North | 2 | 14 | 21 |
| . | . | . | . |
| . | . | . | . |
| South | 1 | 12 | 34 |
| South | 1 | 14 | 3 |

Value

results list element containing the Ds statistics from the observed data comparisons and significance probabilities.

obs_prop list element containing the observed cumulative proportions for each group.

Drandom list element containing the D statistics from randomization for each comparison.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Manly, B. F. J. 1997. Randomization, Bootstrap and Monte Carlos Methods in Biology. Chapman and Hall, New York, NY, 399 pp.

Seigel, S. 1956. Nonparametric Statistics for Behavioral Sciences. McGraw-Hill, New York, NY. 312 p.

See Also

[clus.str.lf](#)

Examples

```
data(codcluslen)
clus.lf(group=codcluslen$region, haul=c(paste("ST-", codcluslen$tow, sep="")),
  len=codcluslen$length, number=codcluslen$number,
  binsize=5, resamples=100)
```

| | |
|-----------|--|
| clus.mean | <i>Estimation of Population Attributes and Effective Sample Size for Fishes Collected Via Cluster Sampling</i> |
|-----------|--|

Description

Calculates mean attribute, variance, effective sample size, and degrees of freedom for samples collected by simple random cluster sampling.

Usage

```
clus.mean(popchar = NULL, cluster = NULL, clustotal = NULL, rho = NULL,
          nboot = 1000)
```

Arguments

| | |
|-----------|--|
| popchar | vector of population characteristic measurements (e.g., length, weight, etc.). One row represents the measurement for an individual. |
| cluster | vector of numeric or character codes identifying individual clusters (or hauls). |
| clustotal | vector of total number of fish caught per cluster. |
| rho | intracluster correlation coefficient for data. If NULL, degrees of freedom are not calculated. |
| nboot | number of bootstrap samples for calculation of bootstrap variance. Default = 1000 |

Details

In fisheries, gears (e.g., trawls, haul seines, gillnets, etc.) are used to collect fishes. Often, estimates of mean population attributes (e.g., mean length) are desired. The samples of individual fish are not random samples, but cluster samples because the "haul" is the primary sampling unit. Correct estimation of mean attributes requires the use of cluster sampling formulae. Estimation of the general mean attribute and usual variance approximation follows Pennington et al. (2002). Variance of the mean is also estimated using the jackknife and bootstrap methods (Pennington and Volstad, 1994; Pennington et al., 2002). In addition, the effective sample size (the number of fish that would need to be sampled randomly to obtain the same precision as the mean estimate from cluster sampling) is also calculated for the three variance estimates. The total number of fish caught in a cluster (clustotal) allows correct computation for one- and two-stage sampling of individuals from each cluster (haul). In addition, if rho is specified, degrees of freedom are calculated by using Hedges (2007) for unequal cluster sizes (p. 166-167).

Value

Matrix table of total number of clusters (n), total number of samples (M), total number of samples measured (m), the mean attribute (R), usual variance approximation (varU), jackknife variance (varJ), bootstrap variance (varB), variance of population attribute (s2x), usual variance effective sample size (meffU), jackknife variance effective sample size, (meffJ), bootstrap variance effective sample size (meffB) and degrees of freedom (df) if applicable.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Hedges, L.V. 2007. Correcting a significance test for clustering. *Journal of Educational and Behavioral Statistics*. 32: 151-179.

Pennington, M. and J. J. Volstad. 1994. Assessing the effect of intra-haul correlation and variable density on estimates of population characteristics from marine surveys. *Biometrics* 50: 725-732.

Pennington, M., L. Burmeister, and V. Hjellvik. 2002. Assessing the precision of frequency distributions estimated from trawl-survey samples. *Fish. Bull.* 100:74-80.

Examples

```
data(codcluslen)
temp<-codcluslen[codcluslen$region=="NorthCape" & codcluslen$number>0,]
temp$station<-c(paste(temp$region,"-",temp$tow,sep=""))
total<-aggregate(temp$number,list(temp$station),sum)
names(total)<-c("station","total")
temp<-merge(temp,total,by.x="station",by.y="station")
newdata<-data.frame(NULL)
for(i in 1:as.numeric(length(temp[,1]))) {
  for(j in 1:temp$number[i]) {
    newdata<-rbind(newdata,temp[i,])
  }
}
clus.mean(popchar=newdata$length,cluster=newdata$station,
          clustotal=newdata$total)
```

clus.rho

Intracluster Correlation Coefficients for Clustered Data

Description

Calculates the intracluster correlation coefficients according to Lohr (1999) and Donner (1986) for a single group

Usage

```
clus.rho(popchar=NULL, cluster = NULL, type = c(1,2,3), est = 0, nboot = 500)
```

Arguments

| | |
|---------|---|
| popchar | vector containing containing the population characteristic (e.g., length, weight, etc.). One line per individual. |
| cluster | vector containing the variable used to identify the cluster. Identifier can be numeric or character. |

| | |
|--------------------|--|
| <code>type</code> | method of intraclass correlation calculation. 1 = Equation 5.8 of Lohr (1999), 2 = Equation 5.10 in Lohr (1999) and 3 = ANOVA. Default = c(1,2,3). |
| <code>est</code> | estimate variance and percentiles of intraclass correlation coefficients via bootstrapping. 0 = No estimation (Default), 1 = Estimate. |
| <code>nboot</code> | number of bootstrap replicates for estimation of variance. <code>nboot</code> = 500 (Default). |

Details

The intraclass correlation coefficient (ρ) provides a measure of similarity within clusters. `type` = 1 is defined to be the Pearson correlation coefficient for $NM(M-1)$ pairs (y_{ij}, y_{ik}) for i between 1 and N and $j < k$ (see Lohr (1999: p. 139). The average cluster size is used as the equal cluster size quantity in Equation 5.8 of Lohr (1999). If the clusters are perfectly homogeneous (total variation is all between-cluster variability), then $ICC=1$.

`type` = 2 is the adjusted r-square, an alternative quantity following Equation 5.10 in Lohr (1999). It is the relative amount of variability in the population explained by the cluster means, adjusted for the number of degrees of freedom. If the clusters are homogeneous, then the cluster means are highly variable relative to variation within clusters, and the r-square will be high.

`type` = 3 is calculated using one-way random effects models (Donner, 1986). The formula is

$$\rho = (BMS - WMS) / (BMS + (m - 1) * WMS)$$

where BMS is the mean square between clusters, WMS is the mean square within clusters and m is the adjusted mean cluster size for clusters with unequal sample size. All clusters with zero elementary units should be deleted before calculation. `type` = 3 can be used with binary data (Ridout et al. 1999)

If `est=1`, the bootstrap mean (value), variance of the mean and 0.025 and 0.975 percentiles are outputted.

Value

ρ values, associated statistics, and bootstrap replicates

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Donner, A. 1986. A review of inference procedures for the intraclass correlation coefficient in the one-way random effects model. *International Statistical Review*. 54: 67-82.

Lohr, S. L. *Sampling: design and analysis*. Duxbury Press, New York, NY. 494 p.

Ridout, M. S., C. G. B. Demetrio, and D. Firth. 1999. Estimating intraclass correlation for binary data. *Biometrics* 55: 137-148.

See Also

[clus.lf](#) [clus.str.lf](#) [clus.mean](#)

Examples

```

data(codcluslen)
tem<-codcluslen[codcluslen[,1]=="NorthCape" & codcluslen[,3]>0,]
outs<-data.frame(tow=NA,len=NA)
cnt<-0
for(i in 1:as.numeric(length(tem$number))){
  for(j in 1:tem$number[i]){
    cnt<-cnt+1
    outs[cnt,1]<-tem$tow[i]
    outs[cnt,2]<-tem$length[i]
  }
}
clus.rho(popchar=outs$len,cluster=outs$tow)

```

clus.rho.g

Calculate A Common Intracluster Correlation Coefficient Among Groups

Description

Calculates a common intracluster correlation coefficients according to Donner (1986: 77-79) for two or more groups with unequal cluster sizes, and tests for homogeneity of residual error among groups and a common coefficient among groups.

Usage

```
clus.rho.g(popchar=NULL, cluster = NULL, group = NULL)
```

Arguments

| | |
|---------|---|
| popchar | vector containing containing the population characteristic (e.g., length, weight, etc.). One line per individual. |
| cluster | vector containing the variable used to identify the cluster. Identifier can be numeric or character. |
| group | vector containing the identifier used for group membership of length data. This variable is used to determine the number of groups. Identifier can be numeric or character. |

Details

The intracluster correlation coefficient (ρ) provides a measure of similarity within clusters. ρ is calculated using a one-way nested random effects model (Donner, 1986: 77-79). The formula is

$$\rho = (BMS - WMS) / (BMS + (m - 1) * WMS)$$

where BMS is the mean square among clusters within groups, WMS is the mean square within clusters and m is the adjusted mean cluster size for clusters with unequal sample sizes. All clusters with zero elementary units should be deleted before calculation. In addition, approximate 95 are generated and a significance test is performed.

Bartlett's test is used to determine if mean square errors are constant among groups. If Bartlett's test is not significant, the test for a common correlation coefficient among groups is valid.

Value

rho value and associate statistics

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Donner, A. 1986. A review of inference procedures for the intraclass correlation coefficient in the one-way random effects model. *International Statistical Review*. 54: 67-82.

See Also

[clus.str.lf](#) [clus.lf](#) [clus.mean](#)

Examples

```
data(codcluslen)
temp<-codcluslen[codcluslen$number>0,]
temp$station<-c(paste(temp$region,"-",temp$tow,sep=""))
total<-aggregate(temp$number,list(temp$station),sum)
names(total)<-c("station","total")
temp<-merge(temp,total,by.x="station",by.y="station")
newdata<-data.frame(NULL)
for(i in 1:as.numeric(length(temp[,1]))){
  for(j in 1:temp$number[i]){
    newdata<-rbind(newdata,temp[i,])
  }
}
newdata<-newdata[,-c(5)]
clus.rho.g(popchar=newdata$length,cluster=newdata$station,group=newdata$region)
```

clus.str.lf

Statistical Comparison of Length Frequencies from Stratified Random Cluster Sampling

Description

Statistical comparison of length frequencies is performed using the two-sample Kolmogorov & Smirnov test. Randomization procedures are used to derive the null probability distribution.

Usage

```
clus.str.lf(group = NULL, strata = NULL, weights = NULL,
            haul = NULL, len = NULL, number = NULL, binsize = NULL,
            resamples = 100)
```

Arguments

| | |
|-----------|---|
| group | vector containing the identifier used for group membership of length data. This variable is used to determine the number of groups and comparisons. Identifier can be numeric or character. |
| strata | vector containing the numeric identifier used for strata membership of length data. There must be a unique identifier for each stratum regardless of group membership. |
| weights | vector containing the strata weights (e.g., area, size, etc.) used to calculate the stratified mean length for a group. |
| haul | vector containing the variable used to identify the sampling unit (e.g., haul) of length data. Identifier can be numeric or character. |
| len | vector containing the length class. Each length class record must have associated group, strata, weights, and haul identifiers. |
| number | vector containing the number of fish in each length class. |
| binsize | size of the length class (e.g., 5-cm, 10, cm, etc.) used to construct the cumulative length frequency from raw length data. The formula used to create bins is $\text{trunc}(\text{len}/\text{binsize}) * \text{binsize} + \text{binsize}/2$. If use of the raw length classes is desired, then $\text{binsize}=0$. |
| resamples | number of randomizations. Default = 100. |

Details

Length frequency distributions of fishes are commonly tested for differences among groups (e.g., regions, sexes, etc.) using a two-sample Kolmogorov-Smirnov test (K-S). Like most statistical tests, the K-S test requires that observations are collected at random and are independent of each other to satisfy assumptions. These basic assumptions are violated when gears (e.g., trawls, haul seines, gillnets, etc.) are used to sample fish because individuals are collected in clusters. In this case, the "haul", not the individual fish, is the primary sampling unit and statistical comparisons must take this into account.

To test for difference between length frequency distributions from stratified random cluster sampling, a randomization test that uses "hauls" as the primary sampling unit can be used to generate the null probability distribution. In a randomization test, an observed test statistic is compared to an empirical probability density distribution of a test statistic under the null hypothesis of no difference. The observed test statistic used here is the Kolmogorov-Smirnov statistic (D_s) under a two-tailed test:

$$D_s = \max|S_1(X) - S_2(X)|$$

where $S_1(X)$ and $S_2(X)$ are the observed cumulative proportions at length for group 1 and group 2 in the paired comparisons.

Proportion of fish of length class j in strata-set (group variable) used to derive D_s is calculated as

$$p_j = \frac{\sum A_k \bar{X}_{jk}}{\sum A_k \bar{X}_k}$$

where A_k is the weight of stratum k , \bar{X}_{jk} is the mean number per haul of length class j in stratum k , and \bar{X}_k is the mean number per haul in stratum k . The numerator and denominator are summed over all k . Before calculation of cumulative proportions, the length class distributions for each group are corrected for missing lengths and are constructed so that the range and intervals of each distribution match.

It is assumed all fish caught are measured. If subsampling occurs, the numbers at length (measured) must be expanded to the total caught.

To generate the empirical probability density function (pdf), length data of hauls from all strata are pooled and then hauls are randomly assigned without replacement to each stratum with haul sizes equal to the original number of stratum hauls. Cumulative proportions are then calculated as described above. The K-S statistic is calculated from the cumulative length frequency distributions of the two groups of randomized data. The randomization procedure is repeated resamples times to obtain the pdf of D . To estimate the significance of D_s , the proportion of all randomized D values that were greater than or equal to D_s is calculated (Manly, 1997).

Data vectors described in arguments should be aggregated so that each record contains the number of fish in each length class by group, strata, weights, and haul identifier. For example,

| group | stratum | weights | tow | length | number |
|-------|---------|---------|-----|--------|--------|
| North | 10 | 88 | 1 | 10 | 2 |
| North | 10 | 88 | 1 | 12 | 5 |
| North | 10 | 88 | 2 | 11 | 3 |
| North | 11 | 103 | 1 | 10 | 17 |
| North | 11 | 103 | 2 | 14 | 21 |
| . | . | . | . | . | . |
| . | . | . | . | . | . |
| South | 31 | 43 | 1 | 12 | 34 |
| South | 31 | 43 | 1 | 14 | 3 |

To correctly calculate the stratified mean number per haul, zero tows must be included in the dataset. To designate records for zero tows, fill the length class and number at length with zeros. The first line in the following table shows the appropriate coding for zero tows:

| group | stratum | weights | tow | length | number |
|-------|---------|---------|-----|--------|--------|
| North | 10 | 88 | 1 | 0 | 0 |
| North | 10 | 88 | 2 | 11 | 3 |
| North | 11 | 103 | 1 | 10 | 17 |
| North | 11 | 103 | 2 | 14 | 21 |
| . | . | . | . | . | . |
| . | . | . | . | . | . |
| South | 31 | 43 | 1 | 12 | 34 |
| South | 31 | 43 | 1 | 14 | 3 |

Value

| | |
|----------|--|
| results | list element containing the Ds statistics from the observed data comparisons and significance probabilities. |
| obs_prop | list element containing the cumulative proportions from each group. |
| Drandom | list element containing the D statistics from randomization for each comparison. |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Manly, B. F. J. 1997. Randomization, Bootstrap and Monte Carlos Methods in Biology. Chapman and Hall, New York, NY, 399 pp.
- Seigel, S. 1956. Nonparametric Statistics for Behavioral Sciences. McGraw-Hill, New York, NY. 312 p.

See Also

[clus.lf](#)

Examples

```
data(codstrcluslen)
clus.str.lf(
  group=codstrcluslen$region, strata=codstrcluslen$stratum,
  weights=codstrcluslen$weights, haul=codstrcluslen$tow,
  len=codstrcluslen$length, number=codstrcluslen$number,
  binsize=5, resamples=100)
```

clus.t.test

Correcting a Two-Sample Test for Clustering

Description

Calculates Hedges (2007) t-statistic adjustment and degrees of freedom for a t-test assuming unequal variances and clustered data with clusters of unequal size.

Usage

```
clus.t.test(popchar = NULL, cluster = NULL, group = NULL,
  rho = NULL, alpha = 0.05, alternative = c("two.sided"))
```

Arguments

| | |
|-------------|--|
| popchar | vector of population characteristic measurements (e.g., length, weight, etc.). One row represents the measurement for an individual. |
| cluster | vector of numeric or character codes identifying individual clusters (or hauls). |
| group | vector of group membership identifiers. |
| rho | common intra-cluster correlation for groups. |
| alpha | alpha level used to calculate t critical value. Default=0.05 |
| alternative | a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less". |

Details

A two-sample t-test with unequal variances (Sokal and Rohlf, 1995) is performed on clustered data. The t-statistic and degrees of freedom are corrected for clustering according to Hedges (2007).

Value

List with null hypothesis of test and matrix table with mean of each group, rho, ntilda (Equation 14 of Hedges 2007), nu (Equation 15), degrees of freedom (Equation 16), uncorrected t-statistic, cu (Equation 18), the t-statistic adjusted for clustering, critical t value for degrees of freedom and alpha, and probability of significance.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Sokal,R.R.and F.J.Rohlf. 1995. Biometry, 3rd Edition. W.H. Freeman and Company, New York, NY. 887 p.
- Hedges,L.V. 2007. Correcting a significance test for clustering. Journal of Educational and Behavioral Statistics. 32: 151-179.

Examples

```
data(codcluslen)
temp<-codcluslen[codcluslen$number>0,]
temp$station<-c(paste(temp$region,"-",temp$tow,sep=""))
total<-aggregate(temp$number,list(temp$station),sum)
names(total)<-c("station","total")
temp<-merge(temp,total,by.x="station",by.y="station")
newdata<-data.frame(NULL)
for(i in 1:as.numeric(length(temp[,1]))){
  for(j in 1:temp$number[i]){
    newdata<-rbind(newdata,temp[i,])
  }
}
newdata<-newdata[,-c(5)]
```

```
clus.t.test(popchar=newdata$length,cluster=newdata$station,
            group=newdata$region,rho=0.72,
            alpha=0.05,alternative="two.sided")
```

| | |
|-------------|--|
| clus.vb.fit | <i>Fit a Von Bertalanffy growth equation to clustered data via bootstrapping</i> |
|-------------|--|

Description

Fits the von Bertalanffy growth equation to clustered length and age by using nonlinear least-squares and by bootstrapping clusters

Usage

```
clus.vb.fit(len=NULL,age=NULL,cluster=NULL,nboot=1000,
            control=list(maxiter=10000,
                        minFactor=1/1024,tol=1e-5))
```

Arguments

| | |
|---------|---|
| len | vector of lengths of individual fish |
| age | vector of ages of individual fish |
| cluster | haul or cluster membership identifier |
| nboot | number of bootstrap samples |
| control | see control under function <i>nls</i> . |

Details

A standard von Bertalanffy growth curve is fitted to length-at-age data of each *nboot* sample of clusters using nonlinear least-squares (function *nls*). The estimated parameters and their associated standard deviations are calculated as the mean and variance of the estimates from all bootstrap fits. The average parameter correlation matrix from all bootstrap fits is provided as well.

Value

List containing a summary of successful model fits and parameter estimates, standard deviation and 95 percent confidence intervals, and the average correlation matrix.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

Examples

```
## Not run:
data(pinfish)
with(pinfish,clus.vb.fit(len=s1,age=age,cluster=field_no,nboot=100))

## End(Not run)
```

| | |
|------------|---|
| codcluslen | <i>Lengths of Atlantic cod caught during Massachusetts Division of Marine Fisheries bottom trawl survey, spring 1985.</i> |
|------------|---|

Description

The codcluslen data frame has 334 rows and 4 columns.

Usage

```
codcluslen
```

Format

This data frame contains the following columns:

region NorthCape = North of Cape Cod; SouthCape =South of Cape Cod

tow Tow number

length Length class (total length, cm)

number Number in length class

Source

Massachusetts Division of Marine Fisheries

| | |
|---------------|---|
| codstrcluslen | <i>Lengths of Atlantic cod caught during Massachusetts Division of Marine Fisheries stratified random bottom trawl survey, spring 1985.</i> |
|---------------|---|

Description

The codstrcluslen data frame has 334 rows and 6 columns.

Usage

```
codstrcluslen
```

Format

This data frame contains the following columns:

region NorthCape = North of Cape Cod; SouthCape = South of Cape Cod

stratum Stratum number

tow Tow number

weights Stratum area (square nautical-miles)

length Length class (total length cm)

number Number in length class

Source

Massachusetts Division of Marine Fisheries, 30 Emerson Avenue, Gloucester, MA 01930

combinevar

Combining Mean and Variances from Multiple Samples

Description

This function takes multiple mean and sample variance estimates and combines them.

Usage

```
combinevar(xbar = NULL, s_squared = NULL, n = NULL)
```

Arguments

| | |
|-----------|----------------------------------|
| xbar | vector of means |
| s_squared | vector of sample variances |
| n | vector of number of observations |

Details

If a Monte Carlo simulation is run over 1000 loops and then again over another 1000 loops, one may wish to update the mean and variance from the first 1000 loops with the second set of simulation results.

Value

Vector containing the combined mean and sample variance.

Author(s)

John M. Hoenig, Virginia Institute of Marine Science <hoenig@vims.edu>

Examples

```
xbar <- c(5,5)
s<-c(2,4)
n <- c(10,10)
combinevar(xbar,s,n)
```

compare2

Comparisons of two age readers or two aging methods

Description

Function compares graphically the readings of two age readers and calculates 2 chi-square statistics for tests of symmetry.

Usage

```
compare2(readings, usecols = c(1,2), twovsone = TRUE, plot.summary = TRUE,
  barplot = TRUE, chi = TRUE, pool.criterion = 1, cont.cor = TRUE,
  correct = "Yates", first.name = "Reader A", second.name = "Reader B")
```

Arguments

| | |
|----------------|---|
| readings | dataframe or matrix containing the readings by Reader 1 and those by Reader 2. |
| usecols | columns of the dataframe or matrix corresponding to the readings of Reader 1 and those of Reader 2. Default=c(1,2). |
| twovsone | logical for whether first type of graph is produced. |
| plot.summary | logical for whether summary table is put on first graph. |
| barplot | logical for whether barplot of frequency of disagreements is drawn. |
| chi | logical for whether 2 chi-square tests are performed. |
| pool.criterion | used to collapse pairs where the expected number of observations is < pooling criterion (default is 1). |
| cont.cor | logical for whether a continuity correction should be used in 1st chisquare test. |
| correct | character for whether "Yates" or "Edwards" continuity correction should be done (if cont.cor=TRUE). |
| first.name | character string describing the first reader or the first aging method. The default is to specify "Reader A". |
| second.name | character string describing the second reader or the second aging method. The default is to specify "Reader B". |

Details

This function can plot the number of readings of age j by reader 2 versus the number of readings of age i by reader 1 (if `twovsone=TRUE`). Optionally, it will add the number of readings above, on, and below the 45 degree line (if `plot.summary=TRUE`). The function can make a histogram of the differences in readings (if `barplot=TRUE`). Finally, the program can calculate 2 chi-square test statistics for tests of the null hypothesis that the two readers are interchangeable vs the alternative that there are systematic differences between readers (if `chi=TRUE`). The tests are tests of symmetry (Evans and Hoenig, 1998). If `cont.cor=T`, then correction for continuity is applied to the McNemar-like chi-square test statistic; the default is to apply the Yates correction but if `correct="Edwards"` is specified then the correction for continuity is 1.0 instead of 0.5.

Value

Separate lists with tables of various statistics associated with the method.

Author(s)

John Hoenig, Virginia Institute of Marine Science, 18 December 2012. <hoenig@vims.edu>

References

Evans, G.T. and J.M. Hoenig. 1998. Viewing and Testing Symmetry in Contingency Tables, with Application to Fish Ages. *Biometrics* 54:620-629.

Examples

```
data(sbotos)
compare2(readings=sbotos, usecols=c(1,2), twovsone=TRUE, plot.summary=TRUE,
barplot=FALSE, chi=TRUE, pool.criterion=1, cont.cor=TRUE, correct="Yates",
first.name="Reader A", second.name="Reader B")
```

convmort

Conversion of Mortality Rates

Description

Convert instantaneous fishing mortality rate (F) to annual exploitation rate (μ) and vice versa for Type I and II fisheries.

Usage

```
convmort(value = NULL, fromto = 1, type = 2, M = NULL)
```

Arguments

| | |
|---------------------|---|
| <code>value</code> | mortality rate |
| <code>fromto</code> | conversion direction: 1=from F to μ ; 2 = from μ to F . Default is 1. |
| <code>type</code> | type of fishery following Ricker (1975): 1=Type I; 2=Type II. Default is 2. |
| <code>M</code> | natural mortality rate (for Type II fishery) |

Details

Equations 1.6 and 1.11 of Ricker (1975) are used.

Value

A vector of the same length as value containing the converted values.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Ricker, W. E. 1975. Computation and interpretation of biological statistics of fish populations. Bull. Fish. Res. Board. Can. 191: 382 p.

Examples

```
convmort(0.3, fromto=1, type=2, M=0.15)
```

| | |
|--------|---|
| counts | <i>Run size data for alewife (Alosa pseudoharengus)</i> |
|--------|---|

Description

The counts data frame has 31 rows and 2 columns. Run size data of alewife (*Alosa pseudoharengus*) in Herring River, MA from 1980-2010

Usage

```
counts
```

Format

This data frame contains the following columns:

year vector of run year

number vector of run counts in number of fish

Source

Massachusetts Division of Marine Fisheries, 30 Emerson Avenue, Gloucester, MA

| | |
|--------|---|
| cowcod | <i>Catch data (metric tons) for cowcod <i>Sebastes levis</i> 1900 to 2008</i> |
|--------|---|

Description

Cowcod catch data from literature sources in Martell and Froese (2012).

Usage

cowcod

Format

A data frame with 109 observations on the following 2 variables.

year a numeric vector describing the year of catch

catch a numeric vector describing the annual catch in metric tons

| | |
|----------|---|
| cpuekapp | <i>Trawl survey based abundance estimation using data sets with unusually large catches</i> |
|----------|---|

Description

Calculates the mean cpue after replacing unusually large catches with expected values using the method of Kappenman (1999)

Usage

```
cpuekapp(x = NULL, nlarge = NULL, absdif = 0.001)
```

Arguments

| | |
|--------|--|
| x | vector of non-zero trawl catch data. |
| nlarge | the number of values considered unusually large. |
| absdif | convergence tolerance |

Details

Use function gap to choose the number of unusually large values.

Value

| | |
|--------------|--|
| kappmean | list element containing new arithmetic mean. |
| expectations | list element containing the original observation(s) and expected order statistic(s). |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Kappenman, R. F. 1999. Trawl survey based abundance estimation using data sets with unusually large catches. ICES Journal of Marine Science. 56: 28-35.

See Also

[gap](#)

Examples

```
## Not run:
## Data from Table 1 in Kappenman (1999)
data(kappenman)
cpuekapp(kappenman$cpue,1)

## End(Not run)
```

darter

Catch Removal Data For Faintail Darter

Description

The darter data frame has 7 rows and 2 columns. Sequence of catch data for the faintail darter from removal experiments by Mahon as reported by White et al.(1982). This dataset is often use to test new depletion estimators because the actual abundance is known (N=1151).

Usage

```
darter
```

Format

This data frame contains the following columns:

catch catch data

effort constant effort data

Source

White, G. C., D. R. Anderson, K. P. Burnham, and D. L. Otis. 1982. *Capture-recapture and Removal Methods for Sampling Closed Populations*. Los Alamos National Laboratory LA-8787-NERP. 235 p.

Description

This function estimates MSY from catch following Dick and MAcCall (2011).

Usage

```
dbsra(year = NULL, catch = NULL, catchCV = NULL,
      catargs = list(dist = "none", low = 0, up = Inf, unit = "MT"),
      agemat = NULL, k = list(low = 0, up = NULL, tol = 0.01, permax = 1000),
      btk = list(dist = "unif", low = 0, up = 1, mean = 0, sd = 0, refyr = NULL),
      fmsym = list(dist = "unif", low = 0, up = 1, mean = 0, sd = 0),
      bmsyk = list(dist = "unif", low = 0, up = 1, mean = 0, sd = 0),
      M = list(dist = "unif", low = 0, up = 1, mean = 0, sd = 0), nsims = 10000,
      catchout = 0, grout = 1,
      graphs = c(1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14),
      grargs = list(lwd = 1, cex = 1, nclasses = 20, mains = " ", cex.main = 1,
      cex.axis = 1,
      cex.lab = 1), pstats = list(ol = 1, mlty = 1, mlwd = 1.5, llty = 3, llwd = 1,
      ulty = 3, ulwd = 1),
      grtif = list(zoom = 4, width = 11, height = 13, pointsize = 10))
```

Arguments

| | |
|---------|---|
| year | vector containing the time series of numeric year labels. |
| catch | vector containing the time series of catch data (in weight). Missing values are not allowed. |
| catchCV | vector containing the time series of coefficients of variation associated with catch if resampling of catch is desired; otherwise, catchCV = NULL. |
| catargs | list arguments associated with resampling of catch. <code>dist</code> is the specification of the resampling distribution to use ("none" = no resampling, "unif"=uniform, "norm" = normal, and "lnorm" =log-normal). If "lnorm" is selected, catch is log transformed and standard deviation on the log scale is calculated from the specified CVs using the relationship $sd_{log} = \sqrt{\log(CV^2 + 1)}$. <code>low</code> and <code>up</code> are the lower and upper limit of distribution (if truncation is desired). <code>unit</code> is the weight unit of catch (used in graph labels; default="MT"). If "unif", the catch must be incorporated in <code>low</code> and <code>up</code> arguments. For instance, if the lower limit to sample is the value of catch, specify <code>low=catch</code> . If some maximum above catch will be the upper limit, specify <code>up=50*catch</code> . The limits for each year will be applied to catch internally. |
| agemat | median age at entry to the reproductive biomass. |
| k | list arguments for estimation of <code>k</code> (carrying capacity). <code>low</code> and <code>up</code> are the lower and upper bounds of the minimization routine and <code>tol</code> is the tolerance level |

for minimization. A simple equation $((btk)-(b[refyr]/k))^2$ is used as the objective function. R function optimize is used to find k. btk is described below. permax is the absolute percent difference between the maximum biomass estimate and k that should not be exceeded in the rule for accepting a run (see details).

| | |
|----------|--|
| btk | list arguments for Bt/K, the relative depletive level in a specific reference year (refyr). dist is the statistical distribution name from which to sample btk. low and up are the lower and upper bounds of btk in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. The following are valid distributions: "none", "unif" - uniform, "norm" - normal, "lnorm" - log-normal, "gamma" - gamma, and "beta" - beta distributions. "unif" requires non-missing values for low and up. "norm", "lnorm", "gamma" and "beta" require non-missing values for low,up, mean and sd. If "lnorm" is used, mean and sd must be on the natural log scale (keep low and up on the original scale). If dist= "none", the mean is used as a fixed constant. refyr is the selected terminal year and can range from the first year to the year after the last year of catch (t+1). |
| fmsym | list arguments for Fmsy/M. dist is the statistical distribution name from which to sample Fmsy/M. low and up are the lower and upper bounds of Fmsy/M in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. Valid distributions are the same as in btk. If dist= "none", the mean is used as a fixed constant. |
| bmsyk | list arguments for Bmsy/k. dist is the statistical distribution name from which to sample Bmsy/k. low and up are the lower and upper bounds of Bmsy/k in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. Valid distributions are the same as in btk. If dist= "none", the mean is used as a fixed constant. |
| M | list arguments for natural mortality. dist is the statistical distribution name from which to sample M. low and up are the lower and upper bounds of M in the selected distribution. mean and sd are the mean and standard deviation for selected distributions. Valid distributions are the same as in btk. If dist= "none", the mean is used as a fixed constant. M is used to determine exploitation rate (Umsy) at MSY. |
| nsims | number of Monte Carlos samples. |
| catchout | if catch is resampled, output the time series from every MC sample to a .csv file. 0 = no (default), 1 = yes. |
| grout | numeric argument specifying whether graphs should be printed to console only (1) or to both the console and TIF graph files (2).Use setwd before running function to direct .tif files to a specific directory. Each name of each file is automatically determined. |
| graphs | vector specifying which graphs should be produced. 1 = line plot of observed catch versus year, 2 = histogram of plausible (accepted) k values, 3 = histogram of plausible Bmsy values, 4 = histogram of plausible MSY values, 5 = histogram of plausible Fmsy values, 6 = histogram of Umsy values, 7 = histogram of plausible Cmsy , 8 = histogram of Bmsy from plausible M, 9 = histogram of plausible Bt/k values, 10 = histogram of plausible Fmsy/M values, 11 = histogram of plausible Bmsy/k values and 12 = histogram of plausible biomasses |

in termyr, 13 = line plots of accepted and rejected biomass trajectories with median and 2.5th and 97.5th percentiles (in red) and 14 = stacked histograms of accepted and rejected values for each input parameter and resulting estimates and if grout=2, .tif files are saved with "AR" suffix. Any combination of graphs can be selected within c(). Default is all.

| | |
|--------|---|
| grargs | list control arguments for plotting functions. lwd is the line width for graph = 1 and 13, nclasses is the nclass argument for the histogram plots (graphs 2-12,14), mains and cex.main are the titles and character expansion values for the graphs, cex.axis is the character expansion value(s) for the x and y-axis tick labels and cex.lab is the character expansion value(s) for the x and y-axis labels. Single values of nclasses,mains, cex.main,cex.axis, cex.lab are applied to all graphs. To change arguments for specific graphs, enclose arguments within c() in order of the number specified in graphs. |
| pstats | list control arguments for plotting the median and 2.5 and management quantities on respective graphs. ol = 0, do not overlay values on plots, 1 = overlay values on plots. mlty and mlwd are the line type and line width of the median value; llty and llwd are the line type and line width of the 2.5 ulwd are the line type and line width of the 97.5 |
| grtif | list arguments for the .TIF graph files. See tiff help file in R. |

Details

The method of Dick and MAcCall (2011) is used to produce estimates of MSY where only catch and information on resilience and current relative depletion is known.

The delay-difference model is used to propagate biomass:

$$B[t+1] <- B[t] + P[Bt-a] - C[t]$$

where $B[t]$ is biomass in year t , $P[Bt-a]$ is latent annual production based on parental biomass a years earlier and $C[t]$ is the catch in year t . Biomass in the first year is assumed equal to k .

If $B_{msy}/k \geq 0.5$, then $P[t]$ is calculated as

$$P[t] <- g * MSY * (B[t-agemat]/k) - g * MSY * (B[t-agemat]/k)^n$$

where MSY is $k * B_{msy}/k * U_{msy}$, n is solved iteratively using the equation, $B_{msy}/k = n^{1/(1-n)}$, and g is $(n^{n/(n-1)})/(n-1)$. F_{msy} is calculated as $F_{msy} = F_{msy}/M * M$ and U_{msy} is calculated as $(F_{msy}/(F_{msy}+M)) * (1 - \exp(-F_{msy}-M))$.

If $B_{msy}/k < 0.5$, B_{join} is calculated based on linear rules: If $B_{msy}/k < 0.3$, $B_{join} = 0.5 * B_{msy}/k * k$ If $B_{msy}/k > 0.3$ and $B_{msy}/k < 0.5$, $B_{join} = (0.75 * B_{msy}/k - 0.075) * k$

If any $B[t-a] < B_{join}$, then the Schaefer model is used to calculate P :

$$P[Bt-agemat < B_{join}] <- B[t-agemat] * (P(B_{join})/B_{join} + c(B[t-agemat]-B_{join}))$$

where $c = (1-n) * g * MSY * B_{join}^{(n-2)} * K^{(-n)}$

Biomass at MSY is calculated as: $B_{msy} = (B_{msy}/k) * k$

The overfishing limit (OFL) is $U_{msy} * B[termyr]$.

length(year)+1 biomass estimates are made for each run.

The rule for accepting a run is: $\text{if}(\text{min}(B) > 0 \ \&\& \ \text{max}(B) \leq k \ \&\& \$

$(\text{objective function minimum} \leq \text{tol}^2) \ \&\& \ \text{abs}(((\text{max}(B)-k)/k) * 100) \leq \text{permax}$

If using the R Gui (not Rstudio), run
`graphics.off() windows(width=10, height=12,record=TRUE) .SavedPlots <- NULL`
 before running the `dbsra` function to recall plots.

Value

| | |
|------------|--|
| Initial | dataframe containing the descriptive statistics for each explored parameter. |
| Parameters | dataframe containing the mean, median, 2.5th and 97.5 of the plausible (accepted: likelihood(l)=1) parameters. |
| Estimates | dataframe containing the mean, median, 2.5th and 97.5 of the management quantities (i.e., MSY, Bmsy, etc.) from the plausible parameters (likelihood=1) |
| Values | dataframe containing the values of likelihood, k, Bt/k, Bmsy/k, M and associated management quantities for all (likelihood=0 and likelihood=1) random draws. |
| agemat | agemat for use in function <code>dlproj</code> . |
| end1yr | value of the last year of catch data + 1 for use in function <code>dlproj</code> . |
| type | designates the output object as a <code>catchmsy</code> object for use in function <code>dlproj</code> . |

The biomass estimates from each simulation are not stored in memory but are automatically saved to a .csv file named "Biotraj-dbsra.csv". Yearly values for each simulation are stored across columns. The first column holds the likelihood values for each simulation (1= accepted, 0 = rejected). The number of rows equals the number of simulations (`nsims`). This file is loaded to plot graph 13 and it must be present in the default or `setwd()` directory.

When `catchout=1`, catch values randomly selected are saved to a .csv file named "Catchtraj-dbsra.csv". Yearly values for each simulation are stored across columns. The first column holds the likelihood values (1= accepted, 0 = rejected). The number of rows equals the number of simulations (`nsims`).

Use `setwd()` before running the function to change the directory where .csv files are stored.

Note

The random distribution function was adapted from Nadarajah, S and S. Kotz. 2006. R programs for computing truncated distributions. Journal of Statistical Software 16, code snippet 2.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Dick, E. J. and A. D. MacCall. 2011. Depletion-based stock reduction analysis: a catch-based method for determining sustainable yield for data-poor fish stocks. Fisheries Research 110: 331-341.

See Also

[catchmsy dlproj](#)

Examples

```
## Not run:
data(cowcod)
dbsra(year =cowcod$year, catch = cowcod$catch, catchCV = NULL,
      catargs = list(dist="none",low=0,up=Inf,unit="MT"),
      agemat=11, k = list(low=100,up=15000,tol=0.01,permax=1000),
      btk = list(dist="beta",low=0.01,up=0.99,mean=0.1,sd=0.1,refyr=2009),
      fmsym = list(dist="lnorm",low=0.1,up=2,mean=-0.223,sd=0.2),
      bmsyk = list(dist="beta",low=0.05,up=0.95,mean=0.4,sd=0.05),
      M = list(dist="lnorm",low=0.001,up=1,mean=-2.90,sd=0.4),
      nsims = 10000)

## End(Not run)
```

deltadist

Delta Distribution Mean and Variance Estimators

Description

Calculates the mean and variance of a catch series based on the delta distribution described in Pennington (1983).

Usage

```
deltadist(x = NULL)
```

Arguments

x vector of catch values, one record for each haul. Include zero and nonzero catches. Missing values are deleted prior to estimation.

Details

Data from marine resources surveys usually contain a large proportion of hauls with no catches. Use of the delta-distribution can lead to more efficient estimators of the mean and variance because zeros are treated separately. The methods used here to calculate the delta distribution mean and variance are given in Pennington (1983).

Value

vector containing the delta mean and associated variance.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Pennington, M. 1983. Efficient estimators of abundance for fish and plankton surveys. *Biometrics* 39: 281-286.

Examples

```
data(catch)
deltadist(catch$value)
```

 deplet

Catch-Effort Depletion Methods For a Closed Population

Description

Variable and constant effort models for the estimation of abundance from catch-effort depletion data assuming a closed population.

Usage

```
deplet(catch = NULL, effort = NULL, method = c("l", "d", "ml",
  "hosc", "hesc", "hemqle", "wh"), kwh=NULL, nboot = 500)
```

Arguments

| | |
|--------|--|
| catch | the vector containing catches for each removal period (in sequential order). |
| effort | the vector containing effort associated with catch for each removal period. Rows must match those of catch. |
| method | the depletion method. <i>Variable Effort Models</i> : l= Leslie estimator, d= effort corrected Delury estimator, ml= maximum likelihood estimator of Gould and Pollock (1997), hosc= sampling coverage estimator for homogeneous model of Chao and Chang (1999), hesc= sampling coverage estimator for heterogeneous model of Chao and Chang (1999), and hemqle= maximum quasi likelihood estimator for heterogeneous model of Chao and Chang (1999). <i>Constant Effort Model</i> : wh= the generalized removal method of Otis et al. (1978). |
| kwh | the number of capture parameters (p) to fit in method wh. NULL for all possible capture parameters. |
| nboot | the number of bootstrap resamples for estimation of standard errors in the ml, hosc,hesc, and hemqle methods |

Details

The variable effort models include the Leslie-Davis (l) estimator (Leslie and Davis, 1939), the effort-corrected Delury (d) estimator (Delury,1947; Braaten, 1969), the maximum likelihood (ml) method of Gould and Pollock (1997), sample coverage estimator for the homogeneous model (hosc) of Chao and Chang (1999), sample coverage estimator for the heterogeneous model (hesc) of Chao and Chang (1999), and the maximum quasi-likelihood estimator for the heterogeneous model

(hemqle) of Chao and Chang (1999). The variable effort models can be applied to constant effort data by simply filling the effort vector with 1s. Three removals are required to use the Leslie, Delury, and Gould and Pollock methods.

The constant effort model is the generalized removal method of Otis et al. 1978 reviewed in White et al. (1982: 109-114). If only two removals, the two-pass estimator of N in White et al. (1982:105) and the variance estimator of Otis et al. (1978: 108) are used.

Note: Calculation of the standard error using the ml method may take considerable time.

For the Delury method, zero catch values are not allowed because the log-transform is used.

For the generalized removal models, if standard errors appear as NAs but parameter estimates are provided, the inversion of the Hessian failed. If parameter estimates and standard errors appear as NAs, then model fitting failed.

For the Chao and Chang models, if the last catch value is zero, it is deleted from the data. Zero values between positive values are permitted.

Value

Separate output lists with the method name and extension .out are created for each method and contain tables of various statistics associated with the method.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Braaten, D. O. 1969. Robustness of the Delury population estimator. J. Fish. Res. Board Can. 26: 339-355.
- Chao, A. and S. Chang. 1999. An estimating function approach to the inference of catch-effort models. Environ. Ecol. Stat. 6: 313-334.
- Delury, D. B. 1947. On the estimation of biological populations. Biometrics 3: 145-167.
- Gould, W. R. and K. H. Pollock. 1997. Catch-effort maximum likelihood estimation of important population parameters. Can. J. Fish. Aquat. Sci 54: 890-897.
- Leslie, P. H. and D. H.S. Davis. 1939. An attempt to determine the absolute number of rats on a given area. J. Anim. Ecol. 9: 94-113.
- Otis, D. L., K. P. Burnham, G. C. White, and D. R. Anderson. 1978. Statistical inference from capture data on closed animal populations. Wildl. Monogr. 62: 1-135.
- White, G. C., D. R. Anderson, K. P. Burnham, and D. L. Otis. 1982. Capture-recapture and Removal Methods for Sampling Closed Populations. Los Alamos National Laboratory LA-8787-NERP. 235 p.

Examples

```
data(darter)
deplet(catch=darter$catch,effort=darter$effort,method="hosc")
hosc.out
```

dlproj

*This function performs projections for dbsra and catchmsy objects***Description**

Make biomass projections by using inputted catch and results of dbsra or catchmsy functions

Usage

```
dlproj(dlobj = NULL, projyears = NULL, projtype = 1, projcatch = NULL,
grout = 1, grargs = list(lwd = 1, unit = "MT", mains = " ", cex.main = 1,
cex.axis = 1, cex.lab = 1), grtif = list(zoom = 4, width = 11, height = 13,
pointsize = 10))
```

Arguments

| | |
|-----------|---|
| dlobj | function dbsra or catchmsy output object |
| projyears | the number of years for projection. The first year will be the last year of catch data plus one in the original dbsra or catchmsy run. |
| projtype | the type of catch input. 0 = use median MSY from dbsra or catchmsy object, 1 = use mean MSY from dbsra or catchmsy object, 2 = user-inputted catch |
| projcatch | if projtype = 2, a single catch value used over all projection years or a vector of catch values (length is equal to projyears). |
| grout | numeric argument specifying whether projection graph should be shown on the console only (grout==1) or shown on the console and exported to a TIF graph file (grout==2). No graph (grout== 0). If plotted, the median (solid line), mean (dashed line), and 2.5th and 97.5 percentiles(dotted lines) are displayed. Use setwd before running function to direct .tif file to a specific directory. The name of .tif file is automatically determined. |
| grargs | list control arguments for plotting functions. lwd is the line width, unit is the biomass unit for the y-axis label,mains and cex.main are the title and character expansion value for the graph, cex.axis is the character expansion value for the x and y-axis tick labels and cex.lab is the character expansion value(s) for the x and y-axis labels. |
| grtif | list control arguments for the .TIF graph file. See tiff help file in R. |

Details

The biomass estimate of the last year+1 is used as the starting biomass (year 1 in projections) and leading parameters from each plausible (accepted) run are used to project biomass ahead projyears years using either the MSY estimate (median or mean) from all plausible runs or inputted catch values. The biomass estimates are loaded from either the "Biotraj-dbsra.csv" or "Biotroj-cmsy.csv" files that were automatically saved in functions "dbsra" and "catchmsy".

Use setwd() before running the function to change the directory where .csv files are stored.

Value

type object projection type
 ProjBio dataframe of biomass projections for each plausible run

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Martell, S. and R. Froese. 2012. A simple method for estimating MSY from catch and resilience. *Fish and Fisheries* 14:504-514.

Dick, E. J. and A. D. MacCall. 2011. Depletion-based stock reduction analysis: a catch-based method for determining sustainable yield for data-poor fish stocks. *Fisheries Research* 110: 331-341.

See Also

[catchmsy dbsra](#)

Examples

```
## Not run:
data(lingcod)
outs<-catchmsy(year=lingcod$year,
  catch=lingcod$catch,catchCV=NULL,
  catargs=list(dist="none",low=0,up=Inf,unit="MT"),
  l0=list(low=0.8,up=0.8,step=0),
  lt=list(low=0.01,up=0.25,refyr=2002),sigv=0,
  k=list(dist="unif",low=4333,up=433300,mean=0,sd=0),
  r=list(dist="unif",low=0.015,up=0.5,mean=0,sd=0),
  bk=list(dist="unif",low=0.5,up=0.5,mean=0,sd=0),
  M=list(dist="unif",low=0.24,up=0.24,mean=0.00,sd=0.00),
  nsims=30000)
outbio<-dlproj(dlobj = outs, projyears = 20, projtype = 0, grout = 1)

## End(Not run)
```

epr

Eggs-Per-Recruit Analysis

Description

Eggs-per-recruit(EPR) analysis is conducted following Gabriel et al. (1989) except fecundity-at-age is substituted for weight-at-age. Reference points of F and EPR for percentage of maximum spawning potential are calculated.

Usage

```
epr(age = NULL, fecund = NULL, partial = NULL, pmat = pmat,
    M = NULL, pF = NULL, pM = NULL, MSP = 40, plus = FALSE,
    oldest = NULL, maxF = 2, incrF = 1e-04)
```

Arguments

| | |
|---------|---|
| age | vector of cohort ages. If the last age is a plus group, do not add a "+" to the age. |
| fecund | vector of fecundity (number of eggs per individual) for each age. Length of vector must correspond to the length of the age vector. |
| partial | partial recruitment vector applied to fishing mortality (F) to obtain partial F-at-age. Length of this vector must match length of the age vector. |
| pmat | proportion of mature fish at each age. Length of this vector must match the length of the age vector. |
| M | vector containing a single natural mortality (M) rate if M is assumed constant over all ages, or a vector of Ms, one for each age. If the latter, the vector length match the length of the age vector. |
| pF | the proportion of fishing mortality that occurs before spawning. |
| pM | the proportion of natural mortality that occurs before spawning. |
| MSP | the percentage of maximum spawning potential (percent MSP reference point) for which F and SBPR should be calculated. |
| plus | a logical value indicating whether the last age is a plus-group. Default is FALSE. |
| oldest | if plus=TRUE, a numeric value indicating the oldest age in the plus group. |
| maxF | the maximum value of F range over which SBPR will be calculated. SBPR is calculated for F = 0 to maxF. |
| incrF | F increment for SBPR calculation. |

Details

Eggs-per-recruit analysis is conducted following Gabriel et al. (1989). The F and EPR for the percentage maximum spawning potential reference point are calculated. If the last age is a plus-group, the cohort is expanded to the oldest age and the fecund, partial, pmat, and M values for the plus age are applied to the expanded cohort ages.

Value

| | |
|------------------|--|
| Reference_Points | F and EPR values for the percentage MSP |
| EPR_vs_F | Eggs-per-recruit values for each F increment |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Gabriel, W. L., M. P. Sissenwine, and W. J. Overholtz. 1989. Analysis of spawning stock biomass per recruit: an example for Georges Bank haddock. *North American Journal of Fisheries Management* 9: 383-391.

See Also

[ypr sbpr](#)

Examples

```
data(menhaden)
epr(age=menhaden$age, fecund=menhaden$fecundity, partial=menhaden$partial,
pmat=menhaden$pmat, M=menhaden$M, pF=0, pM=0, MSP=40, plus=TRUE, maxF=4, incrF=0.01, oldest=10)
```

fm_checkdesign

Check parameter structure of Hightower et al. (2001) models

Description

Check design of parameter structure before use in function `fm_telemetry`.

Usage

```
fm_checkdesign(occasions = NULL, design = NULL, type = "F" )
```

Arguments

| | |
|-----------|---|
| occasions | total number of occasions that will be modeled in data |
| design | vector of characters specifying the occasion parameter structure (see details). |
| type | character type of parameter to which design will be applied: F = fishing mortality, M = natural mortality, and P = probability of detection. Default = F. |

Details

The program allows the configuration of different parameter structure for the estimation of fishing and natural mortalities, and detection probabilities. These structures are specified in `design`. Consider the following examples:

Example 1

Tags are relocated over seven occasions. One model structure might be constant fishing mortality estimates over occasions 1-3 and 4-6. To specify this model structure: `design` is `c("1", "4")`.

Note: The structures of `design` must always contain the first occasion for fishing mortality and natural mortality, whereas the structure for the probability of detection must not contain the first occasion.

Example 2

Tags are relocated over six occasions. One model structure might be separate fishing mortality estimates for occasion 1-3 and the same parameter estimates for occasions 4-6. The design is `c("1:3*4:6")`.

Note: The structures of `Fdesign` and `Mdesign` must always start with the first occasion, whereas the structure for `Pdesign` must always start with the second occasion.

Use the multiplication sign to specify occasions whose estimates of F, M or P will be taken from values of other occasions.

Example 3

Specification of model 3 listed in Table 1 of Hightower et al. (2001) is shown. Each occasion represented a quarter of the year. The quarter design for F specifies that quarterly estimates are the same in both years. design is `c("1*14", "4*17", "7*20", "11*24")`.

Example 4

In Hightower et al. (2001), the quarter and year design specifies that estimates are made for each quarter but are different for each year. design is

`c("1", "4", "7", "11", "14", "17", "20", "24")`.

If the number of occasions to be assigned parameters from other occasions are less than the number of original parameters (e.g., `c("11:13*24:25")`), then only the beginning sequence of original parameters equal to the number of occasions are used. For instance, in `c("11:13*24:25")`, only parameters 11 and 12 would be assigned to occasions 24 and 25.

If the number of occasions to be assigned parameters from other occasions are greater than the number of original parameters (e.g., `c("11:12*24:26")`), then the last original parameter is re-cycled. In the example `c("11:12*24:26")`, the parameter for occasion 12 is assigned to occasions 25 and 26.

Value

dataframe containing the parameter order by occasion.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

See Also

[fm_telemetry](#)

Examples

```
fm_checkdesign(occasions=27, design=c("1*14", "4*17", "7*20", "11*24"), type="F")
```

 fm_model_avg

Model Averaging for the Telemetry Method of Hightower et al. (2001)

Description

Calculates model averaged estimates of instantaneous fishing, natural and probability of detection for telemetry models of Hightower et al. (2001).

Usage

```
fm_model_avg(..., global = NULL, chat = 1)
```

Arguments

| | |
|--------|---|
| ... | model object names separated by commas |
| global | specify global model name in quotes. If the global model is the first model included in the list of candidate models, this argument can be ignored. |
| chat | chat for the global model. |

Details

Model estimates are generated from function `fm_telemetry`. Averaging of model estimates follows the procedures in Burnham and Anderson (2002). Variances of parameters are adjusted for overdispersion using the \hat{c} estimate from the global model: $\sqrt{\text{var} * \hat{c}}$. If \hat{c} of the global model is <1 , then \hat{c} is set to 1. The \hat{c} is used to calculate the quasi-likelihood AIC and AICc metrics for each model (see page 69 in Burnham and Anderson(2002)). QAICc differences among models are calculated by subtracting the QAICc of each model from the model with the smallest QAICc value. These differences are used to calculate the Akaike weights for each model following the formula on page 75 of Burnham and Anderson (2002). The Akaike weights are used to calculate the weighted average and standard error of parameter estimates by summing the product of the model-specific Akaike weight and parameter estimate across all models. An unconditional standard error is also calculated by $\sqrt{\sum(\text{QAICc wgt of model } i * (\text{var of est of model } i + (\text{est of model } i - \text{avg of all est})^2))}$.

Value

List containing model summary statistics, model-averaged estimates of fishing, natural and probability of detections and their weighted and unconditional standard errors .

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Burnham, K. P. and D. R. Anderson. 2002. Model selection and multimodel inference : A Practical Information-Theoretic Approach, 2nd edition. Springer-Verlag, New York, NY. 488 p.

See Also[fm_telemetry](#)**Examples**

```
## This is a typical specification, not a working example
## Not run:
fm_model_avg(model1,model2,model3,model4,model5,model6,model7,global="model7")
## End(Not run)
```

fm_telemetry

*Estimation of Fishing and Natural Mortality from Telemetry Data***Description**

The method of Hightower et al. (2001) is implemented to estimate fishing mortality, natural mortality and probability of detection from telemetry data.

Usage

```
fm_telemetry(filetype = c(1), caphistory = NULL, Fdesign = NULL, Mdesign = NULL,
Pdesign = NULL, whichlivecells = NULL,
whichdeadcells = NULL, constant = 1e-14, initial = NULL,
invtol = 1e-44, control = list(reltol=1e-8,maxit=1000000))
```

Arguments

| | |
|----------------|--|
| filetype | type of file to read. 1 = R character vector with individual capture histories (1 history per row), or 2 = an external text file with individual capture histories. If filetype=2, then the capture histories in the file should not be enclosed in quotes and there should not be a column name. |
| caphistory | File or R object with capture histories. If filetype=2, location and filename of text file enclosed in quotes (e.g., "C:/temp/data.txt"). |
| Fdesign | vector of characters specifying the occasion parameter structure for fishing mortality (F). See details. |
| Mdesign | vector of characters specifying the occasion parameter structure for natural mortality (M). See details. |
| Pdesign | vector of characters specifying the occasion parameter structure for the probability of detection (P). See details. |
| whichlivecells | list containing the structure of occasion live cells to use in each release during the estimation process. Multiple ranges may be specified. For each range, specify the first release, last release, and number of observed occasions (cells) enclosed within c(). For example, to use the first 4 cells of releases 1-5, specify c(1,5,4). whichlivecells is a list object of all ranges (e.g., whichlivecells=list(c(1,5,4),c(6,26,6))). Specify whichlivecells=NULL to use all cells. The Hightower et al. (2001) specification is whichlivecells=list(c(1,5,4),c(6,6,5),c(7,26,4)). |

| | |
|----------------|---|
| whichdeadcells | list containing the structure of occasion dead cells to used in each release during the estimation process. Same as whichlivecells. The Hightower et al. (2001) specification is <code>whichdeadcells=list(c(1,5,4),c(6,6,6), c(7,26,4))</code> |
| constant | A small number to use in the multinomial log-likelihood ($\text{Obs} * \log(\max(\text{constant}, \text{Expected Prob}))$) to avoid errors if any probability is 0. If the number is too large, it may affect the minimization of the likelihood. Default is $1e-14$. |
| initial | vector of starting values for fishing and natural mortality, and the probability of detection. First position is the starting value for all Fs, the second position is the starting value for all Ms, and the third position is the starting value for all Ps (e.g., <code>c(0.1,0.2,0.8)</code>). |
| invtol | the tolerance for detecting linear dependencies in the columns of a in <code>solve</code> (the function used to invert the hessian matrix). Adjust this value if errors about tolerance limits arise. |
| control | A list of control parameters for <code>optim</code> . See function <code>optim</code> for details. |

Details

The telemetry method of Hightower et al. (2001) is implemented. Individual capture histories are used in the function. The function uses complete capture histories (Burnham et al., 1987) and it is the presence of specific codes in the individual capture histories that split the capture histories into live and dead arrays. F and M estimates are needed for occasions 1 to the total number of occasions minus 1 and P estimates are needed for occasions 2 to the total number of occasions.

Capture histories are coded following Burnham et al. (1987)(i.e., 0 = not relocated, and 1 = relocated) with the following exceptions:

All live relocations are coded with 1. If a fish is relocated and is dead, then D is used. For example,
101011 - fish released on occasion 1 is relocated alive on occasions 3,5 and 6

10111D - fish released on occasion 1 is relocated alive on occasions 3,4,and 5 but is relocated dead on occasion 6.

New releases are allowed to occur on multiple occasions. The capture history of newly-released individuals should be coded with a zero (0) for the occasions before their release.

100110 - fish released on occasion 1 is relocated live on occasion 4 and 5

101000 - fish released on occasion 1 is relocated live on occasion 3

010111 - fish released on occasion 2 is relocated live on occasion 4, 5 and 6

011000 - fish released on occasion 2 is relocated live on occasion 3

001101 - fish released on occasion 3 is relocated live on occasion 4 and 6

00100D - fish released on occasion 3 is relocated dead on occasion 6.

To censor fish from the analyses, specify E after the last live encounter. For example,

10111E000 - fish released on occasion 1 is relocated alive on occasions 3,4,and 5 but is believed to have emigrated from the area by occasion 6. The capture history before the E will be used, but the fish is not included in the virtual release in occasion 6.

All life histories are summarized to reduced m-arrays (Burnham et al. (1987: page 47, Table 1.15).

The function `optim` is used to find F, M and P parameters that minimize the negative log-likelihood. Only cells specified in `whichlivecells` and `whichdeadcells` are used in parameter estimation.

The logit transformation is used in the estimation process to constrain values between 0 and 1. Logit-scale estimated parameters are used to calculate $S_f=1/(1+\exp(-B))$, $S_m=1/(1+\exp(-C))$ and $P=1/(1+\exp(-D))$. F and M are obtained by $-\log(S_f)$ and $-\log(S_m)$.

The standard error of Sfs, Sm, P, F and M are obtained by the delta method:

$$SE(S_f)=\sqrt{(\text{var}(B)*\exp(2*B))/(1+\exp(B))^4},$$

$$SE(S_m)=\sqrt{(\text{var}(C)*\exp(2*C))/(1+\exp(C))^4},$$

$$SE(P)=\sqrt{(\text{var}(D)*\exp(2*D))/(1+\exp(D))^4},$$

$$SE(F)=\sqrt{SE(S_f)^2/S_f^2},$$

$$SE(M)=\sqrt{SE(S_m)^2/S_m^2}.$$

All summary statistics follow Burnham and Anderson (2002). Model degrees of freedom are calculated as $n_{live}+n_{dead}+n_{never}-n_{releases}-1-n_{par}$ where n_{live} is the number of whichlivecells cells, n_{dead} is the number of whichdeadcells cells, n_{never} is the number of never-seen cells, $n_{releases}$ is the number of releases and n_{par} is the number of estimated parameters. Total chi-square is calculated by summing the cell chi-square values.

The program allows the configuration of different model structures (biological realistic models) for the estimation of fishing and natural mortalities, and detection probabilities. These structures are specified in Fdesign, Mdesign and Pdesign. Consider the following examples:

Example 1

Tags are relocated over seven occasions. One model structure might be constant fishing mortality estimates over occasions 1-3 and 4-6, one constant estimate of natural mortality for the entire sampling period, and one estimate of probability of detection for each occasion. To specify this model structure: Fdesign is c("1", "4"), Mdesign is c("1") and the Pdesign is c("2:2").

Note: The structures of Fdesign and Mdesign must always start with the first occasion, whereas the structure for Pdesign must always start with the second occasion.

Use the multiplication sign to specify occasions whose estimates of F, M or P will be taken from values of other occasions.

Example 2

Tags are relocated over six occasions. One model structure might be separate fishing mortality estimates for occasions 1-3 but assign the same parameter estimates to occasions 4-6, one constant estimate of natural mortality for occasions 1-5 and 6, and one constant probability of detection over all occasions. The Fdesign is c("1:3*4:6"), the Mdesign is c("1", "6") and the Pdesign is c("2").

Example 3

Specification of model 18 listed in Table 1 of Hightower et al. (2001) is shown. Each occasion represented a quarter of the year. The quarter-year design for F, M and P specifies that quarterly estimates are made in each year. Fdesign is c("1", "4", "7", "11", "14", "17", "20", "24"). Mdesign is c("1", "4", "7", "11", "14", "17", "20", "24") and the Pdesign is c("2", "4", "7", "11", "14", "17", "20", "24").

If the number of occasions to be assigned parameters from other occasions are less than the number of original parameters (e.g., c("11:13*24:25")), then only the beginning sequence of original parameters equal to the number of occasions are used. For instance, in c("11:13*24:25"), only parameters 11 and 12 would be assigned to occasions 24 and 25.

If the number of occasions to be assigned parameters from other occasions are greater than the number of original parameters (e.g., c("11:12*24:26")), then the last original parameter is re-cycled. In the example c("11:12*24:26"), the parameter for occasion 12 is assigned to occasions 25 and 26.

To assist with the parameter structures, function `fm_checkdesign` may be used to check the desired design before use in this function.

If values of standard error are NA in the output, the hessian matrix used to calculate the variance-covariance matrix could not be inverted. If this occurs, try adjusting the `reltol` argument (for more information, see function `optim`).

In this function, the never-seen expected number is calculated by summing the live and dead probabilities, subtracting the number from 1, and then multiplying it by the number of releases. No rounding occurs in this function.

The multinomial likelihood includes the binomial coefficient.

Model averaging of model can be accomplished using the function `fm_model_avg`.

Note: In Hightower et al.'s original analysis, the cell probability code in SURVIV for the dead relocation in release occasion 6 had an error. The corrected analysis changed the estimates for occasions 11-13 compared to the original published values.

Value

List containing summary statistics for the model fit, model convergence status, parameter estimates estimates of fishing mortality, natural mortality, and probabilities of detection and standard errors by occasion, the parameter structure (`Fdesign`, `Mdesign` and `Pdesign`), the `m`-arrays, the expected (predicted) number of live and dead relocations, cell chi-square and Pearson values for live and dead relocations, matrices with the probability of being relocated alive and dead by occasion, the `whichlivecells` and `whichdeadcells` structures, and configuration label (`type`) used in the `fm_model_avg` function.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Burnham, K. P. and D. R. Anderson. 2002. Model selection and multimodel inference : A Practical Information-Theoretic Approach, 2nd edition. Springer-Verlag, New York, NY. 488 p.

Burnham, K. P. D. R. Anderson, G. C. White, C. Brownie, and K. H. Pollock. 1987. Design and analysis methods for fish survival experiments based on release-recapture. American Fisheries Society Monograph 5, Bethesda, Maryland.

Hightower, J. E., J. R. Jackson, and K. H. Pollock. 2001. Use of telemetry methods to estimate natural and fishing mortality of striped bass in Lake Gaston, North Carolina. Transactions of the American Fisheries Society 130: 557-567.

See Also

`fm_model_avg`, `fm_checkdesign`

Examples

```
## Not run:
# Set up for Full model of Hightower et al.(2001)
data(Hightower)
fm_telemetry(filetype=1,caphistory=Hightower$caphistory, Fdesign=c("1:26"),
  Mdesign=c("1:26"),Pdesign = c("2:25"),
  whichlivecells=list(c(1,5,4), c(6,6,5),
    c(7,26,4)),
  whichdeadcells=list(c(1,5,4), c(6,6,6),
    c(7,26,4)),
  initial=c(0.05,0.02,0.8),
  control=list(reltol=1e-5,maxit=1000000))

#Set up for best model F(Qtr,yr), M constant, Pocc
fm_telemetry(filetype=1,caphistory=Hightower$caphistory, Fdesign=c("1", "4", "7", "11",
  "14", "17", "20", "24"),
  Mdesign=c("1"), Pdesign = c("2:27"),
  whichlivecells=list(c(1,5,4), c(6,6,5),
    c(7,26,4)),
  whichdeadcells=list(c(1,5,4), c(6,6,6),
    c(7,26,4)),
  initial=c(0.05,0.02,0.8),
  control=list(reltol=1e-8,maxit=1000000))

## End(Not run)
```

 gap

Tukey's Gapping

Description

This function finds unusual spaces or gaps in a vector of random samples

Usage

```
gap(x = NULL)
```

Arguments

x vector of values

Details

Values (x) are sorted from smallest to largest. Then Z values are calculated as follows: $Z_{n-i+1} = [i * (n-i) (X_{n-i+1} - X_{n-i})]^{0.5}$

where n is the sample size

for $i = 2, \dots, n$ calculate the 25 percent trimmed mean and divide into Z. This standardizes the distribution of the weighted gaps around a middle value of one. Suspiciously large observations should correspond to large standardized weighted gaps.

Value

vector of standardized weighted gaps

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Tukey, J. W. 1971. Exploratory data analysis. Addison-Wesley, Reading, MA. 431 pp.

Examples

```
y<-c(rnorm(10,10,2),1000)
gap(y)
```

Gerking

Mark-Recapture Data for Sunfish in an Indiana Lake

Description

The Gerking data frame has 14 rows and 3 columns. Marked and released sunfish in an Indiana lake for 14 days by Gerking (1953) as reported by Krebs (1989, Table 2.1).

Usage

Gerking

Format

This data frame contains the following columns:

C column of number of captures (column names is unnecessary).

R column of number of recaptures (column name is unnecessary).

nM column of number of newly marked animal (column name is unnecessary).

Source

Krebs, C. J. 1989. *Ecological Methodologies*. Harper and Row, New York, NY. 654 p.

| | |
|-----------|---|
| goosefish | <i>Mean Length and Numbers of Lengths for Northern Goosefish, 1963-2002</i> |
|-----------|---|

Description

The goosefish data frame has 40 rows and 3 columns. The mean lengths (mlen) by year and number (ss) of observations for length \geq smallest length at first capture (Lc) for northern goosefish used in Gedamke and Hoenig (2006)

Usage

```
goosefish
```

Format

This data frame contains the following columns:

year year code

mlen mean length of goosefish, total length (cm)

ss number of samples used to calculate mean length

Source

Gedamke, T. and J. M. Hoenig. 2006. Estimating mortality from mean length data in nonequilibrium situations, with application to the assessment of goosefish. *Trans. Am. Fish. Soc.* 135:476-487

| | |
|--------|--|
| grotag | <i>Maximum likelihood estimation of growth and growth variability from tagging data - Francis (1988)</i> |
|--------|--|

Description

This function estimates parameters of Francis (1988)'s growth model using tagging data. The data are fitted using a constrained maximum likelihood optimization performed by optim using the "L-BFGS-B" method.

Usage

```
grotag(L1 = NULL, L2 = NULL, T1 = NULL, T2 = NULL, alpha = NULL, beta = NULL,
  design = list(nu = 0, m = 0, p = 0, sea = 0),
  stvalue = list(sigma = 0.9, nu = 0.4, m = -1, p = 0.01, u = 0.4, w = 0.4),
  upper = list(sigma = 5, nu = 1, m = 2, p = 1, u = 1, w = 1),
  lower = list(sigma = 0, nu = 0, m = -2, p = 0, u = 0, w = 0), gestimate = TRUE,
  st.ga = NULL, st.gb = NULL, st.galow = NULL, st.gaup = NULL, st.gblow = NULL,
  st.gbup = NULL, control = list(maxit = 10000))
```

Arguments

| | |
|-----------|--|
| L1 | Vector of length at release of tagged fish |
| L2 | Vector of length at recovery of tagged fish |
| T1 | Vector of julian time at release of tagged fish |
| T2 | Vector of julian time at recovery of tagged fish |
| alpha | Numeric value giving an arbitrary length alpha |
| beta | Numeric value giving an arbitrary length beta (beta > alpha) |
| design | List specifying the design of the model to estimate. Use 1 to designate whether a parameter(s) should be estimated. Type of parameters are: nu=growth variability (1 parameter), m=bias parameter of measurement error (1 parameter), p=outlier probability (1 parameter), and sea=seasonal variation (2 parameters: u and w). Model 1 of Francis is the default settings of 0 for nu, m, p and sea. |
| stvalue | Starting values of sigma (s) and depending on the design argument, nu, m, p, u, and w used as input in the nonlinear estimation (function <i>optim</i>) routine. |
| upper | Upper limit of the model parameters' (nu, m, p, u, and w) region to be investigated. |
| lower | Lower limit of the model parameters' (nu, m, p, u, and w) region to be investigated. |
| gestimate | Logical specifying whether starting values of ga and gb (growth increments of alpha and beta) should be estimated automatically. Default = TRUE. |
| st.ga | If gestimate=FALSE, user-specified starting value for ga. |
| st.gb | If gestimate=FALSE, user-specified starting value for gb. |
| st.galow | If gestimate=FALSE, user-specified lower limit for st.ga used in optimization. |
| st.gaup | If gestimate=FALSE, user-specified upper limit for st.ga used in optimization. |
| st.gblow | If gestimate=FALSE, user-specified lower limit for st.gb used in optimization. |
| st.gbup | If gestimate=FALSE, user-specified upper limit for st.gb used in optimization. |
| control | Additional controls passed to the optimization function <i>optim</i> . |

Details

The methods of Francis (1988) are used on tagging data to the estimate of growth and growth variability. The estimation of all models discussed is allowed. The growth variability defined by equation 5 in the reference is used throughout.

Value

| | |
|-------------|--|
| table | list element containing the model output similar to Table 3 of Francis (1988). The Akaike's Information Criterion (AIC) is also added to the output. |
| VBparms | list element containing the conventional paramaters of the von Bertalanffy model (Linf and K). |
| correlation | list element containing the parameter correlation matrix. |
| predicted | list element containing the predicted values from the model. |
| residuals | list element containing the residuals of the model fit. |

Author(s)

Marco Kienzle <Marco.Kienzle@gmail.com>

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Francis, R.I.C.C., 1988. Maximum likelihood estimation of growth and growth variability from tagging data. *New Zealand Journal of Marine and Freshwater Research*, 22, p.42-51.

Examples

```
data(bonito)

#Model 4 of Francis (1988)
with(bonito,
  grotag(L1=L1, L2=L2, T1=T1, T2=T2,alpha=35,beta=55,
  design=list(nu=1,m=1,p=1,sea=1),
  stvalue=list(sigma=0.9,nu=0.4,m=-1,p=0,u=0.4,w=0.4),
  upper=list(sigma=5,nu=1,m=2,p=0.5,u=1,w=1),
  lower=list(sigma=0,nu=0,m=-2,p=0,u=0,w=0),control=list(maxit=1e4)))
```

growhamp

von Bertalanffy Growth Models for Tagging Data Incorporating Individual Variation

Description

Function fits growth models of Hampton (1991) to length and time-at-large data from tagging studies

Usage

```
growhamp(L1 = NULL, L2 = NULL, TAL = NULL,
models = c(1, 2, 3, 4, 5, 6, 7),
method = c("Nelder-Mead", "Nelder-Mead", "Nelder-Mead",
"Nelder-Mead", "Nelder-Mead", "Nelder-Mead", "Nelder-Mead"),
varcov = c(TRUE, TRUE, TRUE, TRUE, TRUE, TRUE, TRUE),
Linf = list(startLinf = NULL, lowerLinf = NULL, upperLinf = NULL),
K = list(startK = NULL, lowerK = NULL, upperK = NULL),
sigma2_error = list(startsigma2 = NULL, lowersigma2 = NULL, uppersigma2 = NULL),
sigma2_Linf = list(startsigma2 = NULL, lowersigma2 = NULL, uppersigma2 = NULL),
sigma2_K = list(startsigma2 = NULL, lowersigma2 = NULL, uppersigma2 = NULL),
mu_measure = 0, sigma2_measure = 0,
control = list(maxit = 1000))
```

Arguments

| | |
|----------------|---|
| L1 | Vector of release lengths. Each row presents the length of an individual. |
| L2 | Vector of recapture lengths. |
| TAL | vector of associated time-at-large data. Calculated as the recapture date minus release date. |
| models | The models to fit. 1 = Faber model, 2 = Kirkwood and Somers model, 3 = Kirkwood and Somers model with model error, 4 = Kirkwood and Somers model with model and release-length-measurement error, 5 = Sainsbury model, 6 = Sainsbury model with model error, and 7 = Sainsbury model with model and release-length-measurement error. Default is all: c(1,2,3,4,5,6,7). |
| method | Character vector of optimization methods used in <code>optim</code> to solve parameters for each model. A different method can be selected for each model. Choices are "Nelder-Mead", "BFGS", "CG", "L-BFGS-B" and "SANN". See help for <code>optim</code> . Default is "Nelder-Mead". If there are fewer values specified in <code>method</code> than the number specified in <code>models</code> , a warning message is produced and the last value in the <code>method</code> vector is used for the remaining models. |
| varcov | Logical vector specifying whether the parameter variance-covariance matrix of each model should be outputted. A different logical can be specified for each model. If there are fewer values specified in <code>varcov</code> than the number specified in <code>models</code> , a warning message is produced and the last value in the <code>varcov</code> vector is used for the remaining models. |
| Linf | A list of starting (<code>startLin</code>), lower bound (<code>lowerLin</code>) and upper bound (<code>upperLin</code>) of Linfinity of the von Bertalanffy equation used in the optimization. The lower and upper bounds are used only with method "L-BFGS-B". |
| K | A list of starting (<code>startK</code>), lower bound (<code>lowerK</code>) and upper bound (<code>upperK</code>) of K (growth coefficient) of the von Bertalanffy equation used in the optimization. The lower and upper bounds are used only with method "L-BFGS-B". |
| sigma2_error | A list of starting (<code>startsigma2</code>), lower bound (<code>lowersigma2</code>) and upper bound (<code>uppersigma2</code>) of the error variance used in the optimization. The lower and upper bounds are used only with method "L-BFGS-B". This parameter is used in models 1,3,4,6 and 7. |
| sigma2_Linf | A list of starting (<code>startsigma2</code>), lower bound (<code>lowersigma2</code>) and upper bound (<code>uppersigma2</code>) of the Linfinity variance used in the optimization. The lower and upper bounds are used only with method "L-BFGS-B". This parameter is used in models 2,3,4,5,6, and 7. |
| sigma2_K | A list of starting (<code>startsigma2</code>), lower bound (<code>lowersigma2</code>) and upper bound (<code>uppersigma2</code>) of the K (growth coefficient) variance used in the optimization. The lower and upper bounds are used only with method "L-BFGS-B". This parameter is used in models 5,6, and 7. |
| mu_measure | Release measurement error. This parameter is used in models 4 and 7. Default=0. |
| sigma2_measure | Variance of release measurement error. This parameter is used in models 4 and 7. Default=0. |
| control | A list of control parameters for <code>optim</code> . See function <code>optim</code> for details. |

Details

The seven models are fitted by maximum likelihood using formulae shown in Hampton 1991. Due to the number of parameters estimated, some models can be sensitive to the initial starting values. It is recommended that the starting values are tested for sensitivity to ensure the global minimum has been reached. Sometimes, the hessian matrix, which is inverted to obtain the variance-covariance matrix, will not be positive, definite and therefore will produce an error. Again, try different starting values for parameters and lower and upper bounds if applicable.

Value

| | |
|-----------|---|
| results | list element containing the parameter estimates in table format for each model. Column names are model, Linf, K, s2Linf (variance of Linf), s2K (variance of K), s2error (error variance), boundary (0 = no issues; 1 = one or more parameter estimates are at constraint boundaries), -Log Likelihood, AIC (Akaike's Information Criterion, and method |
| varcov | if varcov=TRUE, list element containing the variance-covariance matrix for each model. |
| residuals | list element containing the residuals (observed-predicted values) for each model. |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Hampton, J. 1991. Estimation of southern bluefin tuna *Thunnus maccoyii* growth parameters from tagging data, using von Bertalanffy models incorporating individual variation. U. S. Fishery Bulletin 89: 577-590.

See Also

[mort.al](#)

Examples

```
## Not run:
## Models 1,2 and 3 below are models 1,2, and 4 in Table 4.17 of ##Quinn and Deriso
data(trout)
growhamp(L1=trout$L1,L2=trout$L2,TAL=trout$dt,models=c(1,2,3),
         method=c("Nelder-Mead","Nelder-Mead","L-BFGS-B"),
         varcov=c(TRUE,TRUE,TRUE),
         Linf=list(startLinf=650,lowerLinf=400,upperLinf=800),
         K=list(startK=0.30,lowerK=0.01,upperK=1),
         sigma2_error=list(startsigma2=100,lowersigma2=0.1,uppersigma2=10000),
         sigma2_Linf=list(startsigma2=100,lowersigma2=0.1,uppersigma2=100000),
         sigma2_K=list(startsigma2=0.5,lowersigma2=1e-8,uppersigma2=10))

## End(Not run)
```

growth

*Fitting Growth Curves to Length- or Weight-at-Age Data***Description**

Fits various growth models to length and weight-at-age data.

Usage

```
growth(intype=1,unit=1,size=NULL,age=NULL,calctype=1,wgtby=1,s2=NULL,error=1,
       Sinf=NULL,K=NULL,t0=NULL,B=3,graph=TRUE,
       control=list(maxiter=10000,minFactor=1/1024,tol=1e-5))
```

Arguments

| | |
|----------|--|
| intype | the input format: 1= individual size data; 2 = mean size data. Default intype=1. |
| unit | the size unit: 1= length; 2 = weight. Default unit=1. |
| size | the vector of size (length or weight) data. |
| age | the vector of ages associated with the size vector. |
| calctype | if intype=1, 1 = use individual size data; 2 = calculate mean size from individual size data. Default calctype=1. |
| wgtby | weighting scheme: 1 = no weighting; 2 = weight means by inverse variance. Weighting of individual data points is not allowed. Default wgtby=1. |
| s2 | if intype=2 and wgtby=2, specify vector of sample variances associated with mean size-at-age data. |
| error | the error structure: 1 = additive; 2 = multiplicative. Default error=1. |
| Sinf | the starting value for <i>L-infinity</i> or <i>W-infinity</i> of the growth models. Required. |
| K | the starting value for <i>K</i> of the growth models. |
| t0 | the starting value for <i>t0</i> of the growth models. |
| B | the length-weight equation exponent used in the von Bertalanffy growth model for weight. Default B=3. |
| graph | logical value specifying if fit and residual plots should be drawn. Default graph = TRUE. |
| control | see function <i>nls</i> . |

Details

If unit is length, a standard von Bertalanffy growth curve is fitted to length-at-age data using non-linear least-squares (function *nls*). If individual data are provided, mean size data can be calculated by specifying *calctype*=2. When fitting mean size data, observations can be weighted by the inverse sample variance (*wgtby*=2), resulting in weighted nonlinear least squares. Additive or multiplicative error structures are specified via *error*. See page 135 in Quinn and Deriso (1999) for more information on error structures.

If unit is weight, three growth models (von Bertalanffy, Gompert and logistic) are fitted to weight-at-age data. The exponent for the von Bertalanffy growth in weight model is not estimated and must be specified (*B*). Individual and mean weight data can be used. When fitting mean size data, observations can be weighted by the inverse sample variance (*wgtby=2*), resulting in weighted nonlinear least squares. Additive or multiplicative error structures are specified via *error*.

Plots of model fit and residuals are generated unless *graph=FALSE*.

Value

List containing list elements of the equation/structure and *nls* output for each model. Information from *nls* output can be extracted using standard functions (e.g., *summary()*).

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Quinn, T. J. and R. B. Deriso. 1999. Quantitative fish dynamics. Oxford University Press. 542 pages.

Examples

```
data(pinfish)
growth(intype=1,unit=1,size=pinfish$sl,age=pinfish$age,
       calctype=1,wgtby=1,error=1,Sinf=200,K=0.3,t0=-1)
```

growthResid

Plot residuals of growth model fitted to tag data

Description

Plot residuals (observed - expected growth increments) vs relative age at the time of tagging and versus time at liberty.

Usage

```
growthResid(K, Linf, dat, lentag, lenrec, timelib, graph =1,
            main = "Residuals of growth increments",
            cex.lab=1.5, cex.axis=1.5, cex.main=1,
            xlab1="Relative age, yr", xlab2="Time at liberty, yr",
            ylab="Observed - expected increment",
            xlim1=NULL, xlim2=NULL, ylim=NULL, col=1, returnvec=FALSE,
            returnlimits=FALSE, warn=TRUE,...)
```

Arguments

| | |
|--------------|--|
| K | parameter of the von Bertalanffy growth equation |
| Linf | parameter of the von Bertalanffy growth equation |
| dat | dataframe containing length at tagging, length at recapture and time at liberty. These must be named lentag, lenrec and timelib or else column 1 must contain the length at tagging, column 2 must contain length at recapture and column 3 must contain time at liberty |
| lentag | alternative way to pass data to function |
| lenrec | alternative way to pass data to function |
| timelib | alternative way to pass data to function |
| graph | which graph to plot - 1: residuals versus Relative age, 2: residuals versus time-at-liberty |
| main | an overall title for the plot |
| cex.lab | The magnification to be used for x and y labels relative to the current setting of cex |
| cex.axis | The magnification to be used for axis annotation relative to the current setting of cex |
| cex.main | The magnification to be used for main titles relative to the current setting of cex |
| xlab1 | a title for the x axis 1 |
| xlab2 | a title for the x axis 2 |
| ylab | a title for the y axis |
| xlim1 | lower and upper limits of x axis 1 e.g., c(0,100) |
| xlim2 | lower and upper limits of x axis 2 e.g., c(0,100) |
| ylim | lower and upper limits of y axis e.g., c(0,100) |
| col | color of points in plot |
| returnvec | logical - if TRUE, function returns a dataframe with the computed age at tagging and the residual (obs - pred increment) |
| returnlimits | logical - if TRUE, function returns the x and y limits for the plot |
| warn | logical - if TRUE, function issues a warning if names of variables in dat do not match the 3 names expected. |
| ... | other arguments to pass to <i>plot</i> |

Details

Function plots residuals (observed - expected growth increments) vs relative age at the time of tagging and vs time at liberty from VB growth model fitted to tagging data. Relative age is calculated by inverting the von Bertalanffy growth curve.

Value

output If returnvec = TRUE, computed age and residuals. If returnlimits=TRUE, x and y limits for plot

Author(s)

Janos Hoenig Virginia Institute of Marine Science May 2013 <hoenig@vims.edu >

Examples

```
data(bonito)
temp<-bonito[c(bonito$T2-bonito$T1)>0,]
growthResid(0.19,97.5,lentag=temp$L1, lenrec=temp$L2,timelib=c(temp$T2-temp$T1),graph=1)
```

growthTraject

Plot growth trajectories obtained from tagging data

Description

Age and length coordinates for the time of tagging and time of recapture are plotted as line segments overlaid on the von Bertalanffy growth curve

Usage

```
growthTraject(K, Linf, dat, lentag, lenrec, timelib, subsets=NULL,
  main = "Growth trajectories & fitted curve",
  cex.lab=1.5, cex.axis=1.5, cex.main=1,
  xlab="Relative age, yr", ylab="Length, cm",
  xlim=NULL, ylim=NULL,ltytraject=1, lwdtraject=1,
  coltraject=1, ltyvonB=1, lwdvonB=2, colvonB="red",
  returnvec=FALSE, returnlimits=FALSE, warn=TRUE, ...)
```

Arguments

| | |
|---------|--|
| K | parameter of the von Bertalanffy growth equation |
| Linf | parameter of the von Bertalanffy growth equation |
| dat | dataframe containing length at tagging, length at recapture and time at liberty. These must be named lentag, lenrec and timelib or else column 1 must contain the length at tagging, column 2 must contain length at recapture and column 3 must contain time at liberty OR the variables must be named lentag, lenrec and timelib |
| lentag | alternative way to pass data to function |
| lenrec | alternative way to pass data to function |
| timelib | alternative way to pass data to function |
| subsets | factor or integer variable specifying subsets of the data to be plotted with separate colors or line types |
| main | an overall title for the plot |
| cex.lab | The magnification to be used for x and y labels relative to the current setting of cex |

| | |
|---------------------------|---|
| <code>cex.axis</code> | The magnification to be used for axis annotation relative to the current setting of <code>cex</code> |
| <code>cex.main</code> | The magnification to be used for main titles relative to the current setting of <code>cex</code> |
| <code>xlab</code> | a title for the x axis |
| <code>ylab</code> | a title for the y axis |
| <code>xlim</code> | lower and upper limits of x axis e.g., <code>c(0,100)</code> |
| <code>ylim</code> | lower and upper limits of y axis e.g., <code>c(0,100)</code> |
| <code>ltytraject</code> | line type for the growth trajectories |
| <code>lwdtraject</code> | line width for the growth trajectories |
| <code>coltraject</code> | line color for the growth trajectories |
| <code>ltyvonB</code> | line type for the fitted von Bertalanffy growth curve |
| <code>lwdvonB</code> | line width for the fitted von Bertalanffy growth curve |
| <code>colvonB</code> | line color for the fitted von B. curve |
| <code>returnvec</code> | logical for whether the coordinates of the line segments should be returned) |
| <code>returnlimits</code> | logical for whether the x-axis and y-axis limits should be returned |
| <code>warn</code> | logical - if TRUE, function issues a warning if names of variables in <code>dat</code> do not match the 3 names expected. |
| <code>...</code> | other arguments to pass to <code>plot</code> |

Details

The relative age at tagging is computed from the inverted von Bertalanffy growth equation (i.e., age expressed as a function of length); the age at recapture is taken to be the age at tagging plus the time at liberty. Then the (age, length) coordinates for the time of tagging and time of recapture are plotted as a line segment. Additional parameters control the format of the plot as follows. A call to `plot()` sets up the axes. Then a call to `arrows()` draws the line segments. Finally, a call to `curve()` adds the von Bertalanffy growth curve. Specifying additional graphical parameters is permissible but these will be passed only to `plot()`.

Value

`output` if `returnvec = TRUE`, coordinates of the line segments are returned. If `returnlimits=TRUE`, x and y limits for plot are returned

Author(s)

Janos Hoenig Virginia Institute of Marine Science May 2013 <hoenig@vims.edu >

Examples

```
data(bonito)
temp<-bonito[c(bonito$T2-bonito$T1)>0,]
growthTraject(0.19,97.5,lentag=temp$L1, lenrec=temp$L2,timeLib=c(temp$T2-temp$T1))
```

| | |
|-----------|---|
| growtrans | <i>Growth Transition Matrix for a Size-Structured Population Dynamics Model</i> |
|-----------|---|

Description

Generates a growth transition matrix from parameters of the von Bertalanffy growth equation following Chen et al. (2003)

Usage

```
growtrans(Lmin = NULL, Lmax = NULL, Linc = NULL, Linf = NULL, SELinf = NULL,
          K = NULL, SEK = NULL, rhoLinfK = NULL)
```

Arguments

| | |
|----------|--|
| Lmin | Mid-point of starting size class. |
| Lmax | Mid-point of end size class. This should be one increment larger than Linf. |
| Linc | Size class increment. |
| Linf | L-infinity parameter of the von Bertalanffy growth equation. |
| SELinf | Standard error of Linf. |
| K | Growth parameter of the von Bertalanffy growth equation. |
| SEK | Standard error of K. |
| rhoLinfK | Correlation between Linf and K. Usually from a parameter correlation matrix. |

Details

Transition probabilities are calculated by using formulae 3-9 and procedures in Chen et al. (2003). Negative growth increments result if Lmax is beyond Linf, so the transition matrix is truncated at Linf. The last size class acts as a plus group and has a probability of 1.

Value

A matrix of dimensions n size classes x n size classes.

Note

This function is based on an example EXCEL spreadsheet provided by Yong Chen.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Chen, Y., M. Hunter, R. Vadas, and B. Beal. 2003. Developing a growth-transition matrix for stock assessment of the green sea urchin (*Strongylocentrotus droebachiensis*) off Maine. *Fish. Bull.* 101: 737-744.

Examples

```
# For Chen et al. 2003
growtrans(Lmin=40,Lmax=101,Linc=1,Linf=100,SELinf=15,K=0.100588,SEK=0.04255,rhoLinfK=0.94)
```

haddock

Biological data for haddock (Melanogrammus aeglefinus)

Description

The haddock data frame has 15 rows and 4 columns. Age, weight at spawning, partial recruitment, and fraction mature data for haddock (*Melanogrammus aeglefinus*) used by Gabriel et al. (1989) to calculate spawning stock biomass-per-recruit.

Usage

```
haddock
```

Format

This data frame contains the following columns:

age vector of ages

ssbwgt vector of weights at spawning for each age

partial partial recruitment vector

pmat vector of fraction of females mature at age

Source

Gabriel, W. L., M. P. Sissenwine, and W. J. Overholtz. 1989. Analysis of spawning stock biomass per recruit: an example for Georges Bank haddock. *North American Journal of Fisheries Management* 9: 383-391.

Hightower

Original data used in Hightower et al. (2001)

Description

The Hightower has 51 rows and 1 column. The complete capture histories of striped bass for Lake Gaston, North Carolina.

Usage

Hightower

Format

This data frame contains the following columns:

caphistory capture histories of 51 striped bass

Source

Hightower, J. E., J. R. Jackson, and K. H. Pollock. 2001. Use of telemetry methods to estimate natural mortality and fishing mortality of striped bass in Lake Gaston, North Carolina. *Trans. Am. Fish. Soc.* 130:557-567.

Thanks to Joe Hightower of NC Cooperative Fish and Wildlife Research Unit for providing his original data.

Hoenic

Tag Data from Hoenic et al. (1998)

Description

The Hoenic list containing 8 components of data. Data were obtained from the Hoenic et al.(1998).

Usage

Hoenic

Format

This list contains the following components:

relyrs vector of start and end years of release years

recapyrs vector of start and end years of recapture years

N vector of number of tags released in each release year

recapharv recapture matrix of harvested fish

lambda vector of reporting rates (one for each recapture year)

phi vector of initial tag loss (one for each recapture year)

Fyr vector of years to estimate fishing mortality

Myr vector of years to estimate natural mortality

Source

Hoenig, J. M, N. J. Barrowman, W. S. Hearn, and K. H. Pollock. 1998. Multiyear tagging studies incorporating fishing effort data. *Canadian Journal of Fisheries and Aquatic Sciences* 55: 1466-1476.

| | |
|--------|---|
| irm_cr | <i>Age-Independent Instantaneous Rates Model of Jiang et al. (2007) Incorporating Catch and Release Tag Returns</i> |
|--------|---|

Description

The age-independent instantaneous rates model of Jiang et al. (2007) for estimating fishing and natural mortality from catch-release tag returns is implemented assuming known values of initial tag survival (ϕ) and reporting rate (λ)

Usage

```
irm_cr(relyrs = NULL, recapyrs = NULL, N = NULL, recapharv = NULL,
recaprel = NULL, hlambda = NULL, rlambda = NULL, hphi = NULL,
rphi = NULL, hmrates = NULL, Fyr = NULL, FAyr = NULL, Myr = NULL,
initial = c(0.1,0.05,0.1), lower = c(0.0001,0.0001,0.0001),
upper=c(5,5,5),maxiter=10000)
```

Arguments

| | |
|-----------|---|
| relyrs | vector containing the start and end year of the entire release period (e.g., c(1992, 2006)). |
| recapyrs | vector containing the start year and end year of entire recapture period (e.g., c(1992, 2008)). |
| N | vector of total number of tagged fish released in each release year (one value per year). |
| recapharv | matrix of the number of tag recoveries of harvested fish by release year (row) and recovery year (column). The lower triangle (blank cells) may be filled with -1s as place holders. Missing values in the upper triangle (release/recovery cells) are not allowed. |
| recaprel | matrix of the number of tag recoveries of fish recaptured and re-released with the tag removed by release year (row) and recovery year (column). The lower triangle (blank cells) may be filled with -1s as place holders. Missing values in the upper triangle (release/recovery cells) are not allowed. |

| | |
|---------|--|
| hlambda | vector of reporting rate estimates (lambda) for harvested fish. One value for each recovery year. |
| rlambda | vector of reporting rate estimates (lambda) for recaptured fish re-released with tag removed. One value for each recovery year. |
| hphi | vector of initial tag survival estimates (phi) for harvested fish. One value for each recovery year. 1 = no loss |
| rphi | vector of initial tag survival estimates (phi) for recaptured fish re-released with tag removed fish. One value for each recovery year. 1 = no loss |
| hmrates | vector of hooking mortality rates. One value for each recovery year. |
| Fyr | vector of year values representing the beginning year of a period over which to estimate a constant fishing mortality rate (F). If estimation of F for each recovery year is desired, enter the year value for each year. The first year value must be the start year for the recovery period. |
| FAyr | vector of year values representing the beginning year of a period over which to estimate a constant tag mortality rate (FA). If estimation of FA for each recovery year is desired, enter the year value for each year. The first year value must be the start year for the recovery period. |
| Myr | vector of year values representing the beginning year of a period over which to estimate a constant natural mortality rate (M). If estimation of M for each recovery year is desired, enter the year value for each year. The first year value must be the start year for the recovery period. |
| initial | vector of starting values for fishing, tag, and natural mortality estimates. First position is the starting value for all Fs, second position is the starting value for all FAs, and the third position is the starting value for all Ms (e.g., c(0.1,0.1,0.2)). |
| lower | vector of lower bounds of F, FA, and M estimates used in optimization routine. First position is the lower value for all Fs, second position is the lower value for all FAs, and the third position is the lower value for all Ms. |
| upper | vector of upper bounds of F, FA, and M estimates used in optimization routine. First position is the upper value for all Fs, second position is the upper value for all FAs, and the third position is the upper value for all Ms. |
| maxiter | maximum number iterations used in the optimization routine. |

Details

Jiang et al (2007) provides an extension of the Hoenig et al. (1998) instantaneous tag return model to account for catch/release of tagged fish. The benefits of this instantaneous rates model are that data from tagged fish that are recaptured and released alive are directly incorporated in the estimation of fishing and natural mortality. Jiang et al. models mortality of harvested fish and the mortality experienced by the tag because fish are often released after the tag has been removed. Therefore, additional tag mortality parameters are estimated in the model. The age-independent model of Jiang et al. is implemented here and initial tag loss and reporting rates are assumed known. This model assumes that tagged fish are fully-recruited to the fishery and that fishing took place throughout the year. Similar to Hoenig et al. (1998), observed recovery matrices from the harvest and catch/release fish with removed tags are compared to expected recovery matrices to estimate model parameters. Asymmetric recovery matrices are allowed (recovery years > release

years). All summary statistics follow Burnham and Anderson (2002). Model degrees of freedom are calculated as the number of cells from the harvested and released recapture matrices and not-seen vector minus the number of estimated parameters. Total chi-square is calculated by summing cell chi-square values for all cells of the harvest, released, and not seen matrices. C-hat, a measure of overdispersion, is estimated by dividing the total chi-square value by the model degrees of freedom. Pooling of cells to achieve an expected cell value of 1 is performed and pooled chi-square and c-hat metrics are additionally calculated. Pearson residuals are calculated by subtracting the observed numbers of recoveries in each cell from the predicted numbers of recoveries and dividing each cell by the square-root of the predicted cell value. The variance of instantaneous total mortality (Z) is calculated by $\text{var}F + \text{hmrate}^2 \cdot \text{var}FA + \text{var}M + 2 \cdot \text{sum}(\text{cov}(F, M) + \text{hmrate}^2 \cdot \text{cov}(F, FA) + \text{hmrate}^2 \cdot \text{cov}(FA, M))$, and the variance of survival (S) is calculated from Z using the delta method. The `optim` routine is used to find the parameters that minimize the $-1 \cdot \text{negative log-likelihood}$.

The program allows the configuration of different model structures (biological realistic models) for the estimation of fishing, natural, and tag mortalities. Consider the following examples:

Example 1

Release years range from 1991 to 2003 and recovery years from 1991 to 2003. One model structure might be constant fishing mortality estimates over the recovery years of 1991-1994 and 1995-2003, one constant estimate of tag mortality and one constant estimate of natural mortality for the entire recovery period. To designate this model structure, the beginning year of each interval is assigned to the `Fyr` vector (e.g., `Fyr<-c(1991, 1995)`), and the beginning year of the recovery period is assigned to the `FAyr` vector and the `Myr` vector (e.g., `FAyr<-c(1991)`; `Myr<-c(1991)`). The first value of each vector must always be the beginning year of the recovery period regardless of the model structure.

Example 2

Release years range from 1991 to 2003 and recovery years from 1991 to 2003. One model might be fishing and tag mortality estimates for each year of recovery years and two constant estimates of natural mortality for 1991-1996 and 1997-2003. To designate this model structure, one value for each year is assigned to the `Fyr` and `FAyr` vectors (e.g., `Fyr<-c(1991,1992,1993,1994,1995,1996,1997,1998,1999,2000,2001,2002,2003)` and `FAyr<-c(1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003)`), and the beginning years of the natural mortality intervals are assigned to the `Myr` vector (e.g., `Myr<-c(1991,1997)`).

Averaging of model results can be accomplished using the function `tag_model_avg`.

Value

List containing summary statistics for the model fit, model convergence status, parameter correlation matrix, estimates of fishing mortality, natural mortality, tag mortality, total instantaneous mortality (Z), and survival (S) and their variances and standard errors by year, observed and predicted recoveries for harvested, released, and "not-seen" fish, cell chi-square and Pearson values for harvested, released, and "not seen" fish, and a model configuration label (type) used in the `tag_model_avg` function.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Burnham, K. P. and D. R. Anderson. 2002. Model selection and multimodel inference : A Practical Information-Theoretic Approach, 2nd edition. Springer-Verlag, New York, NY. 488 p.
- Hoenig, J. M, N. J. Barrowman, W. S. Hearn, and K. H. Pollock. 1998. Multiyear tagging studies incorporating fishing effort data. Canadian Journal of Fisheries and Aquatic Sciences 55: 1466-1476.
- Jiang, H. 2005. Age-dependent tag return models for estimating fishing mortality, natural mortality and selectivity. Doctoral dissertation. North Carolina State University, Raleigh.
- Jiang, H., K. H. Pollock, C. Brownie, J. M. Hoenig, R. J. Latour, B. K. Wells, and J. E. Hightower. 2007. Tag return models allowing for harvest and catch and release: evidence of environmental and management impacts on striped bass fishing and natural mortality rates. North American Journal of Fisheries Management 27:387-396.

See Also

[irm_h tag_model_avg](#)

Examples

```
## Data come from Appendix Table A2 and model structure from model (a) in
## Table 3.2 of Jiang (2005)
## Example takes a bit of time to run
## Not run:
data(Jiang)
model1<-irm_cr(relyrs = Jiang$relyrs, recapyrs = Jiang$recapyrs,
  N = Jiang$N, recapharv = Jiang$recapharv, recaprel = Jiang$recaprel,
  hlambada = Jiang$hlambada, rlambada = Jiang$rlambada, hphi = Jiang$hphi,
  rphi = Jiang$rphi, hmrate = Jiang$hmrate, Fyr = Jiang$Fyr,
  FAyr = Jiang$FAyr, Myr = Jiang$Myr, initial = c(0.1,0.05,0.1),
  lower = c(0.0001,0.0001,0.0001), upper=c(5,5,5),maxiter=10000)

## End(Not run)
```

| | |
|-------|---|
| irm_h | <i>Age-Independent Instantaneous Rates Tag Return Model of Hoenig et al. (1998)</i> |
|-------|---|

Description

The age-independent instantaneous rates model of Hoenig et al. (1998) for estimating fishing and natural mortality from tag returns of harvested fish is implemented assuming known values of initial tag survival (ϕ) and reporting rate (λ)

Usage

```
irm_h(relyrs = NULL, recapyrs = NULL, N = NULL, recapharv = NULL,
  lambda = NULL, phi = NULL, Fyr = NULL, Myr = NULL, initial = NULL,
  lower = c(0.0001,0.0001),upper = c(5,5), maxiter = 10000)
```

Arguments

| | |
|-----------|--|
| relyrs | vector containing the start and end year of the entire release period (e.g., c(1992, 2006)). |
| recapyr | vector containing the start year and end year of entire recapture period (e.g., c(1992, 2008)). |
| N | vector of total number of tagged fish released in each release year (one value per year). |
| recapharv | matrix of the number of tag recoveries of harvested fish by release year (row) and recovery year (column). The lower triangle (blank cells) may be filled with -1s as place holders. Missing values in the upper triangle (release/recovery cells) are not allowed. |
| lambda | vector of reporting rate estimates for harvested fish. One value for each recovery year. |
| phi | vector of initial tag survival estimates (phi) for harvested fish. One value for each recovery year. 1=no loss |
| Fyr | vector of year values representing the beginning year of a period over which to estimate a constant fishing mortality rate (F). If estimation of F for each recovery year is desired, enter the year value for each year. The first year value must be the start year for the recovery period. |
| Myr | vector of year values representing the beginning year of a period over which to estimate a constant natural mortality rate (M). If estimation of M for each recovery year is desired, enter the year value for each year. The first year value must be the start year for the recovery period. |
| initial | vector of starting values for fishing, and natural mortality estimates. First position is the starting value for all Fs and second position is the starting value for all Ms (e.g., c(0.1,0.2)). |
| lower | vector of lower bounds of F and M estimates used in optimization routine. First position is the lower value for all Fs and second position is the lower value for all Ms. Default = 0.0001. |
| upper | vector of upper bounds of F and M estimates used in optimization routine. First position is the upper value for all Fs and second position is the upper value for all Ms. Default = 5 |
| maxiter | maximum number iterations used in the optimization routine. |

Details

The instantaneous tag return model of Hoening et al. (1998) assuming known initial tag loss and reporting rates is implemented. This model assumes that tagged fish are fully-recruited to the fishery and that fishing took place throughout the year. The observed recovery matrices are compared to expected recovery matrices to estimate model parameters. Asymmetric recovery matrices are allowed (recovery years > release years). All summary statistics follow Burnham and Anderson (2002). Model degrees of freedom are calculated as the number of all cells from the harvested recovery matrix and not-seen vector minus the number of estimated parameters. Total chi-square is calculated by summing cell chi-square values for all cells of the harvest, released, and not seen matrices. C-hat, a measure of overdispersion, is estimated by dividing the total chi-square value by the

model degrees of freedom. Pooling of cells to achieve an expected cell value of 1 is performed and pooled chi-square and c-hat metrics are additionally calculated. Pearson residuals are calculated by subtracting the observed numbers of recoveries in each cell from the predicted numbers of recoveries and dividing each cell by the square-root of the predicted cell value. The `optim` routine is used to find the parameters that minimize the $-1 \times$ negative log-likelihood. The variance of instantaneous total mortality (Z) is calculated by $\text{var}F + \text{var}M + 2\text{cov}(F, M)$, and the variance of survival (S) is estimated from the variance of Z using the delta method.

The program allows the configuration of different model structures (biological realistic models) for the estimation of fishing and natural mortalities. Consider the following examples:

Example 1

Release years range from 1991 to 2003 and recovery years from 1991 to 2003. One model structure might be constant fishing mortality estimates over the recovery years of 1991-1994 and 1995-2003, and one constant estimate of natural mortality for the entire recovery period. To specify this model structure, the beginning year of each interval is assigned to the `Fyr` vector (e.g., `Fyr<-c(1991, 1995)`), and the beginning year of the recovery period is assigned to the `Myr` vector (e.g., `Myr<-c(1991)`). The first value of each vector must always be the beginning year of the recovery period regardless of the model structure.

Example 2

Release years range from 1991 to 2003 and recovery years from 1991 to 2003. One model might be fishing mortality estimates for each year of recovery years and two constant estimates of natural mortality for 1991-1996 and 1997-2003. To specify this model structure, one value for each year is assigned to the `Fyr` vector (e.g., `Fyr<-c(1991,1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003)`) and the beginning years of the natural mortality intervals are assigned to the `Myr` vector (e.g., `Myr<-c(1991, 1997)`).

Averaging of model results can be accomplished using the function `tag_model_avg`.

Value

List containing summary statistics for the model fit, model convergence status, parameter correlation matrix, estimates of fishing mortality, natural mortality, total instantaneous mortality (Z), and survival (S) and their variances and standard errors by year, observed and predicted recoveries for harvested, released, and "not-seen" fish, cell chi-square and Pearson values for harvested, released, and "not seen" fish and a model configuration label (type) used in the `tag_model_avg` function.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Burnham, K. P. and D. R. Anderson. 2002. Model selection and multimodel inference : A Practical Information-Theoretic Approach, 2nd edition. Springer-Verlag, New York, NY. 488 p.
- Hoenig, J. M, N. J. Barrowman, W. S. Hearn, and K. H. Pollock. 1998. Multiyear tagging studies incorporating fishing effort data. Canadian Journal of Fisheries and Aquatic Sciences 55: 1466-1476.

See Also

[irm_cr tag_model_avg](#)

Examples

```
# Data come from Table 4 and model structure from Table 5 under "year-specific F,
# constant M" in Hoenig et al. (1998)
data(Hoenig)
model1<-irm_h(relyrs = Hoenig$relyrs, recapyrs = Hoenig$recapyrs,
N = Hoenig$N, recapharv = Hoenig$recapharv,lambda = Hoenig$lambda,
phi = Hoenig$phi, Fyr = Hoenig$Fyr, Myr = Hoenig$Myr, initial = c(0.1,0.1),
lower = c(0.0001,0.0001),upper = c(5,5), maxiter = 10000)
```

Jensen

Age Frequency Data for Lake Whitefish By Individual Haul

Description

The Jensen data frame has 312 rows and 2 columns. The age data are from reconstructed catches of lake whitefish reported by Jensen (1996) in Table 1 and were expanded to individual observations from the age frequency table.

Usage

Jensen

Format

This data frame contains the following columns:

group net haul label

age age of an individual fish

Source

Jensen, A. L. 1996. *Ratio estimation of mortality using catch curves*. Fisheries Research 27: 61-67.

Jiang

Tag Data from Jiang (2005)

Description

The Jiang list containing 13 components of data. Data were obtained from the Jiang (2005).

Usage

Jiang

Format

This list contains the following components:

relyrs vector of start and end years of release years

recapyrs vector of start and end years of recapture years

N vector of number of tags released in each release year

recapharv recapture matrix of harvest fish

recaprel recapture matrix of recaptured and re-released fish with tag removed

hlambda vector of reporting rates of harvested fish (one value for each recapture year)

rlambda vector of reporting rates of recaptured and re-released fish (one value for each recapture year)

hphi vector of initial tag loss of harvested fish (one value for each recapture year)

rphi vector of initial tag loss of harvested fish (one value for each recapture year)

hmrate vector of hooking mortality rates (one value for each recapture year)

Fyr vector of years to estimate fishing mortality

FAyr vector of years to estimate tag mortality

Myr vector of years to estimate natural mortality

Source

Jiang, H. 2005. Age-dependent tag return models for estimating fishing mortality, natural mortality and selectivity. Doctoral dissertation. North Carolina State University, Raleigh.

| | |
|-----------|--|
| kappenman | <i>Pacific cod catch per effort from Table 1 in Kappenman (1999)</i> |
|-----------|--|

Description

The kappenman data frame has 55 rows and 1 column.

Usage

kappenman

Format

This data frame contains one column:

cpue Pacific cod cpue from 1994

Source

Kappenman, R. F. 1999. Trawl survey based abundance estimation using data sets with unusually large catches. ICES Journal of Marine Science 56: 28-35.

| | |
|--------|---|
| Kimura | <i>Length and Age Data For Male and Female Pacific Hake</i> |
|--------|---|

Description

The Kimura data frame has 24 rows and 3 columns. Mean length-at-age data for male and female Pacific hake as reported by Kimura (1980)

Usage

Kimura

Format

This data frame contains the following columns:

age fish age

length mean length of fish of age *age*

sex sex code

Source

Kimura, D. K. 1980. *Likelihood methods for the von Bertalanffy growth curve*. U. S. Fishery Bulletin 77:765-776.

lifetable

*Life Table Construction***Description**

Life tables are constructed from either numbers of individuals of a cohort alive at the start of an age interval (nx) or number of individuals of a cohort dying during the age interval (dx).

Usage

```
lifetable(age = NULL, numbers = NULL, r = NULL, type = 1)
```

Arguments

| | |
|---------|--|
| age | vector of age intervals (e.g., 0 to maximum cohort age). |
| numbers | number of individual alive (nx) or dead (dx) |
| r | known rate of increase (r) for methods 3 and 4 |
| type | numeric value of method to use to calculate life table. 1 = Age at death recorded directly and no assumption made about population stability or stability of age structure - Method 1 in Krebs (1989). 2 = Cohort size recorded directly and and no assumption made about population stability or stability of age structure - Method 2 in Krebs (1989). 3 = Ages at death recorded for a population with stable age distribution and known rate of increase - Method 5 in Krebs (1989). 4 = Age distribution recorded for a population with a stable age distribution and known rate of increase - Method 6 in Krebs (1989). |

Details

Following Krebs (1989:413-420), standard life tables are calculated given age intervals and either cohort size or deaths. X =age interval, n_x =number of individuals of a cohort alive at the start of age interval X , l_x = proportion of individuals surviving at the start of age interval X , d_x = number of individuals of a cohort dying during the age interval X , q_x =finite rate of mortality during the age interval X to $X+1$, p_x =finite rate of survival during the age interval X to $X+1$, e_x =mean expectation of life for individuals alive at start of age X . For method 5, d_x is corrected for population growth by $d_x' = d_x * \exp(r*x)$ and in method 6, n_x is corrected for the same by $n_x * e(r*x)$. See Krebs for formulae.

Value

Dataframe containing life table values.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Krebs, C. J. 1989. *Ecological Methodologies*. Harper and Row, New York, NY. 654 p.

Examples

```
data(buffalo)
lifetable(age=buffalo$age,numbers=buffalo$nx,type=2)
```

| | |
|---------|--|
| lingcod | <i>Catch data (metric tons) for lingcod 1889 to 2001</i> |
|---------|--|

Description

Lingcod catch data from literature sources in Martell and Froese (2012).

Usage

```
lingcod
```

Format

A data frame with 113 observations on the following 2 variables.

year a numeric vector describing the year of catch

catch a numeric vector describing the annual catch in metric tons

Details

Note some data points are not exactly the same as shown in Figure 7 of Martell and Froese 2012.

| | |
|-------------|---|
| M.empirical | <i>Estimation of Natural Mortality Rates from Life History Parameters</i> |
|-------------|---|

Description

The approaches of Pauly (1980), Hoenig (1983), Alverson and Carney (1975), Roff (1984), Gundersen and Dygert (1988), Petersen and Wroblewski (1984), Lorenzen (1996), Gislason et al. (2010) and Then et al. (2015) are encoded for estimation of natural mortality (M).

Usage

```
M.empirical(Linf = NULL, Winf = NULL, K1 = NULL, Kw = NULL,
T = NULL, tmax = NULL, tm = NULL, GSI = NULL, Wdry = NULL,
Wwet = NULL, B1 = NULL, method = c(1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11))
```

Arguments

| | |
|--------|--|
| Linf | Length-infinity value from a von Bertalanffy growth curve (total length-cm). |
| Winf | Weight-infinity value from a von Bertalanffy growth curve (wet weight-grams). |
| Kl | Kl is the growth coefficient (per year) from a von Bertalanffy growth curve for length. |
| Kw | Kw is the growth coefficient (per year) from a von Bertalanffy growth curve for weight. |
| T | the mean water temperature (Celsius) experienced by the stock. |
| tmax | the oldest age observed for the species. |
| tm | the age at maturity. |
| GSI | gonadosomatic index (wet ovary weight over wet body weight). |
| Wdry | total dry weight in grams. |
| Wwet | total wet weight at mean length in grams. |
| Bl | body length in cm. |
| method | vector of method code(s). Any combination of methods can employed. 1= Pauly (1980) length equation - requires Linf, Kl, and T; 2= Pauly (1980) weight equation - requires Winf, Kw, and T; 3= Hoenig (1983) joint equation - requires tmax; 4= Alverson and Carney (1975) - requires Kl and tmax; 5= Roff (1984) - requires Kl and tm; 6= Gunderson and Dygert (1988) - requires GSI; 7= Peterson and Wroblewski (1984) - requires Wdry; 8= Lorenzen (1996) - requires Wwet; 9= Gislason et al. (2010) - requires Linf, K and Bl; 10= Then et al. (2015) tmax - requires tmax; 11= Then et al. (2015) growth - requires Kl and Linf. |

Details

Please read the references below for details about equations. Some estimates of M will not be valid for certain fish groups.

Value

A matrix of M estimates.

Note

Original functions for the Pauly (1980) length equation and the Hoenig (1983) fish equation were provided by Michael H. Prager, National Marine Fisheries Service, Beaufort, North Carolina.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Alverson, D. L. and M. J. Carney. 1975. A graphic review of the growth and decay of population cohorts. *J. Cons. Int. Explor. Mer* 36: 133-143.
- Gislason, H., N. Daan, J. C. Rice, and J. G. Pope. 2010. Size, growth, temperature and the natural mortality of marine fish. *Fish and Fisheries* 11: 149-158.
- Gunderson, D. R. and P. H. Dygert. 1988. Reproductive effort as a predictor of natural mortality rate. *J. Cons. Int. Explor. Mer* 44: 200-209.
- Hoening, J. M. 1983. Empirical use of longevity data to estimate mortality rates. *Fish. Bull.* 82: 898-903.
- Lorenzen, K. 1996. The relationship between body weight and natural mortality in juvenile and adult fish: a comparison of natural ecosystems and aquaculture. *J. Fish. Biol.* 49: 627-647.
- Pauly, D. 1980. On the interrelationships between natural mortality, growth parameters, and mean environmental temperature in 175 fish stocks. *J. Cons. Int. Explor. Mer*: 175-192.
- Peterson, I. and J. S. Wroblewski. 1984. Mortality rate of fishes in the pelagic ecosystem. *Can. J. Fish. Aquat. Sci.* 41: 1117-1120.
- Roff, D. A. 1984. The evolution of life history parameters in teleosts. *Can. J. Fish. Aquat. Sci.* 41: 989-1000.
- Then, A. Y., J. M. Hoening, N. G. Hall, D. A. Hewitt. 2015. Evaluating the predictive performance of empirical estimators of natural mortality rate using information on over 200 fish species. *ICES J. Mar. Sci.* 72: 82-92.

Examples

```
M.empirical(Linf=30.1,Kl=0.31,T=24,method=c(1))
```

menhaden

Biological data for menhaden (Brevoortia tyrannus)

Description

The menhaden data frame has 15 rows and 4 columns. Age, fecundity-at-age, partial recruitment, fraction mature, and natural mortality data for menhaden to calculate eggs-per-recruit.

Usage

```
menhaden
```

Format

This data frame contains the following columns:

- age** vector of ages
- fecundity** vector of weights at spawning for each age
- partial** partial recruitment vector
- pmat** vector of fraction of females mature at age
- M** vector of natural mortality value-at-age

Source

Atlantic State Marine Fisheries Commission. 2010. 2009 stock assessment report for Atlantic menhaden. ASMFC SAR 10-02.

 mort.al

Estimation of Mortality using Times-At-Large Data from Tagging

Description

Calculates total instantaneous (Z), natural mortality (M) and/or fishing mortality (F) using times-at-large data and methods of Gulland (1955) and McGarvey et al. (2009).

Usage

```
mort.al(relyr = NULL, tal = NULL, N = NULL, method = c(1, 2, 3),
np = 0, stper = NULL, nboot = 500)
```

Arguments

| | |
|--------|---|
| relyr | a vector of release year (or cohort) for individual times-at-large observations. |
| tal | a vector of individual times-at-large observations. |
| N | a vector of number of releases for each release year (or cohort). Each individual observation from a release year should have the same N value. |
| method | 1 = McGarvey et al., 2 = Gulland. Default is all (i.e., c(1,2)). |
| np | the number of periods over which to combine data to make period estimates of mortality. Set np=0 to estimate mortality for each release year. |
| stper | vector of year values representing the beginning year of each period over which to estimate mortality. The first year in c() must always be the first release year. |
| nboot | the number of resamples for the Gulland method. |

Details

The methods of Gulland (1955) and McGarvey et al (2009) are used to estimate Z, F and M (depending on the method) from tagging times-at-large data. For the Gulland method, the standard error of the Z, M, and F estimates are made using a parametric bootstrap method similar to Tanaka (2006). When periods are specified, period-specific mortality estimates and standard errors are derived by averaging release-year-specific mortality estimates. The standard errors are calculated by taking the square-root of the averaged variances of the estimates. To combine data over all years prior to estimation, change all relyr within a period to the same year value.

Value

dataframe containing the M, F and Z estimates and associated standard errors by period.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Gulland, J. A. 1955. On the estimation of population parameters from marked members. *Biometrika* 42: 269-270.

McGarvey, R., J. M. Matthews, and J. E. Feenstra. 2009. Estimating mortality from times-at-large: testing accuracy and precision using simulated single tag-recovery data. *ICES Journal of Marine Science* 66: 573-581.

Tanaka, E. 2006. Simultaneous estimation of instantaneous mortality coefficients and rate of effective survivors to number of released fish using multiple sets of tagging experiments. *Fisheries Science* 72: 710-718.

Examples

```
## Not run:
data(tanaka)
mort.al(relyr = tanaka$relyr, tal = tanaka$tal, N = tanaka$N)

## End(Not run)
```

 mrN.single

Estimate of Population Size from a Single Mark-Recapture Experiment

Description

Estimates population sizes, standard errors, and confidence intervals for the bias-corrected Petersen and the Bailey binomial estimators.

Usage

```
mrN.single(M = NULL, C = NULL, R = NULL, alpha = 0.05)
```

Arguments

| | |
|-------|--------------------------------------|
| M | Number of marked animals released |
| C | Number of animals captured |
| R | Number of animals recaptured |
| alpha | alpha level for confidence intervals |

Details

The bias-corrected Petersen estimator and its variance (Seber 2002: p.60), and the Bailey binomial estimator and its variance (Seber 2002: p.61) are calculated. The hypergeometric distribution is used to estimate confidence intervals for the Petersen model and the binomial distribution is used to estimate confidence intervals for the Bailey model.

Value

Dataframe containing the population estimates (N), standard errors of N, the lower confidence limits (LCI), and the upper confidence limits(UCI).

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Seber, G. A. F. 2002. *The Estimation of Animal Abundance and Related Parameters, Second Edition*. The Blackburn Press, Caldwell, New Jersey. 654 p.

Examples

```
mrN.single(M=948,C=421,R=167)
```

nshrimp

Data for Gulf of Maine northern shrimp

Description

Recruit and postrecruit survey indices and catch data for Gulf of Maine northern shrimp (*Pandulus borealis*), 1985-2007

Usage

```
data(nshrimp)
```

Format

A data frame with 23 observations on the following 4 variables.

year a numeric vector describing the year

r a numeric vector of the recruit index

n a numeric vector of the postrecruit index

C a numeric vector of the landings (in numbers)

Source

<http://www.nefsc.noaa.gov/publications/crd/crd0716/pdfs/a.pdf>

 opt_slot

Optimum Slot and Trophy Size Limits for Recreational Fisheries

Description

Calculates optimum trophy catch given a slot size over a range of F values. Also, finds Fmax for a cohort given age-at-first recruitment, age-at-first-entry, slot age, and age at which fish are considered trophy size following Jensen (1981).

Usage

```
opt_slot(M = NULL, N = 1000, recage = NULL, entage = NULL,
         trage = NULL, slage = NULL, stF = 0, endF = 2, intF = 0.05)
```

Arguments

| | |
|--------|------------------------------------|
| M | natural mortality |
| N | cohort size |
| recage | age-at-first recruitment |
| entage | age-at-entry into the fishery |
| slage | upper age of slot for legal fish |
| trage | age of fish considered trophy size |
| stF | starting F of range to explore |
| endF | ending F of range to explore |
| intF | increment of F |

Details

Calculations follow equations given in Jensen (1981).

Value

| | |
|-------|--|
| Catch | dataframe containing range of Fs and associated total catch, nontrophy, and trophy catch of designated cohort size |
| Fmax | F at which trophy catch is maximum given slot |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Jense, A. L. 1981. Optimum size limits for trout fisheries. Can. J. Fish. Aquat. Sci. 38: 657-661.

See Also[opt_trophy](#)**Examples**

```
# Example from Jensen (1981) page 661
opt_slot(M=0.70,N=1000,recage=1,entage=1,slage=3,trage=4)
```

opt_trophy

*Optimum Trophy Size Limits for Recreational Fisheries***Description**

Calculates optimum trophy catch over a range of F values and finds Fmax for a cohort given age-at-first recruitment, age-at-first-entry, and age at which fish are considered trophy size following Jensen (1981).

Usage

```
opt_trophy(M = NULL, N = 1000, recage = NULL, entage = NULL,
  trage = NULL, stF = 0, endF = 2, intF = 0.05)
```

Arguments

| | |
|--------|------------------------------------|
| M | natural mortality |
| N | cohort size |
| recage | age-at-first recruitment |
| entage | age-at-entry into the fishery |
| trage | age of fish considered trophy size |
| stF | starting F of range to explore |
| endF | ending F of range to explore |
| intF | increment of F |

Details

Calculations follow equations given in Jensen (1981).

Value

| | |
|-------|--|
| Catch | dataframe containing range of Fs and associated total catch and trophy catch of designated cohort size |
| Fmax | F at which trophy catch is maximum |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Jense, A. L. 1981. Optimum size limits for trout fisheries. Can. J. Fish. Aquat. Sci. 38: 657-661.

See Also

[opt_slot](#)

Examples

```
# Example from Jensen (1981) page 659
opt_trophy(M=0.70,N=1000,recage=1,entage=1,trage=4)
```

pgen

Probability of a Management Parameter Exceeding a Reference Point

Description

Calculates the probability of a management value exceeding a reference point with or without error

Usage

```
pgen(est=NULL,limit=NULL,estSD=0,limSD=0,corr=0,dist=1,comp=1,nreps=10000)
```

Arguments

| | |
|-------|---|
| est | management value (mv) or vector containing individual parameter values from, say, bootstrap runs. |
| limit | reference point (rp) or vector containing individual reference point values from, say, bootstrap runs. |
| estSD | standard deviation of management value if a single value is used. Must be >0 if a single value is used. If a vector of individual values is provided, estSD is not used. |
| limSD | standard deviation of reference point if a single value is used. If a vector of individual values is provided, limSD is not used. limSD = 0 if the reference point is considered a point estimate (no error). |
| corr | correlation between est and limit. Only used if est and limit are single values with error. |
| dist | assumed distribution of est or limit if they are single values with error. 1 = normal; 2 = log-normal. |
| comp | the direction of comparison: 1: mv < rp, 2: mv <= rp, 3: mv > rp, 4: mv >= rp. |
| nreps | the number of samples to draw to create normal or log-normal distributions. User should explore different sample sizes to determine if the probability obtained is stable. |

Details

Randomization methods as approximations to Equations 1, 2 and 3 in Shertzer et al. (2008) are used to calculate the probability that a management value with error (e.g., fishing mortality) passes a reference point without (Eq. 1) or with (Eq. 2) error. Either may be represented by a single value and its associated standard deviations or a vector of individual values that represent results from, say, bootstrap runs. If log-normal is assumed, *mv* and *rp* and associated standard deviations must be in natural log-units (i.e., *meanlog* and *sdlog*).

If the management value and reference point are specified as single values with standard deviations, samples of size *nreps* are drawn randomly from the specified distribution parameterized with *est* and *limit* and associated standard deviations. If *corr*>0 (Eq. 3), then the *est* and *limit* distributions are drawn from a multivariate normal (function *mvrnorm*) distribution. If log-normal is assumed, function *mvrnorm* is used with the *meanlog* and *sdlog* estimates and then output values are bias-corrected and back-transformed.

If the management value and the reference point are represented by vectors of individual values, the probability is calculated by tallying the number of management values that exceed (or pass) the reference points and then dividing by number of *est* values*number of *limit* values. If either the management value or reference point is specified as a single value with standard deviation, then a vector of individual values of size equal to the size of the other vector is generated by using the *rnorm* or *rlnorm* function parameterized with the single value and its standard deviation.

Value

probability value of comparison

Note

Chris Legault of the National Marine Fisheries Service, Woods Hole, MA provided R code for the randomization method and Daniel Hennen of the the National Marine Fisheries Service, Woods Hole, MA provided the R code for using *mvrnorm* to obtain log-normal distributions.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Shertzer, K. W., M. H. Prager, and E. K. Williams. 2008. A probability-based approach to setting annual catch levels. *Fishery Bulletin* 106: 225-232.

Examples

```
## est = 2010 Spawning Stock Biomass of Striped Bass, limit = SSB Reference Point
pgen(est=50548,limit=36881,estSD=5485,limSD=1901,corr=0.05,dist=1,comp=2,nreps=1000)
```

| | |
|---------|--|
| pinfish | <i>Length, age and sex data for pinfish (Lagodon rhomboides) from Tampa Bay, Florida</i> |
|---------|--|

Description

The pinfish data frame has 670 rows and 4 columns.

Usage

pinfish

Format

This data frame contains the following columns:

field_no haul identifier

sl standard length (mm) of individual pinfish

age age in year with decimal extension reflecting age past January 1

sex sex of fish. 1=male, 2=female, 0 = unknown

Source

Nelson, G. A. 2002. Age, growth, mortality, and distribution of pinfish (*Lagodon rhomboides*) in Tampa Bay and adjacent Gulf of Mexico waters. *Fishery Bulletin* 100: 582-592.

| | |
|------------|--|
| powertrend | <i>Power Analysis For Detecting Trends</i> |
|------------|--|

Description

Power analysis for detecting trends in linear regression is implemented following procedures in Gerrodette (1987; 1991).

Usage

```
powertrend(trend = 1, A1 = NULL, PSE = NULL, pserel = 1,  
maxyrs = 3, pR = 100, step = 5, alpha = 0.05, tail = 2, graph = TRUE)
```

Arguments

| | |
|--------|--|
| trend | 1 = Linear, 2 = Exponential. Default = 1. |
| A1 | the start year abundance. In actuality, it can be population size, productivity, diversity, mortality rate, etc. |
| PSE | the proportional standard error $(SE(A)/A) = CV$ in Gerrodette (1987;1991). |
| psere1 | the relationship between abundance and PSE: 1 = $1/\sqrt{A1}$, 2 = constant, 3 = $\sqrt{A1}$. Default = 1. |
| maxyrs | the maximum number of samples or years to project start year abundance. Default = 3. |
| pR | the highest positive percent change to investigate. Default = 100. |
| step | the increment of the range of percent change to investigate. Default = 5. |
| alpha | the alpha level (Type I error) to use. Default = 0.05. |
| tail | type of tailed test: 1 = one-tailed, 2= two-tailed. Default = 2. |
| graph | logical specifying whether a graph of power versus percent change should be produced. Default is TRUE. |

Details

The probability that an upward or downward trend in abundance (power) will be detected is calculated using linear regression given number of samples (*maxyrs*), estimates of sample variability (PSE) and abundance-PSE relationship (*psere1*), and percent rate of change. The program calculates power for each *step* increment beginning at -100 percent for declining changes and ending at *pR* percent for increasing changes. See Gerrodette (1987;1991) for full details. It is assumed that time intervals between samplings is equal.

Value

Dataframe containing columns of number of samples (*years*), trend selected (*trend*), the PSE (*pse*), alpha level (*alpha*), tail of test (*tail*), percent change (*R*) over *maxyrs*, and power (*power*).

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

- Gerrodette, T. 1987. A power analysis for detecting trends. *Ecology*. 68(5): 1364-1372.
- Gerrodette, T. 1991. Models for power of detecting trends - a reply to Link and Hatfield. *Ecology* 72(5): 1889-1892.

Examples

```
powertrend(A1=1000,PSE=0.1)
```

pwpop

Estimate Net Reproductive Rates Over Multiple Periods Of An Abundance Time Series Using Piecewise Regression

Description

Function estimates net reproductive rates for periods of change over a time series of abundance data.

Usage

```
pwpop(abund = NULL, year = NULL, periods = NULL, Cs = NULL,
      startR = NULL, upperR = NULL, lowerR = NULL, graph = TRUE)
```

Arguments

| | |
|---------|--|
| abund | the vector of time series of abundance data (e.g. run counts, indices of relative abundance, etc.). |
| year | the vector of years associated with abundance data. |
| periods | the number of periods over which to fit the population model. |
| Cs | the vector of user-specified initial starting value for year(s) of change - number of values equals <i>periods</i> - 1 (enclose within c()). |
| startR | the vector of user-specified initial starting values for R - one value for each period (enclose within c()). |
| upperR | the vector of user-specified upper limits for R (one for each period) used in optimization (enclose within c()). |
| lowerR | the vector of user-specified lower limits for R (one for each period) used in optimization (enclose within c()). |
| graph | Logical specifying whether a graph of observed versus predicted values is plotted. Default=TRUE. |

Details

A simple population model is fitted to abundance data to estimate the net reproductive rate for specified periods of time. The model is $N_t = N_0 * R^t$ where N_t is the abundance at time t , N_0 is the estimated initial population size and R is the net reproductive rate. R can be used as an indication that the population is stable ($R=1$), is increasing ($R>1$) or is declining ($R<1$) over a specified time period. The fitted equation is the linearized form: $\log(N_t) = \log(N_0) + \log(R) * t$, where \log is the natural-log; therefore, zeros are not allowed.

To simultaneously estimate the parameters for periods of trends in the abundance data, a piecewise regression approach is used. The linearized model is fitted separately to data for each period but models are linked so that the ending year for the preceding period is also the intercept for the current period. As an example, the models for three periods are

$$\log(N_{1,t}) = \log(N_{1,0}) + \log(R_1) * t \text{ for } t < C_1$$

$$\log(N_{2,t}) = \log(N_{1,0}) + C_1 * (\log(R_1) - \log(R_2)) + \log(R_2) * t \text{ for } t \geq C_1 \text{ and } t < C_2$$

$\log(N_{3,t}) = \log(N_{1,0}) + C_1 * (\log(R_1) - \log(R_2)) + C_2 * (\log(R_2) - \log(R_3)) + \log(R_3) * t$ for $t \geq C_2$

The parameters estimated for these models are $\log(N_{1,0})$, $\log(R_1)$, C_1 , $\log(R_2)$, C_2 , and $\log(R_3)$. t is time starting at 1 for the first year of abundance and ending at x for the last year of abundance (year information is still needed for plotting). Entered C_s values are converted to the same scale as t . Back-transform the $\log(R)$ values using *exp* to obtain the R values for each period. The function *optim* is used to obtain parameter estimates and associated standard errors by minimizing the sum of squares $(\log(N) - \log(\text{pred}))^2$. Add first year-1 to each C to put estimates on year scale.

Value

| | |
|-----------|--|
| Estimates | list element with the parameter estimates and associated standard errors, residual sum of squares, Akaike's Information Criterion for least squares (AIC), and coefficient of determination (r^2). |
| Data | list element with the abundance data, years, t , log predicted values, and back-transformation predicted values. |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Neter, J., M. H. Kutner, C. J. Nachtsheim, and W. Wasserman. 1996. Applied Linear Statistical Models. The McGraw-Hill Companies. 1408 p.

Examples

```
data(counts)
pwpop(abund = counts$number, year = counts$year, periods = 3, Cs = c(2000, 2005),
startR = c(0.5, 0.5, 0.5),
upperR = c(10, 10, 10),
lowerR = c(-10, -10, -10))
```

remp

Random Number Generation from an Empirical Distribution

Description

Generates random numbers from a distribution created with empirical data

Usage

```
remp(n, obs=NULL)
```

Arguments

| | |
|-----|--|
| n | number of random observations to generate. |
| obs | vector of empirical observations. |

Details

An empirical probability distribution is formed from empirical data with each observation having $1/T$ probability of selection, where T is the number of data points. The cumulative distribution function (cdf) is then created so that cumulative probability of the smallest observation = 0 and the largest observation = 1. Random values are generated by applying the probability integral transform to the empirical cdf using uniformly distributed random variable (U) on the interval $[0,1]$. If U corresponds directly to the cdf probability of a particular empirical observation, then the actual observation is selected. If U falls between cdf probabilities of empirical observations, then an observation is obtained by linear interpolation.

Value

random observation(s)

Note

Jon Brodziak of the National Marine Fisheries Service, Honolulu, HI described this technique in his AGEPRO program.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

Examples

```
# Striped bass recruits per spawning stock biomass ratios
# for 2001-2011 from 2013 assessment
ratios<-c(799.22,794.78,969.81,1038.80,1101.45,1117.46,1126.16,
          1647.51,1882.30,1966.13,2189.25)
# Select new recruits per SSB ratio for projection
remp(1,ratios)
```

rockbass

Age Frequency Data for Rock Bass

Description

The rockbass data frame has 243 rows and 1 column. The age data are from a sample of rock bass trap-netted from Cayuga Lake, New York by Chapman and Robson, as reported by Seber (2002; page 417) and were expanded to individual observations from the age frequency table.

Usage

rockbass

Format

This data frame contains the following columns:

age age of individual rock bass in years

Source

Seber, G. A. F. 2002. *The Estimation of Animal Abundance and Related Parameters, Second Edition*. The Blackburn Press, Caldwell, New Jersey. 654 p.

| | |
|-------|---|
| sblen | <i>Total length (inches) of striped bass collected by Massachusetts volunteer anglers in 2014</i> |
|-------|---|

Description

sblen data frame has 311 rows and 1 columns. Total length of striped bass

Usage

sblen

Format

This data frame contains the following columns:

len_inches vector of lengths

Source

Massachusetts Division of Marine Fisheries, 30 Emerson Avenue, Gloucester, MA

| | |
|--------|---|
| sbotos | <i>Otolith ages of striped bass made by two age readers</i> |
|--------|---|

Description

The sbotos data frame has 135 rows and 2 columns. Ages of striped bass interpreted from the same otolith sections by two age readers

Usage

sbotos

Format

This data frame contains the following columns:

reader1 vector of ages

reader2 vector of ages

Source

Massachusetts Division of Marine Fisheries, 30 Emerson Avenue, Gloucester, MA

sbpr

Spawning Stock Biomass-Per-Recruit Analysis

Description

Spawning stock biomass-per-recruit(SBPR) analysis is conducted following Gabriel et al. (1989). Reference points of F and SBPR for a percentage of maximum spawning potential are calculated.

Usage

```
sbpr(age = NULL, ssbwgt = NULL, partial = NULL, pmat = pmat,
M = NULL, pF = NULL, pM = NULL, MSP = 40, plus = FALSE,
oldest = NULL, maxF = 2, incrF = 1e-04, graph = TRUE)
```

Arguments

| | |
|---------|---|
| age | vector of cohort ages. If the last age is a plus group, do not add a "+" to the age. |
| ssbwgt | vector of spawning stock weights for each age. Length of vector must correspond to the length of the age vector. |
| partial | partial recruitment vector applied to fishing mortality (F) to obtain partial F-at-age. Length of this vector must match length of the age vector. |
| pmat | proportion of mature fish at each age. Length of this vector must match the length of the age vector. |
| M | vector containing a single natural mortality (M) rate if M is assumed constant over all ages, or a vector of Ms, one for each age. If the latter, the vector length match the length of the age vector. |
| pF | the proportion of fishing mortality that occurs before spawning. |
| pM | the proportion of natural mortality that occurs before spawning. |
| MSP | the percentage of maximum spawning potential (percent MSP reference point) for which F and SBPR should be calculated. |
| plus | a logical indicating whether the last age is a plus-group. Default=FALSE. |
| oldest | if plus=TRUE, a numeric value indicating the oldest age in the plus group. |
| maxF | the maximum value of F range over which SBPR will be calculated. SBPR is calculated for F = 0 to maxF. |
| incrF | F increment for SBPR calculation. |
| graph | a logical indicating whether SPR and Percent Max SPR versus F should be plotted. Default=TRUE. |

Details

Spawning stock biomass-per-recruit analysis is conducted following Gabriel et al. (1989). The F and SBPR for the percentage maximum spawning potential reference point are calculated. If the last age is a plus-group, the cohort is expanded to the oldest age and the `ssbwgt`, `partial`, `pmat`, and `M` values for the plus age are applied to the expanded cohort ages.

Value

`Reference_Points` F and SBPR values for the percentage MSP
`SBPR_vs_F` Spawning stock biomass-per-recruit values for each F increment

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Gabriel, W. L., M. P. Sissenwine, and W. J. Overholtz. 1989. Analysis of spawning stock biomass per recruit: an example for Georges Bank haddock. *North American Journal of Fisheries Management* 9: 383-391.

See Also

[ypr](#)

Examples

```
data(haddock)
sbpr(age=haddock$age,ssbwgt=haddock$ssbwgt,partial=haddock$partial,
pmat=haddock$pmat,M=0.2,pF=0.2, pM=0.1667,MSP=30,plus=FALSE,maxF=2,
incrF=0.001)
```

schnabel *Population Size Estimates from Repeated Mark-Recapture Experiments*

Description

Estimates of population abundance from Schnabel (1938) and Schumacher and Eschmeyer (1943) are calculated from repeated mark-recapture experiments following Krebs (1989).

Usage

```
schnabel(catch = NULL, recaps = NULL, newmarks = NULL,
alpha = 0.05)
```

Arguments

| | |
|----------|--|
| catch | A vector containing the number of animal caught in each mark-recapture experiment. |
| recaps | A vector containing the number of animal recaptured in each mark-recapture experiment. |
| newmarks | A vector containing the newly marked animals in each mark-recapture experiment. |
| alpha | the alpha level for confidence intervals. Default = 0.05 |

Details

All computations follow Krebs (1989: p. 30-34). For the Schnabel method, the poisson distribution is used to set confidence intervals if the sum of all recaptures is <50 , and the t distribution is used if the sum of all recaptures is ≥ 50 . For the Schumacher-Eschmeyer method, the t distribution is used to set confidence intervals.

Value

Dataframe containing the population estimates for the Schnabel and Schumacher & Eschmeyer methods (N), the inverse standard errors (invSE), lower (LCI) and upper (UCI) confidence intervals, and the type of distribution used to set confidence intervals (CI Distribution).

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Krebs, C. J. 1989. *Ecological Methodologies*. Harper and Row, New York, NY. 654 p.

Examples

```
data(Gerking)
schnabel(catch=Gerking$C,recaps=Gerking$R, newmarks=Gerking$nM,
alpha=0.10)
```

Shepherd

Seasonal Length Frequencies for Raja clavata

Description

The Shepherd data frame has 24 rows and 4 columns. The seasonal length frequency data of *Raja clavata* are from Shepherd's working document.

Usage

Shepherd

Format

This data frame contains the following columns:

length lower limit of length interval

f1 length frequency from first sampling event in year.

f2 length frequency from second sampling event in year.

f3 length frequency from third sampling event in year.

Source

Shepherd, J. G. 1987. *A weakly parametric method for the analysis of length composition data*. In: D. Pauly and G. Morgan, (eds). *The Theory and Application of Length-Based Methods of Stock Assessment*. ICLARM Conf. Ser. Manilla.

| | |
|------|---|
| slca | <i>A Weakly Parametric Method for the Analysis of Length Composition Data</i> |
|------|---|

Description

Shepherd's method for the decomposition of seasonal length frequencies into age classes.

Usage

```
slca(x, type = 1, fryr=NULL, Linf = NULL, K = NULL, t0 = NULL,
     Lrange = NULL, Krange = NULL)
```

Arguments

| | |
|------|---|
| x | the dataframe containing the seasonal length frequencies. The first column contains the lower limit of the length bin as a single numeric value, and the second and remaining columns contain the number of fish in each length bin for each seasonal length frequency. The increment of length frequencies should be constant, e.g. every 3 cm. Empty cells must be coded as zeros. Column headers are not required. |
| type | the analysis to be conducted: 1= <i>explore</i> , 2= <i>evaluate</i> . |
| fryr | the fraction of the year corresponding to when each seasonal length frequency was collected. Enter one numeric value for each length frequency separated by commas within the concatenation function, e.g. c(0.2,0.45). Values must be entered for type=1 and type=2. |
| Linf | the von Bertalanffy L-infinity parameter. If type=2, then value must be entered. |
| K | the von Bertalanffy growth parameter. If type=2, then value must be entered. |
| t0 | the von Bertalanffy t-sub zero parameter. If type=2, the value must be entered. |

| | |
|--------|--|
| Lrange | the L-infinity range (minimum and maximum) and increment to explore. If type=1, then values must be entered. The first position is the minimum value, the second position is the maximum value, and the third position is the increment. Values should be separated by commas within the concatenation function, e.g. c(100,120,10). |
| Krange | the K range and increment to explore. If type=1, then values must be entered. The first position is the minimum value, the second position is the maximum value, and the third position is the increment. Values should be separated by commas within the concatenation function, e.g. c(0.1,0.3,0.02). |

Details

There are two analytical steps. In the "explore" analysis, a set of von Bertalanffy parameters that best describes the growth of the seasonal length groups is selected from a table of goodness-of-fit measures mapped over the range of specified K and L-infinity values. Once the best K and L-infinity parameters are selected, the corresponding t0 value is obtained off the second table. In the "evaluate" analysis, the selected parameters are used to 'slice' the seasonal length frequencies into age classes.

Value

If type=1, tables of goodness of fit measures versus L-infinity and K parameters, and t0 values versus L-infinity and K parameters. If type=2, table of age classes produced from slicing the length frequencies.

Note

Shepherd's Fortran code provided in his original working document was translated into R code.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Shepherd, J. G. 1987. A weakly parametric method for the analysis of length composition data. In: D. Pauly and G. Morgan, (eds). The Theory and Application of Length-Based Methods of Stock Assessment. ICLARM Conf. Ser. Manilla.

Examples

```
#Data are from Shepherd working document - seasonal length frequencies
# for Raja clavata.
data(Shepherd)

#explore
slca(Shepherd,1,fryr=c(0.2,0.45,0.80),Lrange=c(100,150,10),
Krange=c(0.1,0.3,0.02))
```

```
#evaluate
slca(Shepherd,2,fryr=c(0.2,0.45,0.80),Linf=120,K=0.2,t0=0.57)
```

 surveyfit

Estimating the Relative Abundance of Fish From a Trawl Survey

Description

This function applies the time series method of Pennington (1986) for estimating relative abundance to a survey series of catch per tow data

Usage

```
surveyfit(year = NULL, index = NULL, logtrans = TRUE, graph = TRUE)
```

Arguments

| | |
|----------|---|
| year | vector containing the time series of numeric year labels. |
| index | vector containing the time series of mean catch per tow data. |
| logtrans | a logical value indicating whether the natural log-transform should be applied to the mean catch per tow values. Default is TRUE. |
| graph | a logical value indicating whether a graph of the observed and model fit should be drawn. Default is TRUE. |

Details

Parameters for a first difference, moving average model of order 1 are estimated from the trawl time series using function `arima`. Following Equation 4 in Pennington (1986), fitted values are calculated from the model residuals and the estimate of theta.

Value

List containing summary statistics (sample size (n), the first three sample autocorrelations (r1-r3) for the first differenced logged series) and parameter estimates (theta, theta standard error, and sigma2), the observed log-transformed index and fitted values, and the ARIMA function output.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Pennington, M. P. 1986. Some statistical techniques for estimating abundance indices from trawl surveys. *Fishery Bulletin* 84(3): 519-525.

See Also[surveyref](#)**Examples**

```
data(yellowtail)
surveyfit(year=yellowtail$year, index=yellowtail$index)
```

| | |
|-----------|---|
| surveyref | <i>Quantitative reference points from stock abundance indices based on research surveys</i> |
|-----------|---|

Description

This function implements the methodology of Helser and Hayes (1995) for generating quantitative reference points from relative abundance indices based on research surveys

Usage

```
surveyref(x = NULL, refpt = 25, compyear = NULL, reffix = FALSE,
          refrange = NULL, nboot = 500, allboots = FALSE)
```

Arguments

| | |
|----------|---|
| x | output object from function <code>surveyfit</code> . |
| refpt | the lower quantile (percentile) of the fitted time series used as the reference point. |
| compyear | the index year to compare to the reference point. Multiple years can be included in the comparison using the <code>c()</code> function. |
| reffix | a logical value specifying whether the lower quantile should be determined from a fixed set of years. Default = FALSE. |
| refrange | If <code>reffix = TRUE</code> , the beginning and ending year of the time series to include in determination of the lower quantile. The values should be enclosed within <code>c()</code> (e.g., <code>c(1963,1983)</code>). |
| nboot | the number of bootstrap replicates. |
| allboots | a logical value specifying whether the fitted values for the bootstrap replicates should be included in the output. Default = FALSE. |

Details

Using the output object from function `surveyfit`, the methodology of Helser and Hayes (1995) is applied to generate the probability distribution that the abundance index value for a given year lies below the value of a lower quantile (reference point). The procedure is : 1) add to the original fitted time series residuals randomly selected with replacement from the Pennington model fit, 2) repeat this `nboot` times to create new time series, 3) fit the Pennington model to each new time series

using the original theta estimate to get nboot replicates of new fitted time series, and 4) determine the lower quantile for each new fitted time series. A probability profile specifying the probability that the selected index value is less than the quantile reference point for various decision confidence levels is calculated following Helser et al. (2002).

If comparisons between the current year's index and the reference point will be made year-after-year, Helser and Hayes (1995) recommend using a fixed set of years to select the lower quantile. This procedure will avoid a change in reference point over time as a survey time series is updated. Use arguments `reffix` and `refrange` to accomplish this.

Value

list containing the lower quantile of the original fitted time series and the mean quantile of the fitted bootstrap replicates (`comp_refpt`), the original fitted time series values versus the mean of the fitted bootstrap time series values (`comp_fitted`), the empirical distribution of the selected index (`emp_dist_index`), the empirical distribution of the lower quantile (`emp_dist_refpt`), the probability that the index value lies below the reference point for a given decision confidence level (`prob_index`), and, if argument `allboots` is TRUE, the fitted values of the bootstrap replicates (`boot_runs`).

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Helser, T. E. and D. B. Hayes. 1995. Providing quantitative management advice from stock abundance indices based on research surveys. *Fishery Bulletin* 93: 290-298.

Hesler, T. E., A. Sharov, and D. M. Kahn. 2002. A stochastic decision-based approach to assessing the status of the Delaware Bay blue crab stock. *American Fisheries Society Symposium* 27: 63-82.

See Also

[surveyfit](#)

Examples

```
data(wolffish)
out<-surveyfit(year=wolffish$year, index=wolffish$index, logtrans=TRUE)
surveyref(out, refpt=25, compyear=c(1990))
```

Description

Calculates model averaged estimates of instantaneous fishing, natural and total mortality, and survival rates for instantaneous rates tag return models (Hoenig et al. (1998) and Jiang et al. (2007)).

Usage

```
tag_model_avg(..., global = NULL)
```

Arguments

| | |
|--------|---|
| ... | model object names separated by commas |
| global | specify global model name in quotes. If the global model is the first model included in the list of candidate models, this argument can be ignored. |

Details

Model estimates are generated from functions `irm_cr` and `irm_h`. Averaging of model estimates follows the procedures in Burnham and Anderson (2002). Variances of parameters are adjusted for overdispersion using the \hat{c} estimate from the global model : $\sqrt{\text{var} * \hat{c}}$. If \hat{c} of the global model is < 1 , then \hat{c} is set to 1. The \hat{c} is used to calculate the quasi-likelihood AIC and AICc metrics for each model (see page 69 in Burnham and Anderson(2002)). QAICc differences among models are calculated by subtracting the QAICc of each model from the model with the smallest QAICc value. These differences are used to calculate the Akaike weights for each model following the formula on page 75 of Burnham and Anderson (2002). The Akaike weights are used to calculate the weighted average and standard error of parameter estimates by summing the product of the model-specific Akaike weight and parameter estimate across all models. An unconditional standard error is also calculated by $\sqrt{\text{sum}(\text{QAICc wgt of model } i * (\text{var of est of model } i + (\text{est of model } i - \text{avg of all est})^2))}$.

Value

List containing model summary statistics, model-averaged estimates of fishing, natural, tag, and total mortality, and survival and their weighted and unconditional standard errors .

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Burnham, K. P. and D. R. Anderson. 2002. Model selection and multimodel inference : A Practical Information-Theoretic Approach, 2nd edition. Springer-Verlag, New York, NY. 488 p.

See Also

[irm_h](#) [irm_cr](#)

Examples

```
## This is a typical specification, not a working example
## Not run:
tag_model_avg(model1,model2,model3,model4,model5,model6,model7,global="model7")
## End(Not run)
```

| | |
|--------|---|
| tanaka | <i>Simulated alfonsino data for Tanaka (2006)</i> |
|--------|---|

Description

The tanaka data frame has 138 rows and 3 columns. The number of returns and the mean times-at-large from Table 2 of Tanaka (2006) were used to generate individual times-at-large data from a random normal distributions using a CV of 0.1.

Usage

tanaka

Format

This data frame contains the following columns:

relyr release year (cohort)

tal individual times-at-large (in years)

N Total number of releases for relearyear (cohort)

Source

Tanaka, E. 2006. Simultaneous estimation of instantaneous mortality coefficients and rate of effective survivors to number of released fish using multiple sets of tagging experiments. Fisheries Science 72: 710-718.

| | |
|-------|--|
| trout | <i>Mark-recapture data for Kenai River trout trout</i> |
|-------|--|

Description

The trout data frame has 102 rows and 3 columns. Release lengths, recapture lengths and times-at-large for trout trout in the Kenai River from Table 4.10 of Quinn and Deriso (1999).

Usage

trout

Format

This data frame contains the following columns:

L1 vector of release lengths

L2 vector of recapture lengths

dt vector of times-at-large

Source

Quinn, T. J. and R. B. Deriso. 1999. Quantitative Fish Dynamics. Oxford University Press, New York, New York. 542 pages

| | |
|------|--|
| vbfr | <i>Francis' re-parameterization of the von Bertalanffy growth equation for length-age data</i> |
|------|--|

Description

Fits the re-parameterized von Bertalanffy growth equation of Francis (1988) by using nonlinear least-squares

Usage

```
vbfr(age = NULL, L = NULL, agephi = NULL, agepsi = NULL, graph = TRUE,
gestimate = TRUE, Lhiparms = c(NA, NA, NA), Lchiparms = c(NA, NA, NA),
Lpsiparms = c(NA, NA, NA), control = list(maxiter = 10000))
```

Arguments

| | |
|-----------|--|
| age | Vector of ages of individual fish. |
| L | Vector of lengths of individual fish. |
| agephi | Arbitrary reference age phi |
| agepsi | Arbitrary reference age psi. agepsi>agephi. |
| graph | Logical specifying whether observed versus predicted, and residual plots should be drawn. Default=TRUE. |
| gestimate | Logical specifying whether automatic generation of starting values of <i>lphi</i> , <i>lchi</i> and <i>lpsi</i> should be used. Default=TRUE. If gestimate=FALSE, user-specified starting, lower and upper limits of parameters must be entered. |
| Lhiparms | If gestimate=FALSE, starting value, lower limit and upper limit of <i>lphi</i> used in <i>nls</i> . |
| Lchiparms | If gestimate=FALSE, starting value, lower limit and upper limit of <i>lchi</i> used in <i>nls</i> . |
| Lpsiparms | If gestimate=FALSE, starting value, lower limit and upper limit of <i>lpsi</i> used in <i>nls</i> . |
| control | see control under function <i>nls</i> . |

Details

Francis (1988) re-parameterized the von Bertalanffy growth equation for age-length in order to make equivalent comparison of parameters to parameters of a common model used to estimate growth from tagging data. Three parameters, *lphi*, *lchi* and *lpsi*, are estimated. The re-parameterization also has better statistical properties than the original equation.

The formulae to get the conventional von Bertalanffy parameters are:

$$Linf = lphi + (lpsi - lphi) / (1 - r^2) \text{ where } r = (lpsi - lchi) / (lchi - lphi)$$

$$K = -(2 * \log(r)) / (agepsi - agephi)$$

$$t0 = agephi + (1/K) * \log((Linf - lphi) / Linf)$$

If `gestimate=TRUE`, unconstrained nonlinear least-squares (function *nls*) is used to fit the model. If `gestimate=FALSE`, constrained nonlinear least-squares is used (algorithm "port" in *nls*).

Value

nls object of model results. Use *summary* to extract results.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Francis, R. I. C. C. 1988. Are growth parameters estimated from tagging and age-length data comparable? *Can. J. Fish. Aquat. Sci.* 45: 936-942.

Examples

```
data(pinfish)
with(pinfish, vbfr(age=age, L=s1, agephi=3, agepsi=6))
```

| | |
|-------|---|
| vblrt | <i>Likelihood Ratio Tests for Comparing Two von Bertalanffy Growth Curves</i> |
|-------|---|

Description

Likelihood ratio tests for comparison of two von Bertalanffy growth curves following Kimura (1980).

Usage

```
vblrt(len = NULL, age = NULL, group = NULL, error = 1,
      select = 1, Linf = NULL, K = NULL, t0 = NULL, plotype=0,
      control=list(maxiter=10000, minFactor=1/1024, tol=1e-5))
```

Arguments

| | |
|----------|---|
| len | the vector of lengths of individual fish. |
| age | the vector of ages associated with the length vector. |
| group | the vector of character or numeric codes specifying group association. |
| error | the error variance assumption. 1= constant variance for all <i>lijs</i> ; 2= constant variance for all mean lengths at age; 3=var of <i>lij</i> varies with age. See methods a-c in Kimura (1980: pp. 766). The required statistics for each type of error are calculated from the individual length-age observations. |
| select | the selection of starting values of <i>L-infinity</i> , <i>K</i> , and <i>t0</i> . 1=automatic selection, 2=user-specified. If <i>select</i> =1, initial starting values of <i>L-infinity</i> , <i>K</i> , and <i>t0</i> are calculated from Walford lines (Everhart et al. 1975), and ages represented as decimal values are truncated to the integer before linear regression is applied. If <i>select</i> =2, the user must specify the values of <i>L-infinity</i> , <i>K</i> , and <i>t0</i> . |
| Linf | if <i>select</i> =2, the starting value for <i>L-infinity</i> of the von Bertalanffy equation. |
| K | if <i>select</i> =2, the starting value for <i>K</i> of the von Bertalanffy equation. |
| t0 | if <i>select</i> =2, the starting value for <i>t0</i> of the von Bertalanffy equation. |
| plottype | the type of plot for each model. 1= observed versus predicted, 2= residuals. Default= 0 (no plot). |
| control | see function <i>nls</i> . |

Details

Following Kimura (1980), the general model (6 parameters; one *L-infinity*, *K*, and *t0* for each group) and four sub models are fitted to the length and age data using function *nls* (nonlinear least squares). For each general model-sub model comparison, likelihood ratios are calculated by using the residual sum-of-squares and are tested against chi-square statistics with the appropriate degrees of freedom. Individual observations of lengths-at-age are required. If error variance assumptions 2 or 3, mean lengths and required statistics are calculated. A dummy vector called *cat*, containing 0s for the first group with lower alpha-numeric order and 1s for the second group, is used in the estimation of group parameters. To extract the VB parameters for each group from the Ho model: # Group 1 Linf1<-x\$model Ho'\$coefficients[1] K1<-x\$model Ho'\$coefficients[3] t01<-x\$model Ho'\$coefficients[5]

```
# Group 2 Linf2<-Linf1+x$model Ho'$coefficients[2] K2<-K1+x$model Ho'$coefficients[4] t02<-t01+x$model Ho'$coefficients[6]
```

where *x* is the output object. For models H1, H2, H3 and H4, the shared VB parameter for the second group will be the same as the first group.

Value

| | |
|----------|--|
| results | list element with the likelihood ratio tests comparing von Bertalanffy models. |
| model Ho | list element with the <i>nls</i> fit for the general model. |
| model H1 | list element with the <i>nls</i> for model H1 (Linf1=Linf2). |
| model H2 | list element with the <i>nls</i> fit for model H2 (K1=K2). |
| model H3 | list element with the <i>nls</i> fit for model H3 (t01=t02). |

model H4 list element with the nls fit for model H4 (Linf1=Linf2, K1=K2, t01=t02).
 rss list element with the residual sum-of-squares from each model.
 residuals list element with the residuals from each model.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Everhart, W. H., A. W. Eipper, and W. D. Youngs. 1975. Principles of Fishery Science. Cornell University Press.
 Kimura, D. K. 1980. Likelihood methods for the von Bertalanffy growth curve. U. S. Fish. Bull. 77(4): 765-776.

Examples

```
## Normally, the length and age data will represent data for individuals.
## Kimura's data are mean lengths-at-age but are usable because error=2
## will calculate mean lengths-at-age from individual data. Since only
## one value is present for each age, the mean length will be calculated
## as the same value.
data(Kimura)
vblrt(len=Kimura$length, age=Kimura$age, group=Kimura$sex, error=2, select=1,
      plottype=2)
```

wolffish *Spring untransformed mean catch per tow for wolffish (Anarhichas lupus)*

Description

The wolffish data frame has 25 rows and 2 columns. The mean catch per tow values were digitized from Figure 4 of Helser and Hayes (1995) and back-transformed to the original scale.

Usage

```
wolffish
```

Format

This data frame contains the following columns:

year survey year of catch per tow

index mean catch per tow value (untransformed)

Source

Helser, T. E. and D. B. Hayes. 1995. Providing quantitative management advice from stock abundance indices based on research surveys. *Fishery Bulletin* 93: 290-298.

| | |
|------------|--|
| yellowtail | <i>Fall average catch per tow for southern New England yellowtail flounder</i> |
|------------|--|

Description

The yellowtail data frame has 22 rows and 2 columns. The average catch per tow values were digitized from Figure 4 of Pennington (1986)

Usage

yellowtail

Format

This data frame contains the following columns:

year survey year of catch per tow

index average catch per tow value (untransformed)

Source

Pennington, M. P. 1986. Some statistical techniques for estimating abundance indices from trawl surveys. *Fishery Bulletin* 84(3): 519-525.

| | |
|-----|-----------------------------------|
| ypr | <i>Yield-Per-Recruit Analysis</i> |
|-----|-----------------------------------|

Description

Yield-per-recruit (YPR) analysis is conducted following the modified Thompson-Bell algorithm. Reference points F_{max} and $F_{0.1}$ are calculated.

Usage

```
ypr(age = NULL, wgt = NULL, partial = NULL, M = NULL,
     plus = FALSE, oldest = NULL, maxF = 2, incrF = 0.001, graph = TRUE)
```


Arguments

| | |
|---------|--|
| age | the vector of cohort ages, e.g. c(1,2,3,4,5). If the last age is a plus group, do not add a "+" to the age. |
| wgt | the vector of catch weights for each age, e.g. c(0.2,0.4,0.7,1.0,1.2). Length of vector must correspond to the length of the age vector. |
| partial | the partial recruitment vector applied to fishing mortality (F) to obtain partial F-at-age. Length of the partial recruitment vector must correspond to the length of the age vector. |
| M | vector containing a single natural mortality (M) rate if M is assumed constant over all ages, or a vector of Ms, one for each age. If the latter, the vector length must correspond to the length of the age vector. |
| plus | a logical value indicating whether the last age is a plus-group. Default is FALSE. |
| oldest | if plus=TRUE, a numeric value indicating the oldest age in the plus group. |
| maxF | the maximum value of F range over which YPR will be calculated. YPR is calculated for F = 0 to maxF. |
| incrF | F increment for YPR calculation. |
| graph | logical indicating whether YPR versus F should be plotted. Default=TRUE. |

Details

Yield-per-recruit analysis is conducted following the modified Thompson-Bell algorithm. Reference points Fmax and F0.1 are calculated. If the last age is a plus-group, the cohort is expanded to the oldest age and the wgt, partial, and M values for the plus age are applied to the expanded cohort ages.

Value

| | |
|------------------|--|
| Reference_Points | F and yield-per-recruit values for Fmax and F0.1 |
| F_vs_YPR | Yield-per-recruit values for each F increment |

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

References

Gabriel, W. L., M. P. Sissenwine, and W. J. Overholtz. 1989. Analysis of spawning stock biomass per recruit: an example for Georges Bank haddock. North American Journal of Fisheries Management 9: 383-391.

See Also

[sbpr](#)

Examples

```
data(haddock)
ypr(age=haddock$age,wgt=haddock$ssbwgt,partial=haddock$partial,M=0.4,
plus=TRUE,oldest=100,maxF=2,incrF=0.01)
```

| | |
|----|--|
| zt | <i>Z-transform or center a time series</i> |
|----|--|

Description

Z-transforms observations of a time series or centers observations of a time series to the mean.

Usage

```
zt(x = NULL, ctype = 1)
```

Arguments

| | |
|-------|---|
| x | vector of observations. Missing values are allowed. |
| ctype | the type of transformation. 1 = Z transform $((x - \text{mean } x) / \text{sd } x)$; 2 = center $(x - \text{mean } x)$. Default = 1 |

Details

Z-transforms observations of a time series or centers observations of a time series to the mean.

Value

vector containing the transformed time series.

Author(s)

Gary A. Nelson, Massachusetts Division of Marine Fisheries <gary.nelson@state.ma.us>

Examples

```
data(wolffish)
zt(wolffish$index)
```

Index

*Topic **MISC**

astrocalc4r, 11

*Topic **\textasciitildekwd1**

dlproj, 55

growthResid, 73

growthTraject, 75

*Topic **\textasciitildekwd2**

dlproj, 55

growthResid, 73

growthTraject, 75

*Topic **datasets**

alkdata, 8

bonito, 17

buffalo, 19

catch, 20

codcluslen, 41

codstrcluslen, 41

counts, 45

cowcod, 46

darter, 47

Gerking, 66

goosefish, 67

haddock, 78

Hightower, 79

Hoenig, 79

Jensen, 86

Jiang, 87

kappenman, 88

Kimura, 88

lingcod, 90

menhaden, 92

nshrimp, 95

pinfish, 100

rockbass, 104

sblen, 105

sbotos, 105

Shepherd, 108

tanaka, 115

trout, 115

wolffish, 119

yellowtail, 120

*Topic **htest**

clus.str.lf, 35

vblrt, 117

*Topic **misc**

agesurv, 3

agesurvcl, 5

alk, 6

alkD, 7

alkprop, 9

alkss, 10

bheq, 14

bhnoneq, 15

bt.log, 18

catch.select, 20

catchmsy, 22

catchsurvey, 26

clus.lf, 27

clus.mean, 31

clus.rho, 32

clus.rho.g, 34

clus.str.lf, 35

clus.t.test, 38

clus.vb.fit, 40

combinevar, 42

compare2, 43

convmort, 44

cpuekapp, 46

dbsra, 48

deltadist, 52

deplet, 53

epr, 56

fm_checkdesign, 58

fm_model_avg, 60

fm_telemetry, 61

gap, 65

grotag, 67

growhamp, 69

- growth, 72
 - growtrans, 77
 - irm_cr, 80
 - irm_h, 83
 - lifetable, 89
 - M.empirical, 90
 - mort.al, 93
 - mrN.single, 94
 - opt_slot, 96
 - opt_trophy, 97
 - pgen, 98
 - powertrend, 100
 - pwpop, 102
 - remp, 103
 - sbpr, 106
 - schabel, 107
 - slca, 109
 - surveyfit, 111
 - surveyref, 112
 - tag_model_avg, 113
 - vbfr, 116
 - vblrt, 117
 - ypr, 120
 - zt, 122
- agesurv, 3, 5
 - agesurvcl, 5
 - alk, 6
 - alkD, 6, 7, 10, 11
 - alkdata, 8
 - alkprop, 6, 8, 9, 11
 - alkss, 6, 8, 10, 10
 - astrocalc4r, 11
- bheq, 14, 16
 - bhnoneq, 15, 15
 - bonito, 17
 - bt.log, 18
 - buffalo, 19
- catch, 20
 - catch.select, 20
 - catchmsy, 22, 51, 56
 - catchsurvey, 26
 - clus.lf, 27, 33, 35, 38
 - clus.mean, 31, 33, 35
 - clus.rho, 32
 - clus.rho.g, 34
 - clus.str.lf, 30, 33, 35, 35
- clus.t.test, 38
 - clus.vb.fit, 40
 - codcluslen, 41
 - codstrcluslen, 41
 - combinevar, 42
 - compare2, 43
 - convmort, 44
 - counts, 45
 - cowcod, 46
 - cpuekapp, 46
- darter, 47
 - dbstra, 25, 48, 56
 - deltadist, 52
 - deplet, 53
 - dlproj, 25, 51, 55
- epr, 56
- fm_checkdesign, 58
 - fm_model_avg, 60
 - fm_telemetry, 59, 61, 61
- gap, 47, 65
 - Gerking, 66
 - goosefish, 67
 - grotag, 67
 - growhamp, 69
 - growth, 72
 - growthResid, 73
 - growthTraject, 75
 - growtrans, 77
- haddock, 78
 - Hightower, 79
 - Hoening, 79
- irm_cr, 80, 86, 114
 - irm_h, 83, 83, 114
- Jensen, 86
 - Jiang, 87
- kappenman, 88
 - Kimura, 88
- lifetable, 89
 - lingcod, 90
- M.empirical, 90

menhaden, 92
mort.al, 71, 93
mrN.single, 94

nshrimp, 95

opt_slot, 96, 98
opt_trophy, 97, 97

pgen, 98
pinfish, 100
powertrend, 100
pwpop, 102

remp, 103
rockbass, 104

sblen, 105
sbotos, 105
sbpr, 58, 106, 121
schnabel, 107
Shepherd, 108
slca, 109
surveyfit, 111, 113
surveyref, 112, 112

tag_model_avg, 83, 86, 113
tanaka, 115
trout, 115

vbfr, 116
vblrt, 117

wolffish, 119

yellowtail, 120
ypr, 58, 107, 120

zt, 122