

Package ‘hellno’

August 29, 2016

Type Package

Title Providing 'stringsAsFactors=FALSE' Variants of 'data.frame()' and 'as.data.frame()'

Version 0.0.1

Date 2015-12-14

Author Peter Meissner

Maintainer Peter Meissner <retep.meissner@gmail.com>

Description Base R's default setting for 'stringsAsFactors' within 'data.frame()' and 'as.data.frame()' is supposedly the most often complained about piece of code in the R infrastructure. The 'hellno' package provides an explicit solution without changing R itself or having to mess around with options. It tries to solve this problem by providing alternative 'data.frame()' and 'as.data.frame()' functions that are in fact simple wrappers around base R's 'data.frame()' and 'as.data.frame()' with 'stringsAsFactors' option set to 'HELLNO' (which in turn equals FALSE) by default.

License MIT + file LICENSE

URL <https://github.com/petermeissner/hellno>

BugReports <https://github.com/petermeissner/hellno/issues>

LazyData TRUE

Suggests testthat

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2015-12-14 18:34:03

R topics documented:

as.data.frame	2
data.frame	2
HELLNO	3

Index**4**

as.data.frame	<i>alternative as.data.frame() implementation</i>
---------------	---

Description

hellno::as.data.frame() wraps up base::as.data.frame() so that stringsAsFactors is set to HELLNO (== FALSE) by default

Usage

```
as.data.frame(x, row.names = NULL, optional = FALSE,
              stringsAsFactors = HELLNO, ...)
```

Arguments

x	see as.data.frame
row.names	see as.data.frame
optional	see as.data.frame
stringsAsFactors	
	see as.data.frame by default set to FALSE
...	see as.data.frame

See Also

[as.data.frame](#)

data.frame	<i>alternative data.frame() implementation</i>
------------	--

Description

hellno::data.frame() wraps up base::data.frame() so that stringsAsFactors is set to HELLNO (== FALSE) by default

Usage

```
data.frame(..., stringsAsFactors = HELLNO)
```

Arguments

...	see data.frame
stringsAsFactors	
	see data.frame by default set to FALSE

See Also

[data.frame](#)

HELLNO	<i>logical constant for FALSE</i>
--------	-----------------------------------

Description

logical constant for FALSE

Usage

HELLNO

Format

logi FALSE

Index

*Topic **datasets**

HELLNO, 3

as.data.frame, 2, 2

data.frame, 2, 2

HELLNO, 3