

# Package ‘ordinalNet’

May 8, 2017

**Type** Package

**Title** Penalized Ordinal Regression

**Version** 2.0

**Date** 2017-05-08

**Description** Fits ordinal regression models with elastic net penalty by coordinate descent. Supported model families include cumulative probability, stopping ratio, continuation ratio, and adjacent category. These families are a subset of vector glm's which belong to a model class we call the elementwise link multinomial-ordinal (ELMO) class. Each family in this class links a vector of covariates to a vector of class probabilities. Each of these families has a parallel form, which is appropriate for ordinal response data, as well as a nonparallel form that is appropriate for an unordered categorical response, or as a more flexible model for ordinal data. The parallel model has a single set of coefficients, whereas the nonparallel model has a set of coefficients for each response category except the baseline category. It is also possible to fit a model with both parallel and nonparallel terms, which we call the semi-parallel model. The semi-parallel model has the flexibility of the nonparallel model, but the elastic net penalty shrinks it toward the parallel model.

**LazyData** TRUE

**License** MIT + file LICENSE

**Depends** R (>= 3.3.2)

**Imports** stats (>= 3.3.2)

**Suggests** testthat (>= 1.0.2), MASS (>= 7.3-45), glmnet (>= 2.0-5),  
penalized (>= 0.9-50), glmnetcr (>= 1.0.2), VGAM (>= 1.0-3),  
rms (>= 5.1-0)

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Author** Michael Wurm [aut, cre],  
Paul Rathouz [ths],  
Bret Hanlon [ths]

**Maintainer** Michael Wurm <wurm@wisc.edu>

**Repository** CRAN

**Date/Publication** 2017-05-08 21:16:59 UTC

## R topics documented:

coef.ordinalNetFit . . . . .	2
ordinalNet . . . . .	3
ordinalNetCV . . . . .	8
ordinalNetTune . . . . .	11
predict.ordinalNetFit . . . . .	13
summary.ordinalNetFit . . . . .	14

<b>Index</b>	<b>16</b>
--------------	-----------

---

coef.ordinalNetFit	<i>Extracts fitted coefficients from an "ordinalNetFit" object.</i>
--------------------	---

---

### Description

Extracts fitted coefficients from an "ordinalNetFit" object.

### Usage

```
## S3 method for class 'ordinalNetFit'
coef(object, matrix = FALSE, whichLambda = NULL,
      criteria = c("aic", "bic"), ...)
```

### Arguments

object	An "ordinalNetFit" S3 object.
matrix	Logical. If TRUE, coefficient estimates are returned in matrix form. Otherwise a vector is returned.
whichLambda	Optional index number of the desired lambda within the sequence of lambdaVals. By default, the solution with the best AIC is returned.
criteria	Selects the best lambda value by AIC or BIC. Only used if whichLambda=NULL.
...	Not used. Additional coef arguments.

### Value

The object returned depends on matrix.

### Examples

```
# Simulate x as independent standard normal
# Simulate y|x from a parallel cumulative logit (proportional odds) model
set.seed(1)
n <- 50
intercepts <- c(-1, 1)
beta <- c(1, 1, 0, 0, 0)
ncat <- length(intercepts) + 1 # number of response categories
p <- length(beta) # number of covariates
```

```

x <- matrix(rnorm(n*p), ncol=p) # n x p covariate matrix
eta <- c(x %*% beta) + matrix(intercepts, nrow=n, ncol=ncat-1, byrow=TRUE)
invlogit <- function(x) 1 / (1+exp(-x))
cumprob <- t(apply(eta, 1, invlogit))
prob <- cbind(cumprob, 1) - cbind(0, cumprob)
yint <- apply(prob, 1, function(p) sample(1:ncat, size=1, prob=p))
y <- as.factor(yint)

# Fit parallel cumulative logit model
fit <- ordinalNet(x, y)
coef(fit)
coef(fit, matrix=TRUE)

```

---

ordinalNet

*Ordinal regression models with elastic net penalty*


---

## Description

Fits ordinal regression models with elastic net penalty by coordinate descent. Supported model families include cumulative probability, stopping ratio, continuation ratio, and adjacent category. These families are a subset of vector glm's which belong to a model class we call the elementwise link multinomial-ordinal (ELMO) class. Each family in this class links a vector of covariates to a vector of class probabilities. Each of these families has a parallel form, which is appropriate for ordinal response data, as well as a nonparallel form that is appropriate for an unordered categorical response, or as a more flexible model for ordinal data. The parallel model has a single set of coefficients, whereas the nonparallel model has a set of coefficients for each response category except the baseline category. It is also possible to fit a model with both parallel and nonparallel terms, which we call the semi-parallel model. The semi-parallel model has the flexibility of the nonparallel model, but the elastic net penalty shrinks it toward the parallel model.

## Usage

```

ordinalNet(x, y, alpha = 1, standardize = TRUE, penaltyFactors = NULL,
  positiveID = NULL, family = c("cumulative", "sratio", "cratio", "acat"),
  reverse = FALSE, link = c("logit", "probit", "cloglog", "cauchit"),
  customLink = NULL, parallelTerms = TRUE, nonparallelTerms = FALSE,
  parallelPenaltyFactor = 1, lambdaVals = NULL, nLambda = 20,
  lambdaMinRatio = 0.01, includeLambda0 = FALSE, alphaMin = 0.01,
  pMin = 1e-08, stopThresh = 1e-04, threshOut = 1e-08, threshIn = 1e-08,
  maxiterOut = 100, maxiterIn = 1000, printIter = FALSE,
  printBeta = FALSE, warn = TRUE, keepTrainingData = TRUE)

```

## Arguments

**x** Covariate matrix. It is recommended that categorical covariates are converted to a set of indicator variables with a variable for each category (i.e. no baseline category); otherwise the choice of baseline category will affect the model fit.

y	Response variable. Can be a factor, ordered factor, or a matrix where each row is a multinomial vector of counts. A weighted fit can be obtained using the matrix option, since the row sums are essentially observation weights. Non-integer matrix entries are allowed.
alpha	The elastic net mixing parameter, with $0 \leq \alpha \leq 1$ . $\alpha=1$ corresponds to the lasso penalty, and $\alpha=0$ corresponds to the ridge penalty.
standardize	If <code>standardize=TRUE</code> , the predictor variables are scaled to have unit variance. Coefficient estimates are returned on the original scale.
penaltyFactors	Nonnegative vector of penalty factors for each variable. This vector is multiplied by lambda to get the penalty for each variable. If NULL, the penalty factor is one for each coefficient.
positiveID	Logical vector indicating whether each coefficient should be constrained to be non-negative. If NULL, the default value is FALSE for all coefficients.
family	Specifies the type of model family. Options are "cumulative" for cumulative probability, "sratio" for stopping ratio, "cratio" for continuation ratio, and "acat" for adjacent category.
reverse	Logical. If TRUE, then the "backward" form of the model is fit, i.e. the model is defined with response categories in reverse order. For example, the reverse cumulative model with $K + 1$ response categories applies the link function to the cumulative probabilities $P(Y \geq 2), \dots, P(Y \geq K + 1)$ , rather than $P(Y \leq 1), \dots, P(Y \leq K)$ .
link	Specifies the link function. The options supported are logit, probit, complementary log-log, and cauchit. Only used if <code>customLink=NULL</code> .
customLink	Optional list containing a vectorized link function $g$ , a vectorized inverse link $h$ , and the Jacobian function of the inverse link <code>getQ</code> . The Jacobian should be defined as $\partial h(\eta) / \partial \eta^T$ (as opposed to the transpose of this matrix).
parallelTerms	Logical. If TRUE, then parallel coefficient terms will be included in the model. <code>parallelTerms</code> and <code>nonparallelTerms</code> cannot both be FALSE.
nonparallelTerms	Logical. If TRUE, then nonparallel coefficient terms will be included in the model. <code>parallelTerms</code> and <code>nonparallelTerms</code> cannot both be FALSE.
parallelPenaltyFactor	Numeric value greater than or equal to zero. Lambda is multiplied by this factor (as well as variable-specific <code>penaltyFactors</code> ) to obtain the penalties for parallel terms. Only used if <code>parallelTerms=TRUE</code> .
lambdaVals	An optional user-specified lambda sequence (vector). If NULL, a sequence will be generated based on <code>nLambda</code> and <code>lambdaMinRatio</code> . In this case, the maximum lambda is the smallest value that sets all penalized coefficients to zero, and the minimum lambda is the maximum value multiplied by the factor <code>lambdaMinRatio</code> .
nLambda	Positive integer. The number of lambda values in the solution path. Only used if <code>lambdaVals=NULL</code> .
lambdaMinRatio	A factor greater than zero and less than one. Only used if <code>lambdaVals=NULL</code> .
includeLambda0	Logical. If TRUE, then zero is added to the end of the sequence of <code>lambdaVals</code> . This is not done by default because it can significantly increase computational

	time. An unpenalized saturated model may have infinite coefficient solutions, in which case the fitting algorithm will still terminate when the relative change in log-likelihood becomes small. Only used if <code>lambdaVals=NULL</code> .
<code>alphaMin</code>	Value greater than zero, but much less than one. If <code>alpha &lt; alphaMin</code> , then <code>alphaMin</code> is used to calculate the maximum lambda value. When <code>alpha=0</code> , the maximum lambda value would be infinite otherwise.
<code>pMin</code>	Value greater than zero, but much less than one. During the optimization routine, the Fisher information is calculated using fitted probabilities. For this calculation, fitted probabilities are capped below by this value to prevent numerical instability.
<code>stopThresh</code>	In the relative log-likelihood change between successive lambda values falls below this threshold, then the last model fit is used for all remaining lambda.
<code>threshOut</code>	Convergence threshold for the coordinate descent outer loop. The optimization routine terminates when the relative change in the penalized log-likelihood between successive iterations falls below this threshold. It is recommended to set <code>threshOut</code> equal to <code>threshIn</code> .
<code>threshIn</code>	Convergence threshold for the coordinate descent inner loop. Each iteration consists of a single loop through each coefficient. The inner loop terminates when the relative change in the penalized approximate log-likelihood between successive iterations falls below this threshold. It is recommended to set <code>threshOut</code> equal to <code>threshIn</code> .
<code>maxiterOut</code>	Maximum number of outer loop iterations.
<code>maxiterIn</code>	Maximum number of inner loop iterations.
<code>printIter</code>	Logical. If TRUE, the optimization routine progress is printed to the terminal.
<code>printBeta</code>	Logical. If TRUE, coefficient estimates are printed after each coordinate descent outer loop iteration.
<code>warn</code>	Logical. If TRUE, the following warning message is displayed when fitting a cumulative probability model with <code>nonparallelTerms=TRUE</code> (i.e. nonparallel or semi-parallel model). "Warning message: For out-of-sample data, the cumulative probability model with <code>nonparallelTerms=TRUE</code> may predict cumulative probabilities that are not monotone increasing." The warning is displayed by default, but the user may wish to disable it.
<code>keepTrainingData</code>	Logical. If TRUE, then <code>x</code> and <code>y</code> are saved with the returned "ordinalNetFit" object. This allows <code>predict.ordinalNetFit</code> to return fitted values for the training data without passing a <code>newx</code> argument.

## Details

The `ordinalNet` function fits regression models for a categorical response variable with  $K + 1$  levels. Conditional on the covariate vector  $x_i$  (the  $i^{\text{th}}$  row of `x`), each observation has a vector of  $K + 1$  class probabilities  $(p_{i1}, \dots, p_{i(K+1)})$ . These probabilities sum to one, and can therefore be parametrized by  $p_i = (p_{i1}, \dots, p_{iK})$ . The probabilities are mapped to a set of  $K$  quantities  $\delta_i = (\delta_{i1}, \dots, \delta_{iK}) \in (0, 1)^K$ , which depends on the choice of model family. The elementwise link function maps  $\delta_i$  to a set of  $K$  linear predictors. Together, the family and link specify a link function between  $p_i$  and  $\eta_i$ .

**Model families:**

Let  $Y_i$  denote a discrete random variable on  $1, \dots, K + 1$  with class probabilities  $p_i$ . Now dropping the subscript  $i$  on  $Y_i$  and  $\delta_i$ , the family definitions are as follows:

**Cumulative probability**  $\delta_j = P(Y \leq j)$

**Reverse cumulative probability**  $\delta_j = P(Y \geq j)$

**Stopping ratio**  $\delta_j = P(Y = j | Y \geq j)$

**Reverse stopping ratio**  $\delta_j = P(Y = j | Y \leq j)$

**Continuation ratio**  $\delta_j = P(Y > j | Y \geq j)$

**Reverse continuation ratio**  $\delta_j = P(Y < j | Y \leq j)$

**Adjacent category**  $\delta_j = P(Y = j + 1 | j \leq Y \leq j + 1)$

**Reverse adjacent category**  $\delta_j = P(Y = j | j \leq Y \leq j + 1)$

**Parallel, nonparallel, and semi-parallel model forms:**

Models within each of these families can take one of three forms, which have different definitions for the linear predictor  $\eta_i$ . Suppose each  $x_i$  has length  $P$ . Let  $b$  be a length  $P$  vector of regression coefficients. Let  $B$  be a  $P \times K$  matrix of regression coefficient. Let  $b_0$  be a vector of  $K$  intercept terms. The three model forms are the following:

**Parallel**  $\eta_i = b_0 + b^T x_i$  (parallelTerms=TRUE, nonparallelTerms=FALSE)

**Nonparallel**  $\eta_i = b_0 + B^T x_i$  (parallelTerms=FALSE, nonparallelTerms=TRUE)

**Semi-parallel**  $\eta_i = b_0 + b^T x_i + B^T x_i$  (parallelTerms=TRUE, nonparallelTerms=TRUE)

The parallel form has the defining property of ordinal models, which is that a single linear combination  $b^T x_i$  shifts the cumulative class probabilities  $P(Y \leq j)$  in favor of either higher or lower categories. The linear predictors are parallel because they only differ by their intercepts ( $b_0$ ). The nonparallel form is a more flexible model, and it does not shift the cumulative probabilities together. The semi-parallel model is equivalent to the nonparallel model, but the elastic net penalty shrinks the semi-parallel coefficients toward a common value (i.e. the parallel model), as well as shrinking all coefficients toward zero. The nonparallel model, on the other hand, simply shrinks all coefficients toward zero. When the response categories are ordinal, any of the three model forms could be applied. When the response categories are unordered, only the nonparallel model is appropriate.

**Elastic net penalty:**

The elastic net penalty is defined for each model form as follows.  $\lambda$  and  $\alpha$  are the usual elastic net tuning parameters, where  $\lambda$  determines the degree to which coefficients are shrunk toward zero, and  $\alpha$  specifies the amount of weight given to the L1 norm and squared L2 norm penalties. Each covariate is allowed a unique penalty factor  $c_j$ , which is specified with the penaltyFactors argument. By default  $c_j = 1$  for all  $j$ . The semi-parallel model has a tuning parameter  $\rho$  which determines the degree to which the parallel coefficients are penalized. Small values of  $\rho$  will result in a fit closer to the parallel model, and large values of  $\rho$  will result in a fit closer to the nonparallel model.

**Parallel**  $\lambda \sum_{j=1}^P c_j \{ \alpha |b_j| + \frac{1}{2} (1 - \alpha) b_j^2 \}$

**Nonparallel**  $\lambda \sum_{j=1}^P c_j \{ \sum_{k=1}^K \alpha |B_{jk}| + \frac{1}{2} (1 - \alpha) B_{jk}^2 \}$

**Semi-parallel**  $\lambda [ \rho \sum_{j=1}^P c_j \{ \alpha |b_j| + \frac{1}{2} (1 - \alpha) b_j^2 \} + \sum_{j=1}^P c_j \{ \sum_{k=1}^K \alpha |B_{jk}| + \frac{1}{2} (1 - \alpha) B_{jk}^2 \} ]$

ordinalNet minimizes the following objective function. Let  $N$  be the number of observations, which is defined as the sum of the  $y$  elements when  $y$  is a matrix.

$$objective = -1/N * loglik + penalty$$

## Value

An object with S3 class "ordinalNetFit". Model fit information can be accessed through the `coef`, `predict`, and `summary` methods.

**coefs** Matrix of coefficient estimates, with each row corresponding to a lambda value. (If covariates were scaled with `standardize=TRUE`, the coefficients are returned on the original scale).

**lambdaVals** Sequence of lambda values. If user passed a sequence to the `lambdaVals`, then it is this sequence. If `lambdaVals` argument was `NULL`, then it is the sequence generated.

**loglik** Log-likelihood of each model fit.

**nNonzero** Number of nonzero coefficients of each model fit, including intercepts.

**aic** AIC, defined as  $-2 * \loglik + 2 * nNonzero$ .

**bic** BIC, defined as  $-2 * \loglik + \log(N) * nNonzero$ .

**devPct** Percentage deviance explained, defined as  $1 - \loglik / \loglik_0$ , where  $\loglik_0$  is the log-likelihood of the null model.

**iterOut** Number of coordinate descent outer loop iterations until convergence for each lambda value.

**iterIn** Number of coordinate descent inner loop iterations on last outer loop for each lambda value.

**dif** Relative improvement in objective function on last outer loop for each lambda value. Can be used to diagnose convergence issues. If `iterOut` reached `maxiterOut` and `dif` is large, then `maxiterOut` should be increased. If `dif` is negative, this means the objective did not improve between successive iterations. This usually only occurs when the model is saturated and/or close to convergence, so a small negative value is not of concern. (When this happens, the algorithm is terminated for the current lambda value, and the coefficient estimates from the previous outer loop iteration are returned.)

**nLev** Number of response categories.

**nVar** Number of covariates in  $x$ .

**xNames** Covariate names.

**args** List of arguments passed to the `ordinalNet` function.

## Examples

```
# Simulate x as independent standard normal
# Simulate y|x from a parallel cumulative logit (proportional odds) model
set.seed(1)
n <- 50
intercepts <- c(-1, 1)
beta <- c(1, 1, 0, 0, 0)
ncat <- length(intercepts) + 1 # number of response categories
p <- length(beta) # number of covariates
x <- matrix(rnorm(n*p), ncol=p) # n x p covariate matrix
```

```

eta <- c(x %% beta) + matrix(intercepts, nrow=n, ncol=ncat-1, byrow=TRUE)
invlogit <- function(x) 1 / (1+exp(-x))
cumprob <- t(apply(eta, 1, invlogit))
prob <- cbind(cumprob, 1) - cbind(0, cumprob)
yint <- apply(prob, 1, function(p) sample(1:ncat, size=1, prob=p))
y <- as.factor(yint)

# Fit parallel cumulative logit model
fit1 <- ordinalNet(x, y, family="cumulative", link="logit",
                  parallelTerms=TRUE, nonparallelTerms=FALSE)

fit1
coef(fit1)
coef(fit1, matrix=TRUE)
predict(fit1, type="response")
predict(fit1, type="class")

# Fit nonparallel cumulative logit model
fit2 <- ordinalNet(x, y, family="cumulative", link="logit",
                  parallelTerms=FALSE, nonparallelTerms=TRUE)

fit2
coef(fit2)
coef(fit2, matrix=TRUE)
predict(fit2, type="response")
predict(fit2, type="class")

# Fit semi-parallel cumulative logit model (with both parallel and nonparallel terms)
fit3 <- ordinalNet(x, y, family="cumulative", link="logit",
                  parallelTerms=TRUE, nonparallelTerms=TRUE)

fit3
coef(fit3)
coef(fit3, matrix=TRUE)
predict(fit3, type="response")
predict(fit3, type="class")

```

---

ordinalNetCV

*Uses K-fold cross validation to obtain out-of-sample log-likelihood and misclassification rates. Lambda is tuned within each cross validation fold.*

---

### Description

The data is divided into  $K$  folds. `ordinalNet` is fit  $K$  times, each time leaving out one fold as a test set. For each of the  $K$  model fits,  $\lambda$  can be tuned by  $K$ -fold cross validation (within each fold), or by AIC or BIC which do not require cross validation. If cross validation is used, the user has the option to select the  $\lambda$  value with either the best average out-of-sample log-likelihood or the best misclassification rate. Once the model is tuned, the out of sample log-likelihood and misclassification rate are obtained from the held out test set.

**Usage**

```
ordinalNetCV(x, y, lambdaVals = NULL, folds = NULL, nFolds = 5,
             nFoldsCV = 5, tuneMethod = c("cvLoglik", "cvMisclass", "aic", "bic"),
             printProgress = TRUE, warn = TRUE, ...)
```

**Arguments**

x	Covariate matrix.
y	Response variable. Can be a factor, ordered factor, or a matrix where each row is a multinomial vector of counts. A weighted fit can be obtained using the matrix option, since the row sums are essentially observation weights. Non-integer matrix entries are allowed.
lambdaVals	An optional user-specified lambda sequence (vector). If NULL, a sequence will be generated using the model fit to the full training data. This default sequence is based on nLambda and lambdaMinRatio, which can be passed as additional arguments (otherwise ordinalNet default values are used). The maximum lambda is the smallest value that sets all penalized coefficients to zero, and the minimum lambda is the maximum value multiplied by the factor lambdaMinRatio.
folds	An optional list, where each element is a vector of row indices corresponding to a different cross validation fold. Indices correspond to rows of the x matrix. Each index number should be used in exactly one fold. If NULL, the data will be randomly divided into equally-sized partitions. It is recommended to call set.seed before calling ordinalNetCV for reproducibility.
nFolds	Numer of cross validation folds. Only used if folds=NULL.
nFoldsCV	Number of cross validation folds used to tune lambda for each training set (i.e. within each training fold). Only used if tuneMethod is "cvLoglik" or "cvMisclass".
tuneMethod	Method used to tune lambda for each training set (ie. within each training fold). The "cvLoglik" and "cvMisclass" methods use K-fold cross validation with nFoldsCV folds. "cvLoglik" chooses lambda with the best average out-of-sample log-likelihood. "cvMisclass" chooses lambda with the best average misclassification rate. The "aic" and "bic" methods are less computationally intensive because they do not require cross validation to select lambda. Note that for the methods that require cross validation, the fold splits are determined randomly and cannot be specified by the user. The set.seed() function should be called prior to ordinalNetCV for reproducibility.
printProgress	Logical. If TRUE the fitting progress is printed to the terminal.
warn	Logical. If TRUE, the following warning message is displayed when fitting a cumulative probability model with nonparallelTerms=TRUE (i.e. nonparallel or semi-parallel model). "Warning message: For out-of-sample data, the cumulative probability model with nonparallelTerms=TRUE may predict cumulative probabilities that are not monotone increasing." The warning is displayed by default, but the user may wish to disable it.
...	Other arguments (besides x, y, lambdaVals, and warn) passed to ordinalNet.

## Details

- The fold partition splits can be passed by the user via the `folds` argument. By default, the data are randomly divided into equally-sized partitions. Note that if `lambda` is tuned by cross validation, the fold splits are determined randomly and cannot be specified by the user. The `set.seed` function should be called prior to `ordinalNetCV` for reproducibility.
- A sequence of `lambda` values can be passed by the user via the `lambdaVals` argument. By default, the sequence is generated by first fitting the model to the full data set (this sequence is determined by the `nLambda` and `lambdaMinRatio` arguments of `ordinalNet`).
- The `standardize` argument of `ordinalNet` can be modified through the additional arguments (...). If `standardize=TRUE`, then the data are scaled within each cross validation fold. If `standardize=TRUE` and `lambda` is tuned by cross validation, then the data are also scaled within each tuning sub-fold. This is done because scaling is part of the statistical procedure and should be repeated each time the procedure is applied.

## Value

A list containing the following:

**loglik** Vector of out of sample log-likelihood values. Each value corresponds to a different fold.

**misclass** Vector of out of sample misclassification rates. Each value corresponds to a different fold.

**bestLambdaIndex** The index of the value within the `lambda` sequence selected for each fold by the tuning method.

**lambdaVals** The sequence of `lambda` values used for all cross validation folds.

**folds** A list containing the index numbers of each fold.

**fit** An object of class "ordinalNetFit", resulting from fitting `ordinalNet` to the entire dataset.

## Examples

```
## Not run:
# Simulate x as independent standard normal
# Simulate y|x from a parallel cumulative logit (proportional odds) model
set.seed(1)
n <- 50
intercepts <- c(-1, 1)
beta <- c(1, 1, 0, 0, 0)
ncat <- length(intercepts) + 1 # number of response categories
p <- length(beta) # number of covariates
x <- matrix(rnorm(n*p), ncol=p) # n x p covariate matrix
eta <- c(x %*% beta) + matrix(intercepts, nrow=n, ncol=ncat-1, byrow=TRUE)
invlogit <- function(x) 1 / (1+exp(-x))
cumprob <- t(apply(eta, 1, invlogit))
prob <- cbind(cumprob, 1) - cbind(0, cumprob)
yint <- apply(prob, 1, function(p) sample(1:ncat, size=1, prob=p))
y <- as.factor(yint)

# Evaluate out-of-sample performance of the cumulative logit model
# when lambda is tuned by cross validation (best average out-of-sample log-likelihood)
cv <- ordinalNetCV(x, y, tuneMethod="cvLoglik")
```

```

cv$loglik
cv$misclass

## End(Not run)

```

---

ordinalNetTune	<i>Uses K-fold cross validation to obtain out-of-sample log-likelihood and misclassification rates for a sequence of lambda values.</i>
----------------	---

---

### Description

The data is divided into  $K$  folds. `ordinalNet` is fit  $K$  times ( $K=nFolds$ ), each time leaving out one fold as a test set. The same sequence of lambda values is used each time. The out-of-sample log-likelihood and misclassification rate are obtained for each lambda value from the held out test set. It is up to the user to determine how to tune the model using this information.

### Usage

```

ordinalNetTune(x, y, lambdaVals = NULL, folds = NULL, nFolds = 5,
  printProgress = TRUE, warn = TRUE, ...)

```

### Arguments

x	Covariate matrix.
y	Response variable. Can be a factor, ordered factor, or a matrix where each row is a multinomial vector of counts. A weighted fit can be obtained using the matrix option, since the row sums are essentially observation weights. Non-integer matrix entries are allowed.
lambdaVals	An optional user-specified lambda sequence (vector). If NULL, a sequence will be generated using the model fit to the full training data. This default sequence is based on <code>nLambda</code> and <code>lambdaMinRatio</code> , which can be passed as additional arguments (otherwise <code>ordinalNet</code> default values are used). The maximum lambda is the smallest value that sets all penalized coefficients to zero, and the minimum lambda is the maximum value multiplied by the factor <code>lambdaMinRatio</code> .
folds	An optional list, where each element is a vector of row indices corresponding to a different cross validation fold. Indices correspond to rows of the x matrix. Each index number should be used in exactly one fold. If NULL, the data will be randomly divided into equal-sized partitions. It is recommended to use <code>set.seed</code> before calling this function to make results reproducible.
nFolds	Numer of cross validation folds. Only used if <code>folds=NULL</code> .
printProgress	Logical. If TRUE the fitting progress is printed to the terminal.

warn	Logical. If TRUE, the following warning message is displayed when fitting a cumulative probability model with <code>nonparallelTerms=TRUE</code> (i.e. nonparallel or semi-parallel model). "Warning message: For out-of-sample data, the cumulative probability model with <code>nonparallelTerms=TRUE</code> may predict cumulative probabilities that are not monotone increasing." The warning is displayed by default, but the user may wish to disable it.
...	Other arguments (besides <code>x</code> , <code>y</code> , <code>lambdaVals</code> , and <code>warn</code> ) passed to <code>ordinalNet</code> .

### Details

- The fold partition splits can be passed by the user via the `folds` argument. By default, the data are randomly divided into equally-sized partitions. The `set.seed` function should be called prior to `ordinalNetCV` for reproducibility.
- A sequence of lambda values can be passed by the user via the `lambdaVals` argument. By default, the sequence is generated by first fitting the model to the full data set (this sequence is determined by the `nLambda` and `lambdaMinRatio` arguments of `ordinalNet`).
- The `standardize` argument of `ordinalNet` can be modified through the additional arguments (...). If `standardize=TRUE`, then the data are scaled within each cross validation fold. This is done because scaling is part of the statistical procedure and should be repeated each time the procedure is applied.

### Value

A list containing the following:

**loglik** Matrix of out of sample log-likelihood values. Each row corresponds to a different lambda value, and each column corresponds to a different fold.

**misclass** Matrix of out of sample misclassification rates. Each row corresponds to a different lambda value, and each column corresponds to a different fold.

**lambdaVals** The sequence of lambda values used for all cross validation folds.

**folds** A list containing the index numbers of each fold.

**fit** An object of class "ordinalNetFit", resulting from fitting `ordinalNet` to the entire dataset.

### Examples

```
## Not run:
# Simulate x as independent standard normal
# Simulate y|x from a parallel cumulative logit (proportional odds) model
set.seed(1)
n <- 50
intercepts <- c(-1, 1)
beta <- c(1, 1, 0, 0, 0)
ncat <- length(intercepts) + 1 # number of response categories
p <- length(beta) # number of covariates
x <- matrix(rnorm(n*p), ncol=p) # n x p covariate matrix
eta <- c(x %*% beta) + matrix(intercepts, nrow=n, ncol=ncat-1, byrow=TRUE)
invlogit <- function(x) 1 / (1+exp(-x))
cumprob <- t(apply(eta, 1, invlogit))
prob <- cbind(cumprob, 1) - cbind(0, cumprob)
```

```

yint <- apply(prob, 1, function(p) sample(1:ncat, size=1, prob=p))
y <- as.factor(yint)

# Fit parallel cumulative logit model; select lambda by cross validation
tunefit <- ordinalNetTune(x, y)
bestLambdaIndex <- which.max(rowMeans(tunefit$loglik))
coef(tunefit$fit, whichLambda=bestLambdaIndex, matrix=TRUE)
predict(tunefit$fit, whichLambda=bestLambdaIndex)

## End(Not run)

```

---

predict.ordinalNetFit *Predict method for an "ordinalNetFit" object*

---

### Description

Obtains predicted probabilities, predicted class, or linear predictors.

### Usage

```

## S3 method for class 'ordinalNetFit'
predict(object, newx = NULL, whichLambda = NULL,
        criteria = c("aic", "bic"), type = c("response", "class", "link"), ...)

```

### Arguments

object	An "ordinalNetFit" S3 object.
newx	Optional covariate matrix. If NULL, fitted values will be obtained for the training data, as long as the model was fit with the argument keepTrainingData=TRUE.
whichLambda	Optional index number of the desired lambda value within the solution path sequence.
criteria	Selects the best lambda value by AIC or BIC. Only used if whichLambda=NULL.
type	The type of prediction required. Type "response" returns a matrix of fitted probabilities. Type "class" returns a vector containing the class number with the highest fitted probability. Type "link" returns a matrix of linear predictors.
...	Not used. Additional predict arguments.

### Value

The object returned depends on type.

**Examples**

```

# Simulate x as independent standard normal
# Simulate y|x from an parallel cumulative logit (proportional odds) model
set.seed(1)
n <- 50
intercepts <- c(-1, 1)
beta <- c(1, 1, 0, 0, 0)
ncat <- length(intercepts) + 1 # number of response categories
p <- length(beta) # number of covariates
x <- matrix(rnorm(n*p), ncol=p) # n x p covariate matrix
eta <- c(x %*% beta) + matrix(intercepts, nrow=n, ncol=ncat-1, byrow=TRUE)
invlogit <- function(x) 1 / (1+exp(-x))
cumprob <- t(apply(eta, 1, invlogit))
prob <- cbind(cumprob, 1) - cbind(0, cumprob)
yint <- apply(prob, 1, function(p) sample(1:ncat, size=1, prob=p))
y <- as.factor(yint)

# Fit parallel cumulative logit model
fit <- ordinalNet(x, y)
predict(fit)
predict(fit, type="class")

```

---

`summary.ordinalNetFit` *Summary method for an "ordinalNetFit" object. Provides a model fit summary as a data frame. For each lambda value in the solution path, the following information is included: degrees of freedom (number of nonzero parameters), log-likelihood, AIC, BIC, and percent deviance explained.*

---

**Description**

Summary method for an "ordinalNetFit" object. Provides a model fit summary as a data frame. For each lambda value in the solution path, the following information is included: degrees of freedom (number of nonzero parameters), log-likelihood, AIC, BIC, and percent deviance explained.

**Usage**

```

## S3 method for class 'ordinalNetFit'
summary(object, ...)

```

**Arguments**

<code>object</code>	An ordinalNetFit S3 object
<code>...</code>	Not used. Additional summary arguments.

**Value**

Data frame with values that summarize the fit of each lambda value in the solution path.

**Examples**

```
# Simulate x as independent standard normal
# Simulate y|x from a parallel cumulative logit (proportional odds) model
set.seed(1)
n <- 50
intercepts <- c(-1, 1)
beta <- c(1, 1, 0, 0, 0)
ncat <- length(intercepts) + 1 # number of response categories
p <- length(beta) # number of covariates
x <- matrix(rnorm(n*p), ncol=p) # n x p covariate matrix
eta <- c(x %*% beta) + matrix(intercepts, nrow=n, ncol=ncat-1, byrow=TRUE)
invlogit <- function(x) 1 / (1+exp(-x))
cumprob <- t(apply(eta, 1, invlogit))
prob <- cbind(cumprob, 1) - cbind(0, cumprob)
yint <- apply(prob, 1, function(p) sample(1:ncat, size=1, prob=p))
y <- as.factor(yint)

# Fit parallel cumulative logit model
fit <- ordinalNet(x, y)
summary(fit)
```

# Index

`coef.ordinalNetFit`, [2](#)

`ordinalNet`, [3](#)

`ordinalNetCV`, [8](#)

`ordinalNetTune`, [11](#)

`predict.ordinalNetFit`, [13](#)

`summary.ordinalNetFit`, [14](#)