

Package ‘configr’

July 19, 2017

Type Package

Title An Implementation of Parsing and Writing Configuration File
(JSON/INI/YAML/TOML)

Version 0.3.1

Description Implements the JSON, INI, YAML and TOML parser for R setting and writing of configuration file. The functionality of this package is similar to that of package 'config'.

Depends R (>= 3.3.0)

URL <https://github.com/Miachol/configr>

BugReports <https://github.com/Miachol/configr/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports jsonlite (>= 1.2), ini (>= 0.2), yaml (>= 2.1.3), RcppTOML (>= 0.1.3), stringr (>= 1.2.0), glue

RoxygenNote 6.0.1

Suggests testthat, knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Jianfeng Li [aut, cre]

Maintainer Jianfeng Li <lee_jianfeng@sjtu.edu.cn>

Repository CRAN

Date/Publication 2017-07-18 22:09:48 UTC

R topics documented:

config.list.merge	2
config.sections.del	3
configr	3
convert.config	4

eval.config	5
eval.config.merge	6
eval.config.sections	7
get.config.type	7
is.config.active	8
is.configfile.active	9
is.ini.file	9
is.json.file	10
is.toml.file	11
is.yaml.file	12
parse.extra	13
read.config	14
write.config	15

Index 17

config.list.merge	<i>Merge list file (From config package), list.right will overwrite the element also existed in list.left</i>
-------------------	---

Description

Merge list file (From config package), list.right will overwrite the element also existed in list.left

Usage

```
config.list.merge(list.left = list(), list.right = list())
```

Arguments

list.left	One list be merged left
list.right	One list be merged right

Value

A list

See Also

[merge](#) call in this function

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
list.left <- list()
list.right <- eval.config(file = config.json)
config.list.merge(list.left, list.right)
list.left <- list(a=c(123,456))
list.right <- list(a=c(4,5,6))
config.list.merge(list.left, list.right)
```

config.sections.del *Delete sections in config, just do config[sections] <- NULL*

Description

Delete sections in config, just do config[sections] <- NULL

Usage

```
config.sections.del(config, sections)
```

Arguments

config a list of config (eg. generated by read.config)
sections Sections that need to be deleted

Value

A list of config

Examples

```
config.json <- system.file('extdata', 'config.json', package = 'configr')  
config <- read.config(config.json, file.type = 'json')  
config <- config.sections.del(config, 'default')
```

configr *configr package implements the YAML parser, JSON parser, INI parser
and TOML parser for R setting and writing of configuration file.*

Description

configr package implements the YAML parser, JSON parser, INI parser and TOML parser for R setting and writing of configuration file.

Author(s)

Li Jianfeng lee_jianfeng@sjtu.edu.cn

See Also

Useful links:

<https://github.com/Miachol/configr>

Report bugs at <https://github.com/Miachol/configr/issues>

Examples

```
example.toml <- system.file('toml', 'example.toml', package='RcppTOML')
is.toml <- is.toml.file(example.toml)
file.type <- get.config.type(example.toml)
toml.list.raw <- read.config(example.toml)
owner.config <- eval.config(file = example.toml, config = 'owner')
owner.config.name <- eval.config(value = 'name', file = example.toml, config = 'owner')
toml.sections <- eval.config.sections(example.toml)
toml.merged.all <- eval.config.merge(example.toml)
toml.merged.selected <- eval.config.merge(example.toml, sections = c('database', 'owner'))

others <- list(others = list(lastupdate='2017-01-07'))
toml.list.update <- config.list.merge(toml.list.raw, others)
```

convert.config	<i>Covert configuration file from JSON/INI/YAML/TOML to JSON/INI/YAML</i>
----------------	---

Description

Covert configuration file from JSON/INI/YAML/TOML to JSON/INI/YAML

Usage

```
convert.config(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  out.file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  convert.to = "ini", ...)
```

Arguments

file	File name of configuration file to read from. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
out.file	Output path of configuration file. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist)
convert.to	JSON/INI/YAML
...	Arguments for read.config and write.config

Value

Logical indicating whether convert success

See Also

[fromJSON](#) JSON file will read by this

[read.ini](#) INI file will read by this

[yaml.load_file](#) YAML file will read by this

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
config <- convert.config(file=config.json, out.file = sprintf('%s/config.ini', tempdir()))
```

eval.config	<i>Read from the currently active configuration (JSON/INI/YAML/TOML be supported), 'retrieving either a single named value or all values as a config obj which have 'config', 'configtype', 'file' 'property'.</i>
-------------	--

Description

Read from the currently active configuration (JSON/INI/YAML/TOML be supported), 'retrieving either a single named value or all values as a config obj which have 'config', 'configtype', 'file' 'property'.

Usage

```
eval.config(value = NULL, config = Sys.getenv("R_CONFIG_ACTIVE", "default"),
  file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"), ...)
```

Arguments

value	Name of value (NULL to read all values)
config	Name of configuration to read from. Defaults to the value of 'the R_CONFIG_ACTIVE environment variable ('default' if the variable does not exist).
file	File name of configuration file to read from. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
...	Arguments for read.config

Value

Either a single value or all values as a list or logical FALSE indicating that is not standard JSON/INI/YAML/TOML format file

See Also

[read.config](#) read config by this

[eval.config.merge](#) which can merge multiple parameter sets by sections

Examples

```

config.json <- system.file('extdata', 'config.json', package='configr')
config <- eval.config(file=config.json)
config.extra.parsed.1 <- eval.config(file = config.json, extra.list = list(debug = 'TRUE'))
other.config <- system.file('extdata', 'config.other.yaml', package='configr')
config.extra.parsed.2 <- eval.config(file = config.json, extra.list = list(debug = 'TRUE'),
other.config = other.config)

```

eval.config.merge *Merge config parameter sets by sections.*

Description

Merge config parameter sets by sections.

Usage

```

eval.config.merge(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
sections = NULL, ...)

```

Arguments

file	File name of configuration file to read from. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
sections	Need be merged parameter sets, eg. sections=c('default', 'version'), will default to all of config sections
...	Arguments for get.config.type , eval.config.sections , eval.config

Value

A list or logical FALSE indicating that is not standard JSON/INI/YAML/TOML format file

See Also

[eval.config.sections](#) which only get all of the mainly parameter sets name in config file, [read.config](#) which only read from a config as a list, [eval.config](#) which only read one sections as config obj or a value from config file.

Examples

```

config.json <- system.file('extdata', 'config.json', package='configr')
config.ini <- system.file('extdata', 'config.ini', package='configr')
config.yaml <- system.file('extdata', 'config.yaml', package='configr')
config.toml <- system.file('extdata', 'config.toml', package='configr')
eval.config.merge(config.json)
eval.config.merge(config.ini)
eval.config.merge(config.yaml)
eval.config.merge(config.toml)

```

eval.config.sections *Get config file parameter sections*

Description

Get config file parameter sections

Usage

```
eval.config.sections(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  ...)
```

Arguments

file	File name of configuration file to read from. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
...	Arguments for read.config

Value

a character vector including the sections information of configure file or logical FALSE indicating that is not standard JSON/INI/YAML/TOML format file

See Also

[eval.config.merge](#) which use this get all of sections of config file.

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
eval.config.sections(config.json)
```

get.config.type *Get config file type retrieving json/ini/yaml or FALSE*

Description

Get config file type retrieving json/ini/yaml or FALSE

Usage

```
get.config.type(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"), ...)
```

Arguments

file File name of configuration file to test. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)

... Arguments for [is.json.file](#), [is.ini.file](#), [is.yaml.file](#), [is.toml.file](#)

Value

Character json/ini/yaml/toml or Logical FALSE indicating that is not standard JSON/INI/YAML/TOML format file

See Also

[is.json.file](#), [is.ini.file](#), [is.yaml.file](#), [is.toml.file](#)

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
config.ini <- system.file('extdata', 'config.ini', package='configr')
config.yaml <- system.file('extdata', 'config.yaml', package='configr')
config.toml <- system.file('extdata', 'config.toml', package='configr')
get.config.type(file=config.json)
get.config.type(file=config.ini)
get.config.type(file=config.yaml)
get.config.type(file=config.toml)
```

is.config.active *Test active configuration*

Description

Check whether a configuration group is currently active

Usage

```
is.config.active(config)
```

Arguments

config Configuration name

Value

Logical indicating whether the specified configuration is active

Examples

```
is.config.active('default')
```

is.configfile.active *Test active configuration file*

Description

Check whether a configuration file is currently active

Usage

```
is.configfile.active(config.file)
```

Arguments

config.file Configuration filename

Value

Logical indicating whether the specified configuration file is active

Examples

```
is.configfile.active('config.cfg')
```

is.ini.file *Function to check wheather file is INI format*

Description

Function to check wheather file is INI format

Usage

```
is.ini.file(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  ini.file.debug = FALSE, ...)
```

Arguments

file File name of configuration file to test. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)

ini.file.debug If TRUE, it will show error infomation when read INI config, default is FALSE

... Arguments for [read.ini](#)

Value

Logical indicating whether the specified configuration file is INI format

See Also

[is.json.file](#), [is.yaml.file](#), [is.toml.file](#)

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
config.ini <- system.file('extdata', 'config.ini', package='configr')
config.yaml <- system.file('extdata', 'config.yaml', package='configr')
config.toml <- system.file('extdata', 'config.toml', package='configr')
print(is.ini.file(config.ini))
print(is.ini.file(config.json))
print(is.ini.file(config.yaml))
print(is.ini.file(config.toml))
```

is.json.file

Function to check wheather file is JSON format

Description

Function to check wheather file is JSON format

Usage

```
is.json.file(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  json.file.debug = FALSE, ...)
```

Arguments

file	File name of configuration file to test. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
json.file.debug	If TRUE, it will show error infomation when read JSON config, default is FALSE
...	Arguments for readLines and fromJSON

Value

Logical indicating whether the specified configuration file is JSON format

See Also

[is.ini.file](#), [is.yaml.file](#), [is.toml.file](#)

Examples

```

config.json <- system.file('extdata', 'config.json', package='configr')
config.ini <- system.file('extdata', 'config.ini', package='configr')
config.yaml <- system.file('extdata', 'config.yaml', package='configr')
config.toml <- system.file('extdata', 'config.toml', package='configr')
print(is.json.file(config.json))
print(is.json.file(config.ini))
print(is.json.file(config.yaml))
print(is.json.file(config.toml))

```

is.toml.file	<i>Function to check wheather file is TOML format</i>
--------------	---

Description

Function to check wheather file is TOML format

Usage

```

is.toml.file(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  toml.file.debug = FALSE, ...)

```

Arguments

file	File name of configuration file to test. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
toml.file.debug	If TRUE, it will show error infomation when read TOML config, default is FALSE
...	Arguments for parseTOML

Value

Logical indicating whether the specified configuration file is TOML format

See Also

[is.json.file](#) [is.ini.file](#), [is.yaml.file](#)

Examples

```

config.json <- system.file('extdata', 'config.json', package='configr')
config.ini <- system.file('extdata', 'config.ini', package='configr')
config.yaml <- system.file('extdata', 'config.yaml', package='configr')
config.toml <- system.file('extdata', 'config.toml', package='configr')
print(is.toml.file(config.json))
print(is.toml.file(config.ini))

```

```
print(is.toml.file(config.yaml))
print(is.toml.file(config.toml))
```

is.yaml.file	<i>Function to check wheather file is YAML format</i>
--------------	---

Description

Function to check wheather file is YAML format

Usage

```
is.yaml.file(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  yaml.file.debug = FALSE, ...)
```

Arguments

file	File name of configuration file to test. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
yaml.file.debug	If TRUE, it will show error infomation when read YAML config, default is FALSE
...	Arguments for is.json.file , readLines and yaml.load

Value

Logical indicating whether the specified configuration file is YAML format

See Also

[is.json.file](#), [is.ini.file](#), [is.toml.file](#)

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
config.ini <- system.file('extdata', 'config.ini', package='configr')
config.yaml <- system.file('extdata', 'config.yaml', package='configr')
config.toml <- system.file('extdata', 'config.toml', package='configr')
print(is.yaml.file(config.yaml))
print(is.yaml.file(config.json))
print(is.yaml.file(config.ini))
print(is.yaml.file(config.toml))
```

parse.extra	<i>Parse the configuration var format, and replace it by extra.list values</i>
-------------	--

Description

Parse the configuration var format, and replace it by extra.list values

Usage

```
parse.extra(config, extra.list = list(), other.config = "",
  rcmd.parse = FALSE, bash.parse = FALSE, glue.parse = FALSE,
  glue.flag = "!!glue")
```

Arguments

config	A list that were generated by read.config/eval.config/eval.config.merge
extra.list	A list that can replace the configuration file 'debug' by list(debug = TRUE), and debug will be setted to TRUE
other.config	Path of another configuration file that can replace the configuration file 'key:value'
rcmd.parse	Logical wheather parse '@>@str_replace('abc', 'b', 'c')@<@' in config to 'acc'
bash.parse	Logical wheather parse '#>#echo \$HOME#<#' in config to your HOME PATH
glue.parse	Logical wheather parse '!!glue1:5' in config to ['1','2','3','4','5']; ['nochange', '!!glue(1:5)', 'nochange'] => ['nochange', '1', '2', '3', '4', '5', 'nochange']
glue.flag	A character flage indicating wheather run glue() function to parse (Default is !!glue)

Value

A list

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
config.other <- system.file('extdata', 'config.other.yaml', package='configr')
config <- read.config(config.json)
parse.extra(config, list(debug = 'TRUE'))
parse.extra(config, list(debug = 'TRUE'), other.config = config.other)
parse.extra(config, list(debug = 'TRUE'), other.config = config.other,
  rcmd.parse = TRUE)
parse.extra(config, list(debug = 'TRUE'), other.config = config.other,
  rcmd.parse = TRUE, bash.parse = TRUE)

raw <- c('a', '!!glue{1:5}', 'c')
expect.parsed.1 <- c('a', '1', '2', '3', '4', '5', 'c')
list.raw <- list(glue = raw, nochange = 1:10)
parsed <- parse.extra(list.raw, glue.parse = TRUE)
```

```
raw <- c('!!glue_numeric{1:5}')
expect.parsed.1 <- c(1, 2, 3, 4, 5)
list.raw <- list(glue = raw, nochange = 1:10)
parsed <- parse.extra(list.raw, glue.parse = TRUE)
```

read.config	<i>Read from the file (JSON/INI/YAML/TOML be supported), retrieving all values as a list.</i>
-------------	---

Description

Read from the file (JSON/INI/YAML/TOML be supported), retrieving all values as a list.

Usage

```
read.config(file = Sys.getenv("R_CONFIGFILE_ACTIVE", "config.cfg"),
  extra.list = list(), other.config = "", rcmd.parse = FALSE,
  bash.parse = FALSE, glue.parse = FALSE, glue.flag = "!!glue",
  file.type = NULL, ...)
```

Arguments

file	File name of configuration file to read from. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist and JSON/INI/YAML/TOML format only)
extra.list	A list that can replace the configuration file 'debug' by list(debug = 'TRUE'), and debug will be setted to 'TRUE'
other.config	Path of another configuration file that can replace the configuration file 'key:value'
rcmd.parse	Logical wheather parse '@>@str_replace('abc', 'b', 'c')@<@' that existed in config to 'acc'
bash.parse	Logical wheather parse '#>#echo \$HOME#<#' in config to your HOME PATH
glue.parse	Logical wheather parse '!!glue1:5' in config to ['1','2','3','4','5']; ['nochange', '!!glue(1:5)', 'nochange'] => ['nochange', '1', '2', '3', '4', '5', 'nochange']
glue.flag	A character flage indicating wheather run glue() function to parse (Default is !!glue)
file.type	Default is no need to specify the variable, file.type will be automatically identify by get.config.type . If the value be specified, the step of filetype identification will be skipped.
...	Arguments for get.config.type , fromJSON , read.ini , yaml.load_file , parseTOML , readLines

Value

All values as a list or logical FALSE indicating that is not standard JSON/INI/YAML/TOML format file

See Also

[fromJSON](#) JSON file will read by this

[read.ini](#) INI file will read by this

[yaml.load_file](#) YAML file will read by this

[parseTOML](#) TOML file will read by this

Examples

```
config.json <- system.file('extdata', 'config.json', package='configr')
config <- read.config(file=config.json)
config.extra.parsed.1 <- read.config(config.json, list(debug = 'TRUE'))
other.config <- system.file('extdata', 'config.other.yaml', package='configr')
config.extra.parsed.2 <- read.config(config.json, list(debug = 'TRUE'), other.config)
```

write.config

Write config in a file (JSON/YAML/INI)

Description

Write config in a file (JSON/YAML/INI)

Usage

```
write.config(config.dat, file.path = Sys.getenv("R_CONFIGFILE_ACTIVE",
"config.cfg"), write.type = "ini", sections = NULL, ...)
```

Arguments

config.dat	a list of config (eg. generated by read.config)
file.path	File path of configuration to write. Defaults to the value of the 'R_CONFIGFILE_ACTIVE' environment variable ('config.cfg' if the variable does not exist)
write.type	json/ini/yaml
sections	Sections that need be write in file, default is NULL and use all of sections
...	Arguments for write.ini , prettify , toJSON , as.yaml and cat encoding if not specifield

Value

Logical indicating whether the specified configuration file be writed successful

See Also

[toJSON](#) convert a list to JSON string, [prettify](#) convert a JSON string to user friendly view, [write.ini](#) write a list in a INI format file, [as.yaml](#) convert a list to YAML format

Examples

```
list.test <- list(a=c(123,456))  
out.yaml <- sprintf('%s/test.yaml', tempdir())  
write.config(list.test, out.yaml, write.type = 'yaml')
```


Index

as.yaml, [15](#)

cat, [15](#)
config.list.merge, [2](#)
config.sections.del, [3](#)
configr, [3](#)
configr-package (configr), [3](#)
convert.config, [4](#)

eval.config, [5, 6](#)
eval.config.merge, [5, 6, 7](#)
eval.config.sections, [6, 7](#)

fromJSON, [5, 10, 14, 15](#)

get.config.type, [6, 7, 14](#)

is.config.active, [8](#)
is.configfile.active, [9](#)
is.ini.file, [8, 9, 10–12](#)
is.json.file, [8, 10, 10, 11, 12](#)
is.toml.file, [8, 10, 11, 12](#)
is.yaml.file, [8, 10, 11, 12](#)

merge, [2](#)

parse.extra, [13](#)
parseTOML, [11, 14, 15](#)
prettify, [15](#)

read.config, [4–7, 14](#)
read.ini, [5, 9, 14, 15](#)
readLines, [10, 12, 14](#)

toJSON, [15](#)

write.config, [4, 15](#)
write.ini, [15](#)

yaml.load, [12](#)
yaml.load_file, [5, 14, 15](#)