

Package ‘plot3D’

January 13, 2016

Version 1.1

Title Plotting Multi-Dimensional Data

Author Karline Soetaert <karline.soetaert@nioz.nl>

Maintainer Karline Soetaert <karline.soetaert@nioz.nl>

Depends R (>= 2.15)

Imports misc3d, stats, graphics, grDevices

Description Functions for viewing 2-D and 3-D data, including perspective plots, slice plots, surface plots, scatter plots, etc. Includes data sets from oceanography.

License GPL (>= 3.0)

LazyData yes

Repository CRAN

Repository/R-Forge/Project plot3d

Repository/R-Forge/Revision 109

Repository/R-Forge/DateTimeStamp 2016-01-11 13:35:24

Date/Publication 2016-01-13 13:54:11

NeedsCompilation no

R topics documented:

plot3D-package	2
2-D data set	4
2D image and contour plots	6
3-D arrows, segments, polygons, boxes, rectangles	13
3-D contours	20
3-D data set	23
3-D perspectives	25
3-D surfaces	34
3-D volume visualisation	40
Color key legend	47
Colors	51
Composite plots	54

images in 3D frame	60
Mesh generation	63
Perspective box	64
Scatter plots	67
trans3D	77

Index	79
--------------	-----------

plot3D-package	<i>Plotting multi-dimensional data.</i>
----------------	---

Description

Functions for visualising 2-D and 3-D data.

Many of the functions are extensions of R's [persp](#) or [image](#) function.

Other packages that provide visualisation of 3-D data (and which might be better suited) are: [rgl](#), [scatterplot3D](#), [misc3D](#).

Note

This package is dedicated to Carlo.

Note

Some of the functions based on [persp](#) will not work properly for all values of `phi` (which turns the plots upside-down). This is because an assumption is made as to how the perspective plots are viewed.

Author(s)

Karline Soetaert

References

<http://www.rforscience.com/rpackages/visualisation/oceanview/>

<http://www.rforscience.com/rpackages/visualisation/plot3d/>

See Also

Functions that are based on the [persp](#) function:

- [persp3D](#): an extended version of [persp](#).
- [ribbon3D](#): a perspective plot as ribbons.
- [hist3D](#): 3-D histograms.
- [scatter3D](#), [points3D](#), [lines3D](#): colored points, lines, ... in 3-D.
- [slice3D](#), [slicecont3D](#): slices from a full 3-D data set.
- [isosurf3D](#): isosurfaces from a full 3-D data set as triangles.

- [voxel3D](#): isosurfaces from a full 3-D data set as points.
- [surf3D](#), [spheresurf3D](#): 3-D shapes or surfaces.
- [arrows3D](#): arrows in 3-D.
- [segments3D](#): line segments in 3-D.
- [polygon3D](#): 3-D polygons.
- [box3D](#), [border3D](#), [rect3D](#): boxes and rectangles in 3-D.
- [text3D](#): labels in 3-D.

Functions defined on the [image](#) function:

- [image2D](#), for an image function to visualise 2-D or 3-D data.
- [ImageOcean](#): an image of the ocean's bathymetry.

Other plotting functions:

- [contour2D](#), for a contour function to visualise 2-D data and that have a color key.
- [scatter2D](#): colored points, lines, ... in 2-D.
- [text2D](#), [arrows2D](#), [segments2D](#), [rect2D](#), [polygon2D](#) for other 2D functions that have a color key.

Colors and colorkey:

- [colkey](#): adds a color legend.
- [jet.col](#), [ramp.col](#), [gg.col](#), [alpha.col](#): suitable colors, shade and lighting.

Utility functions:

- [mesh](#): to generate rectangular (x, y) or (x, y, z) meshes.

Data sets:

- [Oxsat](#): 3-D data set with the ocean's oxygen saturation values.
- [Hypsometry](#): 2-D data set with the worlds elevation and ocean's bathymetry.

Examples

```
# run all examples
## Not run:
example(persp3D)
example(surf3D)
example(slice3D)
example(scatter3D)
example(segments3D)
example(image2D)
example(image3D)
example(contour3D)
example(colkey)
example(jet.col)
example(perspbox)
example(mesh)
```

```
example(trans3D)
example(plot.plist)
example(ImageOcean)
example(Oxsat)

## End(Not run)
```

2-D data set

The earths hypsometry (land elevation) and the ocean's bathymetry

Description

Hypsometry is a relatively crude data set of the earths land elevation (positive) and ocean depth (negative), at 1 dg intervals.

ImageOcean plots the ocean's bathymetry.

Usage

```
ImageOcean (...)
Hypsometry
```

Arguments

... arguments passed to function [image2D](#).

Format

A list with the bathymetry (depth) and hypsometry (altitude) of the world. It contains:

x the latitude,
y the longitude,
z the height (m).

Details

Hypsometry is based on dataset Bathymetry from the R-package `marelac`.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[image2D](#), for the image function that visualises the bathymetry

Examples

```

# save plotting parameters
pm <- par("mfrow")
mar <- par("mar")

## =====
## Images of the hypsometry
## =====

par(mfrow = c(2, 2))
image2D(Hypsometry, asp = TRUE, xlab = expression(degree*E),
        ylab = expression(degree*N), contour = TRUE)

# remove ocean
zz <- Hypsometry$z
zz[zz < 0] <- NA
image2D(zz, x = Hypsometry$x, y = Hypsometry$y, NAcol = "black")

## =====
## A short version for plotting the Ocean's bathymetry
## =====

ImageOcean(asp = TRUE, contour = TRUE)
ImageOcean(col = "white",
           contour = list(levels = seq(-6000, 0, by = 2000)))

## =====
## A complex image of part of the ocean
## =====

# elaborate version
par(mfrow = c(1, 1), mar = c(2, 2, 2, 2))
ii <- which(Hypsometry$x > -50 & Hypsometry$x < -20)
jj <- which(Hypsometry$y > 10 & Hypsometry$y < 40)

# Draw empty persp box
zlim <- c(-10000, 0)
pmat <- perspbox(z = Hypsometry$z[ii, jj],
                 xlab = "longitude", ylab = "latitude", zlab = "depth",
                 expand = 0.5, d = 2, zlim = zlim, phi = 20, theta = 30,
                 colkey = list(side = 1))

# A function that makes a black panel with grey edge:
panelfunc <- function(x, y, z) {
  XY <- trans3D(x, y, z, pmat = pmat)
  polygon(XY$x, XY$y, col = "black", border = "grey")
}

# left panel
panelfunc(x = c(0, 0, 0, 0), y = c(0, 0, 1, 1),
          z = c(zlim[1], zlim[2], zlim[2], zlim[1]))

```

```

# back panel
panelfunc(x = c(0, 0, 1, 1), y = c(1, 1, 1, 1),
          z = c(zlim[1], zlim[2], zlim[2], zlim[1]))

# bottom panel
panelfunc(x = c(0, 0, 1, 1), y = c(0, 1, 1, 0),
          z = c(zlim[1], zlim[1], zlim[1], zlim[1]))

# Actual bathymetry, 2 times increased resolution, with contours
persp3D(z = Hypsometry$z[ii,jj], add = TRUE, resfac = 2,
        contour = list(col = "grey", side = c("zmin", "z")),
        zlim = zlim, clab = "depth, m",
        colkey = list(side = 1, length = 0.5, dist = -0.1))

# shorter alternative for same plot, higher resolution
## Not run:
persp3D(z = Hypsometry$z[ii,jj], resfac = 4,
        contour = list(col = "grey", side = c("zmin", "z")),
        zlim = zlim, clab = "depth, m", bty = "bl2",
        xlab = "longitude", ylab = "latitude", zlab = "depth",
        expand = 0.5, d = 2, phi = 20, theta = 30,
        colkey = list(side = 1, length = 0.5, dist = -0.1))

## End(Not run)

# reset plotting parameters
par(mfrow = pm)
par(mar = mar)

```

2D image and contour plots

Extended image and contour plots for 2-D (and 3-D) data.

Description

image2D extends R's [image](#) function. Input can be a matrix (2-D) or an array (3-D) or a list.

contour2D extends R's [contour](#) function.

Usage

```

image2D(z, ...)
contour2D(z, x = seq(0, 1, length.out = nrow(z)),
          y = seq(0, 1, length.out = ncol(z)), ...,
          col = NULL, NAc01 = NULL,
          colkey = NULL, resfac = 1,
          clab = NULL, add = FALSE, plot = TRUE)

## S3 method for class 'matrix'
image2D(z, x = seq(0, 1, length.out = nrow(z)),

```

```

y = seq(0, 1, length.out = ncol(z)), colvar = z, ...,
col = NULL, NAcol = "white", breaks = NULL,
border = NA, facets = TRUE, contour = FALSE,
colkey = NULL, resfac = 1, clab = NULL,
lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
theta = 0, rasterImage = FALSE,
add = FALSE, plot = TRUE)

## S3 method for class 'array'
image2D(z, margin = c(1, 2), subset, ask = NULL, ...)
## S3 method for class 'list'
image2D(z, ...)

```

Arguments

<code>z</code>	Matrix (2-D) or array (3-D) or a list with matrices or arrays, with <code>z</code> -values. By default <code>colvar</code> is equal to <code>z</code> , hence <code>z</code> also defines the variable used to color the image . Only when <code>shade</code> or <code>lighting</code> is toggled on does it make sense to use <code>z</code> different from <code>colvar</code> .
<code>x, y</code>	Vectors or matrix with <code>x</code> and <code>y</code> values. If a vector <code>x</code> should be of length equal to <code>nrow(z)</code> and <code>y</code> should be of length equal to <code>ncol(z)</code> . If a matrix (only for <code>image2D</code>), they should have the same dimension as <code>z</code> or be of dimension <code>= dim(z)+1</code> .
<code>colvar</code>	Only used when <code>shade</code> or <code>lighting</code> is toggled on. The variable used to color the image.
<code>col</code>	Color palette to be used for the image function or for the contours. See details.
<code>NAcol</code>	Color to be used for NA values of <code>z</code> ; for <code>image2D</code> , the default is “white”, for <code>contour2D</code> , the default is to do nothing.
<code>breaks</code>	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
<code>contour</code>	If TRUE, then a contour plot will be added to the image plot, unless <code>x, y</code> are a matrix. Also allowed is to pass a list with arguments for the contour function.
<code>colkey</code>	A logical, NULL (default), or a list with parameters for the color key (legend). List parameters should be one of <code>side</code> , <code>plot</code> , <code>length</code> , <code>width</code> , <code>dist</code> , <code>shift</code> , <code>addlines</code> , <code>col.clab</code> , and the axis parameters <code>at</code> , <code>labels</code> , <code>tick</code> , <code>line</code> , <code>pos</code> , <code>outer</code> , <code>font</code> , <code>lty</code> , <code>lwd</code> , <code>lwd.ticks</code> , <code>col</code> . The defaults for the parameters are <code>side = 4</code> , <code>plot = TRUE</code> , <code>length = 1</code> , <code>width = 1</code> , <code>dist = 0</code> , See colkey . The default is to draw the color key on <code>side = 4</code> , i.e. in the right margin. If <code>colkey = NULL</code> then a color key will be added only if <code>col</code> is a vector. Setting <code>colkey = list(plot = FALSE)</code> will create room for the color key without drawing it. if <code>colkey = FALSE</code> , no color key legend will be added.
<code>clab</code>	Only if <code>colkey</code> is not NULL or FALSE, the label to be written on top of the color key. The label will be written at the same level as the main title. To lower it, <code>clab</code> can be made a vector, with the first values empty strings.

resfac	Resolution factor, one value or a vector of two numbers, for the x and y- values respectively. A value > 1 will increase the resolution. For instance, if resfac equals 3 then for each adjacent pair of x- and y-values, z will be interpolated to two intermediary points. This uses simple linear interpolation. If resfac is one number then the resolution will be increased similarly in x and y-direction.
lighting	If not FALSE the facets will be illuminated, and colors may appear more bright. To switch on lighting, the argument <code>lighting</code> should be either set to TRUE (using default settings) or it can be a list with specifications of one of the following: <code>ambient</code> , <code>diffuse</code> , <code>specular</code> , <code>exponent</code> , <code>sr</code> and <code>alpha</code> . Will overrule <code>shade</code> not equal to NA. See examples in jet.col .
shade	the degree of shading of the surface facets. Values of shade close to one yield shading similar to a point light source model and values close to zero produce no shading. Values in the range 0.5 to 0.75 provide an approximation to daylight illumination. See persp .
ltheta, lphi	if finite values are specified for <code>ltheta</code> and <code>lphi</code> , the surface is shaded as though it was being illuminated from the direction specified by azimuth <code>ltheta</code> and colatitude <code>lphi</code> . See persp .
theta	The angle defining the azimuthal direction. Implemented for consistency with the other functions based on persp .
border	The color of the lines drawn around the surface facets. The default, NA, will disable the drawing of borders.
facets	If TRUE, then <code>col</code> denotes the color of the surface facets. If FALSE, then the surface facets are colored “white” and the border will be colored as specified by <code>col</code> . If NA then the facets will be transparent. It is usually faster to draw with <code>facets = FALSE</code> .
rasterImage	If TRUE, the function rasterImage will be used for plotting rather than image or polygon . This requires the x and y to be a vector with equally spaced elements. Note that by default, rasterImage linearly interpolates the image, so it will appear smoother.
add	Logical. If TRUE, then the points will be added to the current plot. If FALSE a new plot is started.
plot	Logical. If TRUE (default), a plot is created, otherwise (for 3D plots) the viewing transformation matrix is returned (as invisible).
margin	A vector giving the subscripts which the <code>image</code> function will be applied over. The image function will loop over the index that is not in <code>margin</code> . For instance, <code>c(1, 2)</code> , indicates to plot <code>rows(x)</code> and <code>columns(y)</code> and to loop over index 3; <code>c(2, 1)</code> will do the same but the image will be transposed. <code>margin</code> should be a vector with two numbers inbetween 1, and 3.
ask	A logical; if TRUE, the user is asked before each plot, if NULL the user is only asked if more than one page of plots is necessary and the current graphics device is set interactive, see par(ask) and dev.interactive .
subset	Either a logical expression indicating over which elements to loop, or a vector or integers denoting the indices of the elements over which to loop. Missing values are taken as FALSE.

... additional arguments passed to the plotting methods [image](#), [rasterImage](#), [polygon](#) and [contour](#).
alpha can be given a value inbetween 0 and 1 to make colors transparent.
The arguments after ... must be matched exactly.

Details

`image2D` is an extension to the default [image](#) plot that has the possibility to add a color key and contourlines, and to increase the resolution in order to make smoother images. It also uses a different color scheme, it can deal with decreasing x- and y- values and x and y can be a matrix. In the latter case, the image will be drawn as a set of [polygons](#); if x and y are a vector, either R-function [image](#) or [rasterImage](#) will be used.

`image2D.array` and `image2D.list` are versions that accept a 3 dimensional array respectively a list with z-matrices as their first argument to produce multiple plots.

For argument `col` of the `image2D` function, both NA and NULL are allowed, in which case the color will be white, and no color key will be drawn.

To set the ranges of the z-variable, both arguments `zlim` (as in [image](#)) and `clim` (as in the other `plot3D` functions) are accepted.

Upon returning from the `image2D` and `contour2D` functions, the figure coordinates are defined by the main figure (excluding the color key). Thus, one can safely add other plotting elements.

Value

Returns nothing.

Note

The first argument, `z` generally determines the color variable. For consistency with the other functions, another variable, `colvar` is also defined and set by default equal to `z`. `colvar` will only be used if `shade` or `lighting` are toggled on. In this case, `z` will be used to define the shading (orientation of each facet), while `colvar` will define the color.

When `x` and `y` is a vector, the function uses R-function [image](#). This means that the x- and y- axis will extend the x- and y- values with half a grid cell.

In contrast, when `x` and `y` are a matrix, the axis will not extend the x- or y- values. See first example.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[jet.col](#), [ImageOcean](#), [Oxsat](#), [persp3D](#), [scatter2D](#) for other examples where `image2D` is used.

[image](#) and [contour](#) for the original R functions.

`plot.image` from the `fields` package.

Examples

```

# save plotting parameters
pm <- par("mfrow")

## =====
## Difference between x or y a vector/matrix and rasterImage
## =====

par(mfrow = c(2, 2))
x <- y <- 1:3
z <- matrix(nrow = 3, ncol = 3, data = 1:9)
image2D(z, x, y, border = "black")
image2D(z, x, y, rasterImage = TRUE, border = "black")
image2D(z, x = matrix(nrow = 3, ncol = 3, data = x),
        y, border = "black")
image2D(z, x, y, border = "black", theta = 45)

## =====
## shading, light, adding contours, points and lines
## =====

par(mfrow = c(2, 2))
nr <- nrow(volcano)
nc <- ncol(volcano)

image2D(volcano, x = 1:nr, y = 1:nc, lighting = TRUE,
        main = "volcano", clab = "height, m")

abline(v = seq(10, 80, by = 10))
abline(h = seq(10, 60, by = 10))
points(50, 30, pch = 3, cex = 5, lwd = 3, col = "white")

image2D(z = volcano, x = 1:nr, y = 1:nc, lwd = 2, shade = 0.2,
        main = "volcano", clab = "height, m")

image2D(volcano, x = 1:nr, y = 1:nc, contour = TRUE, shade = 0.5, lphi = 0,
        col = "lightblue", main = "volcano")

breaks <- seq(90, 200, by = 10)
image2D(volcano, x = 1:nr, y = 1:nc, col = jet.col(length(breaks)-1),
        main = "volcano", clab = "height, m", breaks = breaks)

## =====
## Contour plots
## =====

par(mfrow = c(2, 2))
V <- volcano - 150

# default, no color key
contour2D(z = V, colkey = FALSE, lwd = 2)

```

```

# imposed levels
contour2D(z = V, lwd = 2, levels = seq(-40, 40, by = 20))

# negative levels dashed
contour2D(z = V, col = "black", lwd = 2,
          levels = seq(0, 40, by = 20))
contour2D(z = V, col = "black", lwd = 2, lty = 2,
          levels = seq(-40, -20, by = 20), add = TRUE)

# no labels, imposed number of levels, colorkey
contour2D(z = V, lwd = 2, nlevels = 20, drawlabels = FALSE,
          colkey = list(at = seq(-40, 40, by = 20)))

## =====
## A large data set, input is an array
## =====

par(mfrow = c(1, 1))
image2D(z = Oxsat$val[, , 1], x = Oxsat$lon, y = Oxsat$lat,
        main = "surface oxygen saturation data 2005", NAcol = "black",
        clab = c("", "", "%"))

# images at first 9 depths - use subset to select them
image2D(z = Oxsat$val, subset = 1:9,
        x = Oxsat$lon, y = Oxsat$lat,
        margin = c(1, 2), NAcol = "black",
        xlab = "longitude", ylab = "latitude",
        zlim = c(0, 115),
        main = paste("depth ", Oxsat$depth[1:9], " m"),
        mfrow = c(3, 3))

# images at latitude - depth section - increase resolution
z <- Oxsat$val[, Oxsat$lat > - 5 & Oxsat$lat < 5, ]
image2D(z = z, x = Oxsat$lon, y = Oxsat$depth,
        margin = c(1, 3), NAcol = "black",
        resfac = 3, ylim = c(5000, 0))

# show position of transects
image2D(z = Oxsat$val[ , , 1],
        x = Oxsat$lon, y = Oxsat$lat,
        NAcol = "black")
abline(h = Oxsat$lat[Oxsat$lat > - 5 & Oxsat$lat < 5])

## =====
## Image of a list of matrices
## =====

listvolcano <- list(volcano = volcano, logvolcano = log(volcano))
image2D(listvolcano, x = 1:nr, y = 1:nc, contour = TRUE,
        main = c("volcano", "log(volcano)"),
        clab = list("height, m", "log(m)"),
        zlim = list(c(80, 200), c(4.4, 5.5)))

```

```

## =====
## Image of a list of arrays
## =====

## Not run:
# crude conversion from oxsat to oxygen
listoxygen <- list(Oxsat$val, Oxsat$val/100 * 360)

image2D(z = listoxygen,
        x = Oxsat$lon, y = Oxsat$lat,
        margin = c(1, 2), NAcol = "black",
        main = c("Oxygen saturation ", " Oxygen concentration"),
        mtext = paste("depth ", Oxsat$depth, " m")
        )

## End(Not run)

## =====
## 'x', 'y' and 'z' are matrices
## =====

par(mfrow = c(2, 1))

# tilted x- and y-coordinates of 'volcano'
volcx <- matrix(nrow = 87, ncol = 61, data = 1:87)
volcx <- volcx + matrix(nrow = 87, ncol = 61,
                      byrow = TRUE, data = seq(0., 15, length.out = 61))

volcy <- matrix(ncol = 87, nrow = 61, data = 1:61)
volcy <- t(volcy + matrix(ncol = 87, nrow = 61,
                        byrow = TRUE, data = seq(0., 25, length.out = 87)))

image2D(volcano, x = volcx, y = volcy)

# x and y can also be of dimension dim(z)+1:
## Not run:
# tilted x- and y-coordinates of 'volcano'
volcx <- matrix(nrow = 88, ncol = 62, data = 1:88)
volcx <- volcx + matrix(nrow = 88, ncol = 62,
                      byrow = TRUE, data = seq(0., 15, length.out = 62))

volcy <- matrix(ncol = 88, nrow = 62, data = 1:62)
volcy <- t(volcy + matrix(ncol = 88, nrow = 62,
                        byrow = TRUE, data = seq(0., 25, length.out = 88)))

image2D(volcano, x = volcx, y = volcy)

## End(Not run)

# use of panel function
image2D(volcano, x = volcx, y = volcy, NAcol = "black",
        panel.first = substitute(box(col = "lightgrey", lwd = 30)))

```

```

## =====
## Image with NAs and logs
## =====

par(mfrow = c(2, 2))
# normal volcano
image2D(volcano, clab = c("height", "m"))

# logarithmic z-axis
image2D(volcano, log = "z", clab = c("height", "m"),
        main = "log='z'")

# Including NAs
VOLC <- volcano - 110
VOLC [VOLC <= 0] <- NA
image2D(VOLC, main = "including NAs and rescaled")

# both
image2D(VOLC, NAcol = "black", log = "z", zlim = c(1, 100),
        main = "NAs and log = 'z'")

## =====
## Image with contour specification (alpha sets the transparency)
## =====

par(mfrow = c(1, 1))
image2D(volcano, shade = 0.2, rasterImage = TRUE,
        contour = list(col = "white", labcex = 0.8, lwd = 3, alpha = 0.5))
# same:
## Not run:
image2D(z = volcano, shade = 0.2, rasterImage = TRUE)
contour2D(z = volcano, col = "white", labcex = 0.8,
        lwd = 3, alpha = 0.5, add = TRUE)

## End(Not run)
# reset plotting parameters
par(mfrow = pm)

```

3-D arrows, segments, polygons, boxes, rectangles

*Plots arrows, segments, points, lines, polygons, rectangles and boxes
in a 3D perspective plot or in 2D.*

Description

Functions `arrows3D` and `segments3D` draw arrows and line segments between pairs of points.

Functions `box3D` and `border3D` draw boxes between pairs of points.

`polygon3D` draws polygons; `rect3D` draws rectangles.

The 2D functions `arrows2D`, `segments2D`, `rect2D` and `polygon2D` are included for their side effect of having a color key.

Usage

```

arrows3D (x0, y0, z0, x1 = x0, y1 = y0, z1 = z0, ...,
         colvar = NULL, phi = 40, theta = 40,
         col = NULL, NAc0l = "white", breaks = NULL,
         colkey = NULL, panel.first = NULL,
         clim = NULL, clab = NULL, bty = "b", type = "triangle",
         add = FALSE, plot = TRUE)

segments3D (x0, y0, z0, x1 = x0, y1 = y0, z1 = z0, ...,
          colvar = NULL, phi = 40, theta = 40,
          col = NULL, NAc0l = "white", breaks = NULL,
          colkey = NULL, panel.first = NULL,
          clim = NULL, clab = NULL, bty = "b",
          add = FALSE, plot = TRUE)

box3D (x0, y0, z0, x1, y1, z1, ...,
      colvar = NULL, phi = 40, theta = 40,
      col = NULL, NAc0l = "white", breaks = NULL,
      border = NA, facets = TRUE, colkey = NULL,
      panel.first = NULL, clim = NULL, clab = NULL, bty = "b",
      add = FALSE, plot = TRUE)

border3D(x0, y0, z0, x1, y1, z1, ...,
        colvar = NULL, phi = 40, theta = 40,
        col = NULL, NAc0l = "white", breaks = NULL,
        colkey = NULL, panel.first = NULL,
        clim = NULL, clab = NULL, bty = "b",
        add = FALSE, plot = TRUE)

rect3D (x0, y0, z0, x1 = NULL, y1 = NULL, z1 = NULL, ...,
       colvar = NULL, phi = 40, theta = 40,
       col = NULL, NAc0l = "white", breaks = NULL,
       border = NA, facets = TRUE, colkey = NULL,
       panel.first = NULL, clim = NULL, clab = NULL, bty = "b",
       add = FALSE, plot = TRUE)

polygon3D (x, y, z, ...,
         colvar = NULL, phi = 40, theta = 40,
         col = NULL, NAc0l = "white", breaks = NULL,
         border = NA, facets = TRUE, colkey = NULL,
         panel.first = NULL, clim = NULL, clab = NULL, bty = "b",
         add = FALSE, plot = TRUE)

arrows2D (x0, y0, x1 = x0, y1 = y0, ..., colvar = NULL,
         col = NULL, NAc0l = "white", breaks = NULL,
         colkey = NULL, clim = NULL, clab = NULL,
         type = "triangle", add = FALSE, plot = TRUE)

```

```
segments2D (x0, y0, x1 = x0, y1 = y0, ..., colvar = NULL,
           col = NULL, NAcol = "white", breaks = NULL,
           colkey = NULL, clim = NULL, clab = NULL,
           add = FALSE, plot = TRUE)
```

```
rect2D (x0, y0, x1 = x0, y1 = y0, ..., colvar = NULL,
       col = NULL, NAcol = "white", breaks = NULL,
       colkey = NULL, clim = NULL, clab = NULL,
       add = FALSE, plot = TRUE)
```

```
polygon2D (x, y, ..., colvar = NULL,
          col = NULL, NAcol = "white", breaks = NULL,
          border = NA, facets = TRUE,
          colkey = NULL, clim = NULL, clab = NULL,
          add = FALSE, plot = TRUE)
```

Arguments

<code>x0, y0, z0</code>	coordinates of points <i>from</i> which to draw.
<code>x1, y1, z1</code>	coordinates of points <i>to</i> which to draw. For <code>arrows3D</code> and <code>segments3D</code> , at least one must be supplied. For <code>rect3D</code> exactly one must be <code>NULL</code> .
<code>x, y, z</code>	coordinates of the vertices of the polygon. The polygon will be closed by joining the last point to the first point. The coordinates can contain missing values (<code>NA</code>). These <code>NA</code> values break the polygon into several complete polygons.
<code>colvar</code>	The variable used for coloring. It need not be present, but if specified, it should be a vector of dimension equal to the coordinates or to the number of polygons. Values of <code>NULL</code> , <code>NA</code> , or <code>FALSE</code> will toggle off coloration according to <code>colvar</code> .
<code>theta, phi</code>	the angles defining the viewing direction. <code>theta</code> gives the azimuthal direction and <code>phi</code> the colatitude. See persp .
<code>col</code>	Color palette to be used for coloring the arrows or segments as specified by the <code>colvar</code> variable. If <code>col</code> is <code>NULL</code> and <code>colvar</code> is specified, then a red-yellow-blue colorscheme (jet.col) will be used. If <code>col</code> is <code>NULL</code> and <code>colvar</code> is not specified, then <code>col</code> will be "black".
<code>NAcol</code>	Colors to be used for <code>colvar</code> values that are <code>NA</code> .
<code>breaks</code>	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
<code>colkey</code>	A logical, <code>NULL</code> (default), or a list with parameters for the color key (legend). List parameters should be one of <code>side</code> , <code>plot</code> , <code>length</code> , <code>width</code> , <code>dist</code> , <code>shift</code> , <code>addlines</code> , <code>col.clab</code> , and the axis parameters <code>at</code> , <code>labels</code> , <code>tick</code> , <code>line</code> , <code>pos</code> , <code>outer</code> , <code>font</code> , <code>lty</code> , <code>lwd</code> , <code>lwd.ticks</code> , <code>col</code> . The defaults for the parameters are <code>side = 4</code> , <code>plot = TRUE</code> , <code>length = 1</code> , <code>width = 1</code> , <code>dist = 0</code> , <code>col = "black"</code> . See colkey . The default is to draw the color key on <code>side = 4</code> , i.e. in the right margin. If <code>colkey = NULL</code> then a color key will be added only if <code>col</code> is a vector. Setting <code>colkey = list(plot = FALSE)</code> will create room for the color key without drawing it. if <code>colkey = FALSE</code> , no color key legend will be added.

<code>border</code>	The color of the lines drawn around the surface facets. The default, NA, will disable the drawing of borders.
<code>facets</code>	If TRUE, then <code>col</code> denotes the color of the surface facets. If FALSE, then the surface facets are colored “white” and the border (if NA) will be colored as specified by <code>col</code> . If NA then the facets will be transparent. It is usually faster to draw with <code>facets = FALSE</code> .
<code>panel.first</code>	A function to be evaluated after the plot axes are set up but before any plotting takes place. This can be useful e.g. for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix, e.g. it should be defined as <code>function(pmat)</code> . See example of persp3D and last example of voxel3D .
<code>clab</code>	Only if <code>colkey</code> is not NULL or FALSE, the label to be written on top of the color key. The label will be written at the same level as the main title. To lower it, <code>clab</code> can be made a vector, with the first values empty strings.
<code>clim</code>	Only if <code>colvar</code> is specified, the range of the color variable, used for the color key. Values of <code>colvar</code> that extend the range will be put to NA.
<code>bty</code>	The type of the perspective box, the default draws only the back panels. Only effective if the persp argument (<code>box</code>) equals TRUE (this is the default). See perspbox .
<code>type</code>	The type of the arrow head, one of “simple” (which uses R-function arrows), “curved” or “triangle” and “cone”. The latter two are the same in <code>plot3D</code> (but differ in package <code>plot3Drgl</code>).
<code>add</code>	Logical. If TRUE, then the arrows, segments, ... will be added to the current plot. If FALSE a new plot is started.
<code>plot</code>	Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).
<code>...</code>	<p>additional arguments passed to the plotting methods.</p> <p>The following persp arguments can be specified: <code>xlim</code>, <code>ylim</code>, <code>zlim</code>, <code>xlab</code>, <code>ylab</code>, <code>zlab</code>, <code>main</code>, <code>sub</code>. The arguments <code>xlim</code>, <code>ylim</code>, <code>zlim</code> only affect the axes for 3D plots. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use plotdev.</p> <p><code>shade</code> and <code>lighting</code> arguments will have no effect.</p> <p><code>alpha</code> can be given a value inbetween 0 and 1 to make colors transparent.</p> <p>In addition, the perspbox arguments <code>col.axis</code>, <code>col.panel</code>, <code>lwd.panel</code>, <code>col.grid</code>, <code>lwd.grid</code> can also be given a value.</p> <p>For <code>arrows3D</code>, the following arrows arguments can be specified: <code>length</code>, <code>code</code>, <code>angle</code>.</p> <p>For <code>polygon3D</code>, the following polygon arguments can be specified: <code>border</code>.</p> <p>For all the functions, arguments <code>lty</code>, <code>lwd</code> can be specified.</p> <p>The arguments after ... must be matched exactly.</p>

Value

Returns the viewing transformation matrix.

See [trans3D](#).

See Also

[arrows](#) for the 2-D arrows function on which arrows3D is based.

[segments](#) for the 2-D arrows function on which segments3D is based.

Examples

```
# save plotting parameters
pm <- par("mfrow")

## =====
## arrows, points, segments, box
## =====

# Create a grid of x, y, and z values
xx <- yy <- seq(-0.8, 0.8, by = 0.2)
zz <- seq(-0.8, 0.8, by = 0.8)

M <- mesh(xx, yy, zz)
x0 <- M$x; y0 <- M$y; z0 <- M$z
x1 <- x0 + 0.1

Col <- c("red", "blue", "green")
arrows3D(x0, y0, z0, x1 = x1, colvar = z0, lwd = 2,
         d = 2, clab = "z-value", col = Col, length = 0.1,
         xlim = c(-0.8, 0.8), ylim = c(-0.8, 0.8),
         main = "arrows3D, points3D, segments3D, border3D")

# add starting point of arrows
points3D(x0, y0, z0, add = TRUE, colvar = z0,
         colkey = FALSE, pch = ".", cex = 3, col = Col)

# use segments to add section
x0 <- c(-0.8, 0.8, 0.8, -0.8)
x1 <- c(0.8, 0.8, -0.8, -0.8)

y0 <- c(-0.8, -0.8, 0.8, -0.8)
y1 <- c(-0.8, 0.8, 0.8, 0.8)

z0 <- c(0., 0., 0., 0.)
segments3D(x0, y0, z0, x1, y1, z1 = z0,
           add = TRUE, col = "black", lwd = 2)

# add a box
border3D(-0.8, -0.8, -0.8, 0.8, 0.8, 0.8,
         col = "orange", add = TRUE, lwd = 3)

## =====
## boxes, cubes
## =====

# borders are boxes without facets
border3D(x0 = seq(-0.8, -0.1, by = 0.1),
```

```

y0 = seq(-0.8, -0.1, by = 0.1),
z0 = seq(-0.8, -0.1, by = 0.1),
x1 = seq(0.8, 0.1, by = -0.1),
y1 = seq(0.8, 0.1, by = -0.1),
z1 = seq(0.8, 0.1, by = -0.1),
col = gg.col(8), lty = 2,
lwd = c(1, 4), phi = 20, main = "border3D")

box3D(x0 = -0.8, y0 = -0.8, z0 = -0.8,
      x1 = 0.8, y1 = 0.8, z1 = 0.8,
      border = "black", lwd = 2,
      col = gg.col(1, alpha = 0.8),
      main = "box3D")

box3D(x0 = seq(-0.8, -0.1, by = 0.1),
      y0 = seq(-0.8, -0.1, by = 0.1),
      z0 = seq(-0.8, -0.1, by = 0.1),
      x1 = seq(0.8, 0.1, by = -0.1),
      y1 = seq(0.8, 0.1, by = -0.1),
      z1 = seq(0.8, 0.1, by = -0.1),
      col = rainbow(n = 8, alpha = 0.1),
      border = "black", lwd = 2, phi = 20)

# here the perspective does not always work
# use alpha.col to set the transparency of a vector of colors
box3D(x0 = runif(3), y0 = runif(3), z0 = runif(3),
      x1 = runif(3), y1 = runif(3), z1 = runif(3),
      col = c("red", "lightblue", "orange"), alpha = 0.5,
      border = "black", lwd = 2)

## =====
## rectangles
## =====
# at constant 'z'
rect3D(x0 = seq(-0.8, -0.1, by = 0.1),
      y0 = seq(-0.8, -0.1, by = 0.1),
      z0 = seq(-0.8, -0.1, by = 0.1),
      x1 = seq(0.8, 0.1, by = -0.1),
      y1 = seq(0.8, 0.1, by = -0.1),
      col = gg.col(8), border = "black",
      bty = "g", lwd = 2, phi = 20, main = "rect3D")

# constant y and with transparent facets
rect3D(x0 = 0, y0 = 0, z0 = 0, x1 = 1, z1 = 5,
      ylim = c(0, 1), facets = NA, border = "red",
      bty = "g", lwd = 2, phi = 20)

# add rect at constant z, with colored facet
rect3D(x0 = 0, y0 = 0, z0 = 0, x1 = 1, y1 = 1,
      border = "red", add = TRUE)

## =====
## arrows added to a persp plot

```

```

## =====
x <- y <- seq(-10, 10, length = 30)
z <- outer(x, y, FUN = function(x,y) x^2 + y^2)

persp3D(x, y, z, theta = 30, phi = 30,
        col = "lightblue", ltheta = 120, shade = 0.75,
        ticktype = "detailed", xlab = "X",
        ylab = "Y", zlab = "x^2+y^2" )

# Points where to put the arrows
x <- y <- seq(-10, 10, len = 6)
X0 <- outer(x, y, FUN = function (x,y) x)
Y0 <- outer(x, y, FUN = function (x,y) y)
Z0 <- outer(x, y, FUN = function (x,y) x^2 + y^2)

X1 <- X0 + 1
Y1 <- Y0 + 1
Z1 <- Z0 + 10

arrows3D(X0, Y0, Z0, X1, Y1, Z1, lwd = 2,
         add = TRUE, type = "curved", col = "red")

segments3D(X0, Y0, Z0, X0, Y0, rep(0, length(X0)), lwd = 2,
          add = TRUE, col = "green")

## =====
## polygon3D
## =====

x <- runif(10)
y <- runif(10)
z <- runif(10)

polygon3D(x, y, z)

# several polygons, separated by NAs
x <- runif(39)
y <- runif(39)
z <- runif(39)
ii <- seq(4, 36, by = 4)
x[ii] <- y[ii] <- z[ii] <- NA

# transparent colors (alpha)
polygon3D(x, y, z, border = "black", lwd = 3,
         col = gg.col(length(ii) + 1, alpha = 0.8),
         main = "polygon3D")

## =====
## 2D examples, with color key
## =====

arrows2D(x0 = runif(10), y0 = runif(10),

```

```

x1 = runif(10), y1 = runif(10), colvar = 1:10,
code = 3, main = "arrows2D, segments2D")

segments2D(x0 = runif(10), y0 = runif(10),
x1 = runif(10), y1 = runif(10), colvar = 1:10,
lwd = 2, add = TRUE, colkey = FALSE)

# transparency
rect2D(x0 = runif(10), y0 = runif(10),
x1 = runif(10), y1 = runif(10), colvar = 1:10,
alpha = 0.4, lwd = 2, main = "rect2D")

## =====
## polygon2D
## =====

x <- runif(10)
y <- runif(10)

polygon2D(x, y) # same as polygon

# several polygons, separated by NAs
x <- runif(59)
y <- runif(59)

ii <- seq(5, 55, by = 5)
x[ii] <- y[ii] <- NA

# transparent colors (alpha)
polygon2D(x, y, border = "black", lwd = 3,
colvar = 1:(length(ii) + 1),
col = gg.col(), alpha = 0.2,
main = "polygon2D")

# restore plotting parameters
par(mfrow = pm)

```

3-D contours

Contours in 3-D plots.

Description

contour3D adds a [contour](#) in a 3-D plot.

Usage

```

contour3D (x = NULL, y = NULL, z = NULL,
..., colvar = NULL, phi = 40, theta = 40,
col = NULL, colkey = NULL,

```

```
panel.first = NULL, clim = NULL, clab = NULL, bty = "b",
dDepth = 1e-1, addbox = TRUE, add = FALSE, plot = TRUE)
```

Arguments

<code>x, y, z</code>	Matrix (2-D), vector, or one value containing the values where the image is to be plotted. At least one of them should be one number, as this will determine where the image is plotted, parallel to the (y-z) plane (x one number), to the (x-z) plane (y one number) or to the (z-y) plane (z one number). If two are vectors, the first vector should be of length equal to <code>nrow(colvar)</code> and the second should be of length equal to <code>ncol(colvar)</code> .
<code>colvar</code>	The variable used for coloring. Values of <code>colvar</code> equal to <code>NULL</code> , <code>NA</code> , or <code>FALSE</code> will toggle off coloration according to <code>colvar</code> . This gives good results only if border is given a color, or when <code>shade</code> is >0 (see persp).
<code>col</code>	Color palette to be used for the <code>colvar</code> variable. If <code>col</code> is <code>NULL</code> and <code>colvar</code> is specified, then a red-yellow-blue colorscheme (jet.col) will be used. If <code>col</code> is <code>NULL</code> and <code>colvar</code> is not specified, then <code>col</code> will be "black".
<code>colkey</code>	A logical, <code>NULL</code> (default), or a list with parameters for the color key (legend). List parameters should be one of <code>side</code> , <code>plot</code> , <code>length</code> , <code>width</code> , <code>dist</code> , <code>shift</code> , <code>addlines</code> , <code>col.clab</code> , and the axis parameters <code>at</code> , <code>labels</code> , <code>tick</code> , <code>line</code> , <code>pos</code> , <code>outer</code> , <code>font</code> , <code>lty</code> , <code>lwd</code> , <code>lwd.ticks</code> , <code>col</code> . The defaults for the parameters are <code>side = 4</code> , <code>plot = TRUE</code> , <code>length = 1</code> , <code>width = 1</code> , <code>dist = 0</code> , <code>shift = 0</code> . See colkey . The default is to draw the color key on <code>side = 4</code> , i.e. in the right margin. If <code>colkey = NULL</code> then a color key will be added only if <code>col</code> is a vector. Setting <code>colkey = list(plot = FALSE)</code> will create room for the color key without drawing it. if <code>colkey = FALSE</code> , no color key legend will be added.
<code>clab</code>	Only if <code>colkey = TRUE</code> , the label to be written on top of the color key. The label will be written at the same level as the main title. to lower it, <code>clab</code> can be made a vector, with the first values empty strings.
<code>clim</code>	Only if <code>colvar</code> is specified, the range of the color variable, used for the color key. Values of <code>colvar</code> that extend the range will be put to <code>NA</code> .
<code>theta, phi</code>	The angles defining the viewing direction. <code>theta</code> gives the azimuthal direction and <code>phi</code> the colatitude. see persp .
<code>panel.first</code>	A function to be evaluated after the plot axes are set up but before any plotting takes place. This can be useful for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix, e.g. it should be defined as <code>function(pmat)</code> . See example of persp3D and last example of voxel3D .
<code>bty</code>	The type of the box, the default only drawing background panels. Only effective if the persp argument (<code>box</code>) equals <code>TRUE</code> (this is the default). See perspbox .
<code>dDepth</code>	When a contour is added on an image, the image polygons may hide some contour segments. To avoid that, the viewing depth of the segments can be artificially decreased with the factor <code>dDepth</code> times the persp argument <code>expand</code> (usually = 1), to make them appear in front of the polygons. Too large values of <code>dDepth</code> may create visible artifacts.
<code>addbox</code>	If <code>TRUE</code> will draw a box around the plot.

add Logical. If TRUE, then the contours will be added to the current plot. If FALSE a new plot is started.

plot Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).

... additional arguments passed to the plotting methods.

The following [persp](#) arguments can be specified: `xlim`, `ylim`, `zlim`, `xlab`, `ylab`, `zlab`, `main`, `sub`. The arguments `xlim`, `ylim`, `zlim` only affect the axes. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use [plotdev](#).

In addition, the [perspbox](#) arguments `col.axis`, `col.panel`, `lwd.panel`, `col.grid`, `lwd.grid` can also be given a value.

The arguments `lty`, `lwd` can also be specified.

`shade` and `lighting` arguments will have no effect.

`alpha` can be given a value inbetween 0 and 1 to make colors transparent.

The arguments after ... must be matched exactly.

Value

Returns the viewing transformation matrix. See [trans3D](#).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[contour](#) for R's 2-D contour function.

Examples

```
# save plotting parameters
pm <- par("mfrow")

## =====
## Contours
## =====
par (mfrow = c(2, 2))

r <- 1:nrow(volcano)
c <- 1:ncol(volcano)
contour3D(x = r, y = c, z = 100, colvar = volcano, zlim = c(0, 150),
  clab = c("height", "m"))

contour3D(x = 100, y = r, z = c, colvar = volcano, clab = c("height", "m"))

contour3D(z = volcano, colvar = volcano, lwd = 2,
  nlevels = 20, clab = c("height", "m"), colkey = FALSE)

contour3D(y = volcano, colvar = volcano, lwd = 2,
  nlevels = 10, clab = c("height", "m"))
```

```

## =====
## Composite images and contours in 3D
## =====
persp3D(z = volcano, zlim = c(90, 300), col = "white",
        shade = 0.1, d = 2, plot = FALSE)
contour3D(z = volcano, colvar = volcano, lwd = 2, add = TRUE,
          nlevels = 20, clab = c("height", "m"), plot = FALSE,
          colkey = list(at = seq(90, 190, length.out = 5)))
contour3D(z = 300, colvar = volcano, lwd = 2, col = "grey",
          add = TRUE, nlevels = 5)

## =====
## the viewing depth of contours (dDepth)
## =====

# too low
persp3D(z = volcano, col = "white", shade = 0.1, plot = FALSE)
contour3D(z = volcano, colvar = volcano, lwd = 2,
          add = TRUE, dDepth = 0, col = "black")

# default
persp3D(z = volcano, col = "white", shade = 0.1, plot = FALSE)
contour3D(z = volcano, colvar = volcano, lwd = 2,
          add = TRUE, dDepth = 0.1, col = "black")

# too high
persp3D(z = volcano, col = "white", shade = 0.1, plot = FALSE)
contour3D(z = volcano, colvar = volcano, lwd = 1,
          add = TRUE, dDepth = 0.5, col = "black")

# reset plotting parameters
par(mfrow = pm)

```

3-D data set

Yearly averaged oxygen saturation from the NODC World Ocean Atlas 2005.

Description

Percentage Oxygen Saturation from the NODC World Ocean Atlas 2005 (WOA05).

The values are gridded in 2dg * 2dg longitude - latitude sets, and there are 33 depth intervals.

Usage

data(Oxsat)

Format

list with

- lon, the longitude (dg E), at 2 dg resolution, 180 values.
- lat, the latitude (dg N), at 2 dg resolution, 90 values.
- depth, the water depth (m), 33 values.
- val, the saturation value (%). val is an array of dimension (180, 90, 33), (lon, lat, depth).
- name, the long name of the variable.
- units, the units of measurement.

Details

The “objectively analyzed climatology” has been used to extract these data.

The original data were averaged over the 4 seasons, and converted to half the resolution for latitude and longitude. The longitude was converted to the European view, i.e. the original data from (0, 360) was changed to (-180, 180).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

References

<http://www.nodc.noaa.gov>

<ftp://ftp.nodc.noaa.gov/pub/data.nodc/woa/WOA05nc/seasonal/>

Originally made available by CSIRO:

Mark A. Collier and Paul J. Durack, 2005. CSIRO netCDF version of the NODC World Ocean Atlas 2005. CSIRO Marine and Atmospheric Research Paper 015. December 2006

See Also

[image2D](#) for plotting.

Examples

```
# save plotting parameters
pm <- par("mfrow")

## =====
## plot all surface data
## =====

par(mfrow = c(1, 1))
image2D(z = Oxsat$val[ , , 1], x = Oxsat$lon, y = Oxsat$lat,
        main = "surface oxygen saturation (%) for 2005")

## =====
## plot a selection of latitude-depth profiles; input is an array
```



```
## =====
lon <- Oxsat$lon
image2D (z = Oxsat$val, margin = c(2, 3), x = Oxsat$lat,
        y = Oxsat$depth, subset = (lon > 18 & lon < 23),
        ylim = c(5500, 0), NAcol = "black", zlim = c(0, 110),
        xlab = "latitude", ylab = "depth, m")

ImageOcean()
abline ( v = lon[lon > 18 & lon < 23])

## =====
## plot with slices
## =====

par(mfrow = c(1, 1))
ii <- which (Oxsat$lon > -90 & Oxsat$lon < 90)
jj <- which (Oxsat$lat > 0 & Oxsat$lat < 90)

xs <- Oxsat$lon[ii[length(ii)]] # E boundary
ys <- Oxsat$lat[jj[1]]         # S boundary

slice3D(colvar = Oxsat$val[ii,jj,], x = Oxsat$lon[ii],
        y = Oxsat$lat[jj], z = -Oxsat$depth,
        NAcol = "black", xs = xs, ys = ys, zs = 0,
        theta = 35, phi = 50, colkey = list(length = 0.5),
        expand = 0.5, ticktype = "detailed",
        clab = "%", main = "Oxygen saturation",
        xlab = "longitude", ylab = "latitude", zlab = "depth")

# restore plotting parameters
par(mfrow = pm)
```

3-D perspectives

Perspective plots, 3-D ribbons and 3-D histograms.

Description

`persp3D` extends R's [persp](#) function.

`ribbon3D` is similar to `persp3D` but has ribbon-like colored surfaces.

`hist3D` generates 3-D histograms.

Usage

```
persp3D (x = seq(0, 1, length.out = nrow(z)),
        y = seq(0, 1, length.out = ncol(z)), z, ...,
        colvar = z, phi = 40, theta = 40,
        col = NULL, NAcol = "white", breaks = NULL,
        border = NA, facets = TRUE, colkey = NULL, resfac = 1,
```

```

image = FALSE, contour = FALSE, panel.first = NULL,
clim = NULL, clab = NULL, bty = "b",
lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
inttype = 1, curtain = FALSE, add = FALSE, plot = TRUE)

```

```

ribbon3D (x = seq(0, 1, length.out = nrow(z)),
y = seq(0, 1, length.out = ncol(z)), z, ...,
colvar = z, phi = 40, theta = 40,
col = NULL, NAcol = "white", breaks = NULL,
border = NA, facets = TRUE, colkey = NULL, resfac = 1,
image = FALSE, contour = FALSE, panel.first = NULL,
clim = NULL, clab = NULL, bty = "b",
lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
space = 0.4, along = "x",
curtain = FALSE, add = FALSE, plot = TRUE)

```

```

hist3D (x = seq(0, 1, length.out = nrow(z)),
y = seq(0, 1, length.out = ncol(z)), z, ...,
colvar = z, phi = 40, theta = 40,
col = NULL, NAcol = "white", breaks = NULL,
border = NA, facets = TRUE, colkey = NULL,
image = FALSE, contour = FALSE,
panel.first = NULL, clim = NULL, clab = NULL, bty = "b",
lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
space = 0, opaque.top = FALSE, add = FALSE, plot = TRUE)

```

Arguments

z	Matrix (2-D) containing the values to be plotted as a persp plot.
x, y	Vectors or matrices with x and y values. If a vector, x should be of length equal to nrow(z) and y should be equal to ncol(z). If a matrix (only for persp3D), x and y should have the same dimension as z.
colvar	The variable used for coloring. If present, it should have the same dimension as z. Values of NULL, NA, or FALSE will toggle off coloration according to colvar. This gives good results only if border is given a color, or when shade is > 0 or lighting is TRUE).
col	Color palette to be used for the colvar variable. If col is NULL and colvar is specified, then a red-yellow-blue colorscheme (jet.col) will be used. If col is NULL and colvar is not specified, then col will be grey. Finally, to mimic the behavior of persp , set colvar = NULL and make col a matrix of colors with (nrow(z)-1) rows and (ncol(z)-1) columns.
NAcol	Color to be used for NA values of colvar; default is "white".
breaks	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
colkey	A logical, NULL (default), or a list with parameters for the color key (legend). List parameters should be one of side, plot, length, width, dist, shift, addlines, col.clab,

and the axis parameters `at`, `labels`, `tick`, `line`, `pos`, `outer`, `font`, `lty`, `lwd`, `lwd.ticks`, `col`. The defaults for the parameters are `side = 4`, `plot = TRUE`, `length = 1`, `width = 1`, `dist = 0`. See [colkey](#).

The default is to draw the color key on `side = 4`, i.e. in the right margin. If `colkey = NULL` then a color key will be added only if `col` is a vector. Setting `colkey = list(plot = FALSE)` will create room for the color key without drawing it. if `colkey = FALSE`, no color key legend will be added.

<code>clab</code>	Only if <code>colkey = TRUE</code> , the label to be written on top of the color key. The label will be written at the same level as the main title. to lower it, <code>clab</code> can be made a vector, with the first values empty strings.
<code>clim</code>	Only if <code>colvar</code> is specified, the range of the color variable, used for the color key. Values of <code>colvar</code> that extend the range will be put to NA.
<code>resfac</code>	Resolution factor, one value or a vector of two numbers, for the x and y- values respectively. A value > 1 will increase the resolution. For instance, if <code>resfac</code> equals 3 then for each adjacent pair of x- and y-values, z will be interpolated to two intermediary points. This uses simple linear interpolation. If <code>resfac</code> is one number then the resolution will be increased similarly in x and y-direction.
<code>theta, phi</code>	The angles defining the viewing direction. <code>theta</code> gives the azimuthal direction and <code>phi</code> the colatitude. see persp .
<code>border</code>	The color of the lines drawn around the surface facets. The default, NA, will disable the drawing of borders.
<code>facets</code>	If TRUE, then <code>col</code> denotes the color of the surface facets. If FALSE, then the surface facets are colored "white" and the border (if NA) will be colored as specified by <code>col</code> . If NA then the facets will be transparent. It is usually faster to draw with <code>facets = FALSE</code> .
<code>image</code>	If TRUE, an image will be plotted at the bottom. Also allowed is to pass a list with arguments for the image2D function. An optional parameter to this list is the side where the image should be plotted. Allowed values for side are a z-value, or <code>side = "zmin"</code> , <code>"zmax"</code> , for positioning at bottom or top respectively. The default is to put the image at the bottom.
<code>contour</code>	If TRUE, a contour will be plotted at the bottom. Also allowed is to pass a list with arguments for the contour function. An optional parameter to this list is the side where the image should be plotted. Allowed values for side are a z-value, or <code>side = "zmin"</code> , <code>"zmax"</code> , for positioning at bottom or top respectively. The default is to put the image at the bottom.
<code>panel.first</code>	A function to be evaluated after the plot axes are set up (and if applicable, images or contours drawn) but before any plotting takes place. This can be useful for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix (<code>pmat</code>), e.g. it should be defined as <code>function(pmat)</code> . See example.
<code>along</code>	The direction along which the ribbons are drawn, one of "x", "y" or "xy", for ribbons parallel to the x- y- or both axes. In the latter case, the figure looks like a net.
<code>curtain</code>	If TRUE, the ribbon or persp edges will be draped till the bottom.

space	The amount of space (as a fraction of the average bar/ribbon width) left between bars/ribbons. A value inbetween [0, 0.9] (hist3D) or [0.1, 0.9] (ribbon3D). Either one number, or a two-valued vector, for the x- and y- direction.
bty	The type of the box, the default only drawing background panels. Only effective if the persp argument (box) equals TRUE (this is the default). See perspbox .
lighting	If not FALSE the facets will be illuminated, and colors may appear more bright. To switch on lighting, the argument <code>lighting</code> should be either set to TRUE (using default settings) or it can be a list with specifications of one of the following: ambient, diffuse, specular, exponent, sr and alpha. Will overrule shade not equal to NA. See examples in jet.col .
shade	the degree of shading of the surface facets. Values of shade close to one yield shading similar to a point light source model and values close to zero produce no shading. Values in the range 0.5 to 0.75 provide an approximation to daylight illumination. See persp .
ltheta, lphi	if finite values are specified for <code>ltheta</code> and <code>lphi</code> , the surface is shaded as though it was being illuminated from the direction specified by azimuth <code>ltheta</code> and colatitude <code>lphi</code> . See persp .
inttype	The interpolation type to create the polygons, either averaging the <code>colvar</code> (<code>inttype = 1, 3</code>) or extending the <code>x, y, z</code> values (<code>inttype = 2</code>) - see details.
opaque.top	Only used when <code>alpha</code> is set (transparency): if TRUE then the top of the bars is opaque.
add	Logical. If TRUE, then the surfaces will be added to the current plot. If FALSE a new plot is started.
plot	Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).
...	additional arguments passed to the plotting methods. The following persp arguments can be specified: <code>xlim</code> , <code>ylim</code> , <code>zlim</code> , <code>xlab</code> , <code>yab</code> , <code>zlab</code> , <code>main</code> , <code>sub</code> , <code>r</code> , <code>d</code> , <code>scale</code> , <code>expand</code> . The arguments <code>xlim</code> , <code>ylim</code> , <code>zlim</code> only affect the axes. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use plotdev . In addition, the perspbox arguments <code>col.axis</code> , <code>col.panel</code> , <code>lwd.panel</code> , <code>col.grid</code> , <code>lwd.grid</code> can also be given a value. <code>alpha</code> can be given a value inbetween 0 and 1 to make colors transparent. For all functions, the arguments <code>lty</code> , <code>lwd</code> can be specified; this is only effective if <code>border</code> is not NA. The arguments after ... must be matched exactly.

Details

`persp3D` is an extension to the default [persp](#) plot that has the possibility to add a color key, to increase the resolution in order to make smoother images, to toggle on or off facet coloration, ...

The perspective plots are drawn as filled polygons. Each polygon is defined by 4 corners and a color, defined in its centre. When facets are colored, there are three interpolation schemes as set by `inttype`.

The default (`inttype = 1`) is similar to R's function `persp`, and assumes that the z-values define the points on the corners of each polygon. In case a `colvar` is defined, its values are to be recalculated to the middle of each polygon, i.e. the color values need to be of size $(nx-1)(ny-1)$, and averages are taken from the original data (`nx` and `ny` are number of x and y points). This will make the colors (and/or shading) smoother. When `inttype = 1` then NA values in `colvar` will be used as such during the averaging. This will tend to make the NA region larger.

An alternative is to set `inttype = 3`, which is similar to `inttype = 1` except for the NA values, which will be removed during the averaging. This will tend to make the NA region smaller.

By setting `inttype = 2`, a second interpolation scheme is selected. This is mainly of use in case a `colvar` is defined, and it is not desirable that the colors are smoothened. In this scheme, it is assumed that the z values and `colvar` values are both defined in the centre of the polygons. To color the facets the x, y, z grid is extended (to a $(nx+1)(ny+1)$ grid), while `colvar` is used as such. This will make the z-values (topography) smoother than the original data. This type of interpolation may be preferable for color variables that have NA values, as taking averages tends to increase the NA region.

Value

Returns, as invisible, the viewing transformation matrix.

See [trans3D](#).

Note

To make a contour to appear on top of an image, i.e. when `side = "z"`, the viewing depth of the contour segments is artificially decreased. In some cases this may produce slight artifacts. The viewing depth can be adjusted with argument `dDepth`, e.g. `persp3D(z = volcano, contour = list(side = "z", dDepth`

Parts of this help page come from the help pages of the R-core function [persp](#).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

References

The [persp](#) function on which this implementation is based:

Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*. Wadsworth & Brooks/Cole.

See Also

[persp](#) for the function on which this is based.

[Hypsometry](#) for an example where axis-panels are colored.

[scatter3D](#) for a combination of a `persp` surface and data points.

[text3D](#) for annotating axes (`hist3D`).

[plotdev](#) for zooming, rescaling, rotating a plot.

Examples

```

# save plotting parameters
pm <- par("mfrow")

## =====
## Ribbon, persp, color keys, facets
## =====

par(mfrow = c(2, 2))
# simple, no scaling, use breaks to set colors
persp3D(z = volcano, main = "volcano", clab = c("height", "m"),
        breaks = seq(80,200, by = 10))

# keep ratios between x- and y (scale = FALSE)
# change ratio between x- and z (expand)
persp3D(z = volcano, x = 1:nrow(volcano), y = 1:ncol(volcano),
        expand = 0.3, main = "volcano", facets = FALSE, scale = FALSE,
        clab = "height, m", colkey = list(side = 1, length = 0.5))

# ribbon, in x--direction
V <- volcano[, seq(1, ncol(volcano), by = 3)] # lower resolution
ribbon3D(z = V, colkey = list(width = 0.5, length = 0.5,
                             cex.axis = 0.8, side = 2), clab = "m")

# ribbon, in y-direction
Vy <- volcano[seq(1, nrow(volcano), by = 3), ]
ribbon3D(z = Vy, expand = 0.3, space = 0.3, along = "y",
        colkey = list(width = 0.5, length = 0.5, cex.axis = 0.8))

## =====
## Several ways to visualise 3-D data
## =====

x <- seq(-pi, pi, by = 0.2)
y <- seq(-pi, pi, by = 0.3)
grid <- mesh(x, y)

z <- with(grid, cos(x) * sin(y))

par(mfrow = c(2,2))

persp3D(z = z, x = x, y = y)

persp3D(z = z, x = x, y = y, facets = FALSE, curtain = TRUE)

# ribbons in two directions and larger spaces
ribbon3D(z = z, x = x, y = y, along = "xy", space = 0.3)

hist3D(z = z, x = x, y = y, border = "black")

## =====
## Contours and images added

```

```

## =====
par(mfrow = c(2, 2))
x <- seq(1, nrow(volcano), by = 3)
y <- seq(1, ncol(volcano), by = 3)

Volcano <- volcano [x, y]
ribbon3D(z = Volcano, contour = TRUE, zlim= c(-100, 200),
        image = TRUE)

persp3D(z = Volcano, contour = TRUE, zlim= c(-200, 200), image = FALSE)

persp3D(z = Volcano, x = x, y = y, scale = FALSE,
        contour = list(nlevels = 20, col = "red"),
        zlim = c(-200, 200), expand = 0.2,
        image = list(col = grey (seq(0, 1, length.out = 100))))

persp3D(z = Volcano, contour = list(side = c("zmin", "z", "350")),
        zlim = c(-100, 400), phi = 20, image = list(side = 350))

## =====
## Use of inttype
## =====

par(mfrow = c(2, 2))
persp3D(z = Volcano, shade = 0.5, colkey = FALSE)
persp3D(z = Volcano, inttype = 2, shade = 0.5, colkey = FALSE)

x <- y <- seq(0, 2*pi, length.out = 10)
z <- with (mesh(x, y), cos(x) *sin(y)) + runif(100)
cv <- matrix(nrow = 10, 0.5*runif(100))
persp3D(x, y, z, colvar = cv) # takes averages of z
persp3D(x, y, z, colvar = cv, inttype = 2) # takes averages of colvar

## =====
## Use of inttype with NAs
## =====

par(mfrow = c(2, 2))
VV <- V2 <- volcano[10:15, 10:15]
V2[3:4, 3:4] <- NA
V2[4, 5] <- NA

image2D(V2, border = "black") # shows true NA region

# averages of V2, including NAs, NA region larger
persp3D(z = VV, colvar = V2, inttype = 1, theta = 0,
        phi = 20, border = "black", main = "inttype = 1")

# extension of VV; NAs unaffected
persp3D(z = VV, colvar = V2, inttype = 2, theta = 0,
        phi = 20, border = "black", main = "inttype = 2")

```

```

# average of V2, ignoring NA; NA region smaller
persp3D(z = VV, colvar = V2, inttype = 3, theta = 0,
        phi = 20, border = "black", main = "inttype = 3")

## =====
## Use of panel.first
## =====

par(mfrow = c(1, 1))

# A function that is called after the axes were drawn
panelfirst <- function(trans) {
  zticks <- seq(100, 180, by = 20)
  len <- length(zticks)
  XY0 <- trans3D(x = rep(1, len), y = rep(1, len), z = zticks,
                pmat = trans)
  XY1 <- trans3D(x = rep(1, len), y = rep(61, len), z = zticks,
                pmat = trans)
  segments(XY0$x, XY0$y, XY1$x, XY1$y, lty = 2)

  rm <- rowMeans(volcano)
  XY <- trans3D(x = 1:87, y = rep(ncol(volcano), 87),
               z = rm, pmat = trans)
  lines(XY, col = "blue", lwd = 2)
}
persp3D(z = volcano, x = 1:87, y = 1: 61, scale = FALSE, theta = 10,
        expand = 0.2, panel.first = panelfirst, colkey = FALSE)

## =====
## with / without colvar / facets
## =====

par(mfrow = c(2, 2))
persp3D(z = volcano, shade = 0.3, col = gg.col(100))

# shiny colors - set lphi for more brightness
persp3D(z = volcano, lighting = TRUE, lphi = 90)

persp3D(z = volcano, col = "lightblue", colvar = NULL,
        shade = 0.3, bty = "b2")

# this also works:
# persp3D(z = volcano, col = "grey", shade = 0.3)

# tilted x- and y-coordinates of 'volcano'
volcx <- matrix(nrow = 87, ncol = 61, data = 1:87)
volcx <- volcx + matrix(nrow = 87, ncol = 61,
                       byrow = TRUE, data = seq(0., 15, length.out = 61))

volcy <- matrix(ncol = 87, nrow = 61, data = 1:61)
volcy <- t(volcy + matrix(ncol = 87, nrow = 61,
                       byrow = TRUE, data = seq(0., 15, length.out = 87)))

```



```

persp3D(volcano, x = volcx, y = volcy, phi = 80)

## =====
## Several persps on one plot
## =====

par(mfrow = c(1, 1))
clim <- range(volcano)
persp3D(z = volcano, zlim = c(100, 600), clim = clim,
        box = FALSE, plot = FALSE)

persp3D(z = volcano + 200, clim = clim, colvar = volcano,
        add = TRUE, colkey = FALSE, plot = FALSE)

persp3D(z = volcano + 400, clim = clim, colvar = volcano,
        add = TRUE, colkey = FALSE) # plot = TRUE by default

## =====
## hist3D
## =====

par(mfrow = c(2, 2))
VV <- volcano[seq(1, 87, 15), seq(1, 61, 15)]
hist3D(z = VV, scale = FALSE, expand = 0.01, border = "black")

# transparent colors
hist3D(z = VV, scale = FALSE, expand = 0.01,
        alpha = 0.5, opaque.top = TRUE, border = "black")

hist3D(z = VV, scale = FALSE, expand = 0.01, facets = FALSE, lwd = 2)

hist3D(z = VV, scale = FALSE, expand = 0.01, facets = NA)

## =====
## hist3D and ribbon3D with greyish background, rotated, rescaled,...
## =====

par(mfrow = c(2, 2))
hist3D(z = VV, scale = FALSE, expand = 0.01, bty = "g", phi = 20,
        col = "#0072B2", border = "black", shade = 0.2, ltheta = 90,
        space = 0.3, ticktype = "detailed", d = 2)

# extending the ranges
plotdev(xlim = c(-0.2, 1.2), ylim = c(-0.2, 1.2), theta = 45)

ribbon3D(z = VV, scale = FALSE, expand = 0.01, bty = "g", phi = 20,
         col = "lightblue", border = "black", shade = 0.2, ltheta = 90,
         space = 0.3, ticktype = "detailed", d = 2, curtain = TRUE)

ribbon3D(z = VV, scale = FALSE, expand = 0.01, bty = "g", phi = 20, zlim = c(95,183),
         col = "lightblue", lighting = TRUE, ltheta = 50, along = "y",
         space = 0.7, ticktype = "detailed", d = 2, curtain = TRUE)

```

```
## =====
## hist3D for a 1-D data set
## =====

par(mfrow = c(2, 1))
x <- rchisq(1000, df = 4)
hs <- hist(x, breaks = 15)

hist3D(x = hs$mids, y = 1, z = matrix(ncol = 1, data = hs$density),
      bty = "g", ylim = c(0., 2.0), scale = FALSE, expand = 20,
      border = "black", col = "white", shade = 0.3, space = 0.1,
      theta = 20, phi = 20, main = "3-D perspective")

# reset plotting parameters
par(mfrow = pm)
```

3-D surfaces

Functions for plotting 3 dimensional shapes

Description

surf3D plots a surface in 3-D with a color variable.

spheresurf3D plots a colored image on a sphere.

Usage

```
surf3D (x, y, z, ..., colvar = z, phi = 40, theta = 40,
       col = NULL, NAcot = "white", breaks = NULL,
       border = NA, facets = TRUE, colkey = NULL,
       panel.first = NULL, clim = NULL, clab = NULL, bty = "n",
       lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
       inttype = 1, add = FALSE, plot = TRUE)
```

```
spheresurf3D (colvar = matrix(nrow = 50, ncol = 50, data = 1:50, byrow = TRUE),
             ..., phi = 0, theta = 0,
             col = NULL, NAcot = "white", breaks = NULL,
             border = NA, facets = TRUE, contour = FALSE,
             colkey = NULL, resfac = 1,
             panel.first = NULL, clim = NULL, clab = NULL, bty = "n",
             lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
             inttype = 1, full = FALSE, add = FALSE, plot = TRUE)
```

Arguments

x, y, z Matrices with x, y and z-values that define the surfaces to be colored. They should be of the same dimension as colvar.

colvar	The variable used for coloring. If a matrix, it should be of the same dimension as x, y, z. Values of NULL, NA, or FALSE will toggle off coloration according to colvar. This gives good results only if border is given a color or a shade is used.
theta, phi	the angles defining the viewing direction. theta gives the azimuthal direction and phi the colatitude. see persp .
col	Color palette to be used for coloring the colvar variable. If col is NULL and colvar is specified, then a red-yellow-blue colorscheme (jet.col) will be used. If col is NULL and colvar is not specified, then col will be "grey".
NAcol	Colors to be used for colvar values that are NA.
breaks	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
border	The color of the lines drawn around the surface facets. The default, NA, will disable the drawing of borders.
facets	If TRUE, then col denotes the color of the surface facets. If FALSE, then the surface facets are colored "white" and the border (if NA) will be colored as specified by col. If NA then the facets will be transparent. It is usually faster to draw with facets = FALSE.
contour	If TRUE, then a contour plot will be added to the image plot, unless x, y are a matrix. Also allowed is to pass a list with arguments for the contour function.
colkey	A logical, NULL (default), or a list with parameters for the color key (legend). List parameters should be one of side, plot, length, width, dist, shift, addlines, col.clab, and the axis parameters at, labels, tick, line, pos, outer, font, lty, lwd, lwd.ticks, col. The defaults for the parameters are side = 4, plot = TRUE, length = 1, width = 1, dist = 0, See colkey . The default is to draw the color key on side = 4, i.e. in the right margin. If colkey = NULL then a color key will be added only if col is a vector. Setting colkey = list(plot = FALSE) will create room for the color key without drawing it. if colkey = FALSE, no color key legend will be added.
resfac	Resolution factor, one value or a vector of two numbers, for the x and y- values respectively. A value > 1 will increase the resolution. For instance, if resfac equals 3 then for each adjacent pair of x- and y-values, z will be interpolated to two intermediary points. This uses simple linear interpolation. If resfac is one number then the resolution will be increased similarly in x and y-direction.
panel.first	A function to be evaluated after the plot axes are set up but before any plotting takes place. This can be useful for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix, e.g. it should be defined as function(pmat). See example of persp3D and last example of voxel3D .
clab	Only if colkey is not NULL or FALSE, the label to be written on top of the color key. The label will be written at the same level as the main title. To lower it, clab can be made a vector, with the first values empty strings.
clim	Only if colvar is specified, the range of the color variable, used for the color key. Values of colvar that extend the range will be put to NA.

<code>bty</code>	The type of the box, the default is to draw no box. Set <code>bty = "f"</code> or <code>bty = "b"</code> if you want a full box or the backpanel. See perspbox .
<code>lighting</code>	If not FALSE the facets will be illuminated, and colors may appear more bright. To switch on lighting, the argument <code>lighting</code> should be either set to TRUE (using default settings) or it can be a list with specifications of one of the following: <code>ambient</code> , <code>diffuse</code> , <code>specular</code> , <code>exponent</code> , <code>sr</code> and <code>alpha</code> . Will overrule <code>shade</code> not equal to NA. See examples in jet.col .
<code>shade</code>	the degree of shading of the surface facets. Values of <code>shade</code> close to one yield shading similar to a point light source model and values close to zero produce no shading. Values in the range 0.5 to 0.75 provide an approximation to daylight illumination. See persp .
<code>ltheta</code> , <code>lphi</code>	if finite values are specified for <code>ltheta</code> and <code>lphi</code> , the surface is shaded as though it was being illuminated from the direction specified by azimuth <code>ltheta</code> and colatitude <code>lphi</code> . See persp .
<code>inttype</code>	The interpolation type to create the polygons, either taking the mean of the <code>colvar</code> variable (<code>inttype = 1, 3</code> or extending the <code>x, y, z</code> values (<code>inttype = 2</code>). Values 1, 3 differ in how they treat NAs in the <code>colvar</code> variable. For <code>inttype = 3</code> , NAs are removed before taking averages; this will tend to make the NA region smaller. NAs are included when <code>inttype = 1</code> . This will tend to make the NA region larger. See details and an example in persp3D .
<code>full</code>	Logical. If TRUE, the full sphere will be drawn, including the invisible part. If FALSE only the visible half will be drawn (faster).
<code>add</code>	Logical. If TRUE, then the surfaces will be added to the current plot. If FALSE a new plot is started.
<code>plot</code>	Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).
<code>...</code>	Additional arguments passed to the plotting methods. The following persp arguments can be specified: <code>xlim</code> , <code>ylim</code> , <code>zlim</code> , <code>xlab</code> , <code>ylab</code> , <code>zlab</code> , <code>main</code> , <code>sub</code> , <code>r</code> , <code>d</code> , <code>scale</code> , <code>expand</code> . The arguments <code>xlim</code> , <code>ylim</code> , <code>zlim</code> only affect the axes. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use plotdev . In addition, the perspbox arguments <code>col.axis</code> , <code>col.panel</code> , <code>lwd.panel</code> , <code>col.grid</code> , <code>lwd.grid</code> can also be given a value. The arguments after <code>...</code> must be matched exactly.

Details

Function `spheresurf3D` is a projection on a sphere with radius 1. This means that the `x`- `y`- and `z`-axes range from `[-1, 1]`.

Value

Returns the viewing transformation matrix, See [trans3D](#).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[persp](#) for the function on which this implementation is based.

[jet.col](#), [plotdev](#) for other examples of surf3D.

[plotdev](#) for zooming, rescaling, rotating a plot.

Examples

```
# save plotting parameters
pm  <- par("mfrow")
pmar <- par("mar")

par(mar = c(1, 1, 1, 1))

## =====
## A three-dimensional shape
## (ala http://docs.enthought.com/mayavi/mayavi/mlab.html)
## =====

par(mfrow = c(2, 2))
# create grid matrices
X      <- seq(0, pi, length.out = 50)
Y      <- seq(0, 2*pi, length.out = 50)
M      <- mesh(X, Y)
phi    <- M$x
theta  <- M$y

# x, y and z grids
r <- sin(4*phi)^3 + cos(2*phi)^3 + sin(6*theta)^2 + cos(6*theta)^4
x <- r * sin(phi) * cos(theta)
y <- r * cos(phi)
z <- r * sin(phi) * sin(theta)

# full colored image
surf3D(x, y, z, colvar = y, colkey = FALSE, shade = 0.5,
       box = FALSE, theta = 60)

# same, but just facets
surf3D(x, y, z, colvar = y, colkey = FALSE, box = FALSE,
       theta = 60, facets = FALSE)

# with colors and border, AND increasing the size
# (by reducing the x- y and z- ranges
surf3D(x, y, z, colvar = y, colkey = FALSE, box = FALSE,
       theta = 60, border = "black", xlim = range(x)*0.8,
       ylim = range(y)*0.8, zlim = range(z)*0.8)

# Now with one color and shading
surf3D(x, y, z, box = FALSE,
       theta = 60, col = "lightblue", shade = 0.9)

## Not run: # rotation
```

```

for (angle in seq(0, 360, by = 10))
  plotdev(theta = angle)

## End(Not run)

## =====
## Several other shapes
## http://xahlee.info/surface/gallery.html
## =====

par(mfrow = c(2, 2))
# Shape 1
M <- mesh(seq(0, 6*pi, length.out = 50),
          seq(pi/3, pi, length.out = 50))
u <- M$x ; v <- M$y

x <- u/2 * sin(v) * cos(u)
y <- u/2 * sin(v) * sin(u)
z <- u/2 * cos(v)

surf3D(x, y, z, colvar = z, colkey = FALSE, box = FALSE, phi = 50)

# Shape 2: add border
M <- mesh(seq(0, 2*pi, length.out = 50),
          seq(0, 2*pi, length.out = 50))
u <- M$x ; v <- M$y

x <- sin(u)
y <- sin(v)
z <- sin(u + v)

surf3D(x, y, z, colvar = z, border = "black",
       colkey = FALSE)

# shape 3: uses same mesh, other perspective (d >1)
x <- (3 + cos(v/2)*sin(u) - sin(v/2)*sin(2*u))*cos(v)
y <- (3 + cos(v/2)*sin(u) - sin(v/2)*sin(2*u))*sin(v)
z <- sin(v/2)*sin(u) + cos(v/2)*sin(2*u)

surf3D(x, y, z, colvar = z, colkey = FALSE, d = 2, facets = FALSE)

# shape 4: more complex colvar
M <- mesh(seq(-13.2, 13.2, length.out = 50),
          seq(-37.4, 37.4, length.out = 50))
u <- M$x ; v <- M$y

b <- 0.4; r <- 1 - b^2; w <- sqrt(r)
D <- b*((w*cosh(b*u))^2 + (b*sin(w*v))^2)
x <- -u + (2*r*cosh(b*u)*sinh(b*u)) / D
y <- (2*w*cosh(b*u)*(-(w*cos(v)*cos(w*v)) - sin(v)*sin(w*v))) / D
z <- (2*w*cosh(b*u)*(-(w*sin(v)*cos(w*v)) + cos(v)*sin(w*v))) / D

```

```

surf3D(x, y, z, colvar = sqrt(x + 8.3), colkey = FALSE,
       theta = 10, border = "black", box = FALSE)
box()

## =====
## A sphere, with box type with grid lines
## =====

par(mar = c(2, 2, 2, 2))
par(mfrow = c(1, 1))
M <- mesh(seq(0, 2*pi, length.out = 50),
          seq(0, pi, length.out = 50))
u <- M$x ; v <- M$y

x <- cos(u)*sin(v)
y <- sin(u)*sin(v)
z <- cos(v)

colvar <- sin(u*6) * sin(v*6)

surf3D(y, x, z, colvar = colvar, phi = 0, bty = "b2",
       lighting = TRUE, ltheta = 40)

## =====
## Function spheresurf3D
## =====

par(mfrow = c(2, 2))
spheresurf3D()

# true ranges are [-1, 1]; set limits to [-0.8, 0.8] to make larger plots
lim <- c(-0.8, 0.8)
spheresurf3D(colkey = FALSE, xlim = lim, ylim = lim, zlim = lim)

spheresurf3D(bty = "b", ticktype = "detailed", phi = 50)
spheresurf3D(colvar = matrix(nrow = 30, data = runif(900)))

## =====
## Images on a sphere
## =====

par(mfrow = c(1, 1), mar = c(1, 1, 1, 3))

AA <- Hypsometry$z; AA[AA<=0] <- NA

lim <- c(-0.8, 0.8)

# log transformation of color variable
spheresurf3D(AA, NAcol = "black", theta = 90, phi = 30, box = FALSE,
             xlim = lim, ylim = lim, zlim = lim, log = "c")

# restore plotting parameters
par(mfrow = pm)

```

```
par(mar = pmar)
```

3-D volume visualisation

Functions for plotting 3-D volumetric data.

Description

`slice3D` plots a 3-D dataset with a color variable as slices or on surfaces.

`slicecont3D` plots a 3-D dataset with a color variable as contours on slices.

`isosurf3D` plots isosurfaces from a 3-D dataset.

`voxel3D` plots isosurfaces as scatterpoints.

`createisosurf` create the isosurfaces (triangulations) from volumetric data. Its output can be plotted with `triangle3D`.

`createvoxel` creates voxels (x, y, z) points from volumetric data. Its output can be plotted with `scatter3D`.

Usage

```
slice3D (x, y, z, colvar, ..., phi = 40, theta = 40,
        xs = min(x), ys = max(y), zs = min(z),
        col = NULL, NAcot = "white", breaks = NULL,
        border = NA, facets = TRUE, colkey = NULL,
        panel.first = NULL, clim = NULL,
        clab = NULL, bty = "b",
        lighting = FALSE, shade = NA, ltheta = -135, lphi = 0,
        add = FALSE, plot = TRUE)
```

```
slicecont3D (x, y, z, colvar, ..., phi = 40, theta = 40,
            xs = NULL, ys = NULL, zs = NULL, level = NULL,
            col = NULL, NAcot = "white", breaks = NULL,
            border = NA, facets = TRUE,
            colkey = NULL, panel.first = NULL,
            clim = NULL, clab = NULL, bty = "b",
            dDepth = 0, add = FALSE, plot = TRUE)
```

```
isosurf3D (x, y, z, colvar, ..., phi = 40, theta = 40,
          level = mean(colvar, na.rm = TRUE), isofunc = createisosurf,
          col = NULL, border = NA, facets = TRUE,
          colkey = NULL, panel.first = NULL,
          clab = NULL, bty = "b",
          lighting = FALSE, shade = 0.5, ltheta = -135, lphi = 0,
          add = FALSE, plot = TRUE)
```

```
voxel3D (x, y, z, colvar, ..., phi = 40, theta = 40,
```



```
level = mean(colvar, na.rm = TRUE), eps = 0.01, operator = "=",
col = NULL, NAcol = "white", breaks = NULL, colkey = FALSE,
panel.first = NULL, bty = "b", add = FALSE, plot = TRUE)
```

```
triangle3D (tri, colvar = NULL, ..., phi = 40, theta = 40,
col = NULL, NAcol = "white", breaks = NULL,
border = NA, facets = TRUE,
colkey = NULL, panel.first = NULL,
lighting = FALSE, shade = 0.5, ltheta = -135, lphi = 0,
clim = NULL, clab = NULL,
bty = "b", add = FALSE, plot = TRUE)
```

```
createisosurf (x, y, z, colvar, level = mean(colvar, na.rm = TRUE))
```

```
createvoxel (x, y, z, colvar, level = mean(colvar, na.rm = TRUE), eps = 0.01,
operator = "=")
```

Arguments

x, y, z	Vectors with x, y and z-values. They should be of length equal to the first, second and third dimension of colvar respectively.
colvar	The variable used for coloring. It should be an array of dimension equal to <code>c(length(x), length(y), length(z))</code> . For <code>triangle3D</code> , colvar should be of length = <code>nrow(tri) / 3</code> . It must be present.
tri	A three-columned matrix (x, y, z) with triangle coordinates. A triangle is defined by three consecutive rows.
isofunc	A function defined as <code>function(x, y, z, colvar, level)</code> , and that returns the three-columned matrix with triangle coordinates. The default, <code>createisosurf</code> uses function <code>computeContour3d</code> from package <code>misc3d</code> .
theta, phi	the angles defining the viewing direction. theta gives the azimuthal direction and phi the colatitude. see persp .
col	Colors to be used for coloring the colvar variable. If col is NULL then a red-yellow-blue colorscheme (jet.col) will be used.
NAcol	Colors to be used for colvar values that are NA.
breaks	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
border	The color of the lines drawn around the surface facets. The default, NA, will disable the drawing of borders.
facets	If TRUE, then col denotes the color of the surface facets. If FALSE, then the surface facets are colored "white" and the border (if NA) will be colored as specified by col. If NA then the facets will be transparent. It is usually faster to draw with <code>facets = FALSE</code> .
colkey	A logical, NULL (default), or a list with parameters for the color key (legend). List parameters should be one of <code>side</code> , <code>plot</code> , <code>length</code> , <code>width</code> , <code>dist</code> , <code>shift</code> , <code>addlines</code> , <code>col.clab</code> , and the axis parameters <code>at</code> , <code>labels</code> , <code>tick</code> , <code>line</code> , <code>pos</code> , <code>outer</code> , <code>font</code> , <code>lty</code> , <code>lwd</code> , <code>lwd.ticks</code> , <code>col</code> .

	<p>The defaults for the parameters are <code>side = 4</code>, <code>plot = TRUE</code>, <code>length = 1</code>, <code>width = 1</code>, <code>dist = 0</code>, See colkey.</p> <p>The default is to draw the color key on <code>side = 4</code>, i.e. in the right margin. If <code>colkey = NULL</code> then a color key will be added only if <code>col</code> is a vector. Setting <code>colkey = list(plot = FALSE)</code> will create room for the color key without drawing it. if <code>colkey = FALSE</code>, no color key legend will be added.</p>
<code>panel.first</code>	<p>A function to be evaluated after the plot axes are set up but before any plotting takes place. This can be useful for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix, e.g. it should be defined as <code>function(pmat)</code>. See last example and example of persp3D.</p>
<code>clab</code>	<p>Only if <code>colkey</code> is not <code>NULL</code> or <code>FALSE</code>, the label to be written on top of the color key. The label will be written at the same level as the main title. To lower it, <code>clab</code> can be made a vector, with the first values empty strings.</p>
<code>clim</code>	<p>Only if <code>colvar</code> is specified, the range of the color variable, used for the color key. Values of <code>colvar</code> that extend the range will be put to <code>NA</code>.</p>
<code>xs, ys, zs</code>	<p>Vectors or matrices. Vectors specify the positions in x, y or z where the slices (planes) are to be drawn. The values of <code>colvar</code> will be projected on these slices. Matrices specify a surface on which the <code>colvar</code> will be projected.</p>
<code>level</code>	<p>The level(s) at which the contour will be generated or the isosurfaces generated. There can be more than one level, but for <code>slicecont3D</code> too many will give a crowded view, and one is often best. For <code>isosurf3D</code>, the use of multiple values may need transparent colors to visualise. For <code>voxel3D</code>, <code>level</code> should either be one number (if operator equals <code>'='</code>, <code>'<'</code>, <code>'>'</code>) or two numbers (for operator = <code>'<>'</code>).</p>
<code>lighting</code>	<p>If not <code>FALSE</code> the facets will be illuminated, and colors may appear more bright. To switch on lighting, the argument <code>lighting</code> should be either set to <code>TRUE</code> (using default settings) or it can be a list with specifications of one of the following: <code>ambient</code>, <code>diffuse</code>, <code>specular</code>, <code>exponent</code>, <code>sr</code> and <code>alpha</code>.</p> <p>Will overrule <code>shade</code> not equal to <code>NA</code>.</p> <p>See examples in jet.col.</p>
<code>shade</code>	<p>the degree of shading of the surface facets. Values of <code>shade</code> close to one yield shading similar to a point light source model and values close to zero produce no shading. Values in the range 0.5 to 0.75 provide an approximation to daylight illumination. See persp.</p>
<code>ltheta, lphi</code>	<p>if finite values are specified for <code>ltheta</code> and <code>lphi</code>, the surface is shaded as though it was being illuminated from the direction specified by azimuth <code>ltheta</code> and colatitude <code>lphi</code>. See persp.</p>
<code>bty</code>	<p>The type of the box, the default only draws background panels. Only effective if the <code>persp</code> argument (<code>box</code>) equals <code>TRUE</code> (this is the default). See perspbox.</p>
<code>eps</code>	<p>The voxel precision, only used when operator = <code>"="</code>. A point is selected if it is closer than <code>eps*diff(range(colvar))</code> to the required level.</p>
<code>operator</code>	<p>One of <code>'='</code>, <code>'<'</code>, <code>'>'</code>, <code>'<>'</code> for selection of points 'equal' (within precision), larger or smaller than the required level or to be within an interval.</p>

dDepth	When a contour is added on an image, the image polygons may hide some contour segments. To avoid that, the viewing depth of the segments can be artificially decreased with the factor dDepth times the <code>persp</code> argument expand (usually = 1), to make them appear in front of the polygons. Too large values of dDepth may create visible artifacts. See <code>contour3D</code> .
add	Logical. If TRUE, then the slices, voxels or surfaces will be added to the current plot. If FALSE a new plot is started.
plot	Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).
...	additional arguments passed to the plotting methods. The following <code>persp</code> arguments can be specified: <code>xlim</code> , <code>ylim</code> , <code>zlim</code> , <code>xlab</code> , <code>ylab</code> , <code>zlab</code> , <code>main</code> , <code>sub</code> . The arguments <code>xlim</code> , <code>ylim</code> , <code>zlim</code> only affect the axes. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use <code>plotdev</code> . In addition, the <code>perspbox</code> arguments <code>col.axis</code> , <code>col.panel</code> , <code>lwd.panel</code> , <code>col.grid</code> , <code>lwd.grid</code> can also be given a value. <code>alpha</code> can be given a value inbetween 0 and 1 to make colors transparent. For all functions, the arguments <code>lty</code> , <code>lwd</code> can be specified. The arguments after ... must be matched exactly.

Value

The plotting functions return the viewing transformation matrix, See `trans3D`.

Function `createisosurf` returns a three-columned matrix (x, y, z) with triangle coordinates. One triangle is defined by three consecutive rows. It can be plotted with `triangle3D`.

Function `createvoxel` returns a list with the elements x, y, z defining the points that are at a distance of less than `eps*diff(range(colvar))` from the required level. Its output can be plotted with `scatter3D`.

Note

The `isosurf3D` function uses function `computeContour3d`, from package `misc3d`, which is based on the marching cubes algorithm. Please cite the package `misc3d` (Feng & Tierney, 2008) when using `isosurf3D`.

For `voxel3D`, coloring is always according to the z-variable. A more flexible coloration can be achieved by using `createvoxel`, followed by `scatter3D`. See examples.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

References

Lorensen, W.E. and Cline, H.E., Marching Cubes: a high resolution 3D surface reconstruction algorithm, Computer Graphics, Vol. 21, No. 4, pp 163-169 (Proc. of SIGGRAPH), 1987.

Dai Feng, Luke Tierney, Computing and Displaying Isosurfaces in R, Journal of Statistical Software 28(1), 2008. URL <http://www.jstatsoft.org/v28/i01/>.

See Also

[Oxstat](#) for another example of `slice3D`.

[plotdev](#) for zooming, rescaling, rotating a plot.

Examples

```
# save plotting parameters
pm <- par("mfrow")
pmar <- par("mar")

## =====
## Simple slice3D examples
## =====

par(mfrow = c(2, 2))
x <- y <- z <- seq(-1, 1, by = 0.1)
grid <- mesh(x, y, z)
colvar <- with(grid, x*exp(-x^2 - y^2 - z^2))

# default is just the panels
slice3D (x, y, z, colvar = colvar, theta = 60)

# contour slices
slicecont3D (x, y, z, ys = seq(-1, 1, by = 0.5), colvar = colvar,
            theta = 60, border = "black")

slice3D (x, y, z, xs = c(-1, -0.5, 0.5), ys = c(-1, 0, 1),
        zs = c(-1, 0), colvar = colvar,
        theta = 60, phi = 40)

## =====
## coloring on a surface
## =====

XY <- mesh(x, y)
ZZ <- XY$x*XY$y
slice3D (x, y, z, xs = XY$x, ys = XY$y, zs = ZZ, colvar = colvar,
        lighting = TRUE, lphi = 90, ltheta = 0)

## =====
## Specifying transparent colors
## =====

par(mfrow = c(1, 1))
x <- y <- z <- seq(-4, 4, by = 0.2)
M <- mesh(x, y, z)

R <- with (M, sqrt(x^2 + y^2 + z^2))
p <- sin(2*R) / (R+1e-3)

## Not run:
# This is very slow - alpha = 0.5 makes it transparent
```

```

slice3D(x, y, z, colvar = p, col = jet.col(alpha = 0.5),
        xs = 0, ys = c(-4, 0, 4), zs = NULL, d = 2)

## End(Not run)

slice3D(x, y, z, colvar = p, d = 2, theta = 60, border = "black",
        xs = c(-4, 0), ys = c(-4, 0, 4), zs = c(-4, 0))

## =====
## A section along a transect
## =====

data(Oxsat)
Ox <- Oxsat$val[, Oxsat$lat > - 5 & Oxsat$lat < 5, ]
slice3D(x = Oxsat$lon, z = -Oxsat$depth, y = 1:5, colvar = Ox,
        ys = 1:5, zs = NULL, NAcot = "black",
        expand = 0.4, theta = 45, phi = 45)

## =====
## isosurf3D example - rather slow
## =====

par(mfrow = c(2, 2), mar = c(2, 2, 2, 2))
x <- y <- z <- seq(-2, 2, length.out = 15)
xyz <- mesh(x, y, z)
F <- with(xyz, log(x^2 + y^2 + z^2 +
                 10*(x^2 + y^2) * (y^2 + z^2) ^2))

# use shading for level = 1 - show triangulation with border
isosurf3D(x, y, z, F, level = 1, shade = 0.9,
          col = "yellow", border = "orange")

# lighting for level - 2
isosurf3D(x, y, z, F, level = 2, lighting = TRUE,
          lphi = 0, ltheta = 0, col = "blue", shade = NA)

# three levels, transparency added
isosurf3D(x, y, z, F, level = seq(0, 4, by = 2),
          col = c("red", "blue", "yellow"),
          clab = "F", alpha = 0.2, theta = 0, lighting = TRUE)

# transparency can also be added afterwards with plotdev()
## Not run:
isosurf3D(x, y, z, F, level = seq(0, 4, by = 2),
          col = c("red", "blue", "yellow"),
          shade = NA, plot = FALSE, clab = "F")
plotdev(lighting = TRUE, alpha = 0.2, theta = 0)

## End(Not run)
# use of createisosurf
iso <- createisosurf(x, y, z, F, level = 2)
head(iso)

```

```

triangle3D(iso, col = "green", shade = 0.3)

## Not run:
# higher resolution
x <- y <- z <- seq(-2, 2, length.out = 50)
xyz <- mesh(x, y, z)
F <- with(xyz, log(x^2 + y^2 + z^2 +
                  10*(x^2 + y^2) * (y^2 + z^2) ^2))

# three levels
isosurf3D(x, y, z, F, level = seq(0, 4, by = 2),
          col = c("red", "blue", "yellow"),
          shade = NA, plot = FALSE, clab = "F")
plotdev(lightning = TRUE, alpha = 0.2, theta = 0)

## End(Not run)

## =====
## voxel3D example
## =====

par(mfrow = c(2, 2), mar = c(2, 2, 2, 2))

# fast but needs high resolution grid
x <- y <- z <- seq(-2, 2, length.out = 70)
xyz <- mesh(x, y, z)
F <- with(xyz, log(x^2 + y^2 + z^2 +
                  10*(x^2 + y^2) * (y^2 + z^2) ^2))

voxel3D(x, y, z, F, level = 4, pch = ".", cex = 5)

## =====
## rotation
## =====

plotdev(theta = 45, phi = 0)
plotdev(theta = 90, phi = 10)

# same using createvoxel - more flexible for coloring
vox <- createvoxel(x, y, z, F, level = 4)
scatter3D(vox$x, vox$y, vox$z, colvar = vox$y,
          bty = "g", colkey = FALSE)

## =====
## voxel3D to show hypox sites
## =====

par(mfrow = c(1, 1), mar = c(2, 2, 2, 2))
Hypox <- createvoxel(Oxsat$lon, Oxsat$lat, Oxsat$depth[1:19],
                    Oxsat$val[,1:19], level = 40, operator = "<")

panel <- function(pmat) { # an image at the bottom

```

```

Nx <- length(Oxsat$lon)
Ny <- length(Oxsat$lat)
M <- mesh(Oxsat$lon, Oxsat$lat)
xy <- trans3D(pmat = pmat, x = as.vector(M$x), y = as.vector(M$y),
             z = rep(-1000, length.out = Nx*Ny))
x <- matrix(nrow = Nx, ncol = Ny, data = xy$x)
y <- matrix(nrow = Nx, ncol = Ny, data = xy$y)
Bat <- Oxsat$val[,1]; Bat[!is.na(Bat)] <- 1
image2D(x = x, y = y, z = Bat, NAcol = "black", col = "grey",
        add = TRUE, colkey = FALSE)
}

scatter3D(Hypox$x, Hypox$y, -Hypox$z, colvar = Hypox$cv,
          panel.first = panel, pch = ".", bty = "b",
          theta = 30, phi = 20, ticktype = "detailed",
          zlim = c(-1000,0), xlim = range(Oxsat$lon),
          ylim = range(Oxsat$lat) )

# restore plotting parameters
par(mfrow = pm)
par(mar = pmar)

```

Color key legend

Plots a color legend

Description

colkey plots a color legend, either to an existing plot or starting a new plot.

Usage

```

colkey (col = NULL, clim, clab = NULL, clog = FALSE, add = FALSE,
        cex.clab = NULL, col.clab = NULL, side.clab = NULL,
        line.clab = NULL, adj.clab = NULL, font.clab = NULL,
        side = 4, length = 1, width = 1, dist = 0, shift = 0,
        addlines = FALSE, breaks = NULL, at = NULL, labels = TRUE, tick = TRUE,
        line = NA, pos = NA, outer = FALSE, font = NA, lty = 1, lwd = 1,
        lwd.ticks = 1, col.axis = NULL, col.ticks = NULL, col.box = NULL,
        hadj = NA, padj = NA, cex.axis = par("cex.axis"),
        mgp = NULL, tck = NULL, tcl = NULL, las = NULL)

```

Arguments

col	Colors to be used for the color key. If col is NULL, then a red-yellow-blue colorscheme (jet.col) will be used.
clim	The range of the color values, used in the color key.

<code>clab</code>	The label to be written on top of the color key. The label will be written at the same level as the main title. To lower it, either <code>clab</code> can be made a vector, with the first values empty strings. Alternatively, it can be lowered by argument <code>line.clab</code> .
<code>clog</code>	If TRUE, then values of the color key will be log transformed.
<code>add</code>	If TRUE, the color key will be added to the current plot and positioned in the margin. If FALSE a new plot will be started and the color key will be positioned in the centre.
<code>cex.clab</code>	The size of the label written on top of the color key; default = same as axis labels.
<code>col.clab</code>	The color of the label written on top of the color key; default = same as main title.
<code>side.clab</code>	The side of the label written on top of the color key; default = same as main title, i.e. <code>side = 3</code> . Values of 1, 2, 4 will put the colorkey label at bottom, left and right of the key respectively.
<code>line.clab</code>	The numer of lines in the margin where the colorkey title is to be drawn. If unspecified, it is at <code>line.clab = 1.75</code> .
<code>adj.clab</code>	The adjustment of the colorkey title, a number inbetween 0 (left) to 1 (right). The default is to put it central.
<code>font.clab</code>	The font of the colorkey title, a number inbetween 0 (left) to 1 (right). The default is to put it central.
<code>side</code>	Where to put the color key. 1 = bottom, 2 = left, 3 = top, 4 = right.
<code>length</code>	Relative length of the color key; 1 = same length as the axis.
<code>width</code>	Relative width of the color key.
<code>dist</code>	Distance of the color key to the margin. Positive values are further into the margin, negative values cause the color key to be positioned closer to or within the main plot. Reasonable range is [-0.5, 0.05].
<code>shift</code>	Shift relative to the centre. Positive values are upward when <code>side = 2</code> or 4, and to the right for <code>side = 1</code> or 3. It does not make sense to use this argument if <code>length = 1</code> . Reasonable range is [-0.2, 0.2].
<code>addlines</code>	If TRUE, will draw lines inbetween the colors.
<code>breaks</code>	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
<code>at, labels, tick, line, pos, outer, font, lty, lwd</code>	Additional parameters as from the axis command.
<code>lwd.ticks, hadj, padj, cex.axis, mgp, tck, tcl, las</code>	Additional parameters as from the axis command.
<code>col.box, col.axis, col.ticks</code>	Additional parameters to set the color of the color legend framing box, the axis label and the axis ticks.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

Examples

```

# save plotting parameters
pm <- par(mfrow = c(2, 2))
pmar <- par(mar = c(5.1, 4.1, 4.1, 2.1))

## =====
## colorkey as argument of a plot3D function
## =====
# default, colkey = NULL: adds colkey because multiple colors
image2D(z = volcano)

# default, colkey = NULL: no colkey because only one color
image2D(z = volcano, col = "grey", shade = 0.2, contour = TRUE)

# colkey = FALSE: no color key, no extra space foreseen
image2D(z = volcano, colkey = FALSE)

# colkey = list(plot = FALSE): no color key, extra space foreseen
image2D(z = volcano, colkey = list(plot = FALSE, side = 3))
colkey(side = 3, add = TRUE, clim = range(volcano))

## =====
## colorkey in new plot
## =====

colkey(side = 1, clim = c(0, 1), add = FALSE, clab = "z",
       col.clab = "red", adj.clab = 0)
colkey(side = 2, clim = c(0, 1), clab = "z", length = 0.5, width = 0.5)
colkey(side = 3, clim = c(0, 1), lwd = 3, clab = c("a", "b", "c", "d"),
       line.clab = 5)
colkey(side = 4, clim = c(1e-6, 1), clog = TRUE,
       clab = "a very long title in bold and close to the key",
       line.clab = 1, side.clab = 2, font.clab = 2)

## =====
## colorkey added to existing plot
## =====

par(mfrow = c(1, 1))

image2D(volcano, xlab = "", clab = "m",
       colkey = list(side = 1, length = 0.5, width = 0.5,
                    line.clab = 1))
colkey(side = 3, clim = range(volcano), add = TRUE)

# 'dist' to put colkey within the image
# 'shift' to position colkey to the right or upward
par(mfrow = c(1, 1))
image2D(volcano, colkey = FALSE)

colkey(clim = range(volcano), dist = -0.15, shift = 0.2,

```

```

        side = 3, add = TRUE, clab = "key 1", col.clab = "white",
        length = 0.5, width = 0.5, col.axis = "white",
        col.ticks = "white", cex.axis = 0.8)

colkey(clim = range(volcano), dist = -0.1, shift = -0.2,
       side = 4, add = TRUE, clab = "key 2", col.clab = "white",
       length = 0.3, width = 0.5, col.axis = "white",
       col.ticks = "white", col.box = "red", cex.axis = 0.8)

colkey(clim = range(volcano), dist = -0.3,
       side = 1, add = TRUE, clab = "key 3", col.clab = "white",
       length = 0.3, width = 0.5, col.axis = "white",
       col.ticks = "white", at = c(100, 140, 180),
       labels = c("a", "b", "c"), font = 2)

colkey(clim = range(volcano), dist = -0.3, shift = -0.2,
       side = 2, add = TRUE, clab = "key 4", col.clab = "white",
       length = 0.3, width = 0.5, col.axis = "white",
       col.ticks = "white", col.box = "red", cex.axis = 0.8,
       las = 3)

## =====
## colorkey in other plots
## =====

par(mfrow = c(1, 1))
par(mar = par("mar") + c(0, 0, -2, 0))
image2D(volcano, clab = "height, m",
        colkey = list(dist = -0.15, shift = 0.2,
                     side = 3, length = 0.5, width = 0.5, line.clab = 2.5,
                     cex.clab = 2, col.clab = "white", col.axis = "white",
                     col.ticks = "white", cex.axis = 0.8))

## =====
## Several color keys in composite plot
## =====

persp3D(z = volcano, zlim = c(-60, 200), phi = 20, bty = "b",
        colkey = list(length = 0.2, width = 0.4, shift = 0.15,
                     cex.axis = 0.8, cex.clab = 0.85), lighting = TRUE, lphi = 90,
        clab = c("height", "m"), plot = FALSE)

# create gradient in x-direction
Vx <- volcano[-1, ] - volcano[-nrow(volcano), ]

# add as image with own color key, at bottom
image3D(z = -60, colvar = Vx/10, add = TRUE,
        colkey = list(length = 0.2, width = 0.4, shift = -0.15,
                     cex.axis = 0.8, cex.clab = 0.85),
        clab = c("gradient", "m/m"), plot = TRUE)

## =====
## categorical colors; use addlines = TRUE to separate colors

```

```
## =====
with(iris, scatter3D(x = Sepal.Length, y = Sepal.Width,
  z = Petal.Length, colvar = as.integer(Species),
  col = c("orange", "green", "lightblue"), pch = 16, cex = 2,
  clim = c(1, 3), ticktype = "detailed", phi = 20,
  xlab = "Sepal Length", ylab = "Sepal Width",
  zlab = "Petal Length", main = "iris",
  colkey = list(at = c(1.33, 2, 2.66), side = 1,
  addlines = TRUE, length = 0.5, width = 0.5,
  labels = c("setosa", "versicolor", "virginica" )))

# reset plotting parameters
par(mfrow = pm)
par(mar = pmar)
```

Colors

Colors, shading, lighting.

Description

`jet.col` generates the matlab-type colors.
`jet2.col` is similar but lacks the deep blue colors
`gg.col` and `gg2.col` generate gg-plot-like colors.
`ramp.col` creates color schemes by interpolation.
`alpha.col` creates transparent colors.

Usage

```

jet.col (n = 100, alpha = 1)

jet2.col (n = 100, alpha = 1)

gg.col (n = 100, alpha = 1)

gg2.col (n = 100, alpha = 1)

ramp.col (col = c("grey", "black"), n = 100, alpha = 1)

alpha.col (col = "grey", alpha = 0.5)
```

Arguments

<code>n</code>	Number of colors to generate.
<code>alpha</code>	Value in the range [0, 1] for alpha transparency channel (0 means transparent and 1 means opaque). Transparency defined in the color palette is overruled when lighting or shading is switched on. To combine transparency with lighting or shading, pass argument <code>alpha</code> to the plotting functions directly.

`col` Colors to interpolate, change.

Details

In addition to the color functions described here, colors can also be adapted by shading and lighting, or made transparent. Shading will be overruled if lighting is not FALSE.

To make colors transparent, use argument `alpha`, with a value inbetween 0 and 1.

To switch on shading, the argument `shade` should be given a value inbetween 0 and 1.

To switch on lighting, the argument `lighting` should be either set to TRUE (in which case default settings will be used) or should be a list with specifications of one of the following: `ambient`, `diffuse`, `specular`, `exponent`, and `alpha`.

The defaults are: `ambient = 0.3`, `diffuse = 0.6`, `specular = 1.`, `exponent = 20`, `sr = 0`, `alpha = 1`

Lighting is defined as the sum of ambient, diffuse and specular light. If N is the normal vector on the facets (3-values, x-, y-, z direction) and I is the light vector, then $col = (ambient + Id + sr * Is) * col + (1 - sr) * Is$ where $Is = specular * abs(Light) ^ exponent$, $Id = diffuse * Light$ and $Light = sum(N*I)$.

The lighting algorithm is very simple, i.e. it is flat shading, no interpolation.

Toggling on lighting or shading also requires the input of the angles of the light source, as `ltheta` and `lphi`, whose defaults are: `ltheta = -135`, `lphi = 0`. This usually works well for shading, but may not be optimal for lighting.

Value

A list with colors.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

References

The gg-plot type of colors `gg.plot` is a color-blind friendly palette from <http://wiki.stdout.org/rcookbook/Graphs>.

See Also

[colorRamp](#) and [colorRampPalette](#) for comparable (and more elaborate) R-functions.

Examples

```
# save plotting parameters
pm <- par("mfrow")
pmar <- par("mar")

## =====
## Transparency and various color schemes
## =====

par(mfrow = c(3, 3))
for (alph in c(0.25, 0.75))
```

```

    image2D(volcano, alpha = alph,
            main = paste("jet.col, alpha = ", alph))
image2D(volcano, main = "jet.col")
image2D(volcano, col = jet2.col(100), main = "jet2.col")
image2D(volcano, col = gg.col(100), main = "gg.col")
image2D(volcano, col = gg2.col(100), main = "gg2.col")
image2D(volcano, col = rainbow(100), main = "rainbow")
image2D(volcano, col = terrain.colors(100), main = "terrain.colors")
image2D(volcano, col = ramp.col(c("blue", "yellow", "green", "red")),
        main = "ramp.col")

## =====
## Shading, lighting - one color
## =====

# create grid matrices
X    <- seq(0, pi, length.out = 50)
Y    <- seq(0, 2*pi, length.out = 50)
M    <- mesh(X, Y)
phi  <- M$x
theta <- M$y

# x, y and z grids
x <- sin(phi) * cos(theta)
y <- cos(phi)
z <- sin(phi) * sin(theta)

# these are the defaults
p <- list(ambient = 0.3, diffuse = 0.6, specular = 1.,
         exponent = 20, sr = 0, alpha = 1)

par(mfrow = c(3, 3), mar = c(0, 0, 0, 0))
Col <- "red"

surf3D(x, y, z, box = FALSE, col = Col, shade = 0.9)
surf3D(x, y, z, box = FALSE, col = Col, lighting = TRUE)
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(ambient = 0))
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(diffuse = 0))
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(diffuse = 1))
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(specular = 0))
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(exponent = 5))
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(exponent = 50))
surf3D(x, y, z, box = FALSE, col = Col, lighting = list(sr = 1))

## =====
## Shading, lighting with default colors
## =====

x <- seq(-pi, pi, len = 100)
y <- seq(-pi, pi, len = 100)
grid <- mesh(x, y)

z    <- with(grid, cos(x) * sin(y))

```

```

cv  <- with(grid, -cos(y) * sin(x))

# lphi = 180, ltheta = -130 - good for shade
# lphi = 90, ltheta = 0 - good for lighting

par(mfrow = c(2, 2))
persp3D(z = z, x = x, y = y, colvar = cv, zlim = c(-3, 3), colkey = FALSE)
persp3D(z = z, x = x, y = y, colvar = cv, zlim = c(-3, 3),
        lighting = TRUE, colkey = FALSE)
persp3D(z = z, x = x, y = y, colvar = cv, zlim = c(-3, 3),
        shade = 0.25, colkey = FALSE)
persp3D(z = z, x = x, y = y, colvar = cv, zlim = c(-3, 3),
        lighting = TRUE, lphi = 90, ltheta = 0, colkey = FALSE)

## =====
## transparency of a vector of colors
## =====

par(mfrow = c(1, 1))
x <- runif(19)
y <- runif(19)
z <- runif(19)
# split into 5 sections (polygons)
ii <- seq(4, 19, by = 4)
x[ii] <- y[ii] <- z[ii] <- NA

polygon3D(x, y, z, border = "black", lwd = 2,
          col = alpha.col(c("red", "lightblue", "yellow", "green", "black"),
                        alpha = 0.4))

# the same, now passing alpha as an argument to polygon3D:
## Not run:
polygon3D(x, y, z, border = "black", lwd = 2,
          col = c("red", "lightblue", "yellow", "green", "black"),
          alpha = 0.4)

## End(Not run)
# reset plotting parameters
par(mfrow = pm)
par(mar = pmar)

```

Composite plots

Handling and plotting plotting lists.

Description

S3 method `plot.plist` and function `plotdev` plot the plotting list to the current device. Changes can be made to the perspective view, to the lighting and shading, or to make colors transparent.

`getplist` and `setplist` retrieve and store information in the plotting list.

`selectplist` selects parts from the plotting list, based on a user-defined function.

Usage

```

getplist()
setplist(plist)
plotdev(...)
## S3 method for class 'plist'
plot(x, ...)
selectplist(plist, SS)

```

Arguments

<code>x, plist</code>	The plotting list as generated (invisibly) by any of the 3D plotting functions.
<code>SS</code>	Function which tests points for inclusion in the plotting list. It should take as argument three vectors (x, y, z) and return a vector of equal length that is either TRUE or FALSE, denoting whether the point should be selected or not.
<code>...</code>	Additional arguments to change the view or coloration. Supported arguments to change the view are: <code>theta</code> , <code>phi</code> , <code>xlim</code> , <code>ylim</code> , <code>zlim</code> , <code>d</code> , <code>r</code> , <code>scale</code> , <code>expand</code> . See perspbox , persp . Supported arguments to change the lighting, or coloration are: <code>ltheta</code> , <code>lphi</code> , <code>shade</code> , <code>lighting</code> . See jet.col .

Details

All 3-D functions from package `plot3D` produce or update a plotting list that is local to the package. One can access this plotting list via `getplist` and `setplist`. The list is used to plot when, in a 3-D function, the argument `plot` is TRUE or via function `plotdev`.

When new 3-D objects are added to a plot, using the `add` argument of the plotting functions, then everything except the axes, is redrawn on top of what was already there. This means that several object will be drawn multiple times, and this may clutter the output. This may not be visible on your screen, but it may become apparent when exported. Use `plotdev` to create clean figures, where every object is drawn only once.

The plotting list can contain the following items:

- `mat`, the viewing transformation matrix, a 4 x 4 matrix suitable for projecting 3D coordinates (x, y, z) into the 2D plane using homogeneous 4D coordinates (x,y,z,v).
It can be used to superimpose additional graphical elements on the 3D plot, by any function that is defined on [persp](#).
It can also be used to add lines, arrows or points, using the function [trans3D](#).
- `plt`, with original `plt` parameters and the `plt` parameters used for the main frame.
- `persp`, with settings for the perspective box.
- `xlim`, `ylim`, `zlim`, with ranges.
- `scalefac`, the scaling factors in x, y and z direction, used e.g. for shading.
- dot other plotting parameters passed to `persp`.
- `colkey`, `numkey`, with settings for the color key(s).
- `poly`, `segm`, `pt`, `CIpt`, `labels`, `arr` the information for drawing polygons, segments, points, points with confidence intervals, labels and arrows, that are part of the plot.

For the item `poly` the elements are:

- `x`, `y`, `z`: A matrix with typically 4 or 5 rows, the first rows defining the x-, y- or z- values of each polygon, the last row contains NA (and which therefore terminates a polygon).
- `col`: a vector with the colors for the facets of each polygon.
- `lwd`, `lty`, `border`: a vector with the line widths, line type and colors for the border of each polygon. (note in R-function `polygon`, passing a vector of line widths is not implemented; therefore, only the first value of `lwd` will be used for all polygons).

When `plot.plist` is called, the projection depth is calculated and used to sort the facets and function `polygon` used to draw them.

Value

Returns the updated plotting list.

Note

Once a 3D plot has been generated, a new device can be opened and `plotdev` used to plot also on this device.

`plotdev` and `plot(getplist())` are the same.

In an extension package, `plot3Drgl`, a similar function, `plotrgl`, plots the graphs to the device opened with `rgl`. This allows interactive zooming, rotating, etc...

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

Examples

```
# save plotting parameters
pm  <- par("mfrow")
pmar <- par("mar")

## =====
## The volcano
## =====

par(mfrow = c(2, 2), mar = c(2, 2, 2, 2))

# The volcano at lower resolution
x <- seq(1, nrow(volcano), by = 2)
y <- seq(1, ncol(volcano), by = 2)
V <- volcano[x,y]

persp3D(z = V)

# rotate
plotdev(theta = 0)

# light and transparency
```



```

plotdev(lightning = TRUE, lphi = 90, alpha = 0.6)

# zoom
plotdev(xlim = c(0.2, 0.6), ylim = c(0.2, 0.6), phi = 60)

## =====
## Two spheres
## =====

par(mfrow = c(1, 1), mar = c(0, 0, 0, 0))

# create a sphere
M <- mesh(seq(0, 2*pi, length.out = 30),
          seq(0, pi, length.out = 30))
u <- M$x ; v <- M$y

x <- cos(u)*sin(v)
y <- sin(u)*sin(v)
z <- cos(v)

surf3D(x = 2*x, y = 2*y, z = 2*z,
       colvar = NULL, lighting = TRUE, #plot = FALSE,
       facets = NA, col = "blue", lwd = 5)

surf3D(x, y, z, colvar = NULL, lighting = TRUE,
       col = "red", add = TRUE)

names(getplist())

# plot with different view:
plotdev(phi = 0)
## Not run: # will plot same 3-D graph to pdf
pdf(file = "save.pdf")
plotdev()
dev.off()

## End(Not run)

## =====
## Two spheres and two planes
## =====

par(mar = c(2, 2, 2, 2))

# equation of a sphere
M <- mesh(seq(0, 2*pi, length.out = 100),
          seq(0, pi, length.out = 100))
u <- M$x ; v <- M$y

x <- cos(u)*sin(v)
y <- sin(u)*sin(v)
z <- cos(v)

```

```

surf3D(x, y, z, colvar = z,
       theta = 45, phi = 20, bty = "b",
       xlim = c(-1.5, 1.5), ylim = c(-1, 2),
       zlim = c(-1.5, 1.5), plot = FALSE)

# add a second sphere, shifted 1 unit to the right on y-axis;
# no facets drawn for this sphere
surf3D (x, y+1, z, colvar = z, add = TRUE,
       facets = FALSE, plot = FALSE)

# define a plane at z = 0
Nx <- 100
Ny <- 100

x <- seq(-1.5, 1.5, length.out = Nx)
y <- seq(-1, 2, length.out = Ny)

image3D (x = x, y = y, z = 0, add = TRUE, colvar = NULL,
       col = "blue", facets = TRUE, plot = FALSE)

# another, small plane at y = 0 - here x and y have to be matrices!
x <- seq(-1., 1., length.out = 50)
z <- seq(-1., 1., length.out = 50)

image3D (x = x, y = 0, z = z, colvar = NULL,
       add = TRUE, col = NA, border = "blue",
       facets = TRUE, plot = TRUE)

## Not run: # rotate
for (angle in seq(0, 360, by = 10))
  plotdev(theta = angle)

## End(Not run)

## =====
## Zooming, rescaling, lighting,...
## =====

par(mfrow = c(2, 2))

# The volcano
x <- seq(1, nrow(volcano), by = 2)
y <- seq(1, ncol(volcano), by = 2)
V <- volcano[x,y]
# plot the volcano
persp3D (x, y, z = V, colvar = V, theta = 10, phi = 20,
       box = FALSE, scale = FALSE, expand = 0.3,
       clim = range(V), plot = FALSE)

# add a plane (image) at z = 170; jetcolored, transparant: only border
image3D(x, y, z = 170, add = TRUE, clim = range(V),
       colvar = V, facets = NA, plot = FALSE, colkey = FALSE)

```

```

# add a contour (image) at z = 170; jetcolored,
contour3D(x, y, z = 170, add = TRUE, clim = range(V),
          colvar = V, plot = FALSE, colkey = FALSE)

# plot it -
plot(getplist()) # same as plotdev()

# plot but with different expansion
plotdev(expand = 1)

# other perspective, and shading
plotdev(d = 2, r = 10, shade = 0.3)

# zoom and rotate
plotdev(xlim = c(10, 30), ylim = c(20, 30), phi = 50)

## =====
## Using setplist
## =====

polygon3D(runif(3), runif(3), runif(3))
# retrieve plotting list
plist <- getplist()
names(plist)
plist$poly
# change copy of plotting list
plist$poly$col <- "red"
# update internal plotting list
setplist(plist)
# plot updated list
plotdev()

## =====
## Using selectplist
## =====

polygon3D(runif(10), runif(10), runif(10), col = "red",
          alpha = 0.2, plot = FALSE, ticktype = "detailed",
          xlim = c(0,1), ylim = c(0, 1), zlim = c(0, 1))
polygon3D(runif(10)*0.5, runif(10), runif(10), col = "yellow",
          alpha = 0.2, plot = FALSE, add = TRUE)
polygon3D(runif(10)*0.5+0.5, runif(10), runif(10), col = "green",
          alpha = 0.2, plot = FALSE, add = TRUE)
points3D(runif(10), runif(10), runif(10), col = "blue",
         add = TRUE, plot = FALSE)
segments3D(x0 = runif(10), y0 = runif(10), z0 = runif(10),
          x1 = runif(10), y1 = runif(10), z1 = runif(10),
          colvar = 1:10, add = TRUE, lwd = 3)

# retrieve plotting list
plist <- getplist()

```

```

# selection function
SS <- function (x, y, z) {
  sel <- rep(TRUE, length.out = length(x))
  sel[x < 0.5] <- FALSE
  return(sel)
}
# The whole polygon will be removed or kept.
plot(x = selectplist(plist, SS),
     xlim = c(0, 1), ylim = c(0, 1), zlim = c(0, 1))

# restore plotting parameters
par(mfrow = pm)
par(mar = pmar)

```

images in 3D frame *Images in 3-D plots.*

Description

image3D adds an image in a 3-D plot.

Usage

```

image3D (x = NULL, y = NULL, z = NULL, ..., colvar = NULL,
        phi = 40, theta = 40, col = NULL,
        NAcol = "white", breaks = NULL, border = NA, facets = TRUE,
        colkey = NULL, resfac = 1, panel.first = NULL,
        clim = NULL, clab = NULL, bty = "b",
        inttype = 1, add = FALSE, plot = TRUE)

```

Arguments

x, y, z	Matrix (2-D), vector, or one value containing the values where the image is to be plotted. At least one of them should be one number, as this will determine where the image is plotted, parallel to the (y-z) plane (x one number), to the (x-z) plane (y one number) or to the (z-y) plane (z one number). If two are vectors, the first vector should be of length equal to nrow(colvar) and the second should be of length equal to ncol(colvar).
colvar	The variable used for coloring.
col	Color palette to be used for the colvar variable.
NAcol	Color to be used for NA values of colvar; default is "white".
breaks	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.

colkey	<p>A logical, NULL (default), or a list with parameters for the color key (legend). List parameters should be one of side, plot, length, width, dist, shift, addlines, col.clab, and the axis parameters at, labels, tick, line, pos, outer, font, lty, lwd, lwd.ticks, col. The defaults for the parameters are side = 4, plot = TRUE, length = 1, width = 1, dist = 0, shift = 0, addlines = FALSE, col.clab = NULL. See colkey.</p> <p>The default is to draw the color key on side = 4, i.e. in the right margin. If colkey = NULL then a color key will be added only if col is a vector. Setting colkey = list(plot = FALSE) will create room for the color key without drawing it. if colkey = FALSE, no color key legend will be added.</p>
clab	<p>Only if colkey = TRUE, the label to be written on top of the color key. The label will be written at the same level as the main title. to lower it, clab can be made a vector, with the first values empty strings.</p>
clim	<p>Only if colvar is specified, the range of the color variable, used for the color key. Values of colvar that extend the range will be put to NA.</p>
resfac	<p>Resolution factor, one value or a vector of two numbers, for the x and y- values respectively. A value > 1 will increase the resolution. For instance, if resfac equals 3 then for each adjacent pair of x- and y-values, z will be interpolated to two intermediary points. This uses simple linear interpolation. If resfac is one number then the resolution will be increased similarly in x and y-direction.</p>
theta, phi	<p>The angles defining the viewing direction. theta gives the azimuthal direction and phi the colatitude. see persp.</p>
border	<p>The color of the lines drawn around the surface facets. The default, NA, will disable the drawing of borders.</p>
facets	<p>If TRUE, then col denotes the color of the surface facets. If FALSE, then the surface facets are colored “white” and the border (if NA) will be colored as specified by col. If NA then the facets will be transparent. It is usually faster to draw with facets = FALSE.</p>
panel.first	<p>A function to be evaluated after the plot axes are set up (and if applicable, images or contours drawn) but before any plotting takes place. This can be useful for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix, e.g. it should be defined as function(pmat). See example of persp3D and last example of voxel3D.</p>
bty	<p>The type of the box, the default only drawing background panels. Only effective if the persp argument (box) equals TRUE (this is the default). See perspbox.</p>
inttype	<p>The interpolation type to create the polygons, either taking the mean of the colvar variable (inttype = 1, 3 or extending the x, y, z values (inttype = 2). Values 1, 3 differ in how they treat NAs in the colvar variable. For inttype = 3, NAs are removed before taking averages; this will tend to make the NA region smaller. NAs are included when inttype = 1. This will tend to make the NA region larger. see details and an example in persp3D.</p>
add	<p>Logical. If TRUE, then the image will be added to the current plot. If FALSE a new plot is started.</p>
plot	<p>Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).</p>

... additional arguments passed to the plotting methods.

The following [persp](#) arguments can be specified: `xlim`, `ylim`, `zlim`, `xlab`, `ylab`, `zlab`, `main`, `sub`. The arguments `xlim`, `ylim`, `zlim` only affect the axes. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use [plotdev](#).

In addition, the [perspbox](#) arguments `col.axis`, `col.panel`, `lwd.panel`, `col.grid`, `lwd.grid` can also be given a value.

`shade` and `lighting` arguments will have no effect.

`alpha` can be given a value inbetween 0 and 1 to make colors transparent.

Also the arguments `lty`, `lwd` can be specified (when border is not NA).

The arguments after ... must be matched exactly.

Details

`image3D` calls the [surf3D](#) function. The `x`, `y`, and `z` values are expanded as a matrix.

Value

Returns the viewing transformation matrix. See [trans3D](#).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[surf3D](#) for the function on which `image3D` is based.

[image2D](#) for `plot3Ds` 2-D image function.

Examples

```
# save plotting parameters
pm <- par("mfrow")

## =====
## images in x, y, z plane
## =====

par(mfrow = c(2, 2))

# images in x, y, z plane
# We use colkey = list(plot = FALSE) to create room for a color key
image3D(y = seq(0, 1, 0.1), z = seq(0, 1, 0.1), x = 0.5,
  col = "blue", xlim = c(0,1), colkey = list(plot = FALSE))
image3D(x = seq(0, 1, 0.1), z = seq(0, 1, 0.1), y = 0.5,
  add = TRUE, col = "red", alpha = 0.2) # alpha makes it transparent
image3D(x = seq(0, 1, 0.1), y = seq(0, 1, 0.1), z = 0.5,
  add = TRUE, col = "green")
colkey(col = c("green", "red", "blue"), clim = c(0.5, 3.5),
  at = 1:3, labels = c("z", "y", "x"), add = TRUE)
```

```

#
image3D(z = 100, colvar = volcano, zlim = c(0, 150),
        clab = c("height", "m"))

#
image3D(x = 0.5, colvar = volcano, xlim = c(0, 1),
        ylim = c(0, 1), zlim = c(0, 1))

image3D(y = 0.5, colvar = volcano, add = TRUE)

#
image3D(z = 1, colvar = volcano,
        x = seq(0, 1, length.out = nrow(volcano)),
        y = seq(0, 1, length.out = ncol(volcano)),
        xlim = c(0, 2), ylim = c(0, 2), zlim = c(0, 2))
image3D(y = 2, colvar = volcano, add = TRUE,
        shade = 0.2,
        x = seq(0, 1, length.out = nrow(volcano)),
        z = seq(1, 2, length.out = ncol(volcano)))
image3D(x = 2, colvar = NULL, col = "orange", add = TRUE,
        y = seq(0, 1, length.out = nrow(volcano)),
        z = seq(1, 2, length.out = ncol(volcano)))

# reset plotting parameters
par(mfrow = pm)

```

Mesh generation	<i>Rectangular grids.</i>
-----------------	---------------------------

Description

mesh creates a rectangular full 2-D or 3-D grid.

Usage

```
mesh(x, y, z = NULL)
```

Arguments

x, y, z Vectors with x, y and z-values. They can be of arbitrary length.

Value

Function mesh returns a list with the expanded x- y- and z arrays (in case z is not NULL) or matrices (in case z = NULL). The dimensions of these list elements are the same and equal to c(length(x), length(y), length(z)).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[persp3D](#), [arrows3D](#), [slice3D](#), [surf3D](#) for other examples that use mesh.

Examples

```
## =====
## 2-D mesh
## =====

x <- c(-1 , 0, 1)
y <- 1 : 4

# 2-D mesh
(M <- mesh(x, y))

# calculate with this mesh
V <- with (M, x/2 * sin(y))

# same as:
V2 <- outer(x, y, FUN = function(x, y) x/2*sin(y))

## =====
## 3-D mesh
## =====

x <- y <- z <- c(-1 , 0, 1)

# 3-D mesh
(M <- mesh(x, y, z))

# calculate with 3-D mesh
V <- with (M, x/2 * sin(y) *sqrt(z+2))

# plot result
scatter3D(M$x, M$y, M$z, V, pch = "+", cex = 3, colkey = FALSE)
```

Perspective box

Creates an empty perspective box, ready for adding objects

Description

`perspbox` draws a box and labels, and makes space for a colorkey (if any).

Usage

```
perspbox (x = seq(0, 1, length.out = nrow(z)),
          y = seq(0, 1, length.out = ncol(z)), z,
          bty = c("b", "b2", "f", "g", "b1", "b12", "u", "n"), ...,
```



```
col.axis = "black", col.panel = NULL, lwd.panel = 1,
col.grid = NULL, lwd.grid = 1,
phi = 40, theta = 40, col = NULL,
colkey = NULL, plot = TRUE)
```

Arguments

<code>x, y</code>	Vectors with x and y values. It is sufficient to pass the ranges of the x- and y-values, as they will not be drawn. If z is a matrix, it is required that <code>length(x) = nrow(z)</code> and <code>length(y) = ncol(z)</code> .
<code>z</code>	Matrix or vector with z-values. If z is a matrix, it is sufficient to pass a diagonal matrix with the range of the z-values, as they will not be drawn.
<code>bty</code>	The type of the box; only effective if the <code>persp</code> argument <code>box</code> equals TRUE (the default). Unless <code>bty</code> is equal to "u" then the arguments <code>col.axis</code> , <code>col.panel</code> , <code>lwd.panel</code> , <code>col.grid</code> , will be ignored. "f" is the full box, the default as from <code>persp</code> , "b" has only the back panels visible, when "b2" has back panels and grid lines, "g" has grey background with white gridlines, "bl" has a black background, "bl2" has a black background with grey lines. "u" means that the user will specify the arguments <code>col.axis</code> , <code>col.panel</code> , <code>lwd.panel</code> , <code>col.grid</code> , <code>lwd.grid</code> manually. "n" means that no box will be drawn. This is the same as setting <code>box = FALSE</code> .
<code>col.axis</code> , <code>col.panel</code> , <code>col.grid</code>	The color of the axis line, of the axis panel or of the grid lines. Only used if <code>bty = "u"</code> .
<code>lwd.panel</code> , <code>lwd.grid</code>	The width of the panel border or of the grid lines. Only used if <code>bty = "u"</code> .
<code>theta</code> , <code>phi</code>	The angles defining the viewing direction. <code>theta</code> gives the azimuthal direction and <code>phi</code> the colatitude. see <code>persp</code> .
<code>col</code>	Colors to be used for coloring the <code>colvar</code> variable. Here only used for assessing if a color key should be drawn.
<code>colkey</code>	A logical, NULL (default), or a list with parameters for the color key (legend). List parameters should be one of <code>side</code> , <code>plot</code> , <code>length</code> , <code>width</code> , <code>dist</code> , <code>shift</code> , <code>addlines</code> , <code>col.clab</code> , and the axis parameters <code>at</code> , <code>labels</code> , <code>tick</code> , <code>line</code> , <code>pos</code> , <code>outer</code> , <code>font</code> , <code>lty</code> , <code>lwd</code> , <code>lwd.ticks</code> , <code>c</code> . The defaults for the parameters are <code>side = 4</code> , <code>plot = TRUE</code> , <code>length = 1</code> , <code>width = 1</code> , <code>dist = 0</code> . See <code>colkey</code> . The default is to draw the color key on <code>side = 4</code> , i.e. in the right margin. If <code>colkey = NULL</code> then a color key will be added only if <code>col</code> is a vector. Setting <code>colkey = list(plot = FALSE)</code> will create room for the color key without drawing it. if <code>colkey = FALSE</code> , no color key legend will be added.
<code>plot</code>	Logical. If TRUE (default), a plot is created, otherwise the viewing transformation matrix is returned (as invisible).
<code>...</code>	additional arguments passed to <code>persp</code> . The following <code>persp</code> arguments can be specified: <code>xlim</code> , <code>ylim</code> , <code>zlim</code> , <code>xlab</code> , <code>ylab</code> , <code>zlab</code> , <code>main</code> , <code>sub</code> , Arguments <code>scale</code> and <code>expand</code> affect the size of the axes. The arguments after <code>...</code> must be matched exactly.

Details

The arguments `xlim`, `ylim`, `zlim` only affect the axes. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use [plotdev](#).

The predefined box types `bty` are defined as follows:

“f”: all panels are shown and transparent, also the [persp](#) default.

“b”: only backward panels shown.

“b2”: as “b” with `col.grid = "grey"`.

“g”: only backward panels shown; `col.panel = grey(0.95)`, `col.axis = "grey"`, `lwd.grid = 2` and `col.grid = "white"`.

“bl”: only backward panels shown; `col.panel = "black"`, `col.axis = "grey"`, `lwd.grid = 2` and `col.grid = "white"`.

“n”: no box is drawn.

Value

Function `perspbox` returns the viewing transformation matrix. See [trans3D](#).

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[persp3D](#), [scatter2D](#), [surf3D](#) for examples where box types different than the default are used.
[Hypsometry](#) for an example where colored axis-panels are added to a figure started with `perspbox`.

Examples

```
# save plotting parameters
pm  <- par("mfrow")
pmar <- par("mar")

## =====
## The 4 predefined box types
## =====

par(mfrow = c(2, 2), mar = c(1, 1, 1, 1))

# box type with only backward panels
perspbox(z = volcano, bty = "b", ticktype = "detailed", d = 2,
         main = "bty = 'b'")
# box as in 'persp'
perspbox(z = volcano, bty = "f", ticktype = "detailed",
         d = 2, main = "bty = 'f'")

# back panels with gridlines, detailed axes
perspbox(z = volcano, bty = "b2", ticktype = "detailed",
         d = 2, main = "bty = 'b2'")
```

```

# ggplot-type, simple axes
perspbox(z = volcano, bty = "g",
         d = 2, main = "bty = 'g'")

## =====
## A user-defined box
## =====

par(mfrow = c(1, 1))

perspbox(z = diag(2), bty = "u", ticktype = "detailed",
         col.panel = "gold", col.axis = "white",
         scale = FALSE, expand = 0.4,
         col.grid = "grey", main = "user-defined")

# restore plotting parameters
par(mfrow = pm)
par(mar = pmar)

```

Scatter plots

Colored scatter plots and text in 2-D and 3-D

Description

`scatter2D` and `scatter3D` plot a (2- or 3 dimensional) dataset with a color variable as points or lines.

`text3D` plot a 3-D dataset with a color variable as text labels.

`points3D` is shorthand for `scatter3D(..., type = "p")`

`lines3D` is shorthand for `scatter3D(..., type = "l")`

`points2D` is shorthand for `scatter2D(..., type = "p")`

`lines2D` is shorthand for `scatter2D(..., type = "l")`

The 2D functions are included for their side effect of having a color key.

Usage

```

scatter3D(x, y, z, ..., colvar = z, phi = 40, theta = 40,
         col = NULL, NAcot = "white", breaks = NULL,
         colkey = NULL, panel.first = NULL,
         clim = NULL, clab = NULL,
         bty = "b", CI = NULL, surf = NULL,
         add = FALSE, plot = TRUE)

```

```

text3D(x, y, z, labels, ..., colvar = NULL, phi = 40, theta = 40,
      col = NULL, NAcot = "white", breaks = NULL,
      colkey = NULL, panel.first = NULL,

```

```

      clim = NULL, clab = NULL,
      bty = "b", add = FALSE, plot = TRUE)

points3D (x, y, z, ...)

lines3D (x, y, z, ...)

scatter2D (x, y, ..., colvar = NULL,
           col = NULL, NAcol = "white", breaks = NULL,
           colkey = NULL, clim = NULL, clab = NULL,
           CI = NULL, add = FALSE, plot = TRUE)

lines2D(x, y, ...)

points2D(x, y, ...)

text2D (x, y, labels, ..., colvar = NULL,
        col = NULL, NAcol = "white", breaks = NULL, colkey = NULL,
        clim = NULL, clab = NULL, add = FALSE, plot = TRUE)

```

Arguments

<code>x, y, z</code>	Vectors with <code>x</code> , <code>y</code> and <code>z</code> -values of the points to be plotted. They should be of equal length, and the same length as <code>colvar</code> (if present).
<code>colvar</code>	The variable used for coloring. For <code>scatter3D</code> , it need not be present, but if specified, it should be a vector of equal length as <code>(x, y, z)</code> .
<code>theta, phi</code>	the angles defining the viewing direction. <code>theta</code> gives the azimuthal direction and <code>phi</code> the colatitude. see persp .
<code>col</code>	Color palette to be used for coloring the <code>colvar</code> variable. If <code>col</code> is <code>NULL</code> and <code>colvar</code> is specified, then a red-yellow-blue colorscheme (jet.col) will be used. If <code>col</code> is <code>NULL</code> and <code>colvar</code> is not specified, then <code>col</code> will be "black".
<code>NAcol</code>	Colors to be used for <code>colvar</code> values that are <code>NA</code> .
<code>breaks</code>	a set of finite numeric breakpoints for the colors; must have one more breakpoint than color and be in increasing order. Unsorted vectors will be sorted, with a warning.
<code>colkey</code>	A logical, <code>NULL</code> (default), or a list with parameters for the color key (legend). List parameters should be one of <code>side</code> , <code>plot</code> , <code>length</code> , <code>width</code> , <code>dist</code> , <code>shift</code> , <code>addlines</code> , <code>col.clab</code> , and the axis parameters <code>at</code> , <code>labels</code> , <code>tick</code> , <code>line</code> , <code>pos</code> , <code>outer</code> , <code>font</code> , <code>lty</code> , <code>lwd</code> , <code>lwd.ticks</code> , <code>col</code> . The defaults for the parameters are <code>side = 4</code> , <code>plot = TRUE</code> , <code>length = 1</code> , <code>width = 1</code> , <code>dist = 0</code> , <code>col = "white"</code> . See colkey . The default is to draw the color key on <code>side = 4</code> , i.e. in the right margin. If <code>colkey = NULL</code> then a color key will be added only if <code>col</code> is a vector. Setting <code>colkey = list(plot = FALSE)</code> will create room for the color key without drawing it. if <code>colkey = FALSE</code> , no color key legend will be added.
<code>CI</code>	A list with parameters and values for the confidence intervals or <code>NULL</code> . If a list it should contain at least the item <code>x</code> , <code>y</code> or <code>z</code> (latter for <code>scatter3D</code>). These

should be 2-columned matrices, defining the left/right intervals. Other parameters should be one of (with defaults): `alen = 0.01`, `lty = par("lty")`, `lwd = par("lwd")`, `col = NULL` to set the length of the arrow head, the line type and width, and the color. If `col` is NULL, then the colors as specified by `colvar` are used. See examples.

<code>panel.first</code>	A function to be evaluated after the plot axes are set up but before any plotting takes place. This can be useful for drawing background grids or scatterplot smooths. The function should have as argument the transformation matrix, e.g. it should be defined as <code>function(pmat)</code> . See example of persp3D and last example of voxel3D .
<code>clab</code>	Only if <code>colkey</code> is not NULL or FALSE, the label to be written on top of the color key. The label will be written at the same level as the main title. To lower it, <code>clab</code> can be made a vector, with the first values empty strings.
<code>clim</code>	Only if <code>colvar</code> is specified, the range of the color variable, used for the color key. Values of <code>colvar</code> that extend the range will be put to NA.
<code>bty</code>	The type of the box, the default draws only the back panels. Only effective if the persp argument (<code>box</code>) equals TRUE (this is the default). See perspbox . Note: the <code>bty = "g"</code> , <code>"b2"</code> , <code>"b1"</code> can also be specified for <code>scatter2D</code> (if <code>add = FALSE</code>).
<code>labels</code>	The text to be written. A vector of length equal to length of <code>x</code> , <code>y</code> , <code>z</code> .
<code>surf</code>	If not NULL, a list specifying a (fitted) surface to be added on the scatterplot. The list should include at least <code>x</code> , <code>y</code> , <code>z</code> , defining the surface, and optional: <code>colvar</code> , <code>col</code> , <code>NACol</code> , <code>border</code> , <code>face</code> . Note that the default is that <code>colvar</code> is not specified which will set <code>colvar = z</code> . The argument <code>fit</code> should give the fitted <code>z</code> -values, in the same order as the <code>z</code> -values of the scatter points, for instance produced by <code>predict</code> . When present, this will produce droplines from points to the fitted surface.
<code>add</code>	Logical. If TRUE, then the points will be added to the current plot. If FALSE a new plot is started.
<code>plot</code>	Logical. If TRUE (default), a plot is created, otherwise (for 3D plots) the viewing transformation matrix is returned (as invisible).
<code>...</code>	additional arguments passed to the plotting methods. The following persp arguments can be specified: <code>xlim</code> , <code>ylim</code> , <code>zlim</code> , <code>xlab</code> , <code>ylab</code> , <code>zlab</code> , <code>main</code> , <code>sub</code> . The arguments <code>xlim</code> , <code>ylim</code> , <code>zlim</code> only affect the axes for 3D plots. All objects will be plotted, including those that fall out of these ranges. To select objects only within the axis limits, use plotdev . In addition, the perspbox arguments <code>col.axis</code> , <code>col.panel</code> , <code>lwd.panel</code> , <code>col.grid</code> , <code>lwd.grid</code> can also be given a value. <code>shade</code> and <code>lighting</code> arguments will have no effect. <code>alpha</code> can be given a value inbetween 0 and 1 to make colors transparent. For all functions, the arguments <code>lty</code> , <code>lwd</code> can be specified; <code>type</code> can be specified for all except <code>text3D</code> . In case <code>type = "p"</code> or <code>"b"</code> , then <code>pch</code> , <code>cex</code> , <code>bg</code> can also be specified. The arguments after <code>...</code> must be matched exactly.

Value

Function `scatter3D` returns the viewing transformation matrix. See [trans3D](#).

Note

For `scatter2D` and `scatter3D` the plottypes that are supported are: `type = "p"`, `type = "l"`, `type = "h"`, `type = "o"`. For `type = "b"`, `type = "o"` is used instead.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[persp](#) for the function on which this implementation is based.

[mesh](#), [trans3D](#), [slice3D](#), for other examples of `scatter2D` or `scatter3D`.

[plotdev](#) for zooming, rescaling, rotating a plot.

package `scatterplot3D` for an implementation of scatterplots that is not based on `persp`.

Examples

```
# save plotting parameters
pm <- par("mfrow")

## =====
## A sphere
## =====

par(mfrow = c(1, 1))
M <- mesh(seq(0, 2*pi, length.out = 100),
          seq(0, pi, length.out = 100))
u <- M$x ; v <- M$y

x <- cos(u)*sin(v)
y <- sin(u)*sin(v)
z <- cos(v)

# full panels of box are drawn (bty = "f")
scatter3D(x, y, z, pch = ".", col = "red",
          bty = "f", cex = 2, colkey = FALSE)

## =====
## Different types
## =====

par (mfrow = c(2, 2))
z <- seq(0, 10, 0.2)
x <- cos(z)
y <- sin(z)*z

# greyish background for the boxtype (bty = "g")
scatter3D(x, y, z, phi = 0, bty = "g",
          pch = 20, cex = 2, ticktype = "detailed")
```

```

# add another point
scatter3D(x = 0, y = 0, z = 0, add = TRUE, colkey = FALSE,
          pch = 18, cex = 3, col = "black")

# add text
text3D(x = cos(1:10), y = (sin(1:10)*(1:10) - 1),
       z = 1:10, colkey = FALSE, add = TRUE,
       labels = LETTERS[1:10], col = c("black", "red"))

# line plot
scatter3D(x, y, z, phi = 0, bty = "g", type = "l",
          ticktype = "detailed", lwd = 4)

# points and lines
scatter3D(x, y, z, phi = 0, bty = "g", type = "b",
          ticktype = "detailed", pch = 20,
          cex = c(0.5, 1, 1.5))

# vertical lines
scatter3D(x, y, z, phi = 0, bty = "g", type = "h",
          ticktype = "detailed")

## =====
## With confidence interval
## =====

x <- runif(20)
y <- runif(20)
z <- runif(20)

par(mfrow = c(1, 1))
CI <- list(z = matrix(nrow = length(x),
                     data = rep(0.05, 2*length(x))))

# greyish background for the boxtype (bty = "g")
scatter3D(x, y, z, phi = 0, bty = "g", CI = CI,
          col = gg.col(100), pch = 18, cex = 2, ticktype = "detailed",
          xlim = c(0, 1), ylim = c(0, 1), zlim = c(0, 1))

# add new set of points
x <- runif(20)
y <- runif(20)
z <- runif(20)

CI2 <- list(x = matrix(nrow = length(x),
                      data = rep(0.05, 2*length(x))),
            z = matrix(nrow = length(x),
                      data = rep(0.05, 2*length(x))))

scatter3D(x, y, z, CI = CI2, add = TRUE, col = "red", pch = 16)

## =====
## With a surface

```

```

## =====

par(mfrow = c(1, 1))

# surface = volcano
M <- mesh(1:nrow(volcano), 1:ncol(volcano))

# 100 points above volcano
N <- 100
xs <- runif(N) * 87
ys <- runif(N) * 61
zs <- runif(N)*50 + 154

# scatter + surface
scatter3D(xs, ys, zs, ticktype = "detailed", pch = 16,
  bty = "f", xlim = c(1, 87), ylim = c(1,61), zlim = c(94, 215),
  surf = list(x = M$x, y = M$y, z = volcano,
    NAcot = "grey", shade = 0.1))

## =====
## A surface and CI
## =====

par(mfrow = c(1, 1))
M <- mesh(seq(0, 2*pi, length = 30), (1:30)/100)
z <- with (M, sin(x) + y)

# points 'sampled'
N <- 30
xs <- runif(N) * 2*pi
ys <- runif(N) * 0.3

zs <- sin(xs) + ys + rnorm(N)*0.3

CI <- list(z = matrix(nrow = length(xs),
  data = rep(0.3, 2*length(xs))),
  lwd = 3)

# facets = NA makes a transparent surface; borders are black
scatter3D(xs, ys, zs, ticktype = "detailed", pch = 16,
  xlim = c(0, 2*pi), ylim = c(0, 0.3), zlim = c(-1.5, 1.5),
  CI = CI, theta = 20, phi = 30, cex = 2,
  surf = list(x = M$x, y = M$y, z = z, border = "black", facets = NA)
)

## =====
## droplines till the fitted surface
## =====

with (mtcars, {

# linear regression
fit <- lm(mpg ~ wt + disp)

```



```

# predict values on regular xy grid
wt.pred <- seq(1.5, 5.5, length.out = 30)
disp.pred <- seq(71, 472, length.out = 30)
xy <- expand.grid(wt = wt.pred,
                 disp = disp.pred)

mpg.pred <- matrix (nrow = 30, ncol = 30,
                   data = predict(fit, newdata = data.frame(xy),
                                interval = "prediction"))

# fitted points for droplines to surface
fitpoints <- predict(fit)

scatter3D(z = mpg, x = wt, y = disp, pch = 18, cex = 2,
         theta = 20, phi = 20, ticktype = "detailed",
         xlab = "wt", ylab = "disp", zlab = "mpg",
         surf = list(x = wt.pred, y = disp.pred, z = mpg.pred,
                    facets = NA, fit = fitpoints),
         main = "mtcars")

})

## =====
## Two ways to make a scatter 3D of quakes data set
## =====

par(mfrow = c(1, 1))
# first way, use vertical spikes (type = "h")
with(quakes, scatter3D(x = long, y = lat, z = -depth, colvar = mag,
                     pch = 16, cex = 1.5, xlab = "longitude", ylab = "latitude",
                     zlab = "depth, km", clab = c("Richter", "Magnitude"),
                     main = "Earthquakes off Fiji", ticktype = "detailed",
                     type = "h", theta = 10, d = 2,
                     colkey = list(length = 0.5, width = 0.5, cex.clab = 0.75))
)

# second way: add dots on bottom and left panel
# before the scatters are drawn,
# add small dots on basal plane and on the depth plane
panelfirst <- function(pmat) {
  zmin <- min(-quakes$depth)
  XY <- trans3D(quakes$long, quakes$lat,
               z = rep(zmin, nrow(quakes)), pmat = pmat)
  scatter2D(XY$x, XY$y, colvar = quakes$mag, pch = ".",
            cex = 2, add = TRUE, colkey = FALSE)

  xmin <- min(quakes$long)
  XY <- trans3D(x = rep(xmin, nrow(quakes)), y = quakes$lat,
               z = -quakes$depth, pmat = pmat)
  scatter2D(XY$x, XY$y, colvar = quakes$mag, pch = ".",
            cex = 2, add = TRUE, colkey = FALSE)
}

```

```

with(quakes, scatter3D(x = long, y = lat, z = -depth, colvar = mag,
  pch = 16, cex = 1.5, xlab = "longitude", ylab = "latitude",
  zlab = "depth, km", clab = c("Richter", "Magnitude"),
  main = "Earthquakes off Fiji", ticktype = "detailed",
  panel.first = panelfirst, theta = 10, d = 2,
  colkey = list(length = 0.5, width = 0.5, cex.clab = 0.75))
)

## =====
## text3D and scatter3D
## =====

with(USArrests, text3D(Murder, Assault, Rape,
  colvar = UrbanPop, col = gg.col(100), theta = 60, phi = 20,
  xlab = "Murder", ylab = "Assault", zlab = "Rape",
  main = "USA arrests",
  labels = rownames(USArrests), cex = 0.6,
  bty = "g", ticktype = "detailed", d = 2,
  clab = c("Urban", "Pop"), adj = 0.5, font = 2))

with(USArrests, scatter3D(Murder, Assault, Rape - 1,
  colvar = UrbanPop, col = gg.col(100),
  type = "h", pch = ".", add = TRUE))

## =====
## zoom near origin
## =====

# display axis ranges
getpelist()[c("xlim", "ylim", "zlim")]

# choose suitable ranges
plotdev(xlim = c(0, 10), ylim = c(40, 150),
  zlim = c(7, 25))

## =====
## text3D to label x- and y axis
## =====

par(mfrow = c(1, 1))
hist3D(x = 1:5, y = 1:4, z = VADeaths,
  bty = "g", phi = 20, theta = -60,
  xlab = "", ylab = "", zlab = "", main = "VADeaths",
  col = "#0072B2", border = "black", shade = 0.8,
  ticktype = "detailed", space = 0.15, d = 2, cex.axis = 1e-9)

text3D(x = 1:5, y = rep(0.5, 5), z = rep(3, 5),
  labels = rownames(VADeaths),
  add = TRUE, adj = 0)
text3D(x = rep(1, 4), y = 1:4, z = rep(0, 4),
  labels = colnames(VADeaths),
  add = TRUE, adj = 1)

```

```

## =====
## Scatter2D; bty can also be set = to one of the perspbox alternatives
## =====

par(mfrow = c(2, 2))
x <- seq(0, 2*pi, length.out = 30)

scatter2D(x, sin(x), colvar = cos(x), pch = 16,
          ylab = "sin", clab = "cos", cex = 1.5)
# other box types:
scatter2D(x, sin(x), colvar = cos(x), type = "l", lwd = 4, bty = "g")
scatter2D(x, sin(x), colvar = cos(x), type = "b", lwd = 2, bty = "b2")
# transparent colors and spikes
scatter2D(x, sin(x), colvar = cos(x), type = "h", lwd = 4, alpha = 0.5)

## =====
## mesh examples and scatter2D
## =====

par(mfrow = c(1, 2))
x <- seq(-1, 1, by = 0.1)
y <- seq(-2, 2, by = 0.2)

grid <- mesh(x, y)
z <- with(grid, cos(x) * sin(y))
image2D(z, x = x, y = y)
points(grid)
scatter2D(grid$x, grid$y, colvar = z, pch = 20, cex = 2)

## =====
## scatter plot with confidence intervals
## =====

par(mfrow = c(2, 2))
x <- sort(rnorm(10))
y <- runif(10)
cv <- sqrt(x^2 + y^2)

CI <- list(lwd = 2)
CI$x <- matrix(nrow = length(x), data = c(rep(0.25, 2*length(x))))
scatter2D(x, y, colvar = cv, pch = 16, cex = 2, CI = CI)
scatter2D(x, y, colvar = cv, pch = 16, cex = 2, CI = CI, type = "b")

CI$y <- matrix(nrow = length(x), data = c(rep(0.05, 2*length(x))))
CI$col <- "black"
scatter2D(x, y, colvar = cv, pch = 16, cex = 2, CI = CI)

CI$y[c(2,4,8,10), ] <- NA # Some points have no CI
CI$x[c(2,4,8,10), ] <- NA # Some points have no CI
CI$alen <- 0.02 # increase arrow head
scatter2D(x, y, colvar = cv, pch = 16, cex = 2, CI = CI)

```

```

## =====
## Scatter on an image
## =====

par(mfrow = c(1, 1))
# image of oxygen saturation
oxlim <- range(Oxsat$val[,1], na.rm = TRUE)
image2D(z = Oxsat$val[,1], x = Oxsat$lon, y = Oxsat$lat,
        contour = TRUE,
        xlab = "longitude", ylab = "latitude",
        main = "Oxygen saturation", clim = oxlim, clab = "%")

# (imaginary) measurements at 5 sites
lon <- c( 11.2,  6.0, 0.9, -4, -8.8)
lat <- c(-19.7,-14.45,-9.1,-3.8, -1.5)
O2sat <- c( 90,  95, 92, 85, 100)

# add to image; use same zrange; avoid adding a color key
scatter2D(colvar = O2sat, x = lon, y = lat, clim = oxlim, pch = 16,
          add = TRUE, cex = 2, colkey = FALSE)

## =====
## Scatter on a contourplot
## =====

par(mfrow = c(1, 1))

# room for colorkey by setting colkey = list(plot = FALSE)

# contour plot of the ocean's bathymetry
Depth <- Hypsometry$z
Depth[Depth > 0] <- NA
contour2D(z = Depth, x = Hypsometry$x, y = Hypsometry$y,
          xlab = "longitude", ylab = "latitude",
          col = "black", NAcol = "grey", levels = seq(-6000, 0, by = 2000),
          main = "Oxygen saturation along ship track",
          colkey = list(plot = FALSE))

# add data to image; with a color key
scatter2D(colvar = O2sat, x = lon, y = lat, pch = 16,
          add = TRUE, cex = 2, clab = "%")

## =====
## scatter2D for time-series plots
## =====

# Plotting sunspot 'anomalies'
sunspot <- data.frame(year = time(sunspot.month),
                      anom = sunspot.month - mean(sunspot.month))

# long-term moving average of anomaly
ff <- 100
sunspot$ma <- filter(sunspot$anom, rep(1/ff, ff), sides = 2)

```

```

with (sunspot, lines2D(year, anom,
  colvar = anom > 0,
  col = c("pink", "lightblue"),
  main = "sunspot anomaly", type = "h",
  colkey = FALSE, las = 1, xlab = "year", ylab = ""))
lines2D(sunspot$year, sunspot$ma, add = TRUE)

# The same
#with (sunspot, plot(year, anom,
# col = c("pink", "lightblue")[anom > 0] + 1],
# main = "sunspot", type = "h", las = 1))

# but this does not work due to NAs...
# lines(sunspot$year, sunspot$ma)

## =====
## text2D
## =====

with(USArrests, text2D(x = Murder, y = Assault + 5, colvar = Rape,
  xlab = "Murder", ylab = "Assault", clab = "Rape",
  main = "USA arrests", labels = rownames(USArrests), cex = 0.6,
  adj = 0.5, font = 2))

with(USArrests, scatter2D(x = Murder, y = Assault, colvar = Rape,
  pch = 16, add = TRUE, colkey = FALSE))

# reset plotting parameters
par(mfrow = pm)

```

trans3D

Transformation of 3D elements

Description

trans3D is the plot3D equivalent of [trans3d](#), that projects 3-D elements to 2 dimensions.

Usage

```
trans3D (x, y, z, pmat)
```

Arguments

x, y, z	Vectors, matrices, arrays, with x, y and z-values.
pmat	A 4 x 4 viewing transformation matrix, suitable for projecting the 3D coordinates (x,y,z) into the 2D plane using homogeneous 4D coordinates (x,y,z,t); such matrices are returned by any of the 3-D plotting functions from package plot3D and by persp() .

Value

A list with two components:

- `x`, `y` the projected 2-D coordinates of the 3-D input `x`, `y`, `z`

In contrast to [trans3d](#), `trans3D` the returned values `x` and `y` will be of the same class and dimensions as the input `x` and `y`. If inputted `x`, `y`, `z` are matrices or arrays, so will the projected coordinates be.

Author(s)

Karline Soetaert <karline.soetaert@nioz.nl>

See Also

[scatter3D](#), [slice3D](#), [surf3D](#).

Examples

```
## =====
## 3-D mesh
## =====

x <- y <- z <- c(-1, 0, 1)

# plot a 3-D mesh
(M <- mesh(x, y, z))

# plot result
pmat <- scatter3D(M$x, M$y, M$z, pch = "+", cex = 3, colkey = FALSE)

# add line
XY <- trans3D(x = c(-1, 1), y = c(-1, 1), z = c(-1, 1), pmat = pmat)
lines(XY, lwd = 2, col = "blue")

## =====
## Example 2
## =====

pmat <- perspbox (z = diag(2))
XY <- trans3D(x = runif(30), y = runif(30), z = runif(30), pmat = pmat)
polygon(XY, col = "darkblue")
```

Index

- *Topic **datasets**
 - 3-D data set, [23](#)
- *Topic **hplot**
 - 2-D data set, [4](#)
 - 2D image and contour plots, [6](#)
 - 3-D arrows, segments, polygons, boxes, rectangles, [13](#)
 - 3-D contours, [20](#)
 - 3-D perspectives, [25](#)
 - 3-D surfaces, [34](#)
 - 3-D volume visualisation, [40](#)
 - Color key legend, [47](#)
 - Colors, [51](#)
 - Composite plots, [54](#)
 - images in 3D frame, [60](#)
 - Mesh generation, [63](#)
 - Perspective box, [64](#)
 - Scatter plots, [67](#)
 - trans3D, [77](#)
- *Topic **package**
 - plot3D-package, [2](#)
- 2-D data set, [4](#)
- 2D image and contour plots, [6](#)
- 3-D arrows, segments, polygons, boxes, rectangles, [13](#)
- 3-D contours, [20](#)
- 3-D data set, [23](#)
- 3-D perspectives, [25](#)
- 3-D surfaces, [34](#)
- 3-D volume visualisation, [40](#)
- alpha.col (Colors), [51](#)
- arrows, [16](#), [17](#)
- arrows2D, [3](#)
- arrows2D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- arrows3D, [3](#), [64](#)
- arrows3D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- axis, [48](#)
- border3D, [3](#)
- border3D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- box3D, [3](#)
- box3D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- colkey, [3](#), [7](#), [15](#), [21](#), [27](#), [35](#), [42](#), [61](#), [65](#), [68](#)
- colkey (Color key legend), [47](#)
- Color key legend, [47](#)
- colorRamp, [52](#)
- colorRampPalette, [52](#)
- Colors, [51](#)
- Composite plots, [54](#)
- computeContour3d, [41](#)
- contour, [6](#), [7](#), [9](#), [20](#), [22](#), [27](#), [35](#)
- contour2D, [3](#)
- contour2D (2D image and contour plots), [6](#)
- contour3D, [43](#)
- contour3D (3-D contours), [20](#)
- createisosurf (3-D volume visualisation), [40](#)
- createvoxel (3-D volume visualisation), [40](#)
- dev.interactive, [8](#)
- getplist (Composite plots), [54](#)
- gg.col, [3](#)
- gg.col (Colors), [51](#)
- gg2.col (Colors), [51](#)
- hist3D, [2](#)
- hist3D (3-D perspectives), [25](#)
- Hypsometry, [3](#), [29](#), [66](#)
- Hypsometry (2-D data set), [4](#)

- image, [2](#), [3](#), [6–9](#)
- image2D, [3](#), [4](#), [24](#), [27](#), [62](#)
- image2D (2D image and contour plots), [6](#)
- image3D (images in 3D frame), [60](#)
- ImageOcean, [3](#), [9](#)
- ImageOcean (2-D data set), [4](#)
- images in 3D frame, [60](#)
- isosurf3D, [2](#)
- isosurf3D (3-D volume visualisation), [40](#)
- jet.col, [3](#), [8](#), [9](#), [15](#), [21](#), [26](#), [28](#), [35–37](#), [41](#), [42](#), [55](#), [68](#)
- jet.col (Colors), [51](#)
- jet2.col (Colors), [51](#)
- lines2D (Scatter plots), [67](#)
- lines3D, [2](#)
- lines3D (Scatter plots), [67](#)
- mesh, [3](#), [70](#)
- mesh (Mesh generation), [63](#)
- Mesh generation, [63](#)
- Oxsat, [3](#), [9](#), [44](#)
- Oxsat (3-D data set), [23](#)
- par, [8](#)
- persp, [2](#), [8](#), [15](#), [16](#), [21](#), [22](#), [25–29](#), [35–37](#), [41–43](#), [55](#), [61](#), [62](#), [65](#), [66](#), [68–70](#), [77](#)
- persp3D, [2](#), [9](#), [16](#), [21](#), [35](#), [36](#), [42](#), [61](#), [64](#), [66](#), [69](#)
- persp3D (3-D perspectives), [25](#)
- perspbox, [16](#), [21](#), [22](#), [28](#), [36](#), [42](#), [43](#), [55](#), [61](#), [62](#), [69](#)
- perspbox (Perspective box), [64](#)
- Perspective box, [64](#)
- plot.plist (Composite plots), [54](#)
- plot3D (plot3D-package), [2](#)
- plot3D-package, [2](#)
- plotdev, [16](#), [22](#), [28](#), [29](#), [36](#), [37](#), [43](#), [44](#), [62](#), [66](#), [69](#), [70](#)
- plotdev (Composite plots), [54](#)
- points2D (Scatter plots), [67](#)
- points3D, [2](#)
- points3D (Scatter plots), [67](#)
- polygon, [8](#), [9](#), [16](#), [56](#)
- polygon2D, [3](#)
- polygon2D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- polygon3D, [3](#)
- polygon3D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- ramp.col, [3](#)
- ramp.col (Colors), [51](#)
- rasterImage, [8](#), [9](#)
- rect2D, [3](#)
- rect2D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- rect3D, [3](#)
- rect3D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- ribbon3D, [2](#)
- ribbon3D (3-D perspectives), [25](#)
- Scatter plots, [67](#)
- scatter2D, [3](#), [9](#), [66](#)
- scatter2D (Scatter plots), [67](#)
- scatter3D, [2](#), [29](#), [40](#), [43](#), [67](#), [78](#)
- scatter3D (Scatter plots), [67](#)
- segments, [17](#)
- segments2D, [3](#)
- segments2D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- segments3D, [3](#)
- segments3D (3-D arrows, segments, polygons, boxes, rectangles), [13](#)
- selectplist (Composite plots), [54](#)
- setplist (Composite plots), [54](#)
- slice3D, [2](#), [64](#), [78](#)
- slice3D (3-D volume visualisation), [40](#)
- slicecont3D, [2](#)
- slicecont3D (3-D volume visualisation), [40](#)
- spheresurf3D, [3](#)
- spheresurf3D (3-D surfaces), [34](#)
- surf3D, [3](#), [62](#), [64](#), [66](#), [78](#)
- surf3D (3-D surfaces), [34](#)
- text2D, [3](#)
- text2D (Scatter plots), [67](#)
- text3D, [3](#), [29](#)
- text3D (Scatter plots), [67](#)

trans3D, [16](#), [22](#), [29](#), [36](#), [43](#), [55](#), [62](#), [66](#), [69](#), [70](#),
[77](#)

trans3d, [77](#), [78](#)

triangle3D (3-D volume visualisation),
[40](#)

voxel3D, [3](#), [16](#), [21](#), [35](#), [61](#), [69](#)

voxel3D (3-D volume visualisation), [40](#)