

Package ‘yesno’

February 15, 2017

Title Ask a Custom Yes-No Question

Version 0.0.2

Date 2017-02-15

Description Asks a custom Yes-No question with variable responses.
The order and phrasing of the possible responses varies randomly
to ensure the user consciously chooses (as opposed to automatically types their response).

License GPL (≥ 2)

Depends R ($\geq 3.3.0$)

Imports utils

Suggests testthat, covr

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

NeedsCompilation no

Author Hadley Wickham [aut],
Joe Thorley [com, cre]

Maintainer Joe Thorley <joe@poissonconsulting.ca>

Repository CRAN

Date/Publication 2017-02-15 20:55:08

R topics documented:

yesno 2

Index 3

yesno	<i>Yes No</i>
-------	---------------

Description

Asks a custom yes-no question with randomly varying responses. Returns a flag indicating whether the user answered yes or no.

Usage

```
yesno(...)
```

Arguments

... R Objects to paste and then output to produce the question.

Details

The objects are first pasted without separators and collapsed using `paste0(..., collapse = "")` before being output using `cat`.

The order and phrasing of the possible responses varies randomly to ensure the user consciously chooses (as opposed to automatically types their response).

A total of three responses are offered - two of which correspond to No and one of which corresponds to Yes. The possible responses are skewed to No to reduce the chances that a blindly-typing user mistakenly chooses an affirmative action. For the same reason, selection of uncertain responses such as 'Uhhh... Maybe?' is considered to be a No. Selection of a 0 (to exit) is also considered to be No. Questions should be phrased accordingly.

Value

A flag indicating whether the user answered yes or no.

Examples

```
## Not run:  
yesno("Do you like ", R.Version()$nickname, "?")  
  
## End(Not run)
```

Index

cat, [2](#)

paste0, [2](#)

yesno, [2](#)