

Package ‘cartography’

September 25, 2017

Title Thematic Cartography

Version 2.0.1

Date 2017-09-14

Description Create and integrate maps in your R workflow. This package allows various cartographic representations such as proportional symbols, choropleth, typology, flows or discontinuities maps. It also offers several features enhancing the graphic presentation of maps like cartographic palettes, layout elements (scale, north arrow, title...), labels, legends or access to some cartographic APIs. See Giraud and Lambert (2017) <doi:10.1007/978-3-319-57336-6_13>.

License GPL-3

URL <https://github.com/Groupe-ElementR/cartography/>

BugReports <https://github.com/Groupe-ElementR/cartography/issues/>

LazyData true

Depends R (>= 2.10), sp, sf

Imports classInt, stats, graphics, methods, rgeos, rosm, raster, Rcpp

Suggests SpatialPosition, knitr, rmarkdown, rgdal

LinkingTo Rcpp

VignetteBuilder knitr

Encoding UTF-8

RoxygenNote 6.0.1

NeedsCompilation yes

Author Timothée Giraud [cre, aut],
Nicolas Lambert [aut],
Ian Fellows [cph] (no overlap algorithm for labels, from wordcloud package)

Maintainer Timothée Giraud <timothee.giraud@cnrs.fr>

Repository CRAN

Date/Publication 2017-09-25 12:51:58 UTC

R topics documented:

barscale	3
carto.pal	4
carto.pal.info	5
cartography	6
choroLayer	7
coasts.spdf	9
countries.spdf	10
discLayer	10
display.carto.all	12
display.carto.pal	13
dotDensityLayer	14
frame.spdf	15
getBorders	16
getBreaks	17
getFigDim	19
getGridData	20
getGridLayer	20
getLinkLayer	22
getOuterBorders	23
getTiles	24
gradLinkLayer	26
gradLinkTypoLayer	27
graticule.spdf	29
labelLayer	30
layoutLayer	31
legendBarsSymbols	33
legendChoro	34
legendCirclesSymbols	35
legendGradLines	36
legendPropLines	37
legendPropTriangles	38
legendSquaresSymbols	39
legendTypo	40
north	41
nuts0.df	42
nuts0.spdf	43
nuts1.df	43
nuts1.spdf	44
nuts2.df	44
nuts2.spdf	45
nuts3.df	46
nuts3.spdf	46
propLinkLayer	47
propSymbolsChoroLayer	48
propSymbolsLayer	51
propSymbolsTypoLayer	53

propTrianglesLayer	55
smoothLayer	57
tilesLayer	60
twincities.df	61
typoLayer	61
world.spdf	63

Index	64
--------------	-----------

barscale	<i>Scale Bar</i>
----------	------------------

Description

Plot a scale bar.

Usage

```
barscale(size = NULL, lwd = 1.5, cex = 0.6, pos = NULL,
         style = "pretty")
```

Arguments

size	size of the scale bar in kilometers. If set to NULL, an automatic size is used (1/10 of the map width).
lwd	width of the scale bar.
cex	cex of the text.
pos	position of the legend, default to the bottom right corner of the map. A vector of two coordinates (c(x, y)) is possible.
style	style of the legend, either "pretty" or "oldschool". The "oldschool" style only uses the "size" parameter.

Note

This scale bar is not accurate on unprojected (long/lat) maps.

See Also

[layoutLayer](#)

Examples

```
data("nuts2006")
plot(nuts0.spdf, col = "grey60",border = "grey20", add=FALSE)
barscale(size = 1000)
barscale(size = 500, lwd = 3, cex = .9, pos = c(3553000, 1449000))

mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
plot(st_geometry(mtq), col = "grey60", border = "grey20")
barscale(style = "oldschool")
```

`carto.pal`*Build Cartographic Palettes*

Description

Build sequential, diverging and qualitative color palettes. Diverging color palettes can be dissymmetric (different number of colors in each of the two gradients).

Usage

```
carto.pal(pal1, n1, pal2 = NULL, n2 = NULL, middle = FALSE,  
transparency = FALSE)
```

Arguments

<code>pal1</code>	name of the color gradient (see Details).
<code>n1</code>	number of colors (up to 20).
<code>pal2</code>	name of the color gradient (see Details).
<code>n2</code>	number of colors (up to 20).
<code>middle</code>	a logical value. If TRUE, a neutral color ("#F6F6F6", light grey) between two gradients is added.
<code>transparency</code>	a logical value. If TRUE, contrasts are enhanced by adding an opacity variation.

Details

Sequential palettes:

- `blue.pal`
- `orange.pal`
- `red.pal`
- `brown.pal`
- `green.pal`
- `purple.pal`
- `pink.pal`
- `wine.pal`
- `grey.pal`
- `turquoise.pal`
- `sand.pal`
- `taupe.pal`
- `kaki.pal`
- `harmo.pal`

Qualitative palettes:

- `pastel.pal`
- `multi.pal`

Value

A vector of colors is returned.

Note

Use [display.carto.all](#) to show all palettes and use [display.carto.pal](#) to show one palette.

References

Qualitative palettes were generated with "i want hue" (<http://tools.medialab.sciences-po.fr/iwanthue/>) by Mathieu Jacomy at the Sciences-Po Medialab.

See Also

[display.carto.pal](#), [display.carto.all](#), [carto.pal.info](#)

Examples

```
# Simple gradient: blue
carto.pal(pal1 = "blue.pal" ,n1 = 20)

# Double gradient: blue & red
carto.pal(pal1 = "blue.pal", n1 = 10, pal2 = "red.pal", n2 = 10)

# Adding a neutral color
carto.pal(pal1 = "blue.pal", n1 = 10, pal2 = "red.pal", n2 = 10, middle = TRUE)

# Enhancing contrasts with transparency
carto.pal(pal1="blue.pal", n1 = 10, pal2 = "red.pal", n2 = 10, middle = TRUE,
          transparency = TRUE)

# The double gradient can be asymmetric
carto.pal(pal1 = "blue.pal", n1 = 5, pal2 = "red.pal", n2 = 15, middle = TRUE,
          transparency = TRUE)

# Build and display a palette
mypal <- carto.pal(pal1 = "blue.pal", n1 = 5, pal2 = "red.pal", n2 = 15,
                  middle = TRUE, transparency = TRUE)
k <- length(mypal)
image(1:k, 1, as.matrix(1:k), col =mypal, xlab = paste(k," classes",sep=""),
      ylab = "", xaxt = "n", yaxt = "n",bty = "n")
```

carto.pal.info

Display the Names of all Cartographic Palettes

Description

Display the names of all color palettes.

Usage

```
carto.pal.info()
```

Value

A vector of color palettes names is returned.

See Also

[carto.pal](#), [display.carto.pal](#), [display.carto.all](#)

Examples

```
carto.pal.info()
```

cartography

Cartography Package

Description

Create and integrate maps in your R workflow. This package allows various cartographic representations such as proportional symbols, choropleth, typology, flows or discontinuities maps. It also offers several features enhancing the graphic presentation of maps like cartographic palettes, layout elements (scale, north arrow, title...), labels, legends or access to some cartographic APIs.

A vignette contains commented scripts on how to build various types of maps with cartography: `vignette(topic = "cartography")`

Main functions :

- Proportional symbols maps (circles, squares, bars)
[propSymbolsLayer](#), [propSymbolsChoroLayer](#), [propSymbolsTypoLayer](#), [propTrianglesLayer](#)
- Choropleth maps (main discretization methods are available)
[choroLayer](#)
- Typology maps
[typoLayer](#)
- Flow maps (proportional and classified links)
[getLinkLayer](#), [propLinkLayer](#), [gradLinkLayer](#), [gradLinkTypoLayer](#)
- Discontinuities maps
[getBorders](#), [discLayer](#)
- Cartographic palettes
[carto.pal](#)
- Layout (scale, north arrow, title...)
[layoutLayer](#), [north](#), [barscale](#)
- Labels
[labelLayer](#)

- Legends
[legendBarsSymbols](#), [legendChoro](#), [legendCirclesSymbols](#), [legendGradLines](#), [legendPropLines](#),
[legendPropTriangles](#), [legendSquaresSymbols](#), [legendTypo](#)
- Access to cartographic APIs (via rosm package)
[getTiles](#), [tilesLayer](#)
- Irregular polygons to regular grid, transformation with data handling
[getGridLayer](#)

Note

Up to version 1.4.2 cartography was mainly based on `sp` and `rgeos` for its spatial data management and geoprocessing operations. These dependancies are as much as possible replaced by `sf` functions since version 2.0.0.

Most functions are kept unchanged except for the addition of an `x` argument used to take `sf` objects as inputs. See the NEWS file for details: `print(news(package = 'cartography'))`.

choroLayer

Choropleth Layer

Description

Plot a choropleth layer.

Usage

```
choroLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var, breaks = NULL,
  method = "quantile", nclass = NULL, col = NULL, border = "grey20",
  lwd = 1, colNA = "white", legend.pos = "bottomleft",
  legend.title.txt = var, legend.title.cex = 0.8, legend.values.cex = 0.6,
  legend.values.rnd = 0, legend.nodata = "no data", legend.frame = FALSE,
  add = FALSE)
```

Arguments

<code>x</code>	an <code>sf</code> object, a simple feature collection. If <code>x</code> is used then <code>spdf</code> , <code>df</code> , <code>spdfid</code> and <code>dfid</code> are not.
<code>spdf</code>	a <code>SpatialPolygonsDataFrame</code> .
<code>df</code>	a data frame that contains the values to plot. If <code>df</code> is missing <code>spdf@data</code> is used instead.
<code>spdfid</code>	name of the identifier field in <code>spdf</code> , default to the first column of the <code>spdf</code> data frame. (optional)
<code>dfid</code>	name of the identifier field in <code>df</code> , default to the first column of <code>df</code> . (optional)
<code>var</code>	name of the numeric field in <code>x</code> or <code>df</code> to plot.
<code>breaks</code>	break values in sorted order to indicate the intervals for assigning the colors. Note that if there are <code>nlevel</code> colors (classes) there should be <code>(nlevel+1)</code> break values (see Details).

method	a discretization method; one of "sd", "equal", "quantile", "fisher-jenks", "q6", "geom", "arith", "em" or "msd" (see getBreaks).
nclass	a targeted number of classes. If null, the number of class is automatically defined (see Details).
col	a vector of colors. Note that if breaks is specified there must be one less colors specified than the number of break.
border	color of the polygons borders.
lwd	borders width.
colNA	no data color.
legend.pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.pos is "n" then the legend is not plotted.
legend.title.txt	title of the legend.
legend.title.cex	size of the legend title.
legend.values.cex	size of the values in the legend.
legend.values.rnd	number of decimal places of the values in the legend.
legend.nodata	no data label.
legend.frame	whether to add a frame to the legend (TRUE) or not (FALSE).
add	whether to add the layer to an existing plot (TRUE) or not (FALSE).

Details

The optimum number of class depends on the number of geographical objects. If nclass is not defined, an automatic method inspired by Sturges (1926) is used : $nclass = 1 + 3.3 * \log_{10}(N)$, where nclass is the number of class and N is the variable length.

If breaks is used then nclass and method are not.

If breaks is defined as c(2, 5, 10, 15, 20) intervals will be: [2 - 5[, [5 - 10[, [10 - 15[, [15 - 20].

References

Herbert A. Sturges, « *The Choice of a Class Interval* », Journal of the American Statistical Association, vol. 21, n° 153, mars 1926, p. 65-66.

See Also

[getBreaks](#), [carto.pal](#), [legendChoro](#), [propSymbolsChoroLayer](#)

Examples

```

data("nuts2006")

## Example 1
nuts2.df$unemprate <- nuts2.df$unemp2008/nuts2.df$act2008*100
choroLayer(spdf = nuts2.spdf,
           df = nuts2.df,
           var = "unemprate")

## Example 2
nuts2.df$unemprate <- nuts2.df$unemp2008/nuts2.df$act2008*100
choroLayer(spdf = nuts2.spdf,
           df = nuts2.df,
           var = "unemprate",
           method = "quantile",
           nclass = 8,
           col = carto.pal(pal1 = "turquoise.pal", n1 = 8),
           border = "grey40",
           add = FALSE,
           legend.pos = "topright",
           legend.title.txt = "Unemployment rate\n(%)",
           legend.values.rnd = 1)

## Example 3
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Compute the compound annual growth rate
mtq$cagr <- (((mtq$P13_POP / mtq$P08_POP)^(1/4)) - 1) * 100
summary(mtq$cagr)

# Plot the compound annual growth rate
cols <- carto.pal(pal1 = "blue.pal", n1 = 3, pal2 = "red.pal", n2 = 2)
choroLayer(x = mtq,
           var = "cagr", breaks = c(-6.14,-2,-1,0,1,2),
           col = cols,
           border = "grey40",
           add = FALSE,
           legend.pos = "topleft",
           legend.title.txt = "Compound annual\ngrowth rate",
           legend.values.rnd = 2)

# Layout plot
layoutLayer(title = "Demographic Trends in Martinique, 2008-2013",
            author = "INSEE, 2016", sources = "",
            scale = NULL,
            frame = TRUE,
            col = "black",
            coltitle = "white")

```

Description

Coastline of Europe.

Format

SpatialLinesDataFrame.

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

countries.spdf	<i>Countries in the European Area</i>
----------------	---------------------------------------

Description

Countries in the european area.

Format

SpatialPolygonsDataFrame.

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

discLayer	<i>Discontinuities Layer</i>
-----------	------------------------------

Description

This function computes and plots spatial discontinuities. The discontinuities are plotted over the layer outputed by the [getBorders](#) function. The line widths reflect the ratio or the difference between values of an indicator in two neighbouring units.

Usage

```
discLayer(x, df, dfid = NULL, var, method = "quantile", nclass = 4,
  threshold = 0.75, type = "rel", sizemin = 1, sizemax = 10,
  col = "red", legend.pos = "bottomleft",
  legend.title.txt = "legend title", legend.title.cex = 0.8,
  legend.values.cex = 0.6, legend.values.rnd = 2, legend.frame = FALSE,
  add = TRUE, spdf, spdfid1, spdfid2)
```

Arguments

x	an sf object, a simple feature collection, as outputed by the getBorders function.
df	a data frame that contains the values used to compute and plot discontinuities.
dfid	identifier field in df, default to the first column of df. (optional)
var	name of the numeric field in df used to compute and plot discontinuities.
method	a discretization method; one of "sd", "equal", "quantile", "fisher-jenks", "q6", "geom", "arith", "em" or "msd" (see getBreaks).
nclass	a targeted number of classes. If null, the number of class is automatically defined (see getBreaks).
threshold	share of represented borders, value between 0 (nothing) and 1 (all the discontinuities).
type	type of discontinuity measure, one of "rel" or "abs" (see Details).
sizemin	thickness of the smallest line.
sizemax	thickness of the biggest line.
col	color of the discontinuities lines.
legend.pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.pos is "n" then the legend is not plotted.
legend.title.txt	title of the legend.
legend.title.cex	size of the legend title.
legend.values.cex	size of the values in the legend.
legend.values.rnd	number of decimal places of the values in the legend.
legend.frame	whether to add a frame to the legend (TRUE) or not (FALSE).
add	whether to add the layer to an existing plot (TRUE) or not (FALSE).
spdf	defunct.
spdfid1	defunct.
spdfid2	defunct.

Details

The "rel" type of discontinuity is the result of $\text{pmax}(\text{value unit 1} / \text{value unit 2}, \text{value unit 2} / \text{value unit 1})$.

The "abs" type of discontinuity is the result of $\text{pmax}(\text{value unit 1} - \text{value unit 2}, \text{value unit 2} - \text{value unit 1})$.

Value

An [invisible](#) sf object (MULTISTRING) with the discontinuity measures is returned.

See Also

[getBorders](#), [gradLinkLayer](#), [legendGradLines](#)

Examples

```

data(nuts2006)
# Get borders
nuts0.contig <- getBorders(x = nuts0.spdf)
# GDP per capita
nuts0.df$gdpcap <- nuts0.df$gdppps2008/nuts0.df$pop2008
# Plot countries
plot(nuts0.spdf, col="#CCCCCC", lwd=1, border="white")
# Plot discontinuities
disclayer(x = nuts0.contig, df = nuts0.df,
          var = "gdpcap", col="red", nclass=5,
          method="quantile", threshold = 0.5, sizemin = 1,
          sizemax = 10, type = "rel", legend.frame = TRUE,
          legend.title.txt = "GDP per Capita discontinuities\n(relative)",
          legend.pos = "topright", add=TRUE)

mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Get borders
mtq.borders <- getBorders(x = mtq)
# Employees share in the pop
mtq$emp_share <- 100 * mtq$C13_CS5/mtq$C13_POP
# Plot this share
choroLayer(x = mtq, var = "emp_share", border = NA, method = 'q6',
           legend.values.rnd = 1, legend.pos = "topleft",
           legend.title.txt = "Share of employees\nin the population\n(age > 15 y.o.)" )
# Plot discontinuities
disclayer(x = mtq.borders, df = mtq,
          var = "emp_share", col="darkorange2", nclass=3,
          method="quantile", threshold = 0.5, sizemin = 0.5,
          sizemax = 10, type = "abs",
          legend.title.txt = "Discontinuities\n(absolute difference)",
          legend.pos = "bottomleft", add=TRUE)

```

display.carto.all

Display all Cartographic Palettes

Description

Display all the available color palettes.

Usage

```
display.carto.all(n = 10)
```

Arguments

n number of colors in the gradients (from 1 to 20).

See Also

[carto.pal](#), [display.carto.pal](#), [carto.pal.info](#)

Examples

```
display.carto.all(1)
display.carto.all(5)
display.carto.all(8)
display.carto.all(12)
display.carto.all(20)
```

`display.carto.pal` *Display one Cartographic Palette*

Description

Display one color palette.

Usage

```
display.carto.pal(name)
```

Arguments

name name of the palette available in the package (see Details).

Details

Sequential palettes:

- blue.pal
- orange.pal
- red.pal
- brown.pal
- green.pal
- purple.pal
- pink.pal
- wine.pal
- grey.pal
- turquoise.pal
- sand.pal

- taupe.pal
- kaki.pal
- harmo.pal

Qualitative palettes:

- pastel.pal
- multi.pal

See Also

[carto.pal](#), [display.carto.all](#), [carto.pal.info](#)

Examples

```
display.carto.pal("orange.pal")
display.carto.pal("sand.pal")
```

dotDensityLayer	<i>Dot Density layer</i>
-----------------	--------------------------

Description

Plot a dot density layer.

Usage

```
dotDensityLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var, n = NULL,
  iter = 5, pch = 1, cex = 0.15, type = "random", col = "black",
  legend.pos = "topright", legend.txt = NULL, legend.cex = 0.6,
  legend.col = "black", legend.frame = TRUE, add = TRUE)
```

Arguments

x	an sf object, a simple feature collection. If x is used then spdf, df, spdfid and dfid are not.
spdf	a SpatialPolygonsDataFrame.
df	a data frame that contains the values to plot. If df is missing spdf@data is used instead.
spdfid	id field in spdf, default to the first column of the spdf data frame. (optional)
dfid	id field in df, default to the first column of df. (optional)
var	name of the numeric field in df to plot.
n	one dot on the map represents n (in var units).
iter	number of iteration to try to locate sample points (see Details).
pch	symbol to use: points .

<code>cex</code>	size of the symbols
<code>type</code>	points allocation method: "random" or "regular" (see Details).
<code>col</code>	color of the points.
<code>legend.pos</code>	"topright", "left", "right", "bottomleft", "bottom", "bottomright". If <code>legend.pos</code> is "n" then the legend is not plotted.
<code>legend.txt</code>	text in the legend.
<code>legend.cex</code>	size of the legend text.
<code>legend.col</code>	color of the text in the legend.
<code>legend.frame</code>	whether to add a frame to the legend (TRUE) or not (FALSE).
<code>add</code>	whether to add the layer to an existing plot (TRUE) or not (FALSE).

Details

The `iter` parameter is defined within the [spsample](#) function. If an error occurred, increase this value. The `type` parameters is defined within the [spsample](#) function.

See Also

[propSymbolsLayer](#)

Examples

```
data("nuts2006")
# Example 1
plot(nuts0.spdf)
dotDensityLayer(spdf = nuts0.spdf, df=nuts0.df, var="pop2008")

# Example 2
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
plot(st_geometry(mtq), col = "#B8704D50", border = "white")
dotDensityLayer(x = mtq, var="P13_POP", pch=20, col = "brown", n = 50)
layoutLayer(title = "Population in Martinique, 2013",
            sources = "INSEE, 2016", scale = NULL, frame = FALSE,
            theme = "brown.pal")
```

frame.spdf

Frame around Europe

Description

Frame around European countries.

Format

SpatialPolygonsDataFrame.

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

getBorders	<i>Extract Polygons Borders</i>
------------	---------------------------------

Description

Extract borders between polygons.

Usage

```
getBorders(x, id, spdf, spdfid = NULL)
```

Arguments

x	an sf object, a simple feature collection or a SpatialPolygonsDataFrame.
id	identifier field in x or spdf, default to the first column. (optional)
spdf	deprecated, a SpatialPolygonsDataFrame. This SpatialPolygonsDataFrame has to be projected (planar coordinates).
spdfid	deprecated, identifier field in spdf, default to the first column of the spdf data frame. (optional)

Value

An sf object (MULTILINESTRING) of borders is returned. This object has three id fields: id, id1 and id2. id1 and id2 are ids of units that neighbour a border; id is the concatenation of id1 and id2 (with "_" as separator).

Note

getBorders and getOuterBorders can be combined with rbind.

See Also

[discLayer](#), [getOuterBorders](#)

Examples

```
data(nuts2006)
# Get borders
nuts0.contig <- getBorders(x = nuts0.spdf)
# Plot Countries
plot(nuts0.spdf, border = NA, col = "grey60")
# Plot borders
plot(st_geometry(nuts0.contig),
     col = sample(x = rainbow(nrow(nuts0.contig))),
```



```

    lwd = 3, add = TRUE)

mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Get borders
mtq.borders <- getBorders(x = mtq)
# Plot polygons
plot(st_geometry(mtq), border = NA, col = "grey60")
# Plot borders
plot(st_geometry(mtq.borders),
     col = sample(x = rainbow(nrow(nuts0.contig))),
     lwd = 3, add = TRUE)

```

getBreaks

Discretization

Description

A function to discretize continuous variables.

Usage

```
getBreaks(v, nclass = NULL, method = "quantile", k = 1, middle = FALSE)
```

Arguments

v	a vector of numeric values.
nclass	a number of classes
method	a discretization method; one of "sd", "equal", "quantile", "fisher-jenks", "q6", "geom", "arith", "em" or "msd" (see Details).
k	number of standard deviation for "msd" method (see Details)..
middle	creation of a central class for "msd" method (see Details).

Details

"sd", "equal", "quantile" and "fisher-jenks" are [classIntervals](#) methods.

Jenks and Fisher-Jenks algorithms are based on the same principle and give quite similar results but Fisher-Jenks is much faster.

The "q6" method uses the following [quantile](#) probabilities: 0, 0.05, 0.275, 0.5, 0.725, 0.95, 1.

The "geom" method is based on a geometric progression along the variable values.

The "arith" method is based on an arithmetic progression along the variable values.

The "em" method is based on nested averages computation.

The "msd" method is based on the mean and the standard deviation of a numeric vector. The nclass parameter is not relevant, use k and middle instead. k indicates the extent of each class in share of standard deviation. If middle=TRUE then the mean value is the center of a class else the mean is a break value.

Value

A numeric vector of breaks

Note

This function is mainly a wrapper `classInt::classIntervals + arith, em, q6, geom` and `msd` methods.

Examples

```
data("nuts2006")
# Create the natality rate
var <- nuts2.df$birth_2008/nuts2.df$pop2008 * 1000

# Histogram
hist(var, probability = TRUE, nclass = 30)
rug(var)
moy <- mean(var)
med <- median(var)
abline(v = moy, col = "red", lwd = 3)
abline(v = med, col = "blue", lwd = 3)

# Quantile intervals
breaks <- getBreaks(v = var, nclass = 6, method = "quantile")
hist(var, probability = TRUE, breaks = breaks, col = "#F0D9F9")
rug(var)
med <- median(var)
abline(v = med, col = "blue", lwd = 3)

# Geometric intervals
breaks <- getBreaks(v = var, nclass = 8, method = "geom")
hist(var, probability = TRUE, breaks = breaks, col = "#F0D9F9")
rug(var)

# Mean and standard deviation (msd)
breaks <- getBreaks(v = var, method = "msd", k = 1, middle = TRUE)
hist(var, probability = TRUE, breaks = breaks, col = "#F0D9F9")
rug(var)
moy <- mean(var)
sd <- sd(var)
abline(v = moy, col = "red", lwd = 3)
abline(v = moy + 0.5 * sd, col = "blue", lwd = 3)
abline(v = moy - 0.5 * sd, col = "blue", lwd = 3)
```

getFigDim

Get Figure Dimensions

Description

Give the dimension of a map figure to be exported in raster or vector format. Output dimension are based on a spatial object dimension ratio, margins of the figure, a targeted width or height and a resolution.

Usage

```
getFigDim(x, spdf, width = NULL, height = NULL, mar = par("mar"),
          res = 72)
```

Arguments

x	an sf object, a simple feature collection or a Spatial*DataFrame.
spdf	deprecated, a Spatial*DataFrame.
width	width of the figure (in pixels), either width or height must be set.
height	height of the figure (in pixels), either width or height must be set.
mar	a numerical vector of the form c(bottom, left, top, right) which gives the number of lines of margin to be specified on the four sides of the plot (see par).
res	the nominal resolution in ppi which will be recorded in the bitmap file.

Details

The function can be used to export vector or raster files (see examples).

Value

A vector of width and height in pixels is returned.

Examples

```
## Not run:
data("nuts2006")
italy <- nuts0.spdf[nuts0.spdf$id=="IT",]

## PNG export
# get figure dimension
sizes <- getFigDim(x = italy, width = 450, mar = c(0,0,1.2,0))
# export the map
png(filename = "Italy.png", width = sizes[1], height = sizes[2])
par(mar = c(0,0,1.2,0))
plot(italy, col = NA, border=NA, bg = "#A6CAE0")
plot(world.spdf, col = "#E3DEBF", border = NA, add = TRUE)
plot(italy, col = "#D1914D", border = "white", add = TRUE)
```

```

layoutLayer(title = "Map of Italy")
dev.off()

## PDF export
# get figure dimension
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
sizes <- getFigDim(x = mtq, width = 450, mar = c(1,1,2.2,1))
# export the map
pdf(file = "Martinique.pdf", width = sizes[1]/72, height = sizes[2]/72)
par(mar = c(1,1,2.2,1))
plot(st_geometry(mtq), col = "#D1914D", border = "white", bg = "#A6CAE0")
layoutLayer(title = "Map of Martinique")
dev.off()

## End(Not run)

```

getGridData

Compute Data for a Grid Layer

Description

Defunct

Usage

```
getGridData(x, df, dfid = NULL, var)
```

Arguments

x	...
df	...
dfid	...
var	...

getGridLayer

Build a Regular Grid Layer

Description

Build a regular grid based on an sf object or a SpatialPolygonsDataFrame.

Usage

```
getGridLayer(x, cellsize, type = "regular", var, spdf, spdfid = NULL)
```

Arguments

x	an sf object, a simple feature collection or a SpatialPolygonsDataFrame.
cellsize	targeted area of the cell, in map units.
type	shape of the cell, "regular" for squares, "hexagonal" for hexagons.
var	name of the numeric field(s) in x to adapt to the grid (a vector).
spdf	deprecated, a SpatialPolygonsDataFrame.
spdfid	deprecated, identifier field in spdf, default to the first column of the spdf data frame. (optional)

Value

A grid is returned as an sf object.

Examples

```
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Plot density of population
mtq$dens <- mtq$P13_POP / (st_area(mtq) / (1000 * 1000))
bks <- getBreaks(v = mtq$dens, method = "q6")
cols <- carto.pal(pal1 = "taupe.pal", n1 = 6)
opar <- par(mfrow = c(1,2), mar = c(0,0,0,0))
choroLayer(x = mtq, var = "dens", breaks = bks,
           border = "burlywood3", col = cols,
           legend.pos = "topright", legend.values.rnd = 1,
           legend.title.txt = "Population density")

mygrid <- getGridLayer(x = mtq, cellsize = 3000 * 3000,
                     type = "regular", var = "P13_POP")
## conversion from square meter to square kilometers
mygrid$densitykm <- mygrid$P13_POP / (mygrid$gridarea / (1000 * 1000))
choroLayer(x = mygrid, var = "densitykm", breaks = bks,
           border = "burlywood3", col = cols,
           legend.pos = "n", legend.values.rnd = 1,
           legend.title.txt = "Population density")
plot(mtq, lwd = 0.2, add=TRUE, border = "#ffffff75")

data(nuts2006)
nuts2.spdf@data = nuts2.df
mygrid <- getGridLayer(x = nuts2.spdf, cellsize = 200000 * 200000,
                     type = "regular", var = "pop2008")
# Plot total population
plot(st_geometry(mygrid), col="#CCCCCC",border="white")
propSymbolsLayer(x = mygrid, var = "pop2008", border = "white",
                legend.style = "e", legend.pos = "right",
                legend.title.txt = "Total population",
                inches = 0.1, col = "black", add = TRUE)

# Plot density of population
## conversion from square meter to square kilometers
```

```

mygrid$densitykm <- mygrid$pop2008 * 1000 * 1000 / mygrid$gridarea
cols <- carto.pal(pal1 = "taupe.pal", n1 = 6)
choroLayer(x = mygrid, var = "densitykm",
           border = "grey80", col = cols, method = "q6",
           legend.pos = "right", legend.values.rnd = 1,
           legend.title.txt = "Population density")
par(opar)

```

getLinkLayer

Create a Links Layer from a Data Frame of Links.

Description

Create a links layer from a data frame of links.

Usage

```

getLinkLayer(x, xid = NULL, df, dfid = NULL, spdf, spdf2 = NULL,
             spdfid = NULL, spdf2id = NULL, dfids = NULL, dfide = NULL)

```

Arguments

x	an sf object, a simple feature collection (or a Spatial*DataFrame).
xid	identifier field in x, default to the first column (optional)
df	a data frame that contains identifiers of starting and ending points.
dfid	identifier fields in df, character vector of length 2, default to the two first columns. (optional)
spdf	defunct.
spdf2	defunct.
spdfid	defunct.
spdf2id	defunct.
dfids	defunct.
dfide	defunct.

Value

An sf LINESTRING is returned, it contains two fields (origins and destinations).

See Also

[gradLinkLayer](#), [propLinkLayer](#)

Examples

```

data("nuts2006")
# Create a link layer
head(twincities.df)
# Select links from Ireland (IE)
twincitiesIE <- twincities.df[substr(twincities.df$i,1,2)=="IE", ]
twincities.sf <- getLinkLayer(x = nuts2.spdf, df = twincitiesIE, dfid = c("i", "j"))
# Plot the links
plot(nuts2.spdf, col = "#6C6870")
plot(twincities.sf, col = "#F78194", add = TRUE)

```

getOuterBorders	<i>Extract Polygons Outer Borders</i>
-----------------	---------------------------------------

Description

Extract outer borders between polygons. Outer borders are non-contiguous polygons borders (e.g. maritim borders).

Usage

```
getOuterBorders(x, id, res = NULL, width = NULL, spdf, spdfid = NULL)
```

Arguments

x	an sf object, a simple feature collection or a SpatialPolygonsDataFrame.
id	identifier field in x, default to the first column. (optional)
res	resolution of the grid used to compute borders (in x units). A high resolution will give more detailed borders. (optional)
width	maximum distance between used to compute borders (in x units). A higher width will build borders between units that are farther apart. (optional)
spdf	deprecated, a SpatialPolygonsDataFrame. This SpatialPolygonsDataFrame has to be projected (planar coordinates).
spdfid	deprecated, identifier field in spdf, default to the first column of the spdf data frame. (optional)

Value

An sf object (MULTILINESTRING) of borders is returned. This object has three id fields: id, id1 and id2. id1 and id2 are ids of units that neighbour a border; id is the concatenation of id1 and id2 (with "_" as separator).

Note

getBorders and getOuterBorders can be combined with rbind.

See Also

[discLayer](#), [getBorders](#)

Examples

```
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Get units borders
mtq.outer <- getOuterBorders(x = mtq, res = 1000, width = 2500)
# Plot communes
plot(mtg$geometry, col = "grey60")
# Plot borders
plot(mtg.outer, col = sample(x = rainbow(nrow(mtg.outer))),
      lwd = 3, add = TRUE)

data(nuts2006)
# Get units borders
nuts0.outer <- getOuterBorders(x = nuts0.spdf)
# Plot Countries
plot(nuts0.spdf, border = NA, col = "grey60")
# Plot borders
plot(nuts0.outer, col = sample(x = rainbow(nrow(nuts0.outer))),
      lwd = 3, add = TRUE)
```

getTiles

Get Tiles from Open Map Servers

Description

Get map tiles based on a spatial object extent. Maps can be fetched from various open map servers.

Usage

```
getTiles(x, spdf, type = "osm", zoom = NULL, crop = FALSE)
```

Arguments

x	an sf object, a simple feature collection or a Spatial*DataFrame.
spdf	deprecated, a Spatial*DataFrame with a valid projection attribute.
type	the tile server from which to get the map, one of "osm", "opencycle", "hotstyle", "loviniahike", "loviniacycle", "hikebike", "osmgrayscale", "stamenbw", "stamenwatercolor", "osmtransport", "thunderforestlandscape", "thunderforestoutdoors", "cartodark", "cartolight".
zoom	the zoom level. If null, it is determined automatically (see Details).
crop	TRUE if results should be cropped to the specified spdf extent, FALSE otherwise.

Details

Zoom levels are described on the OpenStreetMap wiki: http://wiki.openstreetmap.org/wiki/Zoom_levels.

Value

A RatslerBrick is returned.

Note

This function is a wrapper around the `osm.raster` function from the `rosm` package. Use directly the `rosm` package to have a finer control over extraction and display parameters.

See Also

[tilesLayer](#)

Examples

```
## Not run:
data("nuts2006")
# extract Denmark
spdf <- nuts0.spdf[nuts0.spdf$id=="DK",]
# Download the tiles, extent = Denmark
den <- getTiles(spdf = spdf, type = "osm", crop = TRUE)
class(den)
# Plot the tiles
tilesLayer(den)
# Map tiles sources
mtext(text = "© OpenStreetMap contributors, under CC BY SA.",
      side = 1, adj = 0, cex = 0.7, font = 3)

mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Download the tiles, extent = Martinique
mtqOSM <- getTiles(x = mtq, type = "osm", crop = TRUE)
# Plot the tiles
tilesLayer(mtqOSM)
# Plot countries
plot(st_geometry(mtq), add=TRUE)
mtext(text = "© OpenStreetMap contributors, under CC BY SA.",
      side = 1, adj = 0, cex = 0.7, font = 3)

## End(Not run)
```

gradLinkLayer

*Graduated Links Layer***Description**

Plot a layer of graduated links. Links are plotted according to discrete classes of widths.

Usage

```
gradLinkLayer(x, df, xid = NULL, dfid = NULL, var, breaks = getBreaks(v =
  df[, var], nclass = 4, method = "quantile"), lwd = c(1, 2, 4, 6),
  col = "red", legend.pos = "bottomleft", legend.title.txt = var,
  legend.title.cex = 0.8, legend.values.cex = 0.6, legend.values.rnd = 0,
  legend.frame = FALSE, add = TRUE, spdf, spdfid, spdfids, spdfide, dfids,
  dfide)
```

Arguments

x	an sf object, a simple feature collection.
df	a data frame that contains identifiers of starting and ending points and a variable.
xid	identifier fields in x, character vector of length 2, default to the 2 first columns. (optional)
dfid	identifier fields in df, character vector of length 2, default to the two first columns. (optional)
var	name of the variable used to plot the links widths.
breaks	break values in sorted order to indicate the intervals for assigning the lines widths.
lwd	vector of widths (classes of widths).
col	color of the links.
legend.pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.pos is "n" then the legend is not plotted.
legend.title.txt	title of the legend.
legend.title.cex	size of the legend title.
legend.values.cex	size of the values in the legend.
legend.values.rnd	number of decimal places of the values displayed in the legend.
legend.frame	whether to add a frame to the legend (TRUE) or not (FALSE).
add	whether to add the layer to an existing plot (TRUE) or not (FALSE).
spdf	defunct.

spdfid	defunct.
spdfids	defunct.
spdfide	defunct.
dfids	defunct.
dfide	defunct.

Note

Unlike most of cartography functions, identifiers fields are mandatory.

See Also

[getLinkLayer](#), [propLinkLayer](#), [legendGradLines](#)

Examples

```
data("nuts2006")
# Create a link layer
twincities.sf <- getLinkLayer(x = nuts2.spdf, df = twincities.df[,1:2])
# Plot the links - Twin cities agreements between regions
plot(nuts0.spdf, col = "grey60",border = "grey20")
gradLinkLayer(x = twincities.sf, df = twincities.df,
              legend.pos = "topright",
              var = "fij", breaks = c(2,5,15,20,30), lwd = c(0.1,1,4,10),
              col = "#92000090", add = TRUE)
```

gradLinkTypoLayer	<i>Graduated and Colored Links Layer</i>
-------------------	--

Description

Plot a layer of colored and graduated links. Links are plotted according to discrete classes of widths. Colors depend on a discrete variable of categories.

Usage

```
gradLinkTypoLayer(x, df, xid = NULL, dfid = NULL, var,
                 breaks = getBreaks(v = df[, var], nclass = 4, method = "quantile"),
                 lwd = c(1, 2, 4, 6), var2, col = NULL, colNA = "white",
                 legend.title.cex = 0.8, legend.values.cex = 0.6, legend.values.rnd = 0,
                 legend.var.pos = "bottomleft", legend.var.title.txt = var,
                 legend.var.frame = FALSE, legend.var2.pos = "topright",
                 legend.var2.title.txt = var2, legend.var2.values.order = NULL,
                 legend.var2.nodata = "no data", legend.var2.frame = FALSE, add = TRUE,
                 spdf, spdfid, spdfids, spdfide, dfids, dfide)
```

Arguments

<code>x</code>	an sf object, a simple feature collection.
<code>df</code>	a data frame that contains identifiers of starting and ending points and variables.
<code>xid</code>	identifier fields in x, character vector of length 2, default to the 2 first columns. (optional)
<code>dfid</code>	identifier fields in df, character vector of length 2, default to the two first columns. (optional)
<code>var</code>	name of the variable used to plot the links widths.
<code>breaks</code>	break values in sorted order to indicate the intervals for assigning the lines widths.
<code>lwd</code>	vector of widths (classes of widths).
<code>var2</code>	name of the variable used to plot the links colors.
<code>col</code>	color of the links.
<code>colNA</code>	no data color.
<code>legend.title.cex</code>	size of the legend title.
<code>legend.values.cex</code>	size of the values in the legend.
<code>legend.values.rnd</code>	number of decimal places of the values in the legend.
<code>legend.var.pos</code>	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
<code>legend.var.title.txt</code>	title of the legend (numeric data).
<code>legend.var.frame</code>	whether to add a frame to the legend (TRUE) or not (FALSE).
<code>legend.var2.pos</code>	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
<code>legend.var2.title.txt</code>	title of the legend (factor data).
<code>legend.var2.values.order</code>	values order in the legend, a character vector that matches var modalities. Colors will be affected following this order.
<code>legend.var2.nodata</code>	text for "no data" values
<code>legend.var2.frame</code>	whether to add a frame to the legend (TRUE) or not (FALSE).
<code>add</code>	whether to add the layer to an existing plot (TRUE) or not (FALSE).
<code>spdf</code>	defunct.

spdfid	defunct.
spdfids	defunct.
spdfide	defunct.
dfids	defunct.
dfide	defunct.

Note

Unlike most of cartography functions, identifiers fields are mandatory.

See Also

[getLinkLayer](#), [propLinkLayer](#), [legendGradLines](#), [gradLinkLayer](#)

Examples

```
data("nuts2006")
# Create a link layer
twincities.spdf <- getLinkLayer(x = nuts2.spdf, df = twincities.df)

# Plot the links - Twin cities agreements between regions
plot(nuts0.spdf, col = "grey60",border = "grey20")

# Countries of agreements
twincities.df$ctry <- substr(twincities.df$j,1,2)

# Agreements with german cities
twincitiesok <- twincities.df[substr(twincities.df$i,1,2)=="DE",]

# plot the colored and graduated links
gradLinkTypoLayer(x = twincities.spdf, df = twincitiesok,
  var = "fij", breaks = c(5,10,15,20),
  lwd = c(1,4,8),
  var2 = "ctry", add = TRUE)
```

graticule.spdf

Graticule around Europe

Description

Graticule around Europe.

Format

SpatialLines.

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

 labelLayer

Label Layer

Description

Put labels on a map.

Usage

```
labelLayer(x, spdf, df, spdfid = NULL, dfid = NULL, txt, col = "black",
           cex = 0.7, overlap = TRUE, show.lines = TRUE, halo = FALSE,
           bg = "white", r = 0.1, ...)
```

Arguments

x	an sf object, a simple feature collection.
spdf	a SpatialPointsDataFrame or a SpatialPolygonsDataFrame; if spdf is a SpatialPolygonsDataFrame texts are plotted on centroids.
df	a data frame that contains the labels to plot. If df is missing spdf@data is used instead.
spdfid	identifier field in spdf, default to the first column of the spdf data frame. (optional)
dfid	identifier field in df, default to the first column of df. (optional)
txt	labels field in df.
col	labels color.
cex	labels cex.
overlap	if FALSE, labels are moved so they do not overlap.
show.lines	if TRUE, then lines are plotted between x,y and the word, for those words not covering their x,y coordinate
halo	If TRUE, then a 'halo' is printed around the text and additional arguments bg and r can be modified to set the colour and width of the halo.
bg	halo color if halo is TRUE
r	width of the halo
...	further text arguments.

See Also

[layoutLayer](#)

Examples

```

opar <- par(mar = c(0,0,0,0))
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
plot(st_geometry(mtq), col = "darkseagreen3", border = "darkseagreen4",
      bg = "#A6CAE0")
labelLayer(x = mtq, txt = "LIBGEO", col= "black", cex = 0.7, font = 4,
           halo = TRUE, bg = "white", r = 0.1,
           overlap = FALSE, show.lines = FALSE)
par(opar)

data("nuts2006")

plot(nuts0.spdf, border = NA, col = NA, add = FALSE, bg = "#A6CAE0")
plot(world.spdf, col = "#E3DEBF", border=NA, add=TRUE)
plot(nuts0.spdf, col = "#D1914D",border = "white", lwd=1, add=TRUE)

# Selection of the 10 most populated countries of Europe
dflab <- nuts0.df[order(nuts0.df$pop2008, decreasing = TRUE),][1:10,]

# Label creation
dflab$lab <- paste(dflab$id, "\n", round(dflab$pop2008/1000000,0), "M", sep = "")

# Label plot of the 10 most populated countries
labelLayer(spdf = nuts0.spdf, df = dflab, txt = "lab",
           col = "#690409", cex = 0.9, font = 2)
text(x = 5477360, y = 4177311, labels = "The 10 most populated countries of Europe
Total population 2008, in millions of inhabitants.",
     cex = 0.7, adj = 0)

# Layout plot
layoutLayer(title = "Most Populated Countries of Europe",
           author = "", sources = "",
           scale = NULL, col = NA, coltitle = "black",
           frame = FALSE, south = TRUE)

```

layoutLayer

Layout Layer

Description

Plot a layout layer.

Usage

```

layoutLayer(title = "Title of the map, year", sources = "Source(s)",
           author = "Author(s)", col = "black", coltitle = "white", theme = NULL,
           bg = NULL, scale = 0, frame = TRUE, north = FALSE, south = FALSE,
           extent = NULL)

```

Arguments

title	title of the map.
sources	sources of the map (or something else).
author	author of the map (or something else).
col	color of the title box and frame border.
coltitle	color of the title.
theme	name of a cartographic palette (see carto.pal.info). col and coltitle are set according to the chosen palette.
bg	color of the frame background.
scale	size of the scale bar in kilometers. If set to NULL, no scale bar is displayed, if set to 0 an automatic scale bar is displayed (1/10 of the map width).
frame	whether displaying a frame (TRUE) or not (FALSE).
north	whether displaying a North arrow (TRUE) or not (FALSE).
south	whether displaying a South arrow (TRUE) or not (FALSE).
extent	sf object or Spatial*DataFrame; sets the extent of the frame to the one of a spatial object. (optional)

Details

If extent is not set, plot.new has to be called first.

The size of the title box in layoutLayer is fixed to 1.2 lines height.

See Also

[labellayer](#)

Examples

```
# Example 1
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
plot(st_geometry(mtq), col = "grey60", border = "grey20")
# Layout plot
layoutLayer()

# Example 2
data("nuts2006")
plot(nuts0.spdf, col=NA, border = NA, bg = "#A6CAE0")
plot(world.spdf, col = "#E3DEBF", border=NA, add=TRUE)
plot(nuts0.spdf, col = "#D1914D", border = "white", lwd=1, add=TRUE)
layoutLayer(col = NA, coltitle = "black",
            sources = "", author = "",
            frame = FALSE,
            south = TRUE)

# Example 3
nuts3.df$gdphab <- 1000000 * nuts3.df$gdppps2008 / nuts3.df$pop2008
choroLayer(spdf = nuts3.spdf, df = nuts3.df, var = "gdphab",
```



```

        legend.pos = "right", border = NA, nclass = 6,
        col = carto.pal('green.pal', 6))
# Layout plot
layoutLayer(title = "GDP per Inhabitants", sources = "",
            author = "Eurostat, 2008", theme = "green.pal")

```

legendBarsSymbols

Legend for Proportional Bars Maps

Description

Plot legend for proportional bars maps

Usage

```

legendBarsSymbols(pos = "topleft", title.txt = "Title of the legend",
  title.cex = 0.8, cex = 1, values.cex = 0.6, var, inches, col = "red",
  frame = FALSE, values.rnd = 0, style = "c")

```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
cex	size of the legend. 2 means two times bigger.
values.cex	size of the values in the legend.
var	vector of values (at least min and max).
inches	height of the higher bar.
col	color of symbols.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
values.rnd	number of decimal places of the values in the legend.
style	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.

Examples

```

data("nuts2006")
plot(nuts0.spdf)

legendBarsSymbols(pos = "topleft", title.txt = "Title of\nthe legend",
  title.cex = 0.8, values.cex = 0.6, cex = 1,
  var = c(min(nuts0.df$pop2008), max(nuts0.df$pop2008)),
  inches = 0.5,
  col = "purple",
  values.rnd=0, style = "e")

```

 legendChoro

Legend for Choropleth Maps

Description

Plot legend for choropleth maps.

Usage

```
legendChoro(pos = "topleft", title.txt = "Title of the legend",
  title.cex = 0.8, values.cex = 0.6, breaks, col, cex = 1,
  values.rnd = 2, nodata = TRUE, nodata.txt = "No data",
  nodata.col = "white", frame = FALSE, symbol = "box")
```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
values.cex	size of the values in the legend.
breaks	break points in sorted order to indicate the intervals for assigning the colors. Note that if there are nlevel colors (classes) there should be (nlevel+1) break-points. It is possible to use a vector of characters.
col	a vector of colors.
cex	size of the legend. 2 means two times bigger.
values.rnd	number of decimal places of the values in the legend.
nodata	if TRUE a "no data" box or line is plotted.
nodata.txt	label for "no data" values.
nodata.col	color of "no data" values.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
symbol	type of symbol in the legend 'line' or 'box'

Examples

```
data("nuts2006")
plot(nuts0.spdf, col = "grey")
box()
legendChoro(pos = "bottomleft", title.txt = "Title of the legend", title.cex = 0.8,
  values.cex = 0.6, breaks = c(1,2,3,4,10.27,15.2),
  col = carto.pal(pal1 = "orange.pal",n1 = 5), values.rnd =2,
  nodata = TRUE, nodata.txt = "No data available", frame = TRUE, symbol="box")
legendChoro(pos = "bottomright", title.txt = "Title of the legend", title.cex = 0.8,
```

```

values.cex = 0.6, breaks = c(1,2,5,7,10,15.27),
col = carto.pal(pal1 = "wine.pal",n1 = 5), values.rnd = 0,
nodata = TRUE, nodata.txt = "NA",nodata.col = "black",
frame = TRUE, symbol="line")
legendChoro(pos = "topright", title.txt = "Title of the legend", title.cex = 0.8,
values.cex = 0.6,
breaks = c(0,"two","100","1 000","10,000", "1 Million"),
col = carto.pal(pal1 = "orange.pal",n1 = 5), values.rnd =2,
nodata = TRUE, nodata.txt = "No data available", frame = TRUE,
symbol="box")

```

legendCirclesSymbols *Legend for Proportional Circles Maps*

Description

Plot legend for proportional circles maps

Usage

```

legendCirclesSymbols(pos = "topleft", title.txt = "Title of the legend",
title.cex = 0.8, cex = 1, values.cex = 0.6, var, inches,
col = "#E84923", frame = FALSE, values.rnd = 0, style = "c")

```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
cex	size of the legend. 2 means two times bigger.
values.cex	size of the values in the legend.
var	vector of values (at least min and max).
inches	radii of the biggest circle.
col	color of symbols.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
values.rnd	number of decimal places of the values in the legend.
style	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.

Examples

```

data("nuts2006")
plot(nuts0.spdf)
propSymbolsLayer(spdf = nuts0.spdf, df = nuts0.df, var = "pop2008",
                 inches = 0.2, legend.pos = "n")

legendCirclesSymbols(pos = "topleft", inches = 0.2,
                    var = c(min(nuts0.df$pop2008), max(nuts0.df$pop2008)))

legendCirclesSymbols(pos = "left",
                    var = c(min(nuts0.df$pop2008), max(nuts0.df$pop2008)),
                    inches = 0.2, style = "e")

oopt <- options(scipen = 10)
legendCirclesSymbols(pos = "bottomleft",
                    var = c(35e3, 1e7, 4e7, max(nuts0.df$pop2008)),
                    inches = 0.2, style = "c")
legendCirclesSymbols(pos = "topright", cex = 2,
                    var = c(35e3,1e6, 5e6, 1e7, 2e7, 4e7, 6e7,max(nuts0.df$pop2008)),
                    inches = 0.2, style = "e", frame = TRUE)

options(oopt)

legendCirclesSymbols(pos = c(5533388, 1570417),
                    var = c(min(nuts0.df$pop2008),max(nuts0.df$pop2008)),
                    inches = 0.2, frame = TRUE)

```

legendGradLines

Legend for Graduated Size Lines Maps

Description

Plot legend for graduated size lines maps.

Usage

```

legendGradLines(pos = "topleft", title.txt = "Title of the legend",
               title.cex = 0.8, cex = 1, values.cex = 0.6, breaks, lwd, col,
               values.rnd = 2, frame = FALSE)

```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
cex	size of the legend. 2 means two times bigger.
values.cex	size of the values in the legend.

breaks	break points in sorted order to indicate the intervals for assigning the width of the lines
lwd	a vector giving the width of the lines.
col	color of symbols.
values.rnd	number of decimal places of the values in the legend.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).

Examples

```
data("nuts2006")
plot(nuts0.spdf)
box()
legendGradLines(title.txt = "Title of the legend",
                pos = "topright",
                title.cex = 0.8,
                values.cex = 0.6, breaks = c(1,2,3,4,10.2,15.2),
                lwd = c(0.2,2,4,5,10),
                col = "blue", values.rnd =2)
```

legendPropLines

Legend for Proportional Lines Maps

Description

Plot legend for proportional lines maps

Usage

```
legendPropLines(pos = "topleft", title.txt = "Title of the legend",
                title.cex = 0.8, cex = 1, values.cex = 0.6, var, lwd, col = "red",
                frame = FALSE, values.rnd = 0)
```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
cex	size of the legend. 2 means two times bigger.
values.cex	size of the values in the legend.
var	vector of values (at least min and max).
lwd	width of the larger line.
col	color of symbols.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
values.rnd	number of decimal places of the values in the legend.

Examples

```

data("nuts2006")
plot(nuts0.spdf)
box()
legendPropLines(pos = "topleft", title.txt = "Title",
               title.cex = 0.8, values.cex = 0.6, cex = 1,
               var = c(min(nuts1.df$pop2008),max(nuts1.df$pop2008)),
               lwd = 15,
               col="red", frame=TRUE, values.rnd=0)

```

legendPropTriangles *Legend for Double Proportional Triangles Maps*

Description

Plot legends for double proportional triangles maps.

Usage

```

legendPropTriangles(pos = "topleft", title.txt, var.txt, var2.txt,
                  title.cex = 0.8, cex = 1, values.cex = 0.6, var, var2, r, r2,
                  col = "red", col2 = "blue", frame = FALSE, values.rnd = 0,
                  style = "c")

```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
var.txt	name of var.
var2.txt	name of var2.
title.cex	size of the legend title.
cex	size of the legend. 2 means two times bigger.
values.cex	size of the values in the legend.
var	a first vector of positive values.
var2	a second vector of positive values.
r	a first vector of sizes.
r2	a second vector of sizes.
col	color of symbols.
col2	second color of symbols.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
values.rnd	number of decimal places of the values in the legend.
style	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.

Examples

```

data("nuts2006")
plot(nuts0.spdf)
box()
var <- round((nuts0.df$pop2008 / sum(nuts0.df$pop2008))*100,2)
var2 <- round((nuts0.df$gdppps2008 / sum(nuts0.df$gdppps2008))*100,2)
r <- sqrt(var)/2*1000000
r2 <- sqrt(var2)/2*1000000
legendPropTriangles(pos = "topright", var.txt = "population totale (habs)",
  var2.txt = "pib (euros)", title.txt="PIB par habitant",
  title.cex = 0.8, values.cex = 0.6, cex = 1,
  var = var, var2 = var2, r = r, r2 = r2,
  col="green", col2="yellow", frame=TRUE, values.rnd=2,
  style="c")

```

legendSquaresSymbols *Legend for Proportional Squares Maps*

Description

Plot legend for proportional squares maps

Usage

```

legendSquaresSymbols(pos = "topleft", title.txt = "Title of the legend",
  title.cex = 0.8, cex = 1, values.cex = 0.6, var, inches, col = "red",
  frame = FALSE, values.rnd = 0, style = "c")

```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
cex	size of the legend. 2 means two times bigger.
values.cex	size of the values in the legend.
var	vector of values (at least min and max).
inches	length of the sides of the larger square.
col	color of symbols.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
values.rnd	number of decimal places of the values in the legend.
style	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.

Examples

```

data("nuts2006")
plot(nuts0.spdf)
box()
legendSquaresSymbols(pos = "bottomright", title.txt = "Title of\nthe legend ",
                    title.cex = 0.8, values.cex = 0.6,
                    var = c(max(nuts1.df$pop2008), min(nuts1.df$pop2008)),
                    inches = 0.5,
                    col="red",
                    frame=TRUE, values.rnd=0, style ="c")

```

legendTypo

Legend for Typology Maps

Description

Plot legend for typology maps.

Usage

```

legendTypo(pos = "topleft", title.txt = "Title of the legend",
           title.cex = 0.8, values.cex = 0.6, col, categ, cex = 1, nodata = TRUE,
           nodata.txt = "No data", nodata.col = "white", frame = FALSE,
           symbol = "box")

```

Arguments

pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
title.txt	title of the legend.
title.cex	size of the legend title.
values.cex	size of the values in the legend.
col	a vector of colors.
categ	vector of categories.
cex	size of the legend. 2 means two times bigger.
nodata	if TRUE a "no data" box or line is plotted.
nodata.txt	label for "no data" values.
nodata.col	color of "no data" values.
frame	whether to add a frame to the legend (TRUE) or not (FALSE).
symbol	character; 'line' or 'box'

Examples

```
data("nuts2006")
plot(nuts0.spdf, col = "grey")
box()

# Define labels and colors
someLabels <- c("red color", "yellow color", "green color", "black color")
someColors <- c("red", "yellow", "green", "black")

# plot legend
legendTypo(pos = "bottomleft", title.txt = "Title of the legend", title.cex = 0.8,
           values.cex = 0.6, col = someColors, categ = someLabels,
           cex = 0.75,
           nodata = TRUE, nodata.txt = "no data", frame = TRUE, symbol="box")
legendTypo(pos = "topright", title.txt = "",
           title.cex = 1.5, cex = 1.25,
           values.cex = 1, col = someColors, categ = someLabels,
           nodata = FALSE, frame = FALSE, symbol="line")
```

north

North Arrow

Description

Plot a north arrow.

Usage

```
north(pos = "topright", col = "grey20", south = FALSE)
```

Arguments

pos	position of the north arrow. It can be one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
col	arrow color.
south	plot a south arrow instead.

See Also

[layoutLayer](#)

Examples

```

data("nuts2006")
plot(nuts0.spdf, col = "grey60",border = "grey20", add=FALSE)
box()
for (i in list("topleft", "top", "topright", "right", "bottomright",
              "bottom", "bottomleft", "left", c(3502127, 4770427))){
  north(i)
}

mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
plot(st_geometry(mtq))
box()
for (i in list("topleft", "top", "topright", "right", "bottomright",
              "bottom", "bottomleft", "left", c(746368, 1632993))){
  north(i, south = TRUE)
}

```

nuts0.df

*Nuts0 Dataset***Description**

This dataset contains some socio-economic data

Details

This data frame can be used with the SpatialPolygonsDataFrame nuts0.spdf

Fields

id Unique nuts id (character)
emp2008 Active population in employment in 2008 (thousands persons) (numeric)
act2008 Active population in 2008 (thousands persons) (numeric)
unemp2008 Active population unemployed in 2008 (thousands persons) (numeric)
birth_2008 Number of birth in 2008 (live birth) (numeric)
death_2008 Number of death in 2008 (death) (numeric)
gdppps1999 Gross domestic product (Purchasing Power Standards) in 1999 (million euros) (numeric)
gdppps2008 Gross domestic product (Purchasing Power Standards) in 2008 (million euros) (numeric)
pop1999 Total population in 1999 (inhabitants) (numeric)
pop2008 Total population in 2008 (inhabitants) (numeric)

Source

UMS RIATE - http://www.ums-riate.fr/Webriate/?page_id=151. Data extraction: 2011; data validity: 2008.

nuts0.spdf	<i>Nuts0 Regions</i>
------------	----------------------

Description

Delineations of EU administrative units (level 0, 2006 version).

Format

SpatialPolygonsDataFrame.

Details

This SpatialPolygonsDataFrame can be used with the nuts0.df data frame

Fields

id Unique nuts id (character)

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

nuts1.df	<i>Nuts1 Dataset</i>
----------	----------------------

Description

This dataset contains some socio-economic data

Details

This data frame can be used with the SpatialPolygonsDataFrame nuts1.spdf

Fields

id Unique nuts id (character)

emp2008 Active population in employment in 2008 (thousands persons) (numeric)

act2008 Active population in 2008 (thousands persons) (numeric)

unemp2008 Active population unemployed in 2008 (thousands persons) (numeric)

birth_2008 Number of birth in 2008 (live birth) (numeric)

death_2008 Number of death in 2008 (death) (numeric)

gdppps1999 Gross domestic product (Purchasing Power Standards) in 1999 (million euros) (numeric)

gdppps2008 Gross domestic product (Purchasing Power Standards) in 2008 (million euros) (numeric)

pop1999 Total population in 1999 (inhabitants) (numeric)

pop2008 Total population in 2008 (inhabitants) (numeric)

Source

UMS RIATE - http://www.ums-riate.fr/Webriate/?page_id=151. Data extraction: 2011; data validity: 2008.

nuts1.spdf

Nuts1 Regions

Description

Delineations of EU administrative units (level 1, 2006 version).

Format

SpatialPolygonsDataFrame.

Details

This SpatialPolygonsDataFrame can be used with the nuts1.df data frame

Fields

id Unique nuts id (character)

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

nuts2.df

Nuts2 Dataset

Description

This dataset contains some socio-economic data

Details

This data frame can be used with the SpatialPolygonsDataFrame nuts2.spdf

Fields

id Unique nuts id (character)
 emp2008 Active population in employment in 2008 (thousands persons) (numeric)
 act2008 Active population in 2008 (thousands persons) (numeric)
 unemp2008 Active population unemployed in 2008 (thousands persons) (numeric)
 birth_2008 Number of birth in 2008 (live birth) (numeric)
 death_2008 Number of death in 2008 (death) (numeric)
 gdppps1999 Gross domestic product (Purchasing Power Standards) in 1999 (million euros) (numeric)
 gdppps2008 Gross domestic product (Purchasing Power Standards) in 2008 (million euros) (numeric)
 pop1999 Total population in 1999 (inhabitants) (numeric)
 pop2008 Total population in 2008 (inhabitants) (numeric)

Source

UMS RIATE - http://www.ums-riate.fr/Webriate/?page_id=151. Data extraction: 2011; data validity: 2008.

 nuts2.spdf

Nuts2 Regions

Description

Delineations of EU administrative units (level 2, 2006 version).

Format

SpatialPolygonsDataFrame.

Details

This SpatialPolygonsDataFrame can be used with the nuts2.df data frame

Fields

id Unique nuts id (character)

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

nuts3.df

Nuts3 Dataset

Description

This dataset contains some socio-economic data

Details

This data frame can be used with the SpatialPolygonsDataFrame nuts3.spdf

Fields

id Unique nuts id (character)

birth_2008 Number of birth in 2008 (live birth) (numeric)

death_2008 Number of death in 2008 (death) (numeric)

gdppps1999 Gross domestic product (Purchasing Power Standards) in 1999 (million euros) (numeric)

gdppps2008 Gross domestic product (Purchasing Power Standards) in 2008 (million euros) (numeric)

pop1999 Total population in 1999 (inhabitants) (numeric)

pop2008 Total population in 2008 (inhabitants) (numeric)

Source

UMS RIATE - http://www.ums-riate.fr/Webriate/?page_id=151. Data extraction: 2011; data validity: 2008.

nuts3.spdf

Nuts3 Regions

Description

Delineations of EU administrative units (level 3, 2006 version).

Format

SpatialPolygonsDataFrame.

Details

This SpatialPolygonsDataFrame can be used with the nuts3.df data frame

Fields

id Unique nuts id (character)

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

propLinkLayer	<i>Proportional Links Layer</i>
---------------	---------------------------------

Description

Plot a layer of proportional links. Links widths are directly proportional to values of a variable.

Usage

```
propLinkLayer(x, df, xid = NULL, dfid = NULL, var, maxlwd = 40, col,
  legend.pos = "bottomleft", legend.title.txt = var,
  legend.title.cex = 0.8, legend.values.cex = 0.6, legend.values.rnd = 0,
  legend.frame = FALSE, add = TRUE, spdf, spdfid, spdfids, spdfide, dfids,
  dfide)
```

Arguments

<code>x</code>	an sf object, a simple feature collection.
<code>df</code>	a data frame that contains identifiers of starting and ending points and a variable.
<code>xid</code>	identifier fields in x, character vector of length 2, default to the 2 first columns. (optional)
<code>dfid</code>	identifier fields in df, character vector of length 2, default to the two first columns. (optional)
<code>var</code>	name of the variable used to plot the links widths.
<code>maxlwd</code>	maximum size of the links.
<code>col</code>	color of the links.
<code>legend.pos</code>	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.pos is "n" then the legend is not plotted.
<code>legend.title.txt</code>	title of the legend.
<code>legend.title.cex</code>	size of the legend title.
<code>legend.values.cex</code>	size of the values in the legend.
<code>legend.values.rnd</code>	number of decimal places of the values displayed in the legend.

legend.frame	whether to add a frame to the legend (TRUE) or not (FALSE).
add	whether to add the layer to an existing plot (TRUE) or not (FALSE).
spdf	defunct.
spdfid	defunct.
spdfids	defunct.
spdfide	defunct.
dfids	defunct.
dfide	defunct.

Note

Unlike most of cartography functions, identifiers fields are mandatory.

See Also

[gradLinkLayer](#), [getLinkLayer](#), [legendPropLines](#)

Examples

```
data("nuts2006")
# Create a link layer of the twin cities agreements
twincities.spdf <- getLinkLayer(x = nuts2.spdf, df = twincities.df[,1:2])
# Plot the links - Twin cities agreements between regions
plot(nuts0.spdf, col = "grey60",border = "grey20")
propLinkLayer(x = twincities.spdf, df = twincities.df[twincities.df$fij>=5,],
              maxlwd = 10,
              legend.pos = "topright",
              var = "fij",
              col = "#92000090", add = TRUE)
```

propSymbolsChoroLayer *Proportional and Choropleth Symbols Layer*

Description

Plot a proportional symbols layer with colors based on a quantitative data discretization.

Usage

```
propSymbolsChoroLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var,
                      inches = 0.3, fixmax = NULL, symbols = "circle", border = "grey20",
                      lwd = 1, var2, breaks = NULL, method = "quantile", nclass = NULL,
                      col = NULL, colNA = "white", legend.title.cex = 0.8,
                      legend.values.cex = 0.6, legend.var.pos = "right",
                      legend.var.title.txt = var, legend.var.values.rnd = 0,
                      legend.var.style = "c", legend.var.frame = FALSE,
                      legend.var2.pos = "topright", legend.var2.title.txt = var2,
                      legend.var2.values.rnd = 2, legend.var2.nodata = "no data",
                      legend.var2.frame = FALSE, add = TRUE)
```


Arguments

x	an sf object, a simple feature collection. If x is used then spdf, df, spdfid and dfid are not.
spdf	SpatialPointsDataFrame or SpatialPolygonsDataFrame; if spdf is a SpatialPolygonsDataFrame symbols are plotted on centroids.
df	a data frame that contains the values to plot. If df is missing spdf@data is used instead.
spdfid	identifier field in spdf, default to the first column of the spdf data frame. (optional)
dfid	identifier field in df, default to the first column of df. (optional)
var	name of the numeric field in df to plot the symbols sizes.
inches	size of the biggest symbol (radius for circles, width for squares, height for bars) in inches.
fixmax	value of the biggest symbol (see propSymbolsLayer Details).
symbols	type of symbols, one of "circle", "square" or "bar".
border	color of symbols borders.
lwd	width of symbols borders.
var2	name of the numeric field in df to plot the colors.
breaks	break points in sorted order to indicate the intervals for assigning the colors. Note that if there are nlevel colors (classes) there should be (nlevel+1) break-points (see choroLayer Details).
method	a discretization method; one of "sd", "equal", "quantile", "fisher-jenks", "q6" or "geom" (see choroLayer Details).
nclass	a targeted number of classes. If null, the number of class is automatically defined (see choroLayer Details).
col	a vector of colors. Note that if breaks is specified there must be one less colors specified than the number of break.
colNA	no data color.
legend.title.cex	size of the legend title.
legend.values.cex	size of the values in the legend.
legend.var.pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.var.pos is "n" then the legend is not plotted.
legend.var.title.txt	title of the legend (proportional symbols).
legend.var.values.rnd	number of decimal places of the values in the legend.
legend.var.style	either "c" or "e". The legend has two display styles.

`legend.var.frame`
whether to add a frame to the legend (TRUE) or not (FALSE).

`legend.var2.pos`
position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If `legend.var2.pos` is "n" then the legend is not plotted.

`legend.var2.title.txt`
title of the legend (colors).

`legend.var2.values.rnd`
number of decimal places of the values in the legend.

`legend.var2.nodata`
text for "no data" values

`legend.var2.frame`
whether to add a frame to the legend (TRUE) or not (FALSE).

`add`
whether to add the layer to an existing plot (TRUE) or not (FALSE).

See Also

[legendBarsSymbols](#), [legendChoro](#), [legendCirclesSymbols](#), [legendSquaresSymbols](#), [choroLayer](#), [propSymbolsLayer](#)

Examples

```
data("nuts2006")
## Example 1
# Growth rate
nuts0.df$cagr <- (((nuts0.df$pop2008 / nuts0.df$pop1999)^(1/9)) - 1) * 100
# Countries plot
plot(nuts0.spdf, col = "grey60",border = "grey20", add=FALSE)
# Plot the symbols
propSymbolsChoroLayer(spdf = nuts0.spdf, df = nuts0.df,symbols = "circle",
                      var = "pop2008", var2 = "cagr")

## Example 2
# Share of farmers in Martinique
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
mtq$shareCS1 <- 100 * mtq$C13_CS1/mtq$C13_POP
plot(st_geometry(mtg), col = "grey60",border = "white",
     lwd=0.4, bg = "lightsteelblue1")
propSymbolsChoroLayer(x = mtq, var = "C13_POP", var2 = "shareCS1",
                      col = carto.pal(pal1 = "blue.pal", n1 = 3,
                                       pal2 = "red.pal", n2 = 3),
                      inches = 0.2, method = "q6",
                      border = "grey50", lwd = 1,
                      legend.var.pos = "topright", legend.var2.pos = "left",
                      legend.var2.title.txt =
                        "Share of \nthe population\nworking in\nagriculture (%)",
                      legend.var.title.txt = "Population aged\n15 and over",
                      legend.var.style = "e")
```

```
# First layout
layoutLayer(title="Farmers in Martinique, 2013",
            scale = NULL,col = NA, coltitle = "black",
            author = "INSEE, 2016", sources = "",
            frame = FALSE)
```

propSymbolsLayer *Proportional Symbols Layer*

Description

Plot a proportional symbols layer.

Usage

```
propSymbolsLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var,
                inches = 0.3, fixmax = NULL, symbols = "circle", col = "#E84923",
                border = "black", lwd = 1, legend.pos = "bottomleft",
                legend.title.txt = var, legend.title.cex = 0.8, legend.values.cex = 0.6,
                legend.values.rnd = 0, legend.style = "c", legend.frame = FALSE,
                add = TRUE, breakval = NULL, col2)
```

Arguments

x	an sf object, a simple feature collection. If x is used then spdf, df, spdfid and dfid are not.
spdf	a SpatialPointsDataFrame or a SpatialPolygonsDataFrame; if spdf is a SpatialPolygonsDataFrame symbols are plotted on centroids.
df	a data frame that contains the values to plot. If df is missing spdf@data is used instead.
spdfid	identifier field in spdf, default to the first column of the spdf data frame. (optional)
dfid	identifier field in df, default to the first column of df. (optional)
var	name of the numeric field in df to plot.
inches	size of the biggest symbol (radius for circles, width for squares, height for bars) in inches.
fixmax	value of the biggest symbol (see Details).
symbols	type of symbols, one of "circle", "square" or "bar".
col	color of symbols.
border	color of symbols borders.
lwd	width of symbols borders.
legend.pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.pos is "n" then the legend is not plotted.

<code>legend.title.txt</code>	title of the legend.
<code>legend.title.cex</code>	size of the legend title.
<code>legend.values.cex</code>	size of the values in the legend.
<code>legend.values.rnd</code>	number of decimal places of the values displayed in the legend.
<code>legend.style</code>	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.
<code>legend.frame</code>	boolean; whether to add a frame to the legend (TRUE) or not (FALSE).
<code>add</code>	whether to add the layer to an existing plot (TRUE) or not (FALSE).
<code>breakval</code>	defunct.
<code>col2</code>	defunct.

Details

Two maps with the same inches and fixmax parameters will be comparable.

See Also

[legendBarsSymbols](#), [legendCirclesSymbols](#), [legendSquaresSymbols](#), [propSymbolsChoroLayer](#), [propSymbolsTypoLayer](#)

Examples

```
## Example 1
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Countries plot
plot(st_geometry(mtq), col = "lightblue4", border = "lightblue3", bg = "lightblue1")
# Population plot on proportional symbols
propSymbolsLayer(x = mtq, var = "P13_POP",
                 symbols = "circle", col = "white",
                 legend.pos = "right", border = "grey",
                 legend.title.txt = "Total\npopulation (2013)",
                 legend.style = "c")

# Layout plot
layoutLayer(title = "Population in Martinique",
            sources = "INSEE, 2016", theme = "blue.pal",
            scale = NULL, frame = FALSE)

## Example 2
data("nuts2006")
# Countries plot
plot(nuts0.spdf, col = "grey60", border = "grey20")
# Population plot on proportional symbols
propSymbolsLayer(spdf = nuts0.spdf, df = nuts0.df,
                 var = "gdppps2008",
                 symbols = "bar", col = "#B00EF0",
```

```

        legend.pos = "right",
        legend.title.txt = "GDP\nin Millions PPS (2008)",
        legend.style = "e")

## Example 3
oldpar <- par(mfrow = c(1,2), mar = c(0,0,0,0))
# Countries plot
plot(nuts0.spdf, col = "grey60",border = "grey20", add=FALSE)
# Population plot on proportional symbols
propSymbolsLayer(spdf = nuts0.spdf, df = nuts0.df,
                 var = "birth_2008",
                 fixmax = max(nuts0.df$birth_2008),
                 inches = 0.4,
                 symbols = "square", col = "orange",
                 legend.pos = "right",
                 legend.title.txt = "nb of births",
                 legend.style = "e")
plot(nuts0.spdf, col = "grey60",border = "grey20", add=FALSE)
# Population plot on proportional symbols
propSymbolsLayer(spdf = nuts0.spdf, df = nuts0.df,
                 var = "death_2008",
                 symbols = "square", col = "pink",
                 fixmax = max(nuts0.df$birth_2008),
                 inches = 0.4,
                 legend.pos = "right",
                 legend.style = "e",
                 legend.title.txt = "nb of deaths")

par(oldpar)

```

propSymbolsTypoLayer *Proportional Symbols Typo Layer*

Description

Plot a proportional symbols layer with colors based on qualitative data.

Usage

```

propSymbolsTypoLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var,
                    inches = 0.3, fixmax = NULL, symbols = "circle", border = "grey20",
                    lwd = 1, var2, col = NULL, colNA = "white", legend.title.cex = 0.8,
                    legend.values.cex = 0.6, legend.var.pos = "bottomleft",
                    legend.var.title.txt = var, legend.values.rnd = 0,
                    legend.var.style = "c", legend.var.frame = FALSE,
                    legend.var2.pos = "topright", legend.var2.title.txt = var2,
                    legend.var2.values.order = NULL, legend.var2.nodata = "no data",
                    legend.var2.frame = FALSE, add = TRUE)

```

Arguments

<code>x</code>	an sf object, a simple feature collection. If <code>x</code> is used then <code>spdf</code> , <code>df</code> , <code>spdfid</code> and <code>dfid</code> are not.
<code>spdf</code>	SpatialPointsDataFrame or SpatialPolygonsDataFrame; if <code>spdf</code> is a SpatialPolygonsDataFrame symbols are plotted on centroids.
<code>df</code>	a data frame that contains the values to plot. If <code>df</code> is missing <code>spdf@data</code> is used instead.
<code>spdfid</code>	identifier field in <code>spdf</code> , default to the first column of the <code>spdf</code> data frame. (optional)
<code>dfid</code>	identifier field in <code>df</code> , default to the first column of <code>df</code> . (optional)
<code>var</code>	name of the numeric field in <code>df</code> to plot the symbols sizes.
<code>inches</code>	size of the biggest symbol (radius for circles, width for squares, height for bars) in inches.
<code>fixmax</code>	value of the biggest symbol. (optional)
<code>symbols</code>	type of symbols, one of "circle", "square" or "bar".
<code>border</code>	color of symbols borders.
<code>lwd</code>	width of symbols borders.
<code>var2</code>	name of the factor (or character) field in <code>df</code> to plot.
<code>col</code>	a vector of colors.
<code>colNA</code>	no data color.
<code>legend.title.cex</code>	size of the legend title.
<code>legend.values.cex</code>	size of the values in the legend.
<code>legend.var.pos</code>	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
<code>legend.var.title.txt</code>	title of the legend (numeric data).
<code>legend.values.rnd</code>	number of decimal places of the values in the legend.
<code>legend.var.style</code>	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.
<code>legend.var.frame</code>	whether to add a frame to the legend (TRUE) or not (FALSE).
<code>legend.var2.pos</code>	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)).
<code>legend.var2.title.txt</code>	title of the legend (factor data).

```

legend.var2.values.order
    values order in the legend, a character vector that matches var modalities. Colors
    will be affected following this order.
legend.var2.nodata
    text for "no data" values
legend.var2.frame
    whether to add a frame to the legend (TRUE) or not (FALSE).
add
    whether to add the layer to an existing plot (TRUE) or not (FALSE).

```

See Also

[legendBarsSymbols](#), [legendTypo](#), [legendCirclesSymbols](#), [legendSquaresSymbols](#), [typoLayer](#), [propSymbolsLayer](#)

Examples

```

data("nuts2006")
## Example 1
plot(nuts0.spdf, col = "grey60",border = "grey20")
nuts0.df$typo <- c(rep("A",10),rep("B",10),rep("C",10),rep("D",4))
propSymbolsTypoLayer(spdf = nuts0.spdf, df = nuts0.df,
                    var = "pop2008", var2="typo")

## Example 2
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
# Countries plot
plot(st_geometry(mtq), col = "lightblue4",border = "lightblue3", bg = "lightblue1")
# Population plot on proportional symbols
propSymbolsTypoLayer(x = mtq, var = "P13_POP", var2 = "STATUT",
                    symbols = "circle",
                    col = c("aquamarine4", "yellow3","wheat"),
                    legend.var2.values.order = c("Préfecture de région",
                                                  "Sous-préfecture",
                                                  "Commune simple"),
                    legend.var.pos = "right", border = "grey",
                    legend.var.title.txt = "Total\npopulation (2013)")

# Layout plot
layoutLayer(title = "Population in Martinique",
            sources = "INSEE, 2016", theme = "blue.pal",
            scale = NULL, frame = FALSE)

```

propTrianglesLayer *Double Proportional Triangle Layer*

Description

Plot a double proportional triangles layer.

Usage

```
propTrianglesLayer(spdf, df, spdfid = NULL, dfid = NULL, var1,
  col1 = "#E84923", var2, col2 = "#7DC437", k = 0.02,
  legend.pos = "topright", legend.title.txt = paste(var1, var2, sep =
  " / "), legend.title.cex = 0.8, legend.var1.txt = var1,
  legend.var2.txt = var2, legend.values.cex = 0.6, legend.values.rnd = 0,
  legend.style = "c", legend.frame = FALSE, add = TRUE)
```

Arguments

<code>spdf</code>	a <code>SpatialPointsDataFrame</code> or a <code>SpatialPolygonsDataFrame</code> ; if <code>spdf</code> is a <code>SpatialPolygonsDataFrame</code> symbols are plotted on centroids.
<code>df</code>	a data frame that contains the values to plot. If <code>df</code> is missing <code>spdf@data</code> is used instead.
<code>spdfid</code>	identifier field in <code>spdf</code> , default to the first column of the <code>spdf</code> data frame. (optional)
<code>dfid</code>	identifier field in <code>df</code> , default to the first column of <code>df</code> . (optional)
<code>var1</code>	name of the first numeric field in <code>df</code> to plot, positive values only (top triangle).
<code>col1</code>	color of top triangles.
<code>var2</code>	name of the second numeric field in <code>df</code> to plot, positive values only (bottom triangle).
<code>col2</code>	color of bottom triangles.
<code>k</code>	share of the map occupied by the biggest symbol.
<code>legend.pos</code>	position of the legend, one of "topleft", "top", "topright", "left", "right", "bottomleft", "bottom", "bottomright". If <code>legend.pos</code> is "n" then the legend is not plotted.
<code>legend.title.txt</code>	title of the legend.
<code>legend.title.cex</code>	size of the legend title.
<code>legend.var1.txt</code>	label of the top variable.
<code>legend.var2.txt</code>	label of the bottom variable.
<code>legend.values.cex</code>	size of the values in the legend.
<code>legend.values.rnd</code>	number of decimal places of the values displayed in the legend.
<code>legend.style</code>	either "c" or "e". The legend has two display styles, "c" stands for compact and "e" for extended.
<code>legend.frame</code>	boolean; whether to add a frame to the legend (TRUE) or not (FALSE).
<code>add</code>	whether to add the layer to an existing plot (TRUE) or not (FALSE).

See Also

[legendPropTriangles](#)

Examples

```
data("nuts2006")
# Example 1
plot(nuts0.spdf)
# There is no data for deaths in Turkey
propTrianglesLayer(spdf = nuts0.spdf, df = nuts0.df,
                   var1 = "birth_2008",
                   var2 = "death_2008")

# Example 2
layoutLayer(title = "Births and Deaths in Europe, 2008",
            sources = "", author = "",
            scale = NULL,
            frame = FALSE,
            col = "black",
            coltitle = "white",
            extent = nuts0.spdf)
plot(countries.spdf,col="#E0E0E0",border="white",lwd=1, add=TRUE)
plot(nuts0.spdf,col="#E5CFC1",border="white",lwd=2,add=TRUE)
# There is no data for deaths in Turkey
propTrianglesLayer(spdf = nuts0.spdf, df = nuts0.df,
                   var1 = "birth_2008", legend.style = "e",
                   var2 = "death_2008", legend.frame = TRUE,
                   col1="#FF9100",col2="#45C945",k = 0.1, add=TRUE)
```

smoothLayer

Smooth Layer

Description

Plot a layer of smoothed data. It can also compute a ratio of potentials.

This function is a wrapper around the [quickStewart](#) function in [SpatialPosition](#) package.

The [SpatialPosition](#) package also provides:

- vignettes to explain the computation of potentials;
- more customizable inputs and outputs (custom distance matrix, raster output...);
- other functions related to spatial interactions (Reilly and Huff catchment areas).

Usage

```
smoothLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var, var2 = NULL,
  typefct = "exponential", span, beta, resolution = NULL, mask = NULL,
  nclass = 8, breaks = NULL, col = NULL, border = "grey20", lwd = 1,
  legend.pos = "bottomleft", legend.title.txt = "Potential",
  legend.title.cex = 0.8, legend.values.cex = 0.6, legend.values.rnd = 0,
  legend.frame = FALSE, add = FALSE)
```

Arguments

x	an sf object, a simple feature collection.
spdf	a SpatialPolygonsDataFrame.
df	a data frame that contains the values to compute. If df is missing spdf@data is used instead.
spdfid	name of the identifier field in spdf, default to the first column of the spdf data frame. (optional)
dfid	name of the identifier field in df, default to the first column of df. (optional)
var	name of the numeric field in df used to compute potentials.
var2	name of the numeric field in df used to compute potentials. This field is used for ratio computation (see Details).
typefct	character; spatial interaction function. Options are "pareto" (means power law) or "exponential". If "pareto" the interaction is defined as: $(1 + \alpha * mDistance)^{-\beta}$. If "exponential" the interaction is defined as: $\exp(-\alpha * mDistance^{\beta})$. The alpha parameter is computed from parameters given by the user (beta and span).
span	numeric; distance where the density of probability of the spatial interaction function equals 0.5.
beta	numeric; impedance factor for the spatial interaction function.
resolution	numeric; resolution of the output SpatialPointsDataFrame (in map units).
mask	sf object or SpatialPolygonsDataFrame; mask used to clip contours of potentials.
nclass	numeric; a targeted number of classes (default to 8). Not used if breaks is set.
breaks	numeric; a vector of values used to discretize the potentials.
col	a vector of colors. Note that if breaks is specified there must be one less colors specified than the number of break.
border	color of the polygons borders.
lwd	borders width.
legend.pos	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If legend.pos is "n" then the legend is not plotted.
legend.title.txt	title of the legend.
legend.title.cex	size of the legend title.

legend.values.cex	size of the values in the legend.
legend.values.rnd	number of decimal places of the values in the legend.
legend.frame	whether to add a frame to the legend (TRUE) or not (FALSE).
add	whether to add the layer to an existing plot (TRUE) or not (FALSE).

Details

If var2 is provided the ratio between the potentials of var (numerator) and var2 (denominator) is computed.

Value

An [invisible](#) sf object (MULTIPOLYGONS) is returned (see [quickStewart](#)).

See Also

[quickStewart](#), [SpatialPosition](#), [choroLayer](#)

Examples

```
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
smoothLayer(x = mtq, var = 'P13_POP',
            span = 4000, beta = 2, breaks = c(0,5000,seq(10000,110000,10000)),
            mask = mtq, border = NA,
            col = carto.pal(pal1 = 'wine.pal', n1 = 12),
            legend.title.txt = "Population\nPotential",
            legend.pos = "topright", legend.values.rnd = -2)
propSymbolsLayer(x = mtq, var = "P13_POP", legend.pos = c(690000, 1599950),
                 legend.title.txt = "Population 2013",
                 col = NA, border = "#ffffff50")
layoutLayer(title = "Actual and Potential Population in Martinique",
            author = "INSEE, 2016", sources = "")

data("nuts2006")
# Potential of GDP
smoothLayer(spdf = nuts3.spdf, df = nuts3.df,
            var = 'gdppps2008',
            span = 75000, beta = 2,
            mask = nuts0.spdf,
            legend.title.txt = "GDP",
            legend.pos = "topright", legend.values.rnd = -2)

# Potential of GDP per Capita
nuts3.dfgdppps2008 <- nuts3.dfgdppps2008 * 1000000
smoothLayer(spdf = nuts3.spdf, df = nuts3.df,
            var = 'gdppps2008', var2 = 'pop2008',
            span = 75000, beta = 2,
            mask = nuts0.spdf,
```

```
legend.title.txt = "GDP PER CAPITA",  
legend.pos = "topright", legend.values.rnd = -2)
```

tilesLayer

Plot Tiles from Open Map Servers

Description

Plot tiles from open map servers.

Usage

```
tilesLayer(x, add = FALSE)
```

Arguments

x a RasterBrick object; the [getTiles](#) function outputs these objects.
add whether to add the layer to an existing plot (TRUE) or not (FALSE).

Note

This function is a wrapper for plotRGB from the raster package.

See Also

[getTiles](#)

Examples

```
## Not run:  
data("nuts2006")  
# extract Denmark  
spdf <- nuts0.spdf[nuts0.spdf$id=="DK",]  
# Download the tiles, extent = Denmark  
den <- getTiles(spdf = spdf, type = "osm", crop = TRUE)  
class(den)  
# Plot the tiles  
tilesLayer(den)  
  
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))  
# Download the tiles, extent = Martinique  
mtqOSM <- getTiles(x = mtq, type = "osm", crop = TRUE)  
# Plot the tiles  
tilesLayer(mtqOSM)  
# Plot countries  
plot(st_geometry(mtq), add=TRUE)  
# Map tiles sources  
mtext(text = "Map data © OpenStreetMap contributors, under CC BY SA.",
```

```
side = 1, adj = 0, cex = 0.7, font = 3)
## End(Not run)
```

twincities.df

Twin Cities Dataset

Description

This dataset contains the number of international twinning agreements between cities. Agreements are aggregated at nuts2 level.

Details

This data frame can be used with the SpatialPolygonsDataFrame nuts2.spdf

Fields

i nuts2 identifier
j nuts2 identifier
fij number of agreements

Source

Adam Ploszaj - Centre for European Regional and Local Studies EUROREG, University of Warsaw, Poland. Primary source: Wikipedia, 2011.

typoLayer

Typology Layer

Description

Plot a typology layer.

Usage

```
typoLayer(x, spdf, df, spdfid = NULL, dfid = NULL, var, col = NULL,
border = "grey20", lwd = 1, colNA = "white",
legend.pos = "bottomleft", legend.title.txt = var,
legend.title.cex = 0.8, legend.values.cex = 0.6,
legend.values.order = NULL, legend.nodata = "no data",
legend.frame = FALSE, add = FALSE)
```

Arguments

<code>x</code>	an sf object, a simple feature collection. If <code>x</code> is used then <code>spdf</code> , <code>df</code> , <code>spdfid</code> and <code>dfid</code> are not.
<code>spdf</code>	a SpatialPolygonsDataFrame.
<code>df</code>	a data frame that contains the values to plot. If <code>df</code> is missing <code>spdf@data</code> is used instead.
<code>spdfid</code>	identifier field in <code>spdf</code> , default to the first column of the <code>spdf</code> data frame. (optional)
<code>dfid</code>	identifier field in <code>df</code> , default to the first column of <code>df</code> . (optional)
<code>var</code>	name of the field in <code>df</code> to plot.
<code>col</code>	a vector of colors.
<code>border</code>	color of the polygons borders.
<code>lwd</code>	borders width.
<code>colNA</code>	no data color.
<code>legend.pos</code>	position of the legend, one of "topleft", "top", "topright", "right", "bottomright", "bottom", "bottomleft", "left" or a vector of two coordinates in map units (c(x, y)). If <code>legend.pos</code> is "n" then the legend is not plotted.
<code>legend.title.txt</code>	title of the legend.
<code>legend.title.cex</code>	size of the legend title.
<code>legend.values.cex</code>	size of the values in the legend.
<code>legend.values.order</code>	values order in the legend, a character vector that matches <code>var</code> modalities. Colors will be affected following this order.
<code>legend.nodata</code>	no data label.
<code>legend.frame</code>	whether to add a frame to the legend (TRUE) or not (FALSE).
<code>add</code>	whether to add the layer to an existing plot (TRUE) or not (FALSE).

See Also

[propSymbolsTypoLayer](#), [typoLayer](#), [legendTypo](#)

Examples

```
data(nuts2006)
## Example 1
nuts0.df$typo <- c(rep("A",10),rep("B",10),rep("C",10),rep("D",4))
typoLayer(spdf = nuts0.spdf, df = nuts0.df, var = "typo")

## Example 2
mtq <- st_read(system.file("shape/martinique.shp", package="cartography"))
```

```
typoLayer(x = mtq, var="STATUT",
          col = c("aquamarine4", "yellow3", "wheat"),
          legend.values.order = c("Préfecture de région",
                                  "Sous-préfecture",
                                  "Commune simple"),
          legend.pos = "topright",
          legend.title.txt = "Status")
layoutLayer(title = "Commune Status",
            author = "UMS RIATE, 2017",
            sources = "IGN, 2016",
            scale = NULL)
```

world.spdf

World Background

Description

World background.

Format

SpatialPolygonsDataFrame.

Source

UMS RIATE - http://riate.cnrs.fr/?page_id=153

Index

barscale, [3](#), [6](#)

carto.pal, [4](#), [6](#), [8](#), [13](#), [14](#)
carto.pal.info, [5](#), [5](#), [13](#), [14](#), [32](#)
cartography, [6](#)
cartography-package (cartography), [6](#)
choroLayer, [6](#), [7](#), [49](#), [50](#), [59](#)
classIntervals, [17](#)
coasts.spdf, [9](#)
countries.spdf, [10](#)

discLayer, [6](#), [10](#), [16](#), [24](#)
display.carto.all, [5](#), [6](#), [12](#), [14](#)
display.carto.pal, [5](#), [6](#), [13](#), [13](#)
dotDensityLayer, [14](#)

frame.spdf, [15](#)

getBorders, [6](#), [10–12](#), [16](#), [24](#)
getBreaks, [8](#), [11](#), [17](#)
getFigDim, [19](#)
getGridData, [20](#)
getGridLayer, [7](#), [20](#)
getLinkLayer, [6](#), [22](#), [27](#), [29](#), [48](#)
getOuterBorders, [16](#), [23](#)
getTiles, [7](#), [24](#), [60](#)
gradLinkLayer, [6](#), [12](#), [22](#), [26](#), [29](#), [48](#)
gradLinkTypoLayer, [6](#), [27](#)
graticule.spdf, [29](#)

invisible, [11](#), [59](#)

labelLayer, [6](#), [30](#), [32](#)
layoutLayer, [3](#), [6](#), [30](#), [31](#), [41](#)
legendBarsSymbols, [7](#), [33](#), [50](#), [52](#), [55](#)
legendChoro, [7](#), [8](#), [34](#), [50](#)
legendCirclesSymbols, [7](#), [35](#), [50](#), [52](#), [55](#)
legendGradLines, [7](#), [12](#), [27](#), [29](#), [36](#)
legendPropLines, [7](#), [37](#), [48](#)
legendPropTriangles, [7](#), [38](#), [57](#)
legendSquaresSymbols, [7](#), [39](#), [50](#), [52](#), [55](#)

legendTypo, [7](#), [40](#), [55](#), [62](#)

north, [6](#), [41](#)
nuts0.df, [42](#)
nuts0.spdf, [43](#)
nuts1.df, [43](#)
nuts1.spdf, [44](#)
nuts2.df, [44](#)
nuts2.spdf, [45](#)
nuts3.df, [46](#)
nuts3.spdf, [46](#)

par, [19](#)
points, [14](#)
propLinkLayer, [6](#), [22](#), [27](#), [29](#), [47](#)
propSymbolsChoroLayer, [6](#), [8](#), [48](#), [52](#)
propSymbolsLayer, [6](#), [15](#), [49](#), [50](#), [51](#), [55](#)
propSymbolsTypoLayer, [6](#), [52](#), [53](#), [62](#)
propTrianglesLayer, [6](#), [55](#)

quantile, [17](#)
quickStewart, [57](#), [59](#)

smoothLayer, [57](#)
SpatialPosition, [57](#), [59](#)
spsample, [15](#)

text, [30](#)
tilesLayer, [7](#), [25](#), [60](#)
twincities.df, [61](#)
typoLayer, [6](#), [55](#), [61](#), [62](#)

world.spdf, [63](#)