

Package ‘haven’

July 9, 2017

Version 1.1.0

Title Import and Export 'SPSS', 'Stata' and 'SAS' Files

Description Import foreign statistical formats into R via the embedded 'ReadStat' C library, <<https://github.com/WizardMac/ReadStat>>.

License MIT + file LICENSE

Depends R (>= 3.1.0)

Suggests testthat, knitr, rmarkdown, covr

LinkingTo Rcpp

Imports Rcpp (>= 0.11.4), readr (>= 0.1.0), hms, tibble, forcats (>= 0.2.0)

LazyData true

URL <http://haven.tidyverse.org>, <https://github.com/tidyverse/haven>,
<https://github.com/WizardMac/ReadStat>

BugReports <https://github.com/hadley/haven/issues>

VignetteBuilder knitr

SystemRequirements GNU make

RoxygenNote 6.0.1

Encoding UTF-8

NeedsCompilation yes

Author Hadley Wickham [aut, cre],
Evan Miller [aut, cph] (Author of included ReadStat code),
RStudio [cph, fnd]

Maintainer Hadley Wickham <hadley@rstudio.com>

Repository CRAN

Date/Publication 2017-07-09 06:40:47 UTC

R topics documented:

as_factor	2
labelled	3
labelled_spss	4
print_labels	5
read_dta	5
read_sas	6
read_spss	7
read_xpt	8
tagged_na	9
zap_empty	10
zap_formats	11
zap_labels	11
zap_missing	12
zap_widths	13
Index	14

as_factor	<i>Convert input to a factor.</i>
-----------	-----------------------------------

Description

The base function `as.factor()` is not a generic, but this variant is. Methods are provided for factors, character vectors, labelled vectors, and data frames. By default, when applied to a data frame, it only affects labelled columns.

Usage

```
## S3 method for class 'data.frame'
as_factor(x, ..., only_labelled = TRUE)

## S3 method for class 'labelled'
as_factor(x, levels = c("default", "labels", "values",
  "both"), ordered = FALSE, ...)
```

Arguments

<code>x</code>	Object to coerce to a factor.
<code>...</code>	Other arguments passed down to method.
<code>only_labelled</code>	Only apply to labelled columns?
<code>levels</code>	How to create the levels of the generated factor: <ul style="list-style-type: none"> • "default": uses labels where available, otherwise the values. Labels are sorted by value. • "both": like "default", but pastes together the level and value • "label": use only the labels; unlabelled values become NA

- "values: use only the values
- ordered If TRUE create an ordered (ordinal) factor, if FALSE (the default) create a regular (nominal) factor.

Examples

```
x <- labelled(sample(5, 10, replace = TRUE), c(Bad = 1, Good = 5))

# Default method uses values where available
as_factor(x)
# You can also extract just the labels
as_factor(x, "labels")
# Or just the values
as_factor(x, "values")
# Or combine value and label
as_factor(x, "both")
```

labelled	<i>Create a labelled vector.</i>
----------	----------------------------------

Description

A labelled vector is a common data structure in other statistical environments, allowing you to assign text labels to specific values. This class makes it possible to import such labelled vectors in to R without loss of fidelity. This class provides few methods, as I expect you'll coerce to a standard R class (e.g. a [factor](#)) soon after importing.

Usage

```
labelled(x, labels)

is.labelled(x)
```

Arguments

x	A vector to label. Must be either numeric (integer or double) or character.
labels	A named vector. The vector should be the same type as x. Unlike factors, labels don't need to be exhaustive: only a fraction of the values might be labelled.
...	Ignored

Examples

```
s1 <- labelled(c("M", "M", "F"), c(Male = "M", Female = "F"))
s2 <- labelled(c(1, 1, 2), c(Male = 1, Female = 2))

# Unfortunately it's not possible to make as.factor work for labelled objects
# so instead use as_factor. This works for all types of labelled vectors.
as_factor(s1)
```

```

as_factor(s1, labels = "values")
as_factor(s2)

# Other statistical software supports multiple types of missing values
s3 <- labelled(c("M", "M", "F", "X", "N/A"),
  c(Male = "M", Female = "F", Refused = "X", "Not applicable" = "N/A")
)
s3
as_factor(s3)

# Often when you have a partially labelled numeric vector, labelled values
# are special types of missing. Use zap_labels to replace labels with missing
# values
x <- labelled(c(1, 2, 1, 2, 10, 9), c(Unknown = 9, Refused = 10))
zap_labels(x)

```

labelled_spss

Labelled vectors for SPSS

Description

This class is only used when `user_na = TRUE` in `read_sav()`. It is similar to the `labelled` class but it also models SPSS's user-defined missings, which can be up to three distinct values, or for numeric vectors a range.

Usage

```
labelled_spss(x, labels, na_values = NULL, na_range = NULL)
```

Arguments

<code>x</code>	A vector to label. Must be either numeric (integer or double) or character.
<code>labels</code>	A named vector. The vector should be the same type as <code>x</code> . Unlike factors, labels don't need to be exhaustive: only a fraction of the values might be labelled.
<code>na_values</code>	A vector of values that should also be considered as missing.
<code>na_range</code>	A numeric vector of length two giving the (inclusive) extents of the range. Use <code>-Inf</code> and <code>Inf</code> if you want the range to be open ended.

Examples

```

x1 <- labelled_spss(1:10, c(Good = 1, Bad = 8), na_values = c(9, 10))
is.na(x1)

x2 <- labelled_spss(1:10, c(Good = 1, Bad = 8), na_range = c(9, Inf))
is.na(x2)

```

print_labels	<i>Print the labels of a labelled vector</i>
--------------	--

Description

This is a convenience function, useful to explore the variables of a newly imported dataset.

Usage

```
print_labels(x, name = NULL)
```

Arguments

x	A labelled vector
name	The name of the vector (optional)

Examples

```
s1 <- labelled(c("M", "M", "F"), c(Male = "M", Female = "F"))
s2 <- labelled(c(1, 1, 2), c(Male = 1, Female = 2))
labelled_df <- tibble::data_frame(s1, s2)

for (var in names(labelled_df)) {
  print_labels(labelled_df[[var]], var)
}
```

read_dta	<i>Read and write Stata DTA files.</i>
----------	--

Description

Currently haven can read and write logical, integer, numeric, character and factors. See [labelled](#) for how labelled variables in Stata are handled in R.

Usage

```
read_dta(file, encoding = NULL)

read_stata(file, encoding = NULL)

write_dta(data, path, version = 14)
```

Arguments

file	<p>Either a path to a file, a connection, or literal data (either a single string or a raw vector).</p> <p>Files ending in .gz, .bz2, .xz, or .zip will be automatically uncompressed. Files starting with http://, https://, ftp://, or ftps:// will be automatically downloaded. Remote gz files can also be automatically downloaded and decompressed.</p> <p>Literal data is most useful for examples and tests. It must contain at least one new line to be recognised as data (instead of a path).</p>
encoding	<p>The character encoding used for the file. This defaults to the encoding specified in the file, or UTF-8. But older versions of Stata (13 and earlier) did not store the encoding used, and you'll need to specify manually. A commonly used value is "Win 1252".</p>
data	Data frame to write.
path	Path to a file where the data will be written.
version	File version to use. Supports versions 8-14.

Value

A tibble, data frame variant with nice defaults.

Variable labels are stored in the "label" attribute of each variable. It is not printed on the console, but the RStudio viewer will show it.

Examples

```
path <- system.file("examples", "iris.dta", package = "haven")
read_dta(path)

tmp <- tempfile(fileext = ".dta")
write_dta(mtcars, tmp)
read_dta(tmp)
read_stata(tmp)
```

read_sas *Read and write SAS files.*

Description

Reading supports both sas7bdat files and the accompanying sas7bdat files that SAS uses to record value labels. Writing value labels is not currently supported.

Usage

```
read_sas(data_file, catalog_file = NULL, encoding = NULL,
         cols_only = NULL)

write_sas(data, path)
```

Arguments

data_file, catalog_file	Path to data and catalog files. The files are processed with <code>datasource()</code> .
encoding	The character encoding used for the file. This defaults to the encoding specified in the file, or UTF-8. You can use this argument to override the value stored in the file if it is correct
cols_only	A character vector giving an experimental way to read in only specified columns.
data	Data frame to write.
path	Path to file where the data will be written.

Value

A tibble, data frame variant with nice defaults.

Variable labels are stored in the "label" attribute of each variable. It is not printed on the console, but the RStudio viewer will show it.

Examples

```
path <- system.file("examples", "iris.sas7bdat", package = "haven")
read_sas(path)
```

read_spss

Read SPSS (SAV & POR) files. Write SAV files.

Description

Currently haven can read and write logical, integer, numeric, character and factors. See [labelled_spss](#) for how labelled variables in SPSS are handled in R. `read_spss` is an alias for `read_sav`.

Usage

```
read_sav(file, user_na = FALSE)

read_por(file, user_na = FALSE)

write_sav(data, path)

read_spss(file, user_na = FALSE)
```

Arguments

file	<p>Either a path to a file, a connection, or literal data (either a single string or a raw vector).</p> <p>Files ending in .gz, .bz2, .xz, or .zip will be automatically uncompressed. Files starting with http://, https://, ftp://, or ftps:// will be automatically downloaded. Remote gz files can also be automatically downloaded and decompressed.</p> <p>Literal data is most useful for examples and tests. It must contain at least one new line to be recognised as data (instead of a path).</p>
user_na	If TRUE variables with user defined missing will be read into <code>labelled_spss</code> objects. If FALSE, the default, user-defined missings will be converted to NA.
data	Data frame to write.
path	Path to a file where the data will be written.

Value

A tibble, data frame variant with nice defaults.

Variable labels are stored in the "label" attribute of each variable. It is not printed on the console, but the RStudio viewer will show it.

Examples

```
path <- system.file("examples", "iris.sav", package = "haven")
read_sav(path)

tmp <- tempfile(fileext = ".sav")
write_sav(mtcars, tmp)
read_sav(tmp)
```

read_xpt

Read and write SAS transport files

Description

The SAS transport format is an open format, as is required for submission of the data to the FDA.

Usage

```
read_xpt(file)

write_xpt(data, path, version = 8)
```


Arguments

file	Either a path to a file, a connection, or literal data (either a single string or a raw vector). Files ending in .gz, .bz2, .xz, or .zip will be automatically uncompressed. Files starting with http://, https://, ftp://, or ftps:// will be automatically downloaded. Remote gz files can also be automatically downloaded and decompressed. Literal data is most useful for examples and tests. It must contain at least one new line to be recognised as data (instead of a path).
data	Data frame to write.
path	Path to a file where the data will be written.
version	Version of transport file specification to use: either 5 or 8.

Value

A tibble, data frame variant with nice defaults.

Variable labels are stored in the "label" attribute of each variable. It is not printed on the console, but the RStudio viewer will show it.

Examples

```
tmp <- tempfile(fileext = ".xpt")
write_xpt(mtcars, tmp)
read_xpt(tmp)
```

tagged_na	<i>"Tagged" missing values</i>
-----------	--------------------------------

Description

"Tagged" missing values work exactly like regular R missing values except that they store one additional byte of information a tag, which is usually a letter ("a" to "z"). When by loading a SAS and Stata file, the tagged missing values always use lower case values.

Usage

```
tagged_na(...)

na_tag(x)

is_tagged_na(x, tag = NULL)

format_tagged_na(x, digits = getOption("digits"))

print_tagged_na(x, digits = getOption("digits"))
```

Arguments

...	Vectors containing single character. The letter will be used to "tag" the missing value.
x	A numeric vector
tag	If NULL, will only return true if the tag has this value.
digits	Number of digits to use in string representation

Details

format_tagged_na() and print_tagged_na() format tagged NA's as NA(a), NA(b), etc.

Examples

```
x <- c(1:5, tagged_na("a"), tagged_na("z"), NA)

# Tagged NA's work identically to regular NAs
x
is.na(x)

# To see that they're special, you need to use na_tag(),
# is_tagged_na(), or print_tagged_na():
is_tagged_na(x)
na_tag(x)
print_tagged_na(x)

# You can test for specific tagged NAs with the second argument
is_tagged_na(x, "a")

# Because the support for tagged's NAs is somewhat tagged on to R,
# the left-most NA will tend to be preserved in arithmetic operations.
na_tag(tagged_na("a") + tagged_na("z"))
```

zap_empty

Convert empty strings into missing values.

Description

Convert empty strings into missing values.

Usage

```
zap_empty(x)
```

Arguments

x	A character vector
---	--------------------

Value

A character vector with empty strings replaced by missing values.

See Also

Other zappers: [zap_formats](#), [zap_labels](#), [zap_widths](#)

Examples

```
x <- c("a", "", "c")
zap_empty(x)
```

zap_formats

Remove format attributes

Description

To provide some mild support for round-tripping variables between Stata/SPSS and R, haven stores variable formats in an attribute: `format.stata`, `format.spss`, or `format.sas`. If this causes problems for your code, you can get rid of them with `zap_formats`.

Usage

```
zap_formats(x)
```

Arguments

x A vector or data frame.

See Also

Other zappers: [zap_empty](#), [zap_labels](#), [zap_widths](#)

zap_labels

Zap labels

Description

Removes labels, leaving unlabelled vectors as is. Use this if you want to simply drop all labelling from a data frame. Zapping labels from [labelled_spss](#) also removes user-defined missing values, replacing all with NAs.

Usage

```
zap_labels(x)
```

Arguments

x A vector or data frame

See Also

Other zappers: [zap_empty](#), [zap_formats](#), [zap_widths](#)

Examples

```
x1 <- labelled(1:5, c(good = 1, bad = 5))
x1
zap_labels(x1)

x2 <- labelled_spss(c(1:4, 9), c(good = 1, bad = 5), na_values = 9)
x2
zap_labels(x2)

# zap_labels also works with data frames
df <- tibble::data_frame(x1, x2)
df
zap_labels(df)
```

zap_missing

Zap special missings to regular R missings

Description

This is useful if you want to convert tagged missing values from SAS or Stata, or user-defined missings from SPSS, to regular R NA.

Usage

```
zap_missing(x)
```

Arguments

x A vector or data frame

Examples

```
x1 <- labelled(
  c(1, 5, tagged_na("a", "b")),
  c(Unknown = tagged_na("a"), Refused = tagged_na("b"))
)
x1
zap_missing(x1)

x2 <- labelled_spss(
  c(1, 2, 1, 99),
```

```
  c(missing = 99),
  na_value = 99
)
x2
zap_missing(x2)

# You can also apply to data frames
df <- tibble::data_frame(x1, x2, y = 4:1)
df
zap_missing(df)
```

zap_widths

Remove display width attributes

Description

To provide some mild support for round-tripping variables between SPSS and R, haven stores display widths in an attribute: `display_width`. If this causes problems for your code, you can get rid of them with `zap_widths`.

Usage

```
zap_widths(x)
```

Arguments

x A vector or data frame.

See Also

Other zappers: [zap_empty](#), [zap_formats](#), [zap_labels](#)

Index

as_factor, 2

datasource, 7

factor, 3

format_tagged_na (tagged_na), 9

is_labelled (labelled), 3

is_tagged_na (tagged_na), 9

labelled, 3, 4, 5

labelled_spss, 4, 7, 8, 11

na_tag (tagged_na), 9

print_labels, 5

print_tagged_na (tagged_na), 9

read_dta, 5

read_por (read_spss), 7

read_sas, 6

read_sav, 4

read_sav (read_spss), 7

read_spss, 7

read_stata (read_dta), 5

read_xpt, 8

tagged_na, 9

write_dta (read_dta), 5

write_sas (read_sas), 6

write_sav (read_spss), 7

write_xpt (read_xpt), 8

zap_empty, 10, 11–13

zap_formats, 11, 11, 12, 13

zap_labels, 11, 11, 13

zap_missing, 12

zap_widths, 11, 12, 13