

Package ‘rstatscn’

February 2, 2017

Type Package

Title R Interface for China National Data

Version 1.1.1

Date 2016-07-20

Author Xuehui YANG

Maintainer Xuehui YANG <jianghang@bagualu.net>

Description R interface for china national data <http://data.stats.gov.cn/>,
some convenient functions for accessing the national data are provided.

Depends R (>= 3.2.2)

Imports httr(>= 1.0.0), jsonlite(>= 0.9.19)

URL <http://www.bagualu.net/>

BugReports <http://www.bagualu.net/wordpress/rstatscn-the-r-interface-for-china-national-data>

Repository CRAN

License Apache License 2.0

RoxygenNote 5.0.1

NeedsCompilation no

Date/Publication 2016-07-20 09:32:02

R topics documented:

checkHttpStatus	2
dataJson2df	2
genDfwds	3
milSec	3
statscnDbs	4
statscnQueryData	4
statscnQueryLastN	5
statscnQueryZb	5
statscnRegions	6
statscnRowNamePrefix	7

Index**8**

checkHttpStatus	<i>private function for check the http status</i>
-----------------	---

Description

private function for check the http status

Usage

checkHttpStatus(ret)

Arguments

ret the response obj returned by httr package

Value

return nothing , but if it finds some error , it stop the script

dataJson2df	<i>private function to convert the returned json data to a dataframe</i>
-------------	--

Description

private function to convert the returned json data to a dataframe

Usage

dataJson2df(rawObj, rowcode, colcode)

Arguments

rawObj the fromJSON output
rowcode rowcode in the data frame
colcode colcode in the data frame

Value

the constructed data frame

genDfws *private function for constructing the query parameter for dfws*

Description

private function for constructing the query parameter for dfws

Usage

genDfws(wdcode, valuecode)

Arguments

wdcode	string value , one of c("zb","sj","reg")
valuecode	string value , following is the table for available valuecode zb: the valudecode can be gotten by statscnQueryZb() function sj: the valudecode can be "2014" for nd db, "2014C" for jd db. reg: the valudecode is the region code fetched by statscnRegions(dbcode) function

Value

return the queyr string for the http request

milSec *private function for sec*

Description

private function for sec

Usage

milSec()

Value

milsec

statscnDbs	<i>the available dbs</i>
------------	--------------------------

Description

the available dbs in the national db

Usage

```
statscnDbs()
```

Value

a data frame with 2 columns , one is the dbcode, another is the db description

Examples

```
statscnDbs()
```

statscnQueryData	<i>query data in the statscn db</i>
------------------	-------------------------------------

Description

the main function for querying the statscn database, it will retrieve the data from specified db and organize the data in a data frame.

Usage

```
statscnQueryData(zb = "A0201", dbcode = "hgnd", rowcode = "zb",
  colcode = "sj", moreWd = list(name = NA, value = NA))
```

Arguments

zb	the zb/category code to be queried
dbcode	the db code for querying
rowcode	rowcode in the returned data frame
colcode	colcode in the returned data frame
moreWd	more constraint on the data where the name should be one of c("reg","sj") , which stand for region and sj/time. the valuecode for reg should be the region code queried by statscnRegions() the valuecode for sj should be like '2014' for *nd , '2014C' for *jd , '201405' for *yd. Be noted that , the moreWd name should be different with either rowcode or colcode

Value

the data frame you are quering

Examples

```
df=statscnQueryData('A0201',dbcode='hgnd')
df=statscnQueryData('A0201',dbcode='fsnd',rowcode='zb',colcode='sj',
                    moreWd=list(name='reg',value='110000'))
```

statscnQueryLastN *fetch the lastN data*

Description

fetch the lastN data for the latest query, only affect the number of rows in the returned data. This function can not be used alone , statscnQueryData() has to be called before this function

Usage

```
statscnQueryLastN(n)
```

Arguments

n the number of rows to be fetched

Value

the last n rows data in the latest query

Examples

```
df=statscnQueryData('A0201',dbcode='hgnd')
df2=statscnQueryLastN(20)
```

statscnQueryZb *the data categories*

Description

the sub data categories for the zbid category, dbcode need to be specified, where the dbcode can be fetched by function statscnDbcs(). In the returned data frame, the column 'isParent' shows if each sub category is leap category or not

Usage

```
statscnQueryZb(zbid = "zb", dbcode = "hgnd")
```

Arguments

zbid the father zb/category id , the root id is 'zb'
 dbcode which db will be queried

Value

the data frame with the sub zbs/categories , if the given zbid is not a Parent zb/category, null list is returned

Examples

```
statscnQueryZb()  
statscnQueryZb('A01',dbcode="hgnd")
```

statscnRegions	<i>the regions in db</i>
----------------	--------------------------

Description

the available regions in the specified db, it is used for query the province, city and country code generally

Usage

```
statscnRegions(dbcode = "fsnd")
```

Arguments

dbcode the dbcode should be some province db(fs*) , city db(cs*) or international db(gj*)

Value

the data frame with all the available region codes and names in the db

Examples

```
statscnRegions('fsnd')  
statscnRegions('csnd')  
statscnRegions('gjnd')
```

statscnRowNamePrefix *statscnRowNamePrefix*

Description

set the rowName prefix in the dataframe

Usage

```
statscnRowNamePrefix(p = "nrow")
```

Arguments

`p` , how to set the rowname prefix. it is 'nrow' by default , and it is the only supported value currently to unset the row name prefix, call this function with `p=NULL`

Details

in case you encounter the following error: Error in 'row.names<-data.frame'(*tmp*, value = value) : duplicate 'row.names' are not allowed you need to call this function

Value

no return

Index

`checkHttpStatus`, 2

`dataJson2df`, 2

`genDfws`, 3

`milSec`, 3

`statscnDbs`, 4

`statscnQueryData`, 4

`statscnQueryLastN`, 5

`statscnQueryZb`, 5

`statscnRegions`, 6

`statscnRowNamePrefix`, 7