

Package ‘irtDemo’

February 5, 2018

Type Package

Title Item Response Theory Demo Collection

Version 0.1.3

Date 2018-02-05

Author Metin Bulus [aut,cre]

Wes Bonifay [aut,cre]

Maintainer Metin Bulus <bulusmetin@gmail.com>

Description Includes a collection of shiny applications to demonstrate or to explore fundamental item response theory (IRT) concepts such as estimation, scoring, and multidimensional IRT models.

Imports shiny (>= 0.13.2), shinydashboard (>= 0.5.1), fGarch (>= 3010.82)

Depends R (>= 3.2.4)

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2018-02-05 21:34:46 UTC

R topics documented:

irtDemo 1

Index 3

irtDemo *Item Response Theory Demo Collection*

Description

Includes a collection of shiny applications to demonstrate or to explore fundamental item response theory (IRT) concepts such as estimation, scoring, and multidimensional IRT models.

Usage

```
irtDemo(text)
```

Arguments

text argument in quotes referring to the name of shiny application. See details for the list of applications.

Details

text argument can be one of the followings:

- “mle” for *Maximum Likelihood Estimation*
- “est2pl” for *Estimation in 2PL Model*
- “est3pl” for *Estimation in 3PL Model*
- “eapmap” for *Expected a Posteriori (EAP) and Maximum a Posteriori (MAP) Estimation*
- “dich” for *Dichotomous IRT Models*
- “gpcm” for *Generalized Partial Credit and Partial Credit Models*
- “grm” for *Graded Response Model*
- “grsm” for *Generalized Rating Scale and Rating Scale Models*
- “nrm” for *Nominal Response Model*
- “mirt” for *Multidimensional Item Response Theory Model*

Author(s)

Metin Bulus <bulusmetin@gmail.com> and Wes Bonifay <bonifayw@missouri.edu>

Examples

```
## Not run:  
  
  irtDemo("eapmap")  
  irtDemo("mirt")  
  
## End(Not run)
```

Index

*Topic **irtDemo**
irtDemo, 1

irtDemo, 1