

# Package ‘VWPre’

March 20, 2018

**Type** Package

**Title** Tools for Preprocessing Visual World Data

**Version** 1.1.0

**Date** 2018-03-18

**Author** Vincent Porretta [aut, cre],  
Aki-Juhani Kyröläinen [aut],  
Jacolien van Rij [ctb],  
Juhani Järvikivi [ctb]

**Maintainer** Vincent Porretta <vincentporretta@gmail.com>

**Description** Gaze data from the Visual World Paradigm requires significant preprocessing prior to plotting and analyzing the data. This package provides functions for preparing visual world eye-tracking data for statistical analysis and plotting. It can prepare data for linear analyses (e.g., ANOVA, Gaussian-family LMER, Gaussian-family GAMM) as well as logistic analyses (e.g., binomial-family LMER and binomial-family GAMM). Additionally, it contains various plotting functions for creating grand average and conditional average plots. See the vignette for samples of the functionality. Currently, the functions in this package are designed for handling data collected with SR Research Eyelink eye trackers using Sample Reports created in SR Research Data Viewer. While we would like to add functionality for data collected with other systems in the future, the current package is considered to be feature-complete; further updates will mainly entail maintenance and the addition of minor functionality.

**Depends** R (>= 3.3.0), dplyr (>= 0.7.0)

**Imports** rlang (>= 0.1.1), ggplot2 (>= 2.2.0), mgcv (>= 1.8-16), shiny (>= 0.14.2), tidyr (>= 0.6.0), stats (>= 3.3.2)

**License** GPL (>= 2)

**LazyData** true

**Suggests** knitr, rmarkdown, gridExtra, itsadug

**VignetteBuilder** knitr

**Encoding** UTF-8

**RoxygenNote** 6.0.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2018-03-20 07:14:45 UTC

## R topics documented:

align_msg . . . . .	2
bin_prop . . . . .	3
check_eye_recording . . . . .	4
check_ia . . . . .	5
check_msg_time . . . . .	6
check_samples_per_bin . . . . .	6
check_samplingrate . . . . .	7
check_time_series . . . . .	8
create_binomial . . . . .	8
create_time_series . . . . .	9
custom_ia . . . . .	10
ds_options . . . . .	11
fasttrack . . . . .	12
make_pelogit_fnc . . . . .	13
plot_avg . . . . .	14
plot_avg_contour . . . . .	16
plot_avg_diff . . . . .	17
plot_indiv_app . . . . .	18
plot_transformation_app . . . . .	19
plot_var_app . . . . .	20
prep_data . . . . .	20
recode_ia . . . . .	21
relabel_na . . . . .	22
rename_columns . . . . .	23
rm_extra_DVcols . . . . .	23
select_recorded_eye . . . . .	24
transform_to_elogit . . . . .	25
VWdat . . . . .	26
VWPre . . . . .	26
<b>Index</b>	<b>29</b>

---

align\_msg

*Aligns samples to a specific message.*

---

### Description

align\_msg examines the data from each recording event and locates the first instance of the specified message in the column SAMPLE\_MESSAGE. The function creates a new column containing the aligned series which can be utilized by subsequent functions for checking and creating the time series column.

**Usage**

```
align_msg(data, Msg = NULL)
```

**Arguments**

data	A data table object output from prep_data.
Msg	An obligatory string containing the message to be found in the column SAMPLE_MESSAGE or a regular expression for locating the appropriate message.

**Value**

A data table object.

**Examples**

```
## Not run:
# To align the samples to a specific message...
library(VWPre)
df <- align_msg(data = dat, Msg = "ExperimentDisplay")

# For a more complete tutorial on VWPre plotting functions:
vignette("SR_Message_Alignment", package="VWPre")

## End(Not run)
```

---

bin_prop	<i>Bins the sample data and calculates proportion looks by interest area</i>
----------	--

---

**Description**

bin\_prop calculates the proportion of looks (samples) to each interest area in a particular window of time (bin size). This function first checks to see if the procedure is possible given the sampling rate and desired bin size. It then performs the calculation and downsampling, returning new columns corresponding to each interest area ID (e.g., 'IA\_1\_C', 'IA\_1\_P'). The extension '\_C' indicates the count of samples in the bin and the extension '\_P' indicates the proportion. N.B.: This function will work for data with a maximum of 8 interest areas.

**Usage**

```
bin_prop(data, NoIA = NULL, BinSize = NULL, SamplingRate = NULL)
```

**Arguments**

data	A data table object output by <a href="#">select_recorded_eye</a> or <a href="#">check_samplingrate</a> .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
BinSize	A positive integer indicating the size of the binning window (in milliseconds).
SamplingRate	A positive integer indicating the sampling rate (in Hertz) used to record the gaze data, which can be determined with the function <a href="#">check_samplingrate</a> .

**Value**

A data table with additional columns (the number of which depends on the number of interest areas specified) added to data.

**Examples**

```
## Not run:
library(VWPre)
# Bin samples and calculation proportions...
df <- bin_prop(dat, NoIA = 4, BinSize = 20, SamplingRate = 1000)

## End(Not run)
```

---

check\_eye\_recording    *Check which eyes were recorded during the experiment*

---

**Description**

check\_eye\_recording quickly checks which eyes contain gaze data either using the EYE\_TRACKED column (if available) or the Right and Left interest area columns. It prints a summary and suggests which setting to use for the Recording parameter in the function [select\\_recorded\\_eye](#).

**Usage**

```
check_eye_recording(data)
```

**Arguments**

data	A data table object output by <a href="#">create_time_series</a> .
------	--

**Value**

Text feedback and instruction.

**Examples**

```
## Not run:
library(VWPre)
# Create a unified columns for the gaze data...
check_eye_recording(dat)

## End(Not run)
```

---

check_ia	<i>Check the interest area IDs and labels</i>
----------	---

---

**Description**

check\_ia examines both the interest area IDs and interest area labels (and their mapping) for both eyes. It returns a summary of the information.

**Usage**

```
check_ia(data)
```

**Arguments**

data            A data table object output by [relabel\\_na](#).

**Value**

The value(s) and label(s) of interest areas and how they map for each eye.

**Examples**

```
## Not run:
library(VWPre)
# Check the interest area information...
check_ia(dat)

## End(Not run)
```

---

check\_msg\_time      *Check the time value(s) at a specific message*

---

### Description

check\_msg\_time examines the time point of a specific Sample Message for each event. Depending on the format of the data, it will use one of three columns: `TIMESTAMP`, `Align`, or `Time`.

### Usage

```
check_msg_time(data, Msg = NULL, ReturnData = FALSE)
```

### Arguments

data	A data table object output by <a href="#">relabel_na</a> , <a href="#">align_msg</a> , or <a href="#">create_time_series</a> .
Msg	A character string containing the exact message to be found in the column <code>SAMPLE_MESSAGE</code> or a regular expression for locating the appropriate message.
ReturnData	A logical indicating whether to return a data table containing Message Time information for each event.

### Value

The value(s) of `Time` (in milliseconds) at which the Sample Message is found.

### Examples

```
## Not run:
library(VWPre)
# Check the Sample Message time...
check_msg_time(data = dat)

## End(Not run)
```

---

check\_samples\_per\_bin      *Check the number of samples in each bin*

---

### Description

check\_samples\_per\_bin determines the number of samples in each bin produced by [bin\\_prop](#). This function may be helpful for determining the obligatory parameter 'ObsPerBin' which is input to [transform\\_to\\_elogit](#).

### Usage

```
check_samples_per_bin(data)
```

**Arguments**

data                    A data table object output by [bin\\_prop](#).

**Value**

A printed summary of the number of samples in each bin.

**Examples**

```
## Not run:
library(VWPre)
# Determine the number of samples per bin...
check_samples_per_bin(dat)

## End(Not run)
```

---

check\_samplingrate     *Determine the sampling rate present in the data*

---

**Description**

check\_samplingrate determines the sampling rate in the data. This function is helpful for determining the obligatory parameter input to [bin\\_prop](#). If different sampling rates were used, the function adds a sampling rate column, which can be used to subset the data for further processing.

**Usage**

```
check_samplingrate(data, ReturnData = FALSE)
```

**Arguments**

data                    A data table object output by [select\\_recorded\\_eye](#).

ReturnData             A logical indicating whether to return a data table containing a new column called SamplingRate

**Value**

A printed summary and/or a data table object

**Examples**

```
## Not run:
library(VWPre)
# Determine the sampling rate...
check_samplingrate(dat)

## End(Not run)
```

---

check\_time\_series      *Check the new time series*

---

### Description

check\_time\_series examines the first value in the Time column for each event. If they are equal, it will return a single value. The returned value(s) will vary depending on the interest period (if defined), message alignment (if completed), and the Adjustment parameter ('Adj') supplied to [create\\_time\\_series](#).

### Usage

```
check_time_series(data, ReturnData = FALSE)
```

### Arguments

data	A data table object output by <a href="#">create_time_series</a> .
ReturnData	A logical indicating whether to return a data table containing Start Time information for each event.

### Value

The value(s) of Time (in milliseconds) at which events begin relative to the onset of the auditory stimulus.

### Examples

```
## Not run:
library(VWPre)
# Check the starting Time column...
check_time_series(data = dat)

## End(Not run)
```

---

create\_binomial      *Creates a success/failure column for each IA based on counts.*

---

### Description

create\_binomial uses interest area count columns to create a success/failure column for each IA which is suitable for logistic regression. N.B.: This function will work for data with a maximum of 8 interest areas.

### Usage

```
create_binomial(data, NoIA = NULL, ObsPerBin = NULL, ObsOverride = FALSE,
  CustomBinom = NULL)
```



**Arguments**

data	A data table object output by either <a href="#">bin_prop</a> or <a href="#">transform_to_elogit</a> .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
ObsPerBin	A positive integer indicating the number of observations to use in the calculation. Typically, this will be the number of samples per bin, which can be determined with <a href="#">check_samples_per_bin</a> .
ObsOverride	A logical value controlling restrictions on the value provided to ObsPerBin. Default value is FALSE.
CustomBinom	An optional parameter specifying a vector containing two integers corresponding to the interest area IDs to be combined.

**Value**

A data table with additional columns (the number of which depends on the number of interest areas specified) added to data.

**Examples**

```
## Not run:
library(VWPre)
# Create binomial (success/failure) column...
df <- create_binomial(data = dat, NoIA = 4, ObsPerBin = 20)

## End(Not run)
```

---

create\_time\_series      *Create a time series column*

---

**Description**

create\_time\_series standardizes the starting point for each event, creates a time series for each event including the offset for the amount of time prior to (or after) the zero point. The time series is indicated in a new column called Time.

**Usage**

```
create_time_series(data, Adjust = 0)
```

**Arguments**

data	A data table object output by <a href="#">relabel_na</a> or <a href="#">align_msg</a> .
Adjust	Optionally an integer value or a text string. If an integer (positive or negative), this will indicate an amount of time in milliseconds. The value is subtracted from the time points: positive values shift the zero forward; negative values shift the zero backward. If a text string, this will be the name of a column in the data set which contains values indicating when the critical stimulus was presented relative to the zero point.

**Value**

A data table object.

**Examples**

```
## Not run:
library(VWPre)
# To create the Time column...
df <- create_time_series(data = dat, Adjust = "SoundOnsetColumn")
# or
df <- create_time_series(data = dat, Adjust = -100)
# or
df <- create_time_series(data = dat, Adjust = 100)

## End(Not run)
```

---

custom\_ia

*Map gaze data to newly defined interest areas*

---

**Description**

custom\_ia uses a lookup data frame to map Left and Right gaze data to newly defined/supplied interest areas for each recording event. The lookup data should contain columns Event, IA\_LABEL, IA\_ID, Top, Bottom, Left, Right, which specify the Interest area label, its corresponding ID, and the boundaries (in pixel values) for each recording event. The function will overwrite existing columns RIGHT\_INTEREST\_AREA\_LABEL, RIGHT\_INTEREST\_AREA\_ID, LEFT\_INTEREST\_AREA\_LABEL, and LEFT\_INTEREST\_AREA\_ID.

**Usage**

```
custom_ia(data, iaLookup = NULL)
```

**Arguments**

data            A data table object output by [prep\\_data](#).

iaLookup        A data frame object containing by-event mapping information.

**Value**

A data table object.

**Examples**

```
## Not run:
library(VWPre)
# Map gaze data to newly defined interest areas...
df <- custom_ia(data = dat, iaLookup = LookUpDF)
```

```
# For a more complete tutorial on VWPre plotting functions:
vignette("SR_Interest_Areas", package="VWPre")

## End(Not run)
```

---

ds\_options

*Determine downsampling options based on current sampling rate*

---

### Description

ds\_options determines the possible rates to which the current sampling rate can be downsampled. It then prints the options in both bin size (milliseconds) and corresponding sampling rate (Hertz).

### Usage

```
ds_options(SamplingRate, OutputRates = "Suggested")
```

### Arguments

SamplingRate	A positive integer indicating the sampling rate (in Hertz) used to record the gaze data, which can be determined with the function <a href="#">check_samplingrate</a> .
OutputRates	A string ("Suggested" or "All") controlling if all rates are output, or if only whole rates (default) are output.

### Value

A printed summary of options (bin size and rate) for downsampling.

### Examples

```
## Not run:
library(VWPre)
# Determine downsampling options...
ds_options(SamplingRate = 1000)

## End(Not run)
```

fasttrack

*Fast-track basic preprocessing***Description**

fasttrack is a meta-function for advanced users who are already familiar with the package functions and do not need to take remedial actions such as recoding interest areas, remapping gaze data, or performing message alignment. It takes all necessary arguments for the component functions to produce proportion looks and can output either empirical logits or binomial data. The function returns a dataframe containing the result of the series of subroutines.

**Usage**

```
fasttrack(data = data, Subject = NULL, Item = NA,
  EventColumns = c("Subject", "TRIAL_INDEX"), NoIA = NoIA, Adjust = 0,
  Recording = NULL, WhenLandR = NA, BinSize = NULL, SamplingRate = NULL,
  ObsPerBin = NULL, ObsOverride = FALSE, Constant = 0.5,
  CustomBinom = NULL, Output = NULL)
```

**Arguments**

data	A data frame object created from an Eyelink Sample Report.
Subject	An obligatory string containing the column name corresponding to the subject identifier.
Item	An optional string containing the column name corresponding to the item identifier; by default, NA.
EventColumns	A vector specifying the columns which will be used for creating the Event variable; by default, Subject and TRIAL_INDEX.
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
Adjust	An integer indicating amount of time in milliseconds by which to offset the time series.
Recording	A string indicating which eyes were used for recording gaze data.
WhenLandR	A string indicating which eye ("Right" or "Left") to use if gaze data is available for both eyes (i.e., Recording = "LandR").
BinSize	A positive integer indicating the size of the binning window (in milliseconds).
SamplingRate	A positive integer indicating the sampling rate (in Hertz) used to record the gaze data.
ObsPerBin	A positive integer indicating the desired number of observations to be used in the calculations.
ObsOverride	A logical value controlling restrictions on the value provided to ObsPerBin. Default value is FALSE.
Constant	A positive number used for the empirical logit and weights calculation; by default, 0.5 as in Barr (2008).

CustomBinom	An optional parameter specifying a vector containing two integers corresponding to the interest area IDs to be combined.
Output	An obligatory string containing either "ELogit" or "Binomial".

**Value**

A data table containing formatting and calculations.

**Examples**

```
## Not run:
library(VWPre)
# Perform meta-function on data
df <- fasttrack(data = dat, Subject = "RECORDING_SESSION_LABEL", Item = "itemid",
  EventColumns = c("Subject", "TRIAL_INDEX"), NoIA = 4, Adjust = 100,
  Recording = "LandR", WhenLandR = "Right", BinSize = 20,
  SamplingRate = 1000, ObsPerBin = 20, Constant = 0.5,
  Output = "ELogit")

## End(Not run)
```

---

make_pelogit_fnc	<i>Create function for backtransforming empirical logits to proportions</i>
------------------	---

---

**Description**

make\_pelogit\_fnc creates a function that can transform empirical logit values back to probability scale using the number of samples and constant that were used in the original transformation. This function can then be use to backtransform value predicted by a statistical model.

**Usage**

```
make_pelogit_fnc(ObsPerBin = NULL, Constant = NULL)
```

**Arguments**

ObsPerBin	A positive integer indicating the number of observations used in the original transformation calculation.
Constant	A positive number used in the original transformation calculation.

**Value**

A function.

**Examples**

```
## Not run:
library(VWPre)
# Make backtransformation function
pelogit <- make_pelogit_fnc(20, 0.5)

## End(Not run)
```

---

plot\_avg

*Plots average looks to interest areas.*


---

**Description**

plot\_avg calculates the grand or conditional averages of looks to each interest area along with standard error. It then plots the results. N.B.: This function will work for data with a maximum of 8 interest areas and 2 conditions.

**Usage**

```
plot_avg(data, type = NULL, xlim = NA, IAColumns = NULL,
  Averaging = "Event", Condition1 = NULL, Condition2 = NULL,
  Cond1Labels = NA, Cond2Labels = NA, ErrorBar = TRUE,
  VWPreTheme = TRUE, ConfLev = 95, CIttype = "simultaneous",
  ErrorBand = FALSE, ErrorType = "SE")
```

**Arguments**

data	A data table object output by either <a href="#">bin_prop</a> , <a href="#">transform_to_elogit</a> , or <a href="#">create_binomial</a> .
type	A character string indicating "proportion" or "elogit" which influences how standard error and confidence intervals are calculated.
xlim	A vector of two integers specifying the limits of the x-axis.
IAColumns	A named character vector specifying the desired interest area columns with custom strings for the legend.
Averaging	A character string indicating how the averaging should be done. "Event" (default) will produce the overall mean in the data, while "Subject" or "Item" (or, in principle, any other column name) will calculate the grand mean by that factor.
Condition1	A string containing the column name corresponding to the first condition, if available.
Condition2	A string containing the column name corresponding to the second condition, if available.
Cond1Labels	A named character vector specifying the desired custom labels of the levels of the first condition.
Cond2Labels	A named character vector specifying the desired custom labels of the levels of the second condition.

ErrorBar	A logical indicating whether error bars should be included in the plot.
VWPreTheme	A logical indicating whether the theme included with the function should be applied, or ggplot2's base theme (to which any other custom theme could be added).
ConfLev	A number indicating the confidence level of the CI.
CItype	A string indicating "simultaneous" or "pointwise". Simultaneous performs a Bonferroni correction for the interval.
ErrorBand	A logical indicating whether error bands should be included in the plot.
ErrorType	A string indicating "SE" or "CI". For SE, the calculation varies for empirical logits and proportions. Further, for CI, the calculation on proportions uses the Wald method.

### Examples

```
## Not run:
library(VWPre)
# For plotting the grand average with the included theme and SE bars
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
  IAColumns = c(IA_1_ELogit = "Target", IA_2_ELogit = "Rhyme",
  IA_3_ELogit = "OnsetComp", IA_4_ELogit = "Distractor"),
  Averaging = "Event", Condition1 = NA, Condition2 = NA,
  Cond1Labels = NA, Cond2Labels = NA,
  ErrorBar = TRUE, VWPreTheme = TRUE, ErrorType = "SE",
  ErrorBand = FALSE)

# For plotting conditional averages (one condition) with the included theme
# and 95% simultaneous CI bars.
# This produces plots arranged horizontally
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
  IAColumns = c(IA_1_ELogit = "Target", IA_2_ELogit = "Rhyme",
  IA_3_ELogit = "OnsetComp", IA_4_ELogit = "Distractor"),
  Averaging = "Event", Condition1 = NA, Condition2 = "talker",
  Cond1Labels = NA,
  Cond2Labels = c(CH1 = "Chinese 1", CH10 = "Chinese 3", CH9 = "Chinese 2",
  EN3 = "English 1"), ErrorBar = TRUE, VWPreTheme = TRUE,
  ErrorBand = FALSE, ErrorType = "CI", ConfLev = 95, CItype = "simultaneous")

# For plotting conditional averages (two conditions) for one interest area
with the included theme and 95% simultaneous CI bands.
# This produces plots arranged in grid format.
plot_avg(data = dat, type = "elogit", xlim = c(0, 1000),
  IAColumns = c(IA_1_ELogit = "Target"), Averaging = "Event",
  Condition1 = "talker", Condition2 = "Exp",
  Cond1Labels = c(CH1 = "Chinese 1", CH10 = "Chinese 3", CH9 = "Chinese 2",
  EN3 = "English 1"), Cond2Labels = c(High = "H Exp", Low = "L Exp"),
  ErrorBar = FALSE, VWPreTheme = TRUE, ErrorBand = TRUE,
  ErrorType = "CI", ConfLev = 95, CItype = "simultaneous")

#' # For a more complete tutorial on VWPre plotting functions:
vignette("SR_Plotting", package="VWPre")
```

```
## End(Not run)
```

---

plot_avg_contour	<i>Plots average contour surface of looks to a given interest area.</i>
------------------	---

---

## Description

plot\_avg\_contour calculates the conditional average of proportions or empirical logit looks to a given interest area by Time and a specified continuous variable. It then applies a 3D smooth (derived using [gam](#)) over the surface and plots the results as a contour plot.

## Usage

```
plot_avg_contour(data, IA = NULL, type = NULL, Var = NULL,
  Averaging = "Event", VarLabel = NULL, xlim = NA, VWPreTheme = TRUE,
  Colors = c("gray20", "gray90"))
```

## Arguments

data	A data table object output by either <a href="#">bin_prop</a> , <a href="#">transform_to_elogit</a> , or <a href="#">create_binomial</a> .
IA	A string specifying the column name of the IA to use.
type	A character string indicating "proportion" or "elogit".
Var	A string containing the column name corresponding to the continuous variable.
Averaging	A character string indicating how the averaging should be done. "Event" (default) will produce the overall mean in the data, while "Subject" or "Item" (or, in principle, any other column name) will calculate the grand mean by that factor.
VarLabel	A string specifying the axis label to use for Var.
xlim	A vector of two integers specifying the limits of the x-axis.
VWPreTheme	A logical indicating whether the theme included with the function, or ggplot2's base theme (which any other custom theme could be added).
Colors	A vector of two strings specifying the colors of the contour shading - The default values represent grayscale.

## Examples

```
## Not run:
library(VWPre)
# For plotting a conditional contour surface...
plot_avg_contour(data = dat, IA = "IA_1_ELogit", type = "elogit",
  Var = "Rating", VarLabel = "Accent Rating", xlim = c(0,1000),
  VWPreTheme = FALSE, Colors = c("red", "white"))

# For a more complete tutorial on VWPre plotting functions:
```



```
vignette("SR_Plotting", package="VWPre")

## End(Not run)
```

---

plot\_avg\_diff                      *Plots average difference between looks to interest areas.*

---

## Description

plot\_avg\_diff calculates the grand or conditional averages of differences between looks to two interest area along with standard error. It then plots the results.

## Usage

```
plot_avg_diff(data, DiffCols = NULL, xlim = NA, type = NULL,
  Averaging = "Event", Condition1 = NULL, Condition2 = NULL,
  Cond1Labels = NA, Cond2Labels = NA, ErrorBar = TRUE,
  VWPreTheme = TRUE, ConfLev = 95, CItyp = "simultaneous",
  ErrorBand = FALSE, ErrorType = "SE")
```

## Arguments

data	A data table object output by either <a href="#">bin_prop</a> , <a href="#">transform_to_elogit</a> , or <a href="#">create_binomial</a> .
DiffCols	A named character vector specifying the desired columns corresponding to the interest areas.
xlim	A vector of two integers specifying the limits of the x-axis.
type	A character string indicating "proportion" or "elogit" which influences how standard error and confidence intervals are calculated.
Averaging	A character string indicating how the averaging should be done. "Event" (default) will produce the overall mean in the data, while "Subject" or "Item" (or, in principle, any other column name) will calculate the grand mean by that factor.
Condition1	A string containing the column name corresponding to the first condition, if available.
Condition2	A string containing the column name corresponding to the second condition, if available.
Cond1Labels	A named character vector specifying the desired labels of the levels of the first condition.
Cond2Labels	A named character vector specifying the desired labels of the levels of the second condition.
ErrorBar	A logical indicating whether error bars should be included in the plot.
VWPreTheme	A logical indicating whether the theme included with the function should be applied, or ggplot2's base theme (to which any other custom theme could be added).

ConfLev	A number indicating the confidence level of the CI.
CItype	A string indicating "simultaneous" or "pointwise". Simultaneous performs a Bonferroni correction for the interval.
ErrorBand	A logical indicating whether error bands should be included in the plot.
ErrorType	A string indicating "SE" or "CI".

### Examples

```
## Not run:
library(VWPre)
# For plotting average differences with SE bars...
plot_avg_diff(data = dat, xlim = c(0, 1000), type = "proportion",
              DiffCols = c(IA_1_P = "Target", IA_2_P = "Rhyme"),
              Condition1 = NA, Condition2 = NA, Cond1Labels = NA, Cond2Labels = NA,
              ErrorBar = TRUE, VWPreTheme = TRUE, ErrorBand = FALSE,
              ErrorType = "SE")

# For plotting conditional average differences (one condition) with the
# included theme and 95% pointwise CI bars.
plot_avg_diff(data = dat, xlim = c(0, 1000), , type = "proportion",
              DiffCols = c(IA_1_P = "Target", IA_2_P = "Rhyme"),
              Condition1 = "talker", Condition2 = NA, Cond1Labels = c(CH1 = "Chinese 1",
              CH10 = "Chinese 3", CH9 = "Chinese 2", EN3 = "English 1"),
              Cond2Labels = NA, ErrorBar = TRUE,
              VWPreTheme = TRUE, ErrorBand = FALSE,
              ErrorType = "CI", ConfLev = 95, CItype = "pointwise")

# For plotting conditional average differences (two conditions) with the
# included theme and 95% simultaneous CI bands.
plot_avg_diff(data = dat, xlim = c(0, 1000), , type = "proportion",
              DiffCols = c(IA_1_P = "Target", IA_2_P = "Rhyme"),
              Condition1 = "talker", Condition2 = "Exp", Cond1Labels = c(CH1 = "Chinese 1",
              CH10 = "Chinese 3", CH9 = "Chinese 2", EN3 = "English 1"),
              Cond2Labels = c(High = "H Exp", Low = "L Exp"), ErrorBar = FALSE,
              VWPreTheme = TRUE, ErrorBand = TRUE,
              ErrorType = "CI", ConfLev = 95, CItype = "simultaneous")

# For a more complete tutorial on VWPre plotting functions:
vignette("SR_Plotting", package="VWPre")

## End(Not run)
```

---

plot\_indiv\_app

*Plots diagnostic average plots of subjects/items.*

---

### Description

plot\_indiv\_app calculates and plots interest area averages for a given subject/item.

**Usage**

```
plot_indiv_app(data)
```

**Arguments**

data            A data table object output by either [bin\\_prop](#), [transform\\_to\\_elogit](#), or [create\\_binomial](#).

**Examples**

```
## Not run:  
library(VWPre)  
# For plotting the grand average with the included theme  
plot_indiv_app(data = dat)  
  
## End(Not run)
```

---

plot\_transformation\_app

*Plots diagnostic plots of the empirical logit transformation.*

---

**Description**

plot\_transformation\_app plots the empirical logit values for a given number of observations and constant against proportions, in order to examine the effect of these variables on the resulting transformation.

**Usage**

```
plot_transformation_app()
```

**Examples**

```
## Not run:  
library(VWPre)  
# For plotting the empirical logit transformation  
plot_transformation_app()  
  
## End(Not run)
```

---

plot\_var\_app                      *Plots diagnostic plots of subject/item variance.*

---

### Description

plot\_var\_app calculates and plots within-subject/item standard deviation, along with standardized by-subject/item means for a given interest area, within a given time window.

### Usage

```
plot_var_app(data)
```

### Arguments

data                      A data table object output by either `bin_prop`, `transform_to_elogit`, or `create_binomial`.

### Examples

```
## Not run:
library(VWPre)
# For plotting the grand average with the included theme
plot_var_app(data = dat)

## End(Not run)
```

---

prep\_data                      *Check the classes of specific columns and re-assigns as necessary.*

---

### Description

prep\_data converts the data frame to a data table and examines the required columns (RECORDING\_SESSION\_LABEL, LEFT\_INTEREST\_AREA\_ID, RIGHT\_INTEREST\_AREA\_ID, LEFT\_INTEREST\_AREA\_LABEL, RIGHT\_INTEREST\_AREA\_LABEL, TIMESTAMP, and TRIAL\_INDEX) and optional columns (SAMPLE\_MESSAGE, LEFT\_GAZE\_X, LEFT\_GAZE\_Y, RIGHT\_GAZE\_X, and RIGHT\_GAZE\_Y). It renames the subject and item columns, ensures required/optional columns are of the appropriate data class, and creates a new column called Event which indexes each unique series of samples corresponding to the combination of Subject and TRIAL\_INDEX (can be changed), necessary for performing subsequent operations.

### Usage

```
prep_data(data, Subject = NULL, Item = NA, EventColumns = c("Subject",
  "TRIAL_INDEX"))
```

**Arguments**

data	A data frame object created from an Eyelink Sample Report.
Subject	An obligatory string containing the column name corresponding to the subject identifier.
Item	An optional string containing the column name corresponding to the item identifier; by default, NA.
EventColumns	A vector specifying the columns which will be used for creating the Event variable; by default, Subject and TRIAL_INDEX.

**Value**

An object of type data table as described in [tbl\\_df](#).

**Examples**

```
## Not run:
# Typical DataViewer output contains a column called "RECORDING_SESSION_LABEL"
# corresponding to the subject.
# To prepare the data...
library(VWPre)
df <- prep_data(data = dat, Subject = "RECORDING_SESSION_LABEL", Item = "ItemCol")

## End(Not run)
```

---

 recode\_ia

*Recode interest area IDs and/or interest area labels*


---

**Description**

recode\_ia replaces existing interest area IDs and/or labels for both eyes. For subsequent data processing, it is important that the ID values range between 0 and 8 (with 0 representing Outside all predefined interest areas).

**Usage**

```
recode_ia(data, IDs = NULL, Labels = NULL)
```

**Arguments**

data	A data table object output by <a href="#">relabel_na</a> .
IDs	A named character vector specifying the desired interest area IDs and the corresponding existing IDs where the first element is the old value and the second element is the new value.
Labels	A named character vector specifying the desired interest area labels and the corresponding existing labels where the first element is the old value and the second element is the new value.

**Value**

A data table with the same dimensions as data.

**Examples**

```
## Not run:
library(VWPre)
# To recode both IDs and Labels...
df <- recode_ia(data=dat, IDs=c("234"="2", "0"="0", "35"="3", "11"="1",
"4"="6666"), Labels=c(Outside="Outside", Target="NewTargName",
Dist2="NewDist2Name", Comp="NewCompName", Dist1="NewDist1Name"))

# For a more complete tutorial on VWPre plotting functions:
vignette("SR_Interest_Areas", package="VWPre")

## End(Not run)
```

---

relabel\_na

*Relabel samples containing 'NA' as outside any interest area*


---

**Description**

relabel\_na examines interest area columns (LEFT\_INTEREST\_AREA\_ID, RIGHT\_INTEREST\_AREA\_ID, LEFT\_INTEREST\_AREA\_LABEL, and RIGHT\_INTEREST\_AREA\_LABEL) for cells containing NAs. If NA, the missing values in the ID columns are relabeled as 0 and missing values in the LABEL columns are relabeled as 'Outside'.

**Usage**

```
relabel_na(data, NoIA = NULL)
```

**Arguments**

data	A data table object output by <a href="#">prep_data</a> .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.

**Value**

A data table with the same dimensions as data.

**Examples**

```
## Not run:
library(VWPre)
# To relabel the NAs...
df <- relabel_na(data = dat, NoIA = 4)

## End(Not run)
```

---

rename_columns	<i>Rename default column names for interest areas.</i>
----------------	--

---

### Description

rename\_columns will replace the default numerical coding of the interest area columns with more meaningful user-specified names. For example, IA\_1\_C and IA\_1\_P could be converted to IA\_Target\_C and IA\_Target\_P. Again, this will work for upto 8 interest areas.

### Usage

```
rename_columns(data, Labels = NULL)
```

### Arguments

data	A data table object output by either <code>bin_prop</code> , <code>transform_to_elogit</code> , or <code>create_binomial</code> .
Labels	A named character vector specifying the interest areas and the desired names to be inserted in place of the numerical labelling.

### Value

A data table object with renamed columns.

### Examples

```
## Not run:
library(VWPre)
# For renaming default interest area columns
dat2 <- rename_columns(dat, Labels = c(IA1="Target", IA2="Rhyme",
                                       IA3="OnsetComp", IA4="Distractor"))

## End(Not run)
```

---

rm_extra_DVcols	<i>Checks for and removes unnecessary DV output columns.</i>
-----------------	--

---

### Description

rm\_extra\_DVcols checks for unnecessary DataViewer output columns and removes them, unless specified.

### Usage

```
rm_extra_DVcols(data, Keep = NULL)
```

**Arguments**

data	A data frame object created from an Eyelink Sample Report.
Keep	An optional string or character vector containing the column names of SR sample report columns the user would like to keep in the data set.

**Value**

An object of type data table as described in [tbl\\_df](#).

**Examples**

```
## Not run:
library(VWPre)
df <- rm_extra_DVcols(data = dat, Keep = NULL)

## End(Not run)
```

---

select\_recorded\_eye    *Select the eye used during recording*

---

**Description**

select\_recorded\_eye examines each event and determines which eye contains interest area information, based on the Recording parameter (which can be determined using [check\\_eye\\_recording](#)). This function then selects the data from the recorded eye and copies it to new columns (IA\_ID, IA\_LABEL, IA\_Data). The function prints a summary of the output.

**Usage**

```
select_recorded_eye(data, Recording = NULL, WhenLandR = NA)
```

**Arguments**

data	A data table object output by <a href="#">create_time_series</a> .
Recording	A string indicating which eyes were used for recording gaze data.
WhenLandR	A string indicating which eye ("Right" or "Left") to use if gaze data is available for both eyes (i.e., Recording = "LandR").

**Value**

A data table with four additional columns ('EyeRecorded', 'EyeSelected', 'IA\_ID', 'IA\_LABEL', 'IA\_Data') added to data.



## Examples

```
## Not run:
library(VWPre)
# Create a unified columns for the gaze data...
df <- select_recorded_eye(data = dat, Recording = "LandR", WhenLandR = "Right")

## End(Not run)
```

---

transform\_to\_elogit     *Transforms proportion looks to empirical logits.*

---

## Description

transform\_to\_elogit transforms the proportion of looks for each interest area to empirical logits. Proportions are inherently bound between 0 and 1 and are therefore not suitable for some types of analysis. Logits provide an unbounded measure, though range from negative infinity to infinity, so it is important to know that this logit function adds a constant (hence, empirical logit). Additionally this calculates weights which estimate the variance in each bin (because the variance of the logit depends on the mean). This is important for regression analyses. N.B.: This function will work for data with a maximum of 8 interest areas.

## Usage

```
transform_to_elogit(data, NoIA = NULL, ObsPerBin = NULL, Constant = 0.5,
  ObsOverride = FALSE)
```

## Arguments

data	A data table object output by <a href="#">bin_prop</a> .
NoIA	A positive integer indicating the number of interest areas defined when creating the study.
ObsPerBin	A positive integer indicating the number of observations to use in the calculation. Typically, this will be the number of samples per bin, which can be determined with <a href="#">check_samples_per_bin</a> .
Constant	A positive number used for the empirical logit and weights calculation; by default, 0.5 as in Barr (2008).
ObsOverride	A logical value controlling restrictions on the value provided to ObsPerBin. Default value is FALSE.

## Details

These calculations were adapted from: Barr, D. J., (2008) Analyzing 'visual world' eyetracking data using multilevel logistic regression, *Journal of Memory and Language*, 59(4), 457–474.

**Value**

A data table with additional columns (the number of which depends on the number of interest areas specified) added to data.

**Examples**

```
## Not run:
library(VWPre)
# Convert proportions to empirical logits and calculate weights...
df <- transform_to_elogit(dat, NoIA = 4, ObsPerBin = 20, Constant = 0.5)

## End(Not run)
```

---

 VWdat

*This is a sample eye-tracking dataset included in the package*

---

**Description**

This is a sample eye-tracking dataset included in the package

**Author(s)**

Vincent Porretta

---

 VWPre

*VWPre: Tools for Preprocessing Visual World Data.*

---

**Description**

The VWPre package provides a set of functions for preparing Visual World data collected with SR Research Eyelink eye trackers.

**Formatting functions**

- The function [create\\_time\\_series](#) returns a time columns in milliseconds.
- The function [prep\\_data](#) returns a data table with correctly assigned classes for important columns.
- The function [relabel\\_na](#) returns a data table with samples containing 'NA' relabeled as outside any interest area.
- The function [recode\\_ia](#) returns a data table containing recoded interest area IDs and/or interest area labels.
- The function [select\\_recorded\\_eye](#) returns a data table with data from the the recorded eye in new columns (IA\_ID and IA\_LABEL).
- The function [custom\\_ia](#) returns a data table with gaze data remapped to new interest areas.

- The function `align_msg` returns a data table with newly aligned sample data in a new column (Align).
- The function `rm_extra_DVcols` removed DataViewer columns that are not necessary for pre-processing with this package.

### Calculation functions

- The function `bin_prop` returns a downsampled data table containing proportion of looks (samples) to each interest area in a particular window of time (bin size).
- The function `transform_to_elogit` returns a data table with proportion looks transformed to empirical logits with weights.
- The function `create_binomial` returns a data table with a new success/failure column for each IA which is suitable for logistic regression.

### Fasttrack formatting function

- The function `fasttrack` a meta-function that returns a data table of processed data containing the result of the series of necessary subroutines. This is intended for experienced users doing basic preprocessing.

### Data-checking functions

- The function `check_eye_recording` returns a summary of whether or not the dataset contains gaze data in both the Right and Left interest area columns.
- The function `check_time_series` returns the first value in the Time column for each event.
- The function `check_samples_per_bin` returns the number of samples in each bin.
- The function `check_samplingrate` returns the value corresponding to the sampling rate in the data.
- The function `ds_options` returns the binning (downsampling) options possible for the given sampling rate.
- The function `check_ia` returns a summary of the interest area IDs and Labels present in the data.
- The function `check_msg_time` returns a summary of the the time value at a given sample message for each recording event.

### Plotting functions

- The function `plot_avg` returns a plot of the grand or conditional averages of proportion (or empirical logit) looks to each interest area along with error bars.
- The function `plot_avg_contour` returns a contour plot of the conditional average of proportion (or empirical logit) looks to a given interest area over Time and a specified continuous variable.
- The function `plot_avg_diff` returns a plot of the grand or conditional averages of the difference between looks to two interest areas (proportions or empirical logits) with error bars.
- The function `make_pelogit_fnc` returns a function that can backtransform predicted empirical logit to probability scale, particularly (though not exclusively) useful for plotting purposes.

**Interactive functions**

- The function `plot_transformation_app` opens a Shiny app for visualizing the effect of both number of observations and constant on the results of the empirical logit transformation and weight calculations.
- The function `plot_indiv_app` opens a Shiny app for inspecting by-subject or by-item averages for all interest areas, alongside the grand average (for proportion or empirical logit looks) within a specified time window.
- The function `plot_var_app` opens a Shiny app for inspecting by-subject or by-item Z-scores with respect to the overall mean for a given interest area within a specified time window.

**Notes**

- The vignettes are available via `browseVignettes()`.
- A list of all available functions is provided in `help(package="VWPre")`.
- This package can be cited using the information obtained from `citation("VWPre")` or `print(citation("Vwpre"))`,

**Author(s)**

Vincent Porretta, Aki-Juhani Kyröläinen, Jacolien van Rij, Juhani Järvikivi

Maintainer: Vincent Porretta (<vincentporretta@gmail.com>)

University of Windsor, Canada

# Index

## \*Topic **data**

- VWdat, 26
- align\_msg, 2, 6, 9, 27
- bin\_prop, 3, 6, 7, 9, 14, 16, 17, 19, 20, 23, 25, 27
- check\_eye\_recording, 4, 24, 27
- check\_ia, 5, 27
- check\_msg\_time, 6, 27
- check\_samples\_per\_bin, 6, 9, 25, 27
- check\_samplingrate, 4, 7, 11, 27
- check\_time\_series, 8, 27
- create\_binomial, 8, 14, 16, 17, 19, 20, 23, 27
- create\_time\_series, 4, 6, 8, 9, 24, 26
- custom\_ia, 10, 26
- ds\_options, 11, 27
- fasttrack, 12, 27
- gam, 16
- make\_pelogit\_fnc, 13, 27
- plot\_avg, 14, 27
- plot\_avg\_contour, 16, 27
- plot\_avg\_diff, 17, 27
- plot\_indiv\_app, 18, 28
- plot\_transformation\_app, 19, 28
- plot\_var\_app, 20, 28
- prep\_data, 10, 20, 22, 26
- recode\_ia, 21, 26
- relabel\_na, 5, 6, 9, 21, 22, 26
- rename\_columns, 23
- rm\_extra\_DVcols, 23, 27
- select\_recorded\_eye, 4, 7, 24, 26
- tbl\_df, 21, 24
- transform\_to\_elogit, 6, 9, 14, 16, 17, 19, 20, 23, 25, 27
- VWdat, 26
- VWPre, 26
- VWPre-package (VWPre), 26