

Package ‘aftgee’

April 21, 2018

Type Package

Title Accelerated Failure Time Model with Generalized Estimating Equations

Version 1.1-0

Date 2018-04-20

Author Sy Han (Steven) Chiou, Sangwook Kang, Jun Yan

Maintainer Sy Han (Steven) Chiou <schiou@utdallas.edu>

Description A collection of methods for both the rank-based estimates and least square estimates to the Accelerated Failure Time (AFT) model. For rank-based estimation, it provides approaches that include the computationally efficient Gehan's weight and the general's weight such as the logrank weight. Details of the rank-based estimation can be found in Chiou et al. (2014) <doi:10.1007/s11222-013-9388-2> and Chiou et al. (2015) <doi:10.1002/sim.6415>. For the least-square estimation, the estimating equation is solved with Generalized Estimating Equations (GEE). Moreover, in multivariate cases, the dependence working correlation structure can be specified in GEE's setting. Details on the least-squares estimation can be found in Chiou et al. (2014) <doi:10.1007/s10985-014-9292-x>.

License GPL (>= 3)

Imports MASS, BB, survival, geepack, parallel, methods

Suggests copula

LazyLoad yes

NeedsCompilation yes

Repository CRAN

Date/Publication 2018-04-21 05:34:26 UTC

R topics documented:

aftgee-package 2

aftgee	3
aftgee.control	5
aftsrr	6

Index	9
--------------	----------

aftgee-package	<i>Accelerate Failure Time with Generalize Estimating Equations</i>
----------------	---

Description

A package that uses Generalized Estimating Equations (GEE) to estimate Multivariate Accelerated Failure Time Model (AFT). This package implements recently developed inference procedures for AFT models with both the rank-based approach and the least squares approach. For the rank-based approach, the package allows various weight choices and uses an induced smoothing procedure that leads to much more efficient computation than the linear programming method. With the rank-based estimator as an initial value, the generalized estimating equation approach is used as an extension of the least squares approach to the multivariate case. Additional sampling weights are incorporated to handle missing data needed as in case-cohort studies or general sampling schemes.

Details

Package: aftgee Type: Package Version: 1.0-0 Date: 2014-11-12 License: GPL(>=3) LazyLoad: yes

Author(s)

Sy Han Chiou <schiou@d.umn.edu>, Jun Yan <jun.yan@uconn.edu>, Sangwook Kang <kanggi1@yonsei.ac.kr>

References

- Chiou, S., Kim, J. and Yan, J. (2014) Marginal Semiparametric Multivariate Accelerated Failure Time Model with Generalized Estimating Equation. *Life Time Data*, **20**(4): 599–618.
- Chiou, S., Kang, S. and Yan, J. (2014) Fast Accelerated Failure Time Modeling for Case-Cohort Data. *Statistics and Computing*, **24**(4): 559–568
- Chiou, S., Kang, S. and Yan, J. (2014) Fitting Accelerated Failure Time Model in Routine Survival Analysis with R Package **Aftgee**. *Journal of Statistical Software*, **61**(11): 1–23
- Huang, Y. (2002) Calibration Regression of Censored Lifetime Medical Cost. *Journal of American Statistical Association*, **97**, 318–327
- Jin, Z. and Lin, D. Y. and Ying, Z. (2006) On Least-squares Regression with Censored Data. *Biometrika*, **90**, 341–353.
- Johnson, L. M. and Strawderman, R. L. (2009) Induced Smoothing for the Semiparametric Accelerated Failure Time Model: Asymptotic and Extensions to Clustered Data. *Biometrika*, **96**, 577 – 590

Zeng, D. and Lin, D. Y. (2008) Efficient Resampling Methods for Nonsmooth Estimating Functions. *Biostatistics*, **9**, 355–363

aftgee

Accelerated Failure Time with Generalize Estimating Equation

Description

Fits a semiparametric accelerated failure time (AFT) model with least-squares approach. Generalized estimating equation is generalized to multivariate AFT modeling to account for multivariate dependence through working correlation structures to improve efficiency.

Usage

```
aftgee(formula, data, subset, id = NULL,
        contrasts = NULL, weights = NULL,
        margin = NULL, corstr = "independence",
        binit = "srrgehan", B = 100,
        control = aftgee.control())
```

Arguments

formula	a formula expression, of the form response ~ predictors. The response is a Surv object with right censoring. In the case of no censoring, aftgee will return an ordinary least estimate when corstr = "independence". See the documentation of lm, coxph and formula for details.
data	an optional data frame in which to interpret the variables occurring in the formula.
id	an optional vector used to identify the clusters. If missing, then each individual row of data is presumed to represent a distinct subject. The length of id should be the same as the number of observations.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
corstr	a character string specifying the correlation structure. The following are permitted: independence, exchangeable, ar1, unstructured, userdefined, and fixed
B	a numeric value specifies the resampling number. When B = 0, only the beta estimate will be displayed.
contrasts	an optional list.
binit	can be either a vector or a character string specifying the initial slope estimator. When binit is a vector, its length should be the same as the number of covariates. When binit is a character string, the following are permitted: lm for simple linear regression, srrgehan for smoothed gehan weight estimator.
weights	an optional vector of observation weights.
margin	a sformula vector; default at 1.
control	controls maxiter and tolerance.

Details

Package: aftgee Type: Package Version: 0.4-3 Date: 2014-04-08 License: GPL (>=3) LazyLoad: yes

Value

An object of class "aftgee" representing the fit. An object of class "aftgee" is a list containing at least the following components:

<code>coefficients</code>	a vector of initial value and a vector of point estimates
<code>coef.res</code>	a vector of point estimates
<code>var.res</code>	estimated covariance matrix
<code>coef.init</code>	a vector of initial value
<code>var.init.mat</code>	estimated initial covariance matrix
<code>binit</code>	a character string specifying the initial estimator.
<code>conv</code>	An integer code indicating type of convergence after GEE iteration. 0 indicates successful convergence; 1 indicates that the iteration limit <code>maxit</code> has been reached
<code>ini.conv</code>	An integer code indicating type of convergence for initial value. 0 indicates successful convergence; 1 indicates that the iteration limit <code>maxit</code> has been reached
<code>conv.step</code>	An integer code indicating the step until convergence

Author(s)

Sy Han Chiou, Sangwook Kang, Jun Yan.

References

Chiou, S., Kim, J. and Yan, J. (2014) Marginal Semiparametric Multivariate Accelerated Failure Time Model with Generalized Estimating Equation. *Life Time Data*, **20**(4): 599–618.

Jin, Z. and Lin, D. Y. and Ying, Z. (2006) On Least-squares Regression with Censored Data. *Biometrika*, **90**, 341–353.

Examples

```
library(survival)
library(copula)
datgen <- function(n = 100, tau = 0.3, cen = 75.4, dim = 2) {
  kt <- iTau(claytonCopula(1), tau)
  copula <- claytonCopula(kt, dim = dim)
  id <- rep(1:n, rep(dim, n))
  x1 <- rbinom(dim * n, 1, 0.5)
  x2 <- rnorm(dim * n)
  ed <- mvdc(copula, rep("weibull", dim), rep(list(list(shape = 1)), dim))
  e <- c(t(rMvdc(n, ed)))
}
```

```
T <- exp(2 + x1 + x2 + e)
cstime <- runif(n, 0, cen)
delta <- (T < cstime) * 1
Y <- pmin(T, cstime)
out <- data.frame(T = T, Y = Y, delta = delta, x1 = x1, x2 = x2, id = rep(1:dim, n))
out
}
set.seed(1)
mydata <- datgen(n = 50, dim = 2)
summary(aftgee(Surv(Y, delta) ~ x1 + x2, data = mydata,
              id = id, constr = "ind", B = 10))
summary(aftgee(Surv(Y, delta) ~ x1 + x2, data = mydata,
              id = id, constr = "ex", B = 10))
```

aftgee.control

Auxiliary for Controlling AFTGEE Fitting

Description

Auxiliary function as user interface for aftgee and aftsrr fitting.

Usage

```
aftgee.control(maxiter = 50, reltol = 0.001, trace = FALSE, seIni = TRUE)
```

Arguments

maxiter	max number of iteration.
reltol	relative error tolerance.
trace	binary variable, determine whether to display output for each iteration.
seIni	logical value indicating whether a new rank-based initial value is computed for each resampling sample in variance estimation.

Details

When trace is true, output for each iteration is printed to the screen.

Value

A list with the arguments as components.

Author(s)

Sy Han Chiou, Sangwook Kang, Jun Yan.

See Also

aftgee, aftgee.fit and aftgee.est.

Description

Fits a semiparametric accelerated failure time (AFT) model with rank-based approach. General weights, additional sampling weights and fast sandwich variance estimations are also incorporated. Estimating equations are solved with Barzilar-Borwein spectral method implemented as `BBsolve` in package **BB**.

Usage

```
aftsrr(formula, data, subset, id = NULL, contrasts = NULL,
        weights = NULL, B = 100,
        rankWeights = c("gehan", "logrank", "pw", "gp", "userdefined"),
        eqType = c("is", "ns", "mns", "mis"),
        se = c("NULL", "bootstrap", "MB", "ZLCF", "ZLMB", "sHCF", "sHMB",
              "ISCF", "ISMB"),
        control = list())
```

Arguments

<code>formula</code>	a formula expression, of the form <code>response ~ predictors</code> . The response is a <code>Surv</code> object with right censoring. See the documentation of <code>lm</code> , <code>coxph</code> and <code>formula</code> for details.
<code>data</code>	an optional data frame in which to interpret the variables occurring in the formula.
<code>id</code>	an optional vector used to identify the clusters. If missing, then each individual row of data is presumed to represent a distinct subject. The length of <code>id</code> should be the same as the number of observation.
<code>subset</code>	an optional vector specifying a subset of observations to be used in the fitting process.
<code>contrasts</code>	an optional list.
<code>weights</code>	an optional vector of observation weights.
<code>rankWeights</code>	a character string specifying the type of general weights. The following are permitted: <code>logrank</code> : logrank weight, <code>gehan</code> : Gehan's weight, <code>PW</code> : Prentice-Wilcoxon weight, <code>GP</code> : GP class weight.
<code>eqType</code>	a character string specifying the type of the estimating equation used to obtain the regression parameters. The following are permitted: <code>nonsm</code> : Regression parameters are estimated by directly solving the nonsmooth estimating equations. <code>sm</code> : Regression parameters are estimated by directly solving the induced-smoothing estimating equations. <code>monosm</code> : Regression parameters are estimated by iterating the monotonic smoothed estimating equations. This is typical when <code>rankWeights = "PW"</code> and <code>rankWeights = "GP"</code> .

se	a character string specifying the estimating method for the variance-covariance matrix. The following are permitted: <code>bootstrap</code> : nonparametric bootstrap, <code>MB</code> : multiplier resampling, <code>ZLCF</code> : Zeng and Lin's approach with closed form Si, <code>ZLMB</code> : Zeng and Lin's approach with empirical Si, <code>sHCF</code> : Huang's approach with closed form Si, <code>sHMB</code> : Huang's approach with empirical Si, <code>ISCF</code> : Johnson and Strawderman's sandwich variance estimates with closed form Si, <code>ISMB</code> : Johnson and Strawderman's sandwich variance estimates with empirical Si, <code>js</code> : Johnson and Strawderman's iterating approach.
B	a numeric value specifies the resampling number. When $B = 0$, only the beta estimate will be displayed.
control	controls <code>maxiter</code> and tolerance.

Value

`aftsrr` returns an object of class "aftsrr" representing the fit. An object of class "aftsrr" is a list containing at least the following components:

beta	A vector of beta estimates
covmat	A list of covariance estimates
convergence	An integer code indicating type of convergence. 0 indicates successful convergence. Error codes are 1 indicates that the iteration limit <code>maxit</code> has been reached; 2 is failure due to stagnation; 3 indicates error in function evaluation; 4 is failure due to exceeding 100 step length reductions in line-search; and 5 indicates lack of improvement in objective function.
bhist	When <code>variance = "MB"</code> , <code>bhist</code> gives the bootstrap samples.

Author(s)

Sy Han Chiou, Sangwook Kang, Jun Yan.

References

- Chiou, S., Kang, S. and Yan, J. (2014) Fast Accelerated Failure Time Modeling for Case-Cohort Data. *Statistics and Computing*, **24**(4): 559–568
- Chiou, S., Kang, S. and Yan, J. (2014) Fitting Accelerated Failure Time Model in Routine Survival Analysis with R Package **Aftgee**. *Journal of Statistical Software*, **61**(11): 1–23
- Huang, Y. (2002) Calibration Regression of Censored Lifetime Medical Cost. *Journal of American Statistical Association*, **97**, 318–327
- Johnson, L. M. and Strawderman, R. L. (2009) Induced Smoothing for the Semiparametric Accelerated Failure Time Model: Asymptotic and Extensions to Clustered Data. *Biometrika*, **96**, 577 – 590
- Varadhan, R. and Gilbert, P. (2009) BB: An R Package for Solving a Large System of Nonlinear Equations and for Optimizing a High-Dimensional Nonlinear Objective Function. *Journal of Statistical Software*, **32**(4): 1–26
- Zeng, D. and Lin, D. Y. (2008) Efficient Resampling Methods for Nonsmooth Estimating Functions. *Biostatistics*, **9**, 355–363

Examples

```
#### kidney data
library(survival)
data(kidney)
foo <- aftsrv(Surv(time, status) ~ age + sex, id = id,
              data = kidney, se = c("ISMB", "ZLMB"), B = 10)
foo

#### nwtco data
library(survival)
data(nwtco)
subinx <- sample(1:nrow(nwtco), 668, replace = FALSE)
nwtco$subcohort <- 0
nwtco$subcohort[subinx] <- 1
pn <- table(nwtco$subcohort)[[2]] / sum(table(nwtco$subcohort))
nwtco$hi <- nwtco$rel + (1 - nwtco$rel) * nwtco$subcohort / pn
nwtco$age12 <- nwtco$age / 12
nwtco$study <- nwtco$study - 3
nwtco$histol = nwtco$histol - 1
sub <- nwtco[subinx,]
fit <- aftsrv(Surv(edrel, rel) ~ histol + age12 + study, id = seqno,
              weights = hi, data = sub, B = 10, se = c("ISMB", "ZLMB"),
              subset = stage == 4)
summary(fit)
```


Index

*Topic **aftgee**

aftgee, [3](#)

aftgee-package, [2](#)

*Topic **aftsrr**

aftsrr, [6](#)

[aftgee, 3](#)

[aftgee-package, 2](#)

[aftgee.control, 5](#)

[aftsrr, 6](#)

[summary.aftgee \(aftgee\), 3](#)

[summary.aftsrr \(aftsrr\), 6](#)