

Package ‘gets’

April 4, 2018

Type Package

Title General-to-Specific (GETS) Modelling and Indicator Saturation Methods

Version 0.15

Date 2018-04-04

Author Genaro Sucarrat [aut, cre], Felix Pretis [aut], James Reade [aut]

Maintainer Genaro Sucarrat <genaro.sucarrat@bi.no>

Description Automated General-to-Specific (GETS) modelling of the mean and variance of a regression, and indicator saturation methods for detecting and testing for structural breaks in the mean.

License GPL (>= 2)

Depends R (>= 3.3.0), zoo, parallel

Suggests lgarch, xtable

BugReports <http://stackoverflow.com/questions/tagged/r>

URL <https://CRAN.R-project.org/package=gets>,
<http://www.sucarrat.net/R/gets>

NeedsCompilation no

Repository CRAN

Date/Publication 2018-04-04 15:11:22 UTC

R topics documented:

gets-package	2
arx	4
biascorr	7
coef.arx	8
coef.gets	12
coef.isat	15
diagnostics	18
dropvar	20
eqwma	22

ES	24
eviews	25
gets	26
getsFun	26
getsm	30
hpdata	34
iim	35
infldata	37
infocrit	38
isat	39
isattest	43
isatvar	45
isvarcor	47
isvareffcor	48
ols	49
paths	50
periodicdummies	51
recursive	52
so2data	54
sp500data	55

Index 56

gets-package	<i>General-to-Specific (GETS) Modelling and Indicator Saturation Methods</i>
--------------	--

Description

Automated multi-path General-to-Specific (GETS) modelling of the mean and variance of a regression, and indicator saturation methods for detecting structural breaks in the mean. The mean can be specified as an autoregressive model with covariates (an 'AR-X' model), and the variance can be specified as a log-variance model with covariates (a 'log-ARCH-X' model).

The four main functions of the package are `arx`, `getsm`, `getsv` and `isat`. The first function, `arx`, estimates an AR-X model with (optionally) log-ARCH-X errors. The second function, `getsm`, undertakes GETS model selection of the mean specification of an `arx` object. The third function, `getsv`, undertakes GETS model selection of the log-variance specification of an `arx` object. The fourth function, `isat`, undertakes GETS model selection of an indicator saturated mean specification.

The package also provides auxiliary functions used by the main functions, in addition to extraction functions (mainly S3 methods).

Details

Package: gets
Type: Package
Version: 0.15
Date: 2018-04-04
License: GPL-2

The code originated in relation with G. Sucarrat and A. Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', Oxford Bulletin of Economics and Statistics 74, Issue 5 (October), pp. 716-735. Subsequently, Felix Pretis and James Reade joined for the development of the `isat` code and related functions

Author(s)

Felix Pretis, <http://www.felixpretis.org/>
James Reade, <https://sites.google.com/site/jjamesreade/>
Genaro Sucarrat, <http://www.sucarrat.net/>

Maintainer: Genaro Sucarrat

References

G. Sucarrat and A. Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', Oxford Bulletin of Economics and Statistics 74, Issue 5 (October), pp. 716-735

Carlos Santos, Hendry, David, F. and Johansen, Soren (2007): 'Automatic selection of indicators in a fully saturated regression'. Computational Statistics, vol 23:1, pp.317-335

Jurgen, A. Doornik, Hendry, David F., and Pretis, Felix (2013): 'Step Indicator Saturation', Oxford Economics Discussion Paper, 658.

See Also

`arx`, `getsm`, `getsv`, `isat`

Examples

```
##Simulate from an AR(1):  
set.seed(123)  
y <- arima.sim(list(ar=0.4), 60)  
  
##Estimate an AR(2) with intercept as mean specification  
##and a log-ARCH(4) as log-volatility specification:  
myModel <- arx(y, mc=TRUE, ar=1:2, arch=1:4)  
  
##GETS modelling of the mean of myModel:  
simpleMean <- getsm(myModel)
```

```
##GETS modelling of the log-variance of myModel:
simpleVar <- getsv(myModel)

##results:
print(simpleMean)
print(simpleVar)

##step indicator saturation of an iid normal series:
set.seed(123)
y <- rnorm(30)
isat(y)
```

arx

Estimate an AR-X model with log-ARCH-X errors

Description

Estimation by OLS, two-step OLS if a variance specification is specified: In the first the mean specification (AR-X) is estimated, whereas in the second step the log-variance specification (log-ARCH-X) is estimated.

The AR-X mean specification can contain an intercept, AR-terms, lagged moving averages of the regressand and other conditioning covariates ('X'). The log-variance specification can contain log-ARCH terms, asymmetry or 'leverage' terms, log(EqWMA) where EqWMA is a lagged equally weighted moving average of past squared residuals (a volatility proxy) and other conditioning covariates ('X').

Usage

```
arx(y, mc=FALSE, ar=NULL, ewma=NULL, mxreg=NULL, vc=FALSE,
    arch=NULL, asym=NULL, log.ewma=NULL, vxreg=NULL, zero.adj=0.1,
    vc.adj=TRUE, vcov.type=c("ordinary", "white", "newey-west"),
    qstat.options=NULL, user.estimate=NULL, user.diagnostics=NULL,
    tol=1e-07, LAPACK=FALSE, plot=NULL)
```

Arguments

y	numeric vector, time-series or zoo object. Missing values in the beginning and at the end of the series is allowed, as they are removed with the na.trim command
mc	logical. TRUE includes an intercept in the mean specification, whereas FALSE (default) does not
ar	either NULL (default) or an integer vector, say, <code>c(2,4)</code> or <code>1:4</code> . The AR-lags to include in the mean specification. If NULL, then no lags are included
ewma	either NULL (default) or a list with arguments sent to the eqwma function. In the latter case a lagged moving average of y is included as a regressor
mxreg	either NULL (default) or a numeric vector or matrix, say, a zoo object, of conditioning variables. Note that, if both y and mxreg are zoo objects, then their samples are chosen to match

vc	logical. TRUE includes an intercept in the log-variance specification, whereas FALSE (default) does not. If the log-variance specification contains any other item but the log-variance intercept, then vc is set to TRUE
arch	either NULL (default) or an integer vector, say, c(1, 3) or 2:5. The log-ARCH lags to include in the log-variance specification
asym	either NULL (default) or an integer vector, say, c(1) or 1:3. The asymmetry (i.e. 'leverage') terms to include in the log-variance specification
log.ewma	either NULL (default) or a vector of the lengths of the volatility proxies, see leqwma
vxreg	either NULL (default) or a numeric vector or matrix, say, a zoo object, of conditioning variables. If both y and mxreg are zoo objects, then their samples are chosen to match
zero.adj	numeric value between 0 and 1. The quantile adjustment for zero values. The default 0.1 means the zero residuals are replaced by the 10 percent quantile of the absolute residuals before taking the logarithm
vc.adj	logical. If TRUE (default), then the log-variance intercept is adjusted by the estimate of $E[\ln(z^2)]$, where z is the standardised error. This adjustment is needed for the conditional scale to be equal to the conditional standard deviation. If FALSE, then the log-variance intercept is not adjusted
vcov.type	character vector, "ordinary" (default), "white" or "newey-west". If "ordinary", then the ordinary variance-covariance matrix is used for inference. If "white", then the White (1980) heteroscedasticity-robust matrix is used. If "newey-west", then the Newey and West (1987) heteroscedasticity and autocorrelation-robust matrix is used
qstat.options	NULL (default) or an integer vector of length two, say, c(1, 1). The first value sets the lag-order of the AR diagnostic test, whereas the second value sets the lag-order of the ARCH diagnostic test. If NULL, then the two values of the vector are set automatically
user.estimate	NULL (default) or a list with one entry, name, containing the name of the user-defined estimator
user.diagnostics	NULL (default) or a list with two entries, name and pval, see the user.fun argument in diagnostics
tol	numeric value (default = $1e-07$). The tolerance for detecting linear dependencies in the columns of the regressors (see qr function). Only used if LAPACK is FALSE (default)
LAPACK	logical. If TRUE, then use LAPACK. If FALSE (default), then use LINPACK (see qr function)
plot	NULL or logical. If TRUE, then the fitted values and the residuals are plotted. If NULL (default), then the value set by options determines whether a plot is produced or not.

Details

See Sucarrat and Escribano (2012)

Value

A list of class 'arx'

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Genaro Sucarrat and Alvaro Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', *Oxford Bulletin of Economics and Statistics* 74, Issue no. 5 (October), pp. 716-735

Halbert White (1980): 'A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity', *Econometrica* 48, pp. 817-838

Whitney K. Newey and Kenned D. West (1987): 'A Simple, Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix', *Econometrica* 55, pp. 703-708

See Also

Extraction functions (mostly S3 methods): [coef.arx](#), [ES](#), [fitted.arx](#), [plot.arx](#), [print.arx](#), [recursive](#), [residuals.arx](#), [sigma.arx](#), [rsquared](#), [summary.arx](#), [VaR](#) and [vcov.arx](#)

Related functions: [getsm](#), [getsv](#), [isat](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 70)

##estimate an AR(2) with intercept:
arx(y, mc=TRUE, ar=1:2)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*70), 70, 4)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean:
arx(y, mc=TRUE, ar=1:2, mxreg=xregs)

##estimate a log-variance specification with a log-ARCH(4)
##structure:
arx(y, arch=1:4)

##estimate a log-variance specification with a log-ARCH(4)
##structure and an asymmetry/leverage term:
arx(y, arch=1:4, asym=1)

##estimate a log-variance specification with a log-ARCH(4)
```

```

##structure, an asymmetry or leverage term, a 10-period log(EWMA) as
##volatility proxy, and the log of the squareds of the conditioning
##regressors in the log-variance specification:
arx(y, arch=1:4, asym=1, log.ewma=list(length=10), vxreg=log(xregs^2))

##estimate an AR(2) with intercept and four conditioning regressors
##in the mean, and a log-variance specification with a log-ARCH(4)
##structure, an asymmetry or leverage term, a 10-period log(EWMA) as
##volatility proxy, and the log of the squareds of the conditioning
##regressors in the log-variance specification:
arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:4, asym=1,
    log.ewma=list(length=10), vxreg=log(xregs^2))

```

biascorr	<i>Bias-correction of coefficients following general-to-specific model selection</i>
----------	--

Description

Takes a vector of coefficients (valid for orthogonal variables), their standard errors, the significance level the variables were selected at, and the sample size, to return bias-corrected coefficient estimates to account for the bias induced by model selection.

Usage

```
biascorr(b, b.se, p.alpha, T)
```

Arguments

b	a Kx1 vector of coefficients.
b.se	a Kx1 vector of standard errors of the coefficients in 'b'.
p.alpha	numeric value between 0 and 1, the significance level at which selection was conducted.
T	integer, the sample size of the original model selection regression.

Details

The function computes the bias-corrected estimates of coefficients in regression models post general-to-specific model selection using the approach by Hendry and Krolzig (2005). The results are valid for orthogonal regressors only. Bias correction can be applied to the coefficient path in `isat` models where the only additional covariate besides indicators is an intercept - see Pretis (2015).

Value

Returns a Kx3 matrix, where the first column lists the original coefficients, the second column the one-step corrected coefficients, and the third column the two-step bias-corrected coefficients.

Author(s)

Felix Pretis, <http://www.felixpretis.org/>

References

Hendry, D.F. and Krolzig, H.M. (2005): 'The properties of automatic Gets modelling'. *Economic Journal*, 115, C32-C61.

Pretis, F. (2015): 'Testing for time-varying predictive accuracy using bias-corrected indicator saturation'. Oxford Department of Economics Discussion Paper.

See Also

[isat](#), [coef.gets](#), [plot.gets](#), [isatvar](#), [isattest](#)

Examples

```
###Bias-correction of the coefficient path of the Nile data
#nile <- as.zoo(Nile)
#isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)
#var <- isatvar(isat.nile)
#biascorr(b=var$const.path, b.se=var$const.se, p.alpha=0.005, T=length(var$const.path))

##Bias-correction of the coefficient path on artificial data
#set.seed(123)
#d <- matrix(0,100,1)
#d[35:55] <- 1
#e <- rnorm(100, 0, 1)
#y <- d*1 +e

#ys <- isat(y, sis=TRUE, iis=FALSE, t.pval=0.01)
#var <- isatvar(ys)
#biascorr(b=var$const.path, b.se=var$const.se, p.alpha=0.01, T=length(var$const.path))
```

coef.arx

Extraction functions for 'arx' objects

Description

Extraction functions for objects of class 'arx'

Usage

```
## S3 method for class 'arx'
coef(object, spec=NULL, ...)
## S3 method for class 'arx'
fitted(object, spec=NULL, ...)
## S3 method for class 'arx'
logLik(object, ...)
```



```

## S3 method for class 'arx'
plot(x, spec=NULL, col=c("red","blue"),
     lty=c("solid","solid"), lwd=c(1,1), ...)
## S3 method for class 'arx'
predict(object, spec=NULL, n.ahead=12, newmxreg=NULL,
        newvxreg=NULL, newindex=NULL, n.sim=1000, innov=NULL, return=TRUE,
        plot=NULL, plot.options=list(), ...)
## S3 method for class 'arx'
print(x, signif.stars=FALSE, ...)
## S3 method for class 'arx'
residuals(object, std=FALSE, ...)
## S3 method for class 'arx'
sigma(object, ...)
## S3 method for class 'arx'
summary(object, ...)
## S3 method for class 'arx'
vcov(object, spec=NULL, ...)

```

Arguments

object	an object of class 'arx'
x	an object of class 'arx'
spec	NULL, "mean", "variance" or, in some instances, "both". When NULL is a valid value, then it is automatically determined whether information pertaining to the mean or variance specification should be returned
signif.stars	logical. If TRUE, then P-values are additionally encoded visually, see <code>printCcoefmat</code>
std	logical. If FALSE (default), then the mean residuals are returned. If TRUE, then the standardised residuals are returned
n.ahead	generate forecasts up to n steps ahead (the default is 12)
newmxreg	a matrix (n.ahead rows and NCOL(mxregs) columns) with the out-of-sample values of the mxreg regressors
newvxreg	a matrix (n.ahead rows and NCOL(vxregs) columns) with the out-of-sample values of the vxreg regressors
newindex	date-index for the zoo object returned by <code>predict.arx</code>
n.sim	integer, the number of bootstrap replications for the generation of the variance forecasts
innov	NULL (default) or a vector of length $n.ahead * n.sim$ containing the standardised errors (i.e. zero mean, unit variance) to bootstrap from
return	logical. If TRUE (default), then the out-of-sample forecasts are returned
plot	NULL or logical. If TRUE (default), then the out-of-sample forecasts are plotted. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not.
plot.options	a list of options related to the plotting of forecasts, see 'Details'
col	colours of actual (default=blue) and fitted (default=red) lines

lty	types of actual (default=solid) and fitted (default=solid) lines
lwd	widths of actual (default=1) and fitted (default=1) lines
...	additional arguments

Details

The `plot.options` argument is a list that can contain any of the following arguments:

`keep`: integer greater than zero (default is 10) that controls the number of in-sample actual values to plot
`fitted`: If TRUE, then the fitted values as well as actual values are plotted in-sample. The default is FALSE
`errors.only`: logical or NULL (the default). If TRUE, then only mean forecasts are plotted when `spec` is set to "both"
`legend.loc`: character string (the default is "topleft"). Allows the location of the plot legend to be altered
`newmactual`: numeric vector or NULL (default). Enables the plotting of actual values out-of-sample in addition to the forecasts

Value

<code>coef</code> :	a numeric vector containing parameter estimates
<code>fitted</code> :	a <code>zoo</code> object with fitted values
<code>logLik</code> :	log-likelihood (normal density)
<code>plot</code> :	a plot of the fitted values and the residuals
<code>predict</code> :	a vector containing the out-of-sample forecasts
<code>print</code> :	a print of the estimation results
<code>residuals</code> :	a <code>zoo</code> object with the residuals
<code>sigma</code> :	the regression standard error ('SE of regression')
<code>summary</code> :	a print of the items in the <code>arx</code> object
<code>vcov</code> :	variance-covariance matrix

Author(s)

Felix Pretis, <http://www.felixpretis.org/>
 James Reade, <https://sites.google.com/site/jjamesreade/>
 Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[arx](#)

Examples

```
##simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 40)

##simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*40), 40, 4)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean, and log-ARCH(3) in the variance:
mymod <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:3)

##print results:
print(mymod)

##plot the fitted vs. actual values, and the residuals:
plot(mymod)

##generate out-of-sample forecasts of the mean:
predict(mymod, newmxreg=matrix(0,12,4))

##print the entries of object 'mymod':
summary(mymod)

##extract coefficient estimates (automatically determined):
coef(mymod)

##extract mean coefficients only:
coef(mymod, spec="mean")

##extract log-variance coefficients only:
coef(mymod, spec="variance")

##extract all coefficient estimates:
coef(mymod, spec="both")

##extract regression standard error:
sigma(mymod)

##extract log-likelihood:
logLik(mymod)

##extract variance-covariance matrix of mean equation:
vcov(mymod)

##extract variance-covariance matrix of log-variance equation:
vcov(mymod, spec="variance")

##extract and plot the fitted mean values (automatically determined):
mfit <- fitted(mymod)
plot(mfit)
```

```

##extract and plot the fitted variance values:
vfit <- fitted(mymod, spec="variance")
plot(vfit)

##extract and plot both the fitted mean and variance values:
vfit <- fitted(mymod, spec="both")
plot(vfit)

##extract and plot the fitted mean values:
vfit <- fitted(mymod, spec="mean")
plot(vfit)

##extract and plot residuals:
epshat <- residuals(mymod)
plot(epshat)

##extract and plot standardised residuals:
zhat <- residuals(mymod, std=TRUE)
plot(zhat)

```

coef.gets

Extraction functions for 'gets' objects

Description

Extraction functions for objects of class 'gets'

Usage

```

## S3 method for class 'gets'
coef(object, spec=NULL, ...)
## S3 method for class 'gets'
fitted(object, spec=NULL, ...)
## S3 method for class 'gets'
logLik(object, ...)
## S3 method for class 'gets'
plot(x, spec=NULL, col=c("red","blue"),
     lty=c("solid","solid"), lwd=c(1,1), ...)
## S3 method for class 'gets'
predict(object, spec=NULL, n.ahead=12, newmxreg=NULL,
        newvxreg=NULL, newindex=NULL, n.sim=1000, innov=NULL, return=TRUE,
        plot=NULL, plot.options=list(), ...)
## S3 method for class 'gets'
print(x, ...)
## S3 method for class 'gets'
residuals(object, std=NULL, ...)
## S3 method for class 'gets'
sigma(object, ...)

```

```
## S3 method for class 'gets'
summary(object, ...)
## S3 method for class 'gets'
vcov(object, spec=NULL, ...)
```

Arguments

object	an object of class 'gets'
x	an object of class 'gets'
spec	NULL, "mean", "variance" or, in some instances, "both". When NULL is a valid value, then it is automatically determined whether information pertaining to the mean or variance specification should be returned
std	logical. If FALSE (default), then the mean residuals are returned. If TRUE, then the standardised residuals are returned
n.ahead	generate forecasts up to n steps ahead (the default is 12)
newmxreg	a matrix (n.ahead rows and NCOL(mxregs) columns) with the out-of-sample values of the mxreg regressors
newvxreg	a matrix (n.ahead rows and NCOL(vxregs) columns) with the out-of-sample values of the vxreg regressors
newindex	date-index for the zoo object returned by predict.arx
n.sim	integer, the number of bootstrap replications for the generation of the variance forecasts
innov	NULL (default) or a vector of length n.ahead * n.sim containing the standardised errors (i.e. zero mean, unit variance) to bootstrap from
return	logical. If TRUE (default), then the out-of-sample forecasts are returned
plot	NULL or logical. If TRUE (default), then the out-of-sample forecasts are plotted. If NULL (default), then the value set by options determines whether a plot is produced or not.
plot.options	a list of options related to the plotting of forecasts, see 'Details'
col	colours of fitted (default=red) and actual (default=blue) lines
lty	types of fitted (default=solid) and actual (default=solid) lines
lwd	widths of fitted (default=1) and actual (default=1) lines
...	additional arguments

Details

The plot.options argument is a list that can contain any of the following arguments:

keep: integer greater than zero (default is 10) that controls the number of in-sample actual values to plot
 fitted: If TRUE, then the fitted values as well as actual values are plotted in-sample. The default is FALSE
 errors.only: logical or NULL (the default). If TRUE, then only mean forecasts are plotted when spec is set to "both"

legend.loc: character string (the default is "topleft"). Allows the location of the plot legend to be altered

newmactual: numeric vector or NULL (default). Enables the plotting of actual values out-of-sample in addition to the forecasts

Value

coef: a numeric vector containing parameter estimates

fitted: a `zoo` object with fitted values

logLik: a numeric, the log-likelihood (normal density)

plot: a plot of the fitted values and the residuals

predict: a vector containing the out-of-sample forecasts

print: a print of the estimation results

residuals: a `zoo` object with the residuals

sigma: the regression standard error ('SE of regression')

summary: a print of the items in the `gets` object

vcov: a variance-covariance matrix

Author(s)

Felix Pretis, <http://www.felixpretis.org/>
 James Reade, <https://sites.google.com/site/jjamesreade/>
 Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[getsm](#), [getsv](#), [isat](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 100)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*100), 100, 4)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean, and a log-ARCH(3) in the variance:
mymod <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:3)

##General-to-Specific (GETS) model selection of the mean:
meanmod <- getsm(mymod)

##General-to-Specific (GETS) model selection of the variance:
varmod <- getsv(mymod)
```

```
##print results:
print(meanmod)
print(varmod)

##plot the fitted vs. actual values, and the residuals:
plot(meanmod)
plot(varmod)

##print the entries of object 'gets':
summary(meanmod)
summary(varmod)

##extract coefficients of the simplified (specific) model:
coef(meanmod) #mean spec
coef(varmod) #variance spec

##extract log-likelihood:
logLik(mymod)

##extract variance-covariance matrix of simplified
##(specific) model:
vcov(meanmod) #mean spec
vcov(varmod) #variance spec

##extract and plot the fitted values:
mfit <- fitted(meanmod) #mean fit
plot(mfit)
vfit <- fitted(varmod) #variance fit
plot(vfit)

##extract and plot residuals:
epshat <- residuals(meanmod)
plot(epshat)

##extract and plot standardised residuals:
zhat <- residuals(varmod)
plot(zhat)
```

coef.isat

Extraction functions for 'isat' objects

Description

Extraction functions for objects of class 'isat'

Usage

```
## S3 method for class 'isat'
coef(object, ...)
```

```

## S3 method for class 'isat'
fitted(object, spec=NULL, ...)
## S3 method for class 'isat'
logLik(object, ...)
## S3 method for class 'isat'
plot(x, col=c("red","blue"), lty=c("solid","solid"),
     lwd=c(1,1), coef.path=TRUE, ...)
## S3 method for class 'isat'
predict(object, n.ahead=12, newmxreg=NULL, newindex=NULL,
        return=TRUE, plot=NULL, plot.options=list(), ...)
## S3 method for class 'isat'
print(x, ...)
## S3 method for class 'isat'
residuals(object, std=FALSE, ...)
## S3 method for class 'isat'
sigma(object, ...)
## S3 method for class 'isat'
summary(object, ...)
## S3 method for class 'isat'
vcov(object, ...)

```

Arguments

object	an object of class 'isat'
x	an object of class 'isat'
spec	'mean' or 'variance'
std	logical. If FALSE (default), then the mean residuals are returned. If TRUE, then the standardised residuals are returned
n.ahead	generate forecasts up to n steps ahead (the default is 12)
newmxreg	a matrix (n.ahead rows and NCOL(mxregs) columns) with the out-of-sample values of the mxreg regressors
newindex	date-index for the zoo object returned by predict.arx
return	logical. If TRUE (default), then the out-of-sample forecasts are returned
plot	NULL or logical. If TRUE, then the out-of-sample forecasts are plotted. If NULL (default), then the value set by options determines whether a plot is produced or not.
plot.options	a list of options related to the plotting of forecasts, see 'Details'
col	colours of fitted (default=red) and actual (default=blue) lines
lty	types of fitted (default=solid) and actual (default=solid) lines
lwd	widths of fitted (default=1) and actual (default=1) lines
coef.path	logical. Only applicable if there are retained indicators after the application of isat
...	additional arguments

Details

The `plot.options` argument is a list that can contain any of the following arguments:

`keep`: integer greater than zero (default is 10) that controls the number of in-sample actual values to plot
`fitted`: If TRUE, then the fitted values as well as actual values are plotted in-sample. The default is FALSE
`errors.only`: logical or NULL (the default). If TRUE, then only mean forecasts are plotted when `spec` is set to "both"
`legend.loc`: character string (the default is "topleft"). Allows the location of the plot legend to be altered
`newmactual`: numeric vector or NULL (default). Enables the plotting of actual values out-of-sample in addition to the forecasts

Value

`coef`: numeric vector containing parameter estimates
`fitted`: a `zoo` object with fitted values
`logLik`: a numeric, the log-likelihood (normal density)
`plot`: plot of the fitted values and the residuals
`predict`: a vector containing the out-of-sample forecasts
`print`: a print of the estimation results
`residuals`: a `zoo` object with the residuals
`sigma`: the regression standard error ('SE of regression')
`summary`: a print of the items in the `isat` object
`vcov`: variance-covariance matrix

Author(s)

Felix Pretis, <http://www.felixpretis.org/>
 James Reade, <https://sites.google.com/site/jjamesreade/>
 Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[paths](#), [terminals](#), [coef.gets](#), [getsm](#), [arx](#)

Examples

```
##step indicator saturation:
set.seed(123)
y <- rnorm(30)
isatmod <- isat(y)

##print results:
```

```

print(isatmod)

##plot the fitted vs. actual values, and the residuals:
plot(isatmod)

##print the entries of object 'isatmod':
summary(isatmod)

##extract coefficients of the simplified (specific) model:
coef(isatmod)

##extract log-likelihood:
logLik(isatmod)

##extract variance-covariance matrix of simplified
##(specific) model:
vcov(isatmod)

##extract and plot the fitted values:
mfit <- fitted(isatmod)
plot(mfit)

##extract and plot (mean) residuals:
epshat <- residuals(isatmod)
plot(epshat)

##extract and plot standardised residuals:
zhat <- residuals(isatmod, std=TRUE)
plot(zhat)

##generate forecasts with the simplified
##(specific) model:
predict(isatmod)

```

diagnostics

Diagnostics tests

Description

Auxiliary function (i.e. not intended for the average user) called by the [arx](#), [getsm](#), [getsv](#), [isat](#) and [getsFun](#) functions. The `diagnostics` function undertakes tests for autocorrelation, ARCH and non-normality in a residual series, and user-defined diagnostics provided via the `user.fun` argument (see details). The autocorrelation and ARCH tests are conducted as Ljung and Box (1979) tests for autocorrelation in the residuals and squared residuals, respectively, whereas the test for non-normality is that of Jarque and Bera (1980).

Usage

```

diagnostics(x, ar.LjungB=c(1, 0.025), arch.LjungB=c(1, 0.025),
  normality.JarqueB=NULL, verbose=TRUE, user.fun=NULL, ...)

```

Arguments

<code>x</code>	a list , typically the estimation result of <code>ols</code>
<code>ar.LjungB</code>	a two element vector or NULL. In the former case, the first element contains the AR-order, the second element the significance level. If NULL, then a test for autocorrelation is not conducted
<code>arch.LjungB</code>	a two element vector or NULL. In the former case, the first element contains the ARCH-order, the second element the significance level. If NULL, then a test for ARCH is not conducted
<code>normality.JarqueB</code>	NULL or a value between 0 and 1. In the latter case, a test for non-normality is conducted using a significance level equal to <code>normality.JarqueB</code> . If NULL, then no test for non-normality is conducted
<code>verbose</code>	logical. If TRUE, then a data.frame with the results of the diagnostics is returned. If FALSE, then the return-value is a logical that indicates whether the model passes the diagnostics (TRUE if it does, otherwise FALSE)
<code>user.fun</code>	NULL or a list with two entries, <code>name</code> and <code>pval</code> . The first item (<code>name</code>) should contain the name of the user-defined function, and must be of class <code>character</code> . The the second item should contain the chosen significance level or levels, i.e. either a scalar or a vector of length equal to the number of p-values returned by the user-defined diagnostics function, see details
<code>...</code>	further arguments (ignored) to accommodate deleted arguments from past versions of the functions

Details

The argument `user.fun` enables the user to specify additional diagnostics. The function must be defined in the global environment (i.e. `.GlobalEnv`), and the user-defined function should refer to the named items of the estimation result `x` (see examples). The value returned by the user-defined function should be a matrix of dimension $m \times 3$, where m is the number of diagnostic tests performed inside the user-defined function. (If only a single test is performed, then the returned value can be a vector of length 3.) The three columns of the $m \times 3$ matrix should contain, in the following order: 1) the value(s) of the test-statistic(s), 2) the degrees of freedom(s) (or NA if there are none) of the tests, and 3) the p-value(s) of the test(s). When checking whether the model passes the diagnostics or not, the p-value(s) is(are) checked against the value(s) in the second entry of `user.fun`.

Value

If `verbose=TRUE`:

a [data.frame](#) that contains the diagnostics results

If `verbose=FALSE`:

a logical indicating whether the residuals and/or model passes the diagnostics (TRUE if it does, FALSE otherwise)

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259

G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270

See Also

[arx](#), [getsm](#), [getsv](#), [isat](#), [getsFun](#)

Examples

```
##return a data-frame with autocorrelation and ARCH diagnostics (default),
##and check whether they pass (the default p-value is 0.025):
set.seed(123)
vY <- rnorm(20)
mX <- matrix(rnorm(3*20), 20, 3)
est <- ols(vY,mX)
diagnostics(est)
diagnostics(est, verbose=FALSE)

##add the Jarque-Bera normality test to the diagnostics (w/p-value=0.05):
diagnostics(est, normality.JarqueB=0.05)
diagnostics(est, normality.JarqueB=0.05, verbose=FALSE)

##user-defined Shapiro-Wilks test for non-normality of the residuals:
SWtest <- function(residuals, ...){
  tmp <- shapiro.test(residuals) #do test on est$residuals
  return( c(tmp$statistic, NA, tmp$p.value) )
}
diagnostics(est, user.fun=list(name="SWtest", pval=0.05))
diagnostics(est, user.fun=list(name="SWtest", pval=0.05), verbose=FALSE)
```

dropvar

Drop variable

Description

Drops columns in a matrix to avoid perfect multicollinearity.

Usage

```
dropvar(x, tol=1e-07, LAPACK=FALSE, silent=FALSE)
```

Arguments

x	a matrix, possibly less than full column rank.
tol	numeric value. The tolerance for detecting linear dependencies among regressors, see qr function. Only used if LAPACK is FALSE
LAPACK	logical, TRUE or FALSE (default). If true use LAPACK otherwise use LINPACK, see qr function
silent	logical, TRUE (default) or FALSE. Whether to print a notification whenever a regressor is removed

Details

Original function `drop.coef` developed by Rune Haubo B. Christensen in package `ordinal`, <https://cran.r-project.org/package=ordinal>.

Value

a matrix whose regressors linearly independent

Author(s)

Rune Haubo B. Christensen, with modifications by Genaro Sucarrat, <http://www.sucarrat.net/>

References

Rune H.B. Christensen (2014): 'ordinal: Regression Models for Ordinal Data'. <https://cran.r-project.org/package=ordinal>

See Also

[isat](#)

Examples

```
set.seed(1)
x <- matrix(rnorm(20), 5)
dropvar(x) #full rank, none are dropped

x[,4] <- x[,1]*2
dropvar(x) #less than full rank, last column dropped
```

eqwma	<i>Equally Weighted Moving Average (EqWMA) of the pth. exponentiated values</i>
-------	---

Description

The function `eqwma` returns an Equally Weighted Moving Average (EqWMA) of the p th. exponentiated values lagged. Optionally, the absolute values are computed before averaging, and the log of is returned. The function `leqwma` is essentially a wrapper to `eqwma` in which the absolute values are used and the logarithm is applied.

If x is financial return (possibly mean-corrected) and $p=2$, then this gives the so-called 'historical' model, also known as an integrated ARCH model where the ARCH coefficients all have the same value with sum equal to one. In the log-variance specification the lag of $\log(\text{EqWMA})$ is thus a financial volatility proxy. It may be an imperfect proxy compared with high-frequency data (which can also be included as regressors), but - in contrast to high-frequency data - is always available and easy to compute.

Usage

```
eqwma(x, length = 5, lag = 1, start = 1, p = 1, log = FALSE, abs = FALSE,
      as.vector = TRUE)
leqwma(x, length = 5, lag = 1, start = 1, p = 2, as.vector=FALSE)
```

Arguments

<code>x</code>	numeric vector, time-series or zoo object. Missing values in the beginning and/or at the end of the series is allowed, as they are removed with the <code>na.trim</code> command
<code>length</code>	integer or vector of integers each equal to or greater than 1. The length or lengths of the moving window or windows of averages
<code>lag</code>	integer equal to or greater than 0. If 0, then the moving averages are not lagged
<code>start</code>	integer equal to or greater than 1 (default: <code>start=1</code> , i.e. the first observation). Where to start the moving windows of averages
<code>p</code>	numeric value greater than zero. The exponent p in x^p for <code>eqwma</code> and in $\text{abs}(x)^p$ for <code>leqwma</code>
<code>log</code>	logical. If TRUE, then the logarithm of the moving average is returned. If FALSE (default), then the logarithm is not applied
<code>abs</code>	logical. If TRUE, then x is transformed to absolute values before x is exponentiated
<code>as.vector</code>	logical. If TRUE, then a univariate series is returned as a vector. If FALSE, then a univariate series is returned as a matrix. Note: multivariate series are always returned as a matrix

Details

The intended primary use of `eqwma` is to construct mixed frequency regressors for the mean specification.

The intended primary use of `leqwma` is to construct volatility proxies for the log-variance specification. The default is the lagged log of an equally weighted moving average of the squared residuals, where each average is made up of `m` observations. This is equivalent to an integrated ARCH(`p`) model where the `p` coefficients are all equal. For further details on the use of `log(EqWMA)` as a volatility proxy, see Sucarrat and Escribano (2012).

Value

numeric vector, time series or `zoo` object

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Genaro Sucarrat and Alvaro Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', *Oxford Bulletin of Economics and Statistics* 74, Issue no. 5 (October), pp. 716-735

See Also

`zoo`, `arx`, `getsm`, `getsv`

Examples

```
##generate an iid normal series:
set.seed(123)
x <- rnorm(100)

##compute lag of EqWMA(20) for x^2:
eqwma(x, p=2)

##compute lag of EqWMA(5) and lag of EqWMA(10) for x:
eqwma(x, length=c(5,10))

##compute lag of log(EqWMA(20)) for x^2:
leqwma(x)

#compute lag of log(EqWMA(5)) and lag of log(EqWMA(8))
#for abs(x)^2:
leqwma(x, length=c(4,8))
```

Description

Extract the in-sample conditional Value-at-Risk, or the in-sample conditional Expected Shortfall for the chosen risk level(s).

Usage

```
ES(object, level=0.99, type=7, ...)  
VaR(object, level=0.99, type=7, ...)
```

Arguments

object	an <code>arx</code> , <code>gets</code> or <code>isat</code> object
level	the risk level(s), must be between 0 and 1
type	the method used to compute the empirical quantiles of the standardised residuals
...	arguments passed on (currently not used)

Value

A vector or matrix containing either the conditional Value-at-Risk (VaR) or the conditional Expected Shortfall (ES) for the chosen risk level(s).

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`arx`, `getsm`, `getsv`, `isat`

Examples

```
##generate random variates, estimate model:  
y <- rnorm(50)  
mymodel <- arx(y, arch=1)  
  
##extract 99% expected shortfall:  
ES(mymodel)  
  
##extract 99%, 95% and 90% expected shortfalls:  
ES(mymodel, level=c(0.99, 0.95, 0.9))  
  
##extract 99% value-at-risk:  
VaR(mymodel)
```



```
##extract 99%, 95% and 90% values-at-risk:  
VaR(mymodel, level=c(0.99, 0.95, 0.9))
```

eviews

Exporting results to EViews and STATA

Description

Functions that facilitate the export of results to the commercial econometric softwares EViews and STATA, respectively.

Usage

```
eviews(object, file=NULL, print=TRUE, return=FALSE)  
stata(object, file=NULL, print=TRUE, return=FALSE)
```

Arguments

object	an arx, gets or isat object
file	filename, i.e. the destination of the exported data
print	logical. If TRUE, then the estimation code in EViews (or STATA) is printed
return	logical. If TRUE, then a list is returned

Value

Either printed text or a list (if return=TRUE)

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[arx](#), [getsm](#), [getsv](#), [isat](#)

Examples

```
##simulate random variates, estimate model:  
y <- rnorm(30)  
mX <- matrix(rnorm(30*2), 30, 2)  
mymod <- arx(y, mc=TRUE, mxreg=mX)  
  
##print EViews code:  
eviews(mymod)  
  
##print Stata code:  
stata(mymod)
```

 gets

General-to-Specific (GETS) Modelling

Description

Generic function which means new GETS methods can easily be added for new classes

Usage

```
gets(x, ...)
```

```
## Default S3 method:
gets.default(x, ...)
```

Arguments

x an object used to select a method
 ... further arguments passed to or from other methods

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

 getsFun

General-to-Specific (GETS) modelling function

Description

Auxiliary function (i.e. not intended for the average user) that enables fast and efficient GETS-modelling with user-specified estimators and models, and user-specified diagnostics. In future versions of the package, the function will be called and relied upon by [getsm](#), [getsv](#) and [isat](#).

Usage

```
getsFun(y, x, untransformed.residuals=NULL,
        user.estimator=list(name="ols", tol=1e-07, LAPACK=FALSE, method=3),
        gum.result=NULL, t.pval=0.05, wald.pval=t.pval, do.pet=TRUE,
        ar.LjungB=NULL, arch.LjungB=NULL, normality.JarqueB=NULL,
        user.diagnostics=NULL, gof.function=list(name="infocrit", method="sc"),
        gof.method=c("min", "max"), keep=NULL, include.gum=FALSE,
        include.1cut=FALSE, include.empty=FALSE, max.paths=NULL, turbo=FALSE,
        tol=1e-07, LAPACK=FALSE, max.regs=NULL, print.searchinfo=TRUE,
        alarm=FALSE)
```

Arguments

<code>y</code>	a numeric vector (with no missing values, i.e. no non-numeric 'holes')
<code>x</code>	a matrix with <code>NROW(x)</code> equal to <code>NROW(y)</code> , or <code>NULL</code>
<code>untransformed.residuals</code>	<code>NULL</code> , the default, or - when <code>ols</code> is used with <code>method=6</code> - a numeric vector containing the untransformed residuals
<code>user.estimator</code>	a list. The first item should be named <code>name</code> and contain the name (a character) of the estimation function. Additional items in the list <code>user.estimator</code> are passed on as arguments to the estimator. The value returned by the estimator should be a list, see details
<code>gum.result</code>	a list with the estimation results of the General Unrestricted Model (GUM), or <code>NULL</code> (default). If the estimation results of the GUM are already available, then re-estimation of the GUM is skipped if the estimation results are provided via this argument
<code>t.pval</code>	numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests
<code>wald.pval</code>	numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs). By default, it is the same as <code>t.pval</code>
<code>do.pet</code>	logical. If <code>TRUE</code> (default), then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If <code>FALSE</code> , then a PET is not undertaken at each regressor removal
<code>ar.LjungB</code>	a two element vector or <code>NULL</code> . In the former case, the first element contains the AR-order, the second element the significance level. If <code>NULL</code> , then a test for autocorrelation is not conducted
<code>arch.LjungB</code>	a two element vector or <code>NULL</code> . In the former case, the first element contains the ARCH-order, the second element the significance level. If <code>NULL</code> , then a test for ARCH is not conducted
<code>normality.JarqueB</code>	<code>NULL</code> or a value between 0 and 1. In the latter case, a test for non-normality is conducted using a significance level equal to <code>normality.JarqueB</code> . If <code>NULL</code> , then no test for non-normality is conducted
<code>user.diagnostics</code>	<code>NULL</code> (default) or a list with two entries, <code>name</code> and <code>pval</code> . The first item (<code>name</code>) should contain the name of the user-defined function, and must be of class character. The the second item should contain the chosen significance level or levels, i.e. either a scalar or a vector of length equal to the number of p-values returned by the user-defined diagnostics function, see details
<code>gof.function</code>	a list. The first item should be named <code>name</code> and contain the name (a character) of the Goodness-of-Fit (GOF) function used. Additional items in the list <code>gof.function</code> are passed on as arguments to the GOF-function. The value returned by the GOF-function should be a numeric value (of length 1)
<code>gof.method</code>	a character. Determines whether the best Goodness-of-Fit is a minimum or maximum

<code>keep</code>	NULL or an integer vector that indicates which regressors to be excluded from removal in the search
<code>include.gum</code>	logical. If TRUE, then the GUM (i.e. the starting model) is included among the terminal models. If FALSE (default), then the GUM is not included
<code>include.1cut</code>	logical. If TRUE, then the 1-cut model is added to the list of terminal models. If FALSE (default), then the 1-cut is not added, unless it is a terminal model in one of the paths
<code>include.empty</code>	logical. If TRUE, then the empty model is added to the list of terminal models. If FALSE (default), then the empty model is not added, unless it is a terminal model in one of the paths
<code>max.paths</code>	NULL (default) or an integer greater than 0. If NULL, then there is no limit to the number of paths. If an integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path)
<code>turbo</code>	logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if <code>turbo=TRUE</code> , then the total search time might in fact be higher than if <code>turbo=FALSE</code> . This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE
<code>tol</code>	numeric value (default = $1e-07$). The tolerance for detecting linear dependencies in the columns of the variance-covariance matrix when computing the Wald-statistic used in the Parsimonious Encompassing Tests (PETs), see the qr.solve function
LAPACK	currently not used
<code>max.regs</code>	integer. The maximum number of regressions along a deletion path. It is not recommended that this is altered
<code>print.searchinfo</code>	logical. If TRUE (default), then a print is returned whenever simplification along a new path is started
<code>alarm</code>	logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends

Details

The value returned by the estimator specified in `user.estimator` should be a list containing at least six items: "coefficients", "df", "vcov", "logl", "n" and "k". The item "coefficients" should be a vector of length equal to $\text{NCOL}(x)$ that contains the estimated coefficients. The item named "df" is used to compute the p-values associated with the t-statistics, i.e. $\text{coef}/\text{std.err}$. The item named "vcov" contains the (symmetric) coefficient-covariance matrix of the estimated coefficients. The items "logl" (the log-likelihood), "n" (the number of observations) and "k" (the number of estimated parameters; not necessarily equal to the number of coefficients) are used to compute the information criterion. Finally, the estimator MUST be able to handle NULL regressor-matrices (i.e. $\text{is.null}(x)=\text{TRUE}$ or $\text{NCOL}(x)=0$). In this case, then the first three items (i.e. "coefficients", "df" and "vcov") can - and should - be NULL. The argument `user.diagnostics` enables the user to specify additional - or alternative - diagnostics, see [diagnostics](#).

Value

The returned value depends on the user . estimator. For the default, see [ols](#) with method=3.

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259

G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270

See Also

[ols](#), [diagnostics](#), [infocrit](#), [getsv](#)

Examples

```
##aim: do gets on the x-part (i.e. the covariates) of an arma-x model.
##create the user-defined estimator (essentially consists of adding,
##renaming and re-organising the items returned by the chosen
##estimator):
myEstimator <- function(y, x)
{
  tmp <- arima(y, order=c(1,0,1), xreg=x)

  #rename and re-organise:
  result <- list()
  result$coefficients <- tmp$coef[-c(1:3)]
  result$vcov <- tmp$var.coef
  result$vcov <- result$vcov[-c(1:3),-c(1:3)]
  result$loglik <- tmp$loglik
  result$n <- tmp$nobs
  result$k <- NCOL(x)
  result$df <- result$n - result$k

  return(result)
}

##generate some data:
##a series w/structural break and eleven step-dummies near the break
set.seed(123)
eps <- arima.sim(list(ar=0.4, ma=0.1), 60)
x <- coredata(sim(eps, which.ones=25:35)) #eleven step-dummies
y <- 4*x[, "sis30"] + eps #create shift upwards at observation 30
plot(y)

##estimate the gum and then do gets in a single step:
getsFun(y, x, user.estimator=list(name="myEstimator"))
```

```
##estimate the gum and then do gets in two steps:
#mygum <- myEstimator(y,x)
#getsFun(y, x, user.estimator=list(name="myEstimator"), gum.result=mygum)
```

getsm	<i>General-to-Specific (GETS) Modelling of an AR-X model with log-ARCH-X errors</i>
-------	---

Description

The starting model, an object of the 'arx' class, is referred to as the General Unrestricted Model (GUM). The getsm function undertakes multi-path GETS modelling of the mean specification, whereas getsv does the same for the log-variance specification. The diagnostic tests are undertaken on the standardised residuals, and the keep option enables regressors to be excluded from possible removal.

Usage

```
##gets of mean specification:
getsm(object, t.pval=0.05, wald.pval=t.pval, vcov.type=NULL, do.pet=TRUE,
      ar.LjungB=list(lag=NULL, pval=0.025), arch.LjungB=list(lag=NULL, pval=0.025),
      normality.JarqueB=NULL, user.diagnostics=NULL,
      info.method=c("sc","aic","hq"), keep=NULL, include.gum=FALSE,
      include.empty=FALSE, max.paths=NULL, max.regs=NULL, zero.adj=NULL,
      vc.adj=NULL, verbose=TRUE, print.searchinfo=TRUE, estimate.specific=TRUE,
      plot=NULL, alarm=FALSE)

##gets of variance specification:
getsv(object, t.pval=0.05, wald.pval=t.pval, do.pet=TRUE,
      ar.LjungB=list(lag=NULL, pval=0.025), arch.LjungB=list(lag=NULL, pval=0.025),
      normality.JarqueB=NULL, user.diagnostics=NULL,
      info.method=c("sc","aic","hq"), keep=c(1), include.gum=FALSE,
      include.1cut=FALSE, include.empty=FALSE, max.paths=NULL, turbo=FALSE,
      max.regs=NULL, zero.adj=NULL, vc.adj=NULL, print.searchinfo=TRUE,
      estimate.specific=TRUE, plot=NULL, alarm=FALSE)
```

Arguments

object	an object of class 'arx'
t.pval	numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests
wald.pval	numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs). By default, it is the same as t.pval

<code>vcov.type</code>	the type of variance-covariance matrix used. If NULL (default), then the type used in the estimation of the 'arx' object is used. This can be overridden by either "ordinary" (i.e. the ordinary variance-covariance matrix) or "white" (i.e. the White (1980) heteroscedasticity robust variance-covariance matrix)
<code>do.pet</code>	logical. If TRUE (default), then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If FALSE, then a PET is not undertaken at each regressor removal
<code>ar.LjungB</code>	a two-item list with names <code>lag</code> and <code>pval</code> , or NULL. In the former case <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>ar.Ljungb=NULL</code> , then the standardised residuals are not checked for serial correlation
<code>arch.LjungB</code>	a two-item list with names <code>lag</code> and <code>pval</code> , or NULL. In the former case, <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the squared standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>arch.Ljungb=NULL</code> , then the standardised residuals are not checked for ARCH
<code>normality.JarqueB</code>	a value between 0 and 1, or NULL. In the former case, the Jarque and Bera (1980) test for non-normality is conducted using a significance level equal to the numeric value. If NULL, then no test for non-normality is undertaken
<code>user.diagnostics</code>	NULL or a list with two entries, <code>name</code> and <code>pval</code> , see the <code>user.fun</code> argument in diagnostics
<code>info.method</code>	character string, "sc" (default), "aic" or "hq", which determines the information criterion to be used when selecting among terminal models. The abbreviations are short for the Schwarz or Bayesian information criterion (sc), the Akaike information criterion (aic) and the Hannan-Quinn (hq) information criterion
<code>keep</code>	the regressors to be excluded from removal in the specification search. Note that <code>keep=c(1)</code> is obligatory when using <code>getsv</code> . This excludes the log-variance intercept from removal. The regressor numbering is contained in the <code>reg.no</code> column of the GUM
<code>include.gum</code>	logical. If TRUE, then the GUM (i.e. the starting model) is included among the terminal models. If FALSE (default), then the GUM is not included
<code>include.1cut</code>	logical. If TRUE, then the 1-cut model is added to the list of terminal models. If FALSE (default), then the 1-cut is not added, unless it is a terminal model in one of the paths
<code>include.empty</code>	logical. If TRUE, then an empty model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the empty model is not included (unless it is one of the terminals)
<code>max.paths</code>	NULL (default) or an integer greater than 0. If NULL, then there is no limit to the number of paths. If an integer (e.g. 1), then this integer constitutes the maximum number of paths searched (e.g. a single path)

turbo	logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if turbo=TRUE, then the total search time might in fact be higher than if turbo=FALSE. This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE
max.regs	integer. The maximum number of regressions along a deletion path. It is not recommended that this is altered
zero.adj	numeric value between 0 and 1. The quantile adjustment for zero values. The default 0.1 means the zero residuals are replaced by the 10 percent quantile of the absolute residuals before taking the logarithm
vc.adj	logical. If TRUE (default), then the log-variance intercept is adjusted by the estimate of $E[\ln(z^2)]$. This adjustment is needed for the conditional scale of e to be equal to the conditional standard deviation. If FALSE, then the log-variance intercept is not adjusted
verbose	logical. TRUE (default) returns (slightly) more output than FALSE
print.searchinfo	logical. If TRUE (default), then a print is returned whenever simplification along a new path is started
estimate.specific	logical. IF TRUE (default), then the specific model is estimated after model selection
plot	NULL or logical. If TRUE, then the fitted values and the residuals of the final model are plotted after model selection. If FALSE, then they are not. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not
alarm	logical. If TRUE, then a sound or beep is emitted (in order to alert the user) when the model selection ends

Details

See Sucarrat and Escribano (2012)

Value

A list of class 'gets'

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

Genaro Sucarrat and Alvaro Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', *Oxford Bulletin of Economics and Statistics* 74, Issue no. 5 (October), pp. 716-735

C. Jarque and A. Bera (1980): 'Efficient Tests for Normality, Homoscedasticity and Serial Independence'. *Economics Letters* 6, pp. 255-259

G. Ljung and G. Box (1979): 'On a Measure of Lack of Fit in Time Series Models'. *Biometrika* 66, pp. 265-270

See Also

Extraction functions: [coef.gets](#), [fitted.gets](#), [paths](#), [plot.gets](#), [print.gets](#), [residuals.gets](#), [summary.gets](#), [terminals](#), [vcov.gets](#)

Related functions: [arx](#), [isat](#), [eqwma](#), [leqwma](#), [zoo](#), [getsFun](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 80)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(2*80), 80, 2)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean, and a log-ARCH(3) with log(xregs^2) as
##regressors in the log-variance:
gum01 <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs, arch=1:3,
  vxreg=log(xregs^2))

##GETS model selection of the mean:
meanmod01 <- getsm(gum01)

##GETS model selection of the log-variance:
varmod01 <- getsv(gum01)

##GETS model selection of the mean with the mean intercept
##excluded from removal:
meanmod02 <- getsm(gum01, keep=1)

##GETS model selection of the mean with non-default
#serial-correlation diagnostics settings:
meanmod03 <- getsm(gum01, ar.LjungB=list(pval=0.05))

##GETS model selection of the mean with very liberal
##(20 percent) significance levels:
meanmod04 <- getsm(gum01, t.pval=0.2)

##GETS model selection of log-variance with all the
##log-ARCH terms excluded from removal:
varmod03 <- getsv(gum01, keep=2:4)
```

 hpdata

Hoover and Perez (1999) data

Description

Data used by Hoover and Perez (1999) in their evaluation of General-to-Specific (GETS) modelling. A detailed description of the data is found in their Table 1 (page 172). The data are quarterly, comprise 20 variables (the first variable is the quarterly index) and runs from 1959:1 to 1995:1. This corresponds to 145 observations. The original source of the data is Citibank.

Usage

data(hpdata)

Format

Date a factor that contains the (quarterly) dates of the observations

DCOINC index of four coincident indicators

GD GNP price deflator

GGEQ government purchases of goods and services

GGFEQ federal purchases of goods and services

GGFR federal government receipts

GNPQ GNP

GYDQ disposable personal income

GPIQ gross private domestic investment

FMRRR total member bank reserves

FMBASE monetary base (federal reserve bank of St. Louis)

FM1DQ M1

FM2DQ M2

FSDJ Dow Jones stock price

FYAAAC Moody's AAA corporate bond yield

LHC labour force (16 years+, civilian)

LHUR unemployment rate

MU unfilled orders (manufacturing, all industries)

MO new orders (manufacturing, all industries)

GCQ personal consumption expenditure

Details

The data have been used for comparison and illustration of GETS model selection in several studies of the GETS methodology, including Hendry and Krolzig (1999, 2005), Doornik (2009) and Sucarrat and Escibano (2012).

Source

Retrieved 14 October 2014 from: <http://www.csus.edu/indiv/p/perezs/Data/data.htm>

References

David F. Hendry and Hans-Martin Krolzig (1999): 'Improving on 'Data mining reconsidered' by K.D. Hoover and S.J Perez', *Econometrics Journal*, Vol. 2, pp. 202-219.

David F. Hendry and Hans-Martin Krolzig (2005): 'The properties of automatic Gets modelling', *Economic Journal* 115, C32-C61.

Jurgen Doornik (2009): 'Autometrics', in Jennifer L. Castle and Neil Shephard (eds), 'The Methodology and Practice of Econometrics: A Festschrift in Honour of David F. Hendry', Oxford University Press, Oxford, pp. 88-121.

Genaro Sucarrat and Alvaro Escribano (2012): 'Automated Financial Model Selection: General-to-Specific Modelling of the Mean and Volatility Specifications', *Oxford Bulletin of Economics and Statistics* 74, Issue no. 5 (October), pp. 716-735.

Examples

```
##load Hoover and Perez (1999) data:
data(hpdata)

##make quarterly data-matrix of zoo type:
newhpdata <- zooreg(hpdata[,-1], start=c(1959,1), frequency=4)

##plot data:
plot(newhpdata)

##transform data to log-differences in percent:
dloghpdata <- diff(log(newhpdata))*100

##plot log-differenced data:
plot(dloghpdata)
```

iim

Make Indicator Matrices (Impulses, Steps, Trends)

Description

Auxiliary functions to make, respectively, matrices of impulse indicators (`iim`), step indicators (`sim`) and trend indicators (`tim`)

Usage

```
##make matrix of impulse indicators:
iim(x, which.ones = NULL)

##make matrix of step indicators:
sim(x, which.ones = NULL)

##make matrix of trend indicators:
tim(x, which.ones = NULL, log.trend = FALSE)
```

Arguments

x	either an integer (the length of the series in question) or a series (a vector or matrix) from which to use the time-series index to make indicators of
which.ones	the locations of the impulses. If NULL (the default), then all impulses are returned
log.trend	logical. If TRUE, then the natural log is applied on the trends

Details

If x is a series or vector of observations, then the index of x will be used for the labelling of the impulses, and in the returned `zoo` object.

Note: For `sim` and `tim` the first indicator is removed, since it is exactly colinear with the others.

Value

A `zoo` matrix containing the impulses

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`isat`, `zoo`

Examples

```
##generate series:
y <- rnorm(40)

##make matrix of impulse indicators:
mIIM <- iim(40)

##make matrix of step-indicators, but only every third:
mSIM <- sim(y, which.ones=seq(1,40,3))

##give quarterly time-series attributes to y-series:
y <- zooreg(y, frequency=4, end=c(2015,4))
```

```
##make matrix of trend-indicators with quarterly labels:  
mTIM <- tim(y)
```

infldata	<i>Quarterly Norwegian year-on-year CPI inflation</i>
----------	---

Description

Quarterly Norwegian year-on-year CPI inflation from 1989(1) to 2015(4).

Usage

```
data("infldata")
```

Format

A data frame with 108 observations on the following 5 variables:

date a factor containing the dates

infl year-on-year inflation

q2dum a dummy variable equal to 1 in quarter 2 and 0 otherwise

q3dum a dummy variable equal to 1 in quarter 3 and 0 otherwise

q4dum a dummy variable equal to 1 in quarter 4 and 0 otherwise

Source

Statistics Norway (SSB): <http://www.ssb.no/>. The raw data comprise monthly CPI data obtained via <http://www.ssb.no/tabell/08183/>.

Examples

```
data(infldata)  
infldata <- zooreg(infldata[,-1], frequency=4, start=c(1989,1))  
plot(infldata[, "infl"])
```

 infocrit

Computes the Average Value of an Information Criterion

Description

Given a log-likelihood, the number of observations and the number of estimated parameters, the average value of a chosen information criterion is computed. This facilitates comparison of models that are estimated with a different number of observations, e.g. due to different lags.

Usage

```
infocrit(x, method=c("sc", "aic", "aicc", "hq"))
```

```
info.criterion(logl, n=NULL, k=NULL, method=c("sc", "aic", "aicc", "hq"))
```

Arguments

x	a list that contains, at least, three items: logl (a numeric, the log-likelihood), k (a numeric, usually the number of estimated parameters) and n (a numeric, the number of observations)
method	character, either "sc" (default), "aic", "aicc" or "hq"
logl	numeric, the value of the log-likelihood
n	integer, number of observations
k	integer, number of parameters

Details

Contrary to [AIC](#) and [BIC](#), `info.criterion` computes the average criterion value (i.e. division by the number of observations). This facilitates comparison of models that are estimated with a different number of observations, e.g. due to different lags.

Value

`infocrit`: a numeric (i.e. the value of the chosen information criterion)

`info.criterion`: a list with elements

method	type of information criterion
n	number of observations
k	number of parameters
value	the value on the information criterion

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

- H. Akaike (1974): 'A new look at the statistical model identification'. IEEE Transactions on Automatic Control 19, pp. 716-723
- E. Hannan and B. Quinn (1979): 'The determination of the order of an autoregression'. Journal of the Royal Statistical Society B 41, pp. 190-195
- C.M. Hurvich and C.-L. Tsai (1989): 'Regression and Time Series Model Selection in Small Samples'. Biometrika 76, pp. 297-307
- G. Schwarz (1978): 'Estimating the dimension of a model'. The Annals of Statistics 6, pp. 461-464

 isat

Indicator Saturation

Description

The `isat` function undertakes multi-path indicator saturation to detect outliers and mean-shifts using impulses (IIS), step-shifts (SIS), or trend-indicators (TIS). Indicators are partitioned into blocks and selected over at a chosen level of significance (`t.pval`) using the `getsm` function.

Usage

```
isat(y, mc=TRUE, ar=NULL, ewma=NULL, mxreg=NULL, iis=FALSE, sis=TRUE,
     tis=FALSE, uis=FALSE, blocks=NULL, ratio.threshold=0.8, max.block.size=30,
     t.pval=0.001, wald.pval=t.pval,
     vcov.type= c("ordinary", "white", "newey-west"), do.pet=FALSE, ar.LjungB=NULL,
     arch.LjungB=NULL, normality.JarqueB=NULL, user.diagnostics=NULL,
     info.method=c("sc", "aic", "hq"), include.gum=NULL, include.lcut=FALSE,
     include.empty=FALSE, max.paths=NULL, parallel.options=NULL, turbo=FALSE,
     tol=1e-07, LAPACK=FALSE, max.regs=NULL, print.searchinfo=TRUE, plot=NULL,
     alarm=FALSE)
```

Arguments

- | | |
|--------------------|--|
| <code>y</code> | numeric vector, time-series or <code>zoo</code> object. Missing values in the beginning and at the end of the series is allowed, as they are removed with the <code>na.trim</code> command |
| <code>mc</code> | logical. TRUE (default) includes an intercept in the mean specification, whereas FALSE does not |
| <code>ar</code> | integer vector, say, <code>c(2,4)</code> or <code>1:4</code> . The AR-lags to include in the mean specification |
| <code>ewma</code> | either NULL (default) or a list with arguments sent to the <code>eqwma</code> function. In the latter case a lagged moving average of <code>y</code> is included as a regressor |
| <code>mxreg</code> | numeric vector or matrix, say, a <code>zoo</code> object, of conditioning variables. Note that missing values in the beginning or at the end of the series is allowed, as they are removed with the <code>na.trim</code> command. Note also that, if both <code>y</code> and <code>mxreg</code> are <code>zoo</code> objects, then their samples are chosen to match |

<code>iis</code>	logical. If TRUE, impulse indicator saturation is performed.
<code>sis</code>	logical. If TRUE, step indicator saturation is performed.
<code>tis</code>	logical. If TRUE, trend indicator saturation is performed.
<code>uis</code>	a matrix of regressors, or a list of matrices.
<code>blocks</code>	NULL (default), an integer (the number of blocks) or a user-specified list that indicates how blocks should be put together. If NULL, then the number of blocks is determined automatically
<code>ratio.threshold</code>	Minimum ratio of variables in each block to total observations to determine the block size, default=0.8. Only relevant if <code>blocks = NULL</code>
<code>max.block.size</code>	Maximum size of block of variables to be selected over, default=30. Block size used is the maximum of given by either the <code>ratio.threshold</code> and <code>max.block.size</code>
<code>t.pval</code>	numeric value between 0 and 1. The significance level used for the two-sided regressor significance t-tests
<code>wald.pval</code>	numeric value between 0 and 1. The significance level used for the Parsimonious Encompassing Tests (PETs)
<code>vcov.type</code>	the type of variance-covariance matrix used. If NULL (default), then the type used is that of the 'arx' object. This can be overridden by either "ordinary" (i.e. the ordinary variance-covariance matrix) or "white" (i.e. the White (1980) heteroscedasticity robust variance-covariance matrix)
<code>do.pet</code>	logical. If TRUE, then a Parsimonious Encompassing Test (PET) against the GUM is undertaken at each regressor removal for the joint significance of all the deleted regressors along the current path. If FALSE (default), then a PET is not undertaken at each regressor removal. By default, the numeric value is the same as that of <code>t.pval</code>
<code>ar.LjungB</code>	a two-item list with names <code>lag</code> and <code>pval</code> , or NULL (default). In the former case <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>ar.Ljungb=NULL</code> , then the standardised residuals are not checked for serial correlation
<code>arch.LjungB</code>	a two-item list with names <code>lag</code> and <code>pval</code> , or NULL (default). In the former case, <code>lag</code> contains the order of the Ljung and Box (1979) test for serial correlation in the squared standardised residuals, and <code>pval</code> contains the significance level. If <code>lag=NULL</code> (default), then the order used is that of the estimated 'arx' object. If <code>arch.Ljungb=NULL</code> , then the standardised residuals are not checked for ARCH
<code>normality.JarqueB</code>	a value between 0 and 1, or NULL. In the former case, a test for non-normality is conducted using a significance level equal to the numeric value. If NULL, then no test for non-normality is undertaken
<code>user.diagnostics</code>	NULL or a list with two entries, name and <code>pval</code> , see the <code>user.fun</code> argument in diagnostics

<code>info.method</code>	character string, "sc" (default), "aic" or "hq", which determines the information criterion to be used when selecting among terminal models. The abbreviations are short for the Schwarz or Bayesian information criterion (sc), the Akaike information criterion (aic) and the Hannan-Quinn (hq) information criterion
<code>include.gum</code>	ignored (temporarily deprecated)
<code>include.1cut</code>	logical. If TRUE, then the 1-cut model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the 1-cut model is not included (unless it is one of the terminals)
<code>include.empty</code>	logical. If TRUE, then an empty model is included among the terminal models, if it passes the diagnostic tests, even if it is not equal to one of the terminals. If FALSE (default), then the empty model is not included (unless it is one of the terminals)
<code>max.paths</code>	NULL (default) or an integer indicating the maximum number of paths to search
<code>parallel.options</code>	NULL or an integer, i.e. the number of cores/threads to be used for parallel computing (implemented w/makeCluster and parLapply)
<code>turbo</code>	logical. If TRUE, then (parts of) paths are not searched twice (or more) unnecessarily, thus yielding a significant potential for speed-gain. However, the checking of whether the search has arrived at a point it has already been comes with a slight computational overhead. Accordingly, if turbo=TRUE, then the total search time might in fact be higher than if turbo=FALSE. This happens if estimation is very fast, say, less than quarter of a second. Hence the default is FALSE
<code>tol</code>	numeric value (default = 1e-07). The tolerance for detecting linear dependencies in the columns of the regressors (see <code>qr</code> function). Only used if LAPACK is FALSE (default)
<code>LAPACK</code>	logical. If TRUE, then use LAPACK. If FALSE (default), then use LINPACK (see <code>qr</code> function)
<code>max.regs</code>	integer. The maximum number of regressions along a deletion path. It is not recommended that this is altered
<code>print.searchinfo</code>	logical. If TRUE (default), then a print is returned whenever simplification along a new path is started, and whenever regressors are dropped due to exact multicollinearity
<code>plot</code>	NULL or logical. If TRUE, then the fitted values and the residuals of the final model are plotted after model selection. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not.
<code>alarm</code>	logical. If TRUE, then a sound is emitted (in order to alert the user) when the model selection ends

Details

Multi-path indicator saturation using impulses (IIS), step-shifts (SIS), or trend-indicators (TIS). Indicators are partitioned into sequential blocks (as of beta version 0.7) where the block intervals

are defined by the ratio of variables to observations in each block and a specified maximum block size. Indicators are selected over using the `getsm` function. Retained indicators in each block are combined and re-selected over. Fixed covariates that are not selected over can be included in the regression model either in the `mxreg` matrix, or for auto-regressive terms through the `ar` specification. See Hendry, Johansen and Santos (2007) and Castle, Doornik, Hendry, and Pretis (2015)

Value

A list of class 'gets'

Author(s)

Felix Pretis, <http://www.felixpretis.org/>
 James Reade, <https://sites.google.com/site/jjamesreade/>
 Genaro Sucarrat, <http://www.sucarrat.net/>

References

Hendry, David, F., Johansen, Soren, and Santos, Carlos (2007): 'Automatic selection of indicators in a fully saturated regression'. *Computational Statistics*, vol 23:1, pp.317-335.

Castle, Jennifer, L., Doornik, Jurgen, A., Hendry, David F., and Pretis, Felix (2015): 'Detecting Location Shifts during Model Selection by Step-Indicator Saturation', *Econometrics*, vol 3:2, 240-264.

See Also

Extraction functions for 'gets' objects: [coef.gets](#), [fitted.gets](#), [paths](#), [plot.gets](#), [print.gets](#), [residuals.gets](#), [summary.gets](#), [terminals](#), [vcov.gets](#)

Related functions: [arx](#), [eqwma](#), [leqwma](#), [zoo](#), [getsFun](#)

Examples

```
##SIS using the Nile data
data(Nile)
isat(Nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)

##SIS using the Nile data in an autoregressive model
#isat(Nile, ar=1:2, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)

##HP Data
##load Hoover and Perez (1999) data:
#data(hpdata)

##make quarterly data-matrix of zoo type
##(GCQ = personal consumption expenditure):
#y <- zooreg(hpdata$GCQ, 1959, frequency=4)

##transform data to log-differences:
```

```

#dlogy <- diff(log(y))

##run isat with step impulse saturation on four
##lags and a constant 1 percent significance level:
#isat(dlogy, ar=1:4, sis=TRUE, t.pval =0.01)

##Example with additional covariates entering through mxreg:

##(GYDQ = disposable personal income):
#x <- zooreg(hpdata$GYDQ, 1959, frequency=4)

##transform data to log-differences:
#dlogx <- diff(log(x))

##run isat with step impulse saturation on four
##lags and a constant 1 percent significance level:
#isat(dlogy, mxreg=dlogx, ar=1:4, sis=TRUE, t.pval =0.01)

```

isattest

Indicator Saturation Test

Description

Takes an 'isat' object returned by the `isat` function as input and returns the results of a hypothesis test on the time-varying intercept or long-run equilibrium against a specified null-hypothesis for a chosen level of significance - see Pretis (2015).

Usage

```
isattest(x, hnull=0, lr=FALSE, ci.pval=0.99, plot=NULL, plot.turn=FALSE,
         conscorr=FALSE, effcorr=FALSE, mcor = 1, biascorr=FALSE, mxfull = NULL,
         mxbreak=NULL)
```

Arguments

<code>x</code>	a 'gets' object obtained with the <code>isat</code> function
<code>hnull</code>	numeric. the null-hypothesis value to be tested against.
<code>lr</code>	logical. If TRUE and 'x' contains autoregressive elements, then <code>isattest</code> tests on the long-run equilibrium path. See Pretis (2015).
<code>ci.pval</code>	numeric between 0 and 1. Default is 0.99, the level of significance for the confidence interval of the test against 'hnull'.
<code>plot</code>	logical. If TRUE, then a plot showing the coefficient path and bias relative to 'hnull' is shown.
<code>plot.turn</code>	logical. If TRUE, then the plot output adds the time of the breaks to the plot showing the bias relative to 'hnull'.

<code>biascorr</code>	logical. If TRUE, then the coefficient path is bias-corrected using <code>biascorr</code> . This is only valid for the non-dynamic test without additional covariates.
<code>conscorr</code>	logical. If TRUE then the Johansen and Nielsen (2016) impulse-indicator consistency correction is applied to estimated residual variance.
<code>effcorr</code>	logical. If TRUE then the Johansen and Nielsen (2016) m-step efficiency correction is applied to estimated standard errors of ‘fixed’ regressors.
<code>mcor</code>	integer. The m-step efficiency correction factor, where $m=mcor$.
<code>mxfull</code>	string. The name of the full-sample variable when constructing the coefficient path of user-specified break variables.
<code>mxbreak</code>	string. The name of the break variables used to construct the coefficient path of user-specified break variables.

Details

The function tests the coefficient path (or long-run equilibrium path) against a specified null hypothesis at a chosen level of significance. If conducted on an `isat` model of a forecast error or relative forecast differential, then this corresponds to the test of time-varying predictive accuracy of Pretis (2015). The resulting output plot shows the coefficient path in the top panel (where ‘hnull’ is plotted as dotted lines), with the bias (significant difference relative to ‘hnull’) in the lower panel. If `mxfull` and `mxbreak` are specified, then the function tests on the coefficient path of the user-specified variable, where `mxfull` denotes the full-sample variable name, to which the `mxbreak` variables are added. To correct for the under-estimation of the residual variance, the argument `conscorr` implements the Johansen and Nielsen (2016) consistency correction, and `effcorr` adds the efficiency correction for standard errors on fixed regressors which are not selected over.

Value

A $T \times 4$ matrix (with T = number of observations) where the first two columns denote the confidence interval of the coefficient path (or the long-run equilibrium path if `lr=TRUE`). The third and fourth column denote the bias of the coefficient path relative to the chosen null-hypothesis, where ‘bias.high’ denotes the bias when the series tested is above the hypothesized value, and ‘bias.low’ denotes the bias when the series tested is significantly below the hypothesized value.

Author(s)

Felix Pretis, <http://www.felixpretis.org/>

References

Pretis, F. (2015): ‘Testing for time-varying predictive accuracy using bias-corrected indicator saturation’. Oxford Department of Economics Discussion Paper. Johansen, S., & Nielsen, B. (2016): ‘Asymptotic theory of outlier detection algorithms for linear time series regression models.’ *Scandinavian Journal of Statistics*, 43(2), 321-348.

See Also

`isat`, `coef.gets`, `plot.gets`, `biascorr`, `isatvar`

Examples

```
##Using artificial data:
#set.seed(123)
#d <- matrix(0,100,1)
#d[35:55] <- 1
#e <- rnorm(100, 0, 1)
#y <- d*2 +e
#plot(y, type="l")

##Static Test against hnull=0 using bias-correction:

#ys <- isat(y, sis=TRUE, iis=FALSE, tis=FALSE, t.pval=0.01)
#isattest(ys, hnull=0, lr=FALSE, ci.pval = 0.99, plot.turn = FALSE, biascorr=TRUE)

##Dynamic Test of the long-run equilibrium against hnull=2 with breakpoints
##labelled in the plot:

#ys <- isat(y, sis=TRUE, iis=FALSE, tis=FALSE, t.pval=0.01, ar=1:2)
#isattest(ys, hnull=2, lr=TRUE, ci.pval = 0.99, plot.turn = TRUE, biascorr=FALSE)
```

isatvar

Variance of the coefficient path

Description

Takes an 'isat' object returned by the `isat` function as input and returns the coefficient path of the constant (and long-run equilibrium if 'lr' is specified) together with its approximate variance and standard errors. If `mxfull` and `mxbreak` are specified, then the function returns the coefficient path of the user-specified variable.

Usage

```
isatvar(x, lr=FALSE, conscorr=FALSE, effcorr=FALSE, mcor = 1,
        mxfull = NULL, mxbreak=NULL)
```

Arguments

<code>x</code>	a 'gets' object obtained with the <code>isat</code> function
<code>lr</code>	logical. If TRUE and 'x' contains autoregressive elements, then <code>isatvar</code> also returns the long-run equilibrium coefficient path with its variance and standard deviation. See Pretis (2015).
<code>conscorr</code>	logical. If TRUE then the Johansen and Nielsen (2016) impulse-indicator consistency correction is applied to estimated residual variance.
<code>effcorr</code>	logical. If TRUE then the Johansen and Nielsen (2016) m-step efficiency correction is applied to estimated standard errors of 'fixed' regressors.
<code>mcor</code>	integer. The m-step efficiency correction factor, where $m=mcor$.

<code>mxfull</code>	string. The name of the full-sample variable when constructing the coefficient path of user-specified break variables.
<code>mxbreak</code>	string. The name of the break variables used to construct the coefficient path of user-specified break variables.

Details

The function computes the approximate variance and standard errors of the intercept term with structural breaks determined by `isat`. This permits hypothesis testing and plotting of approximate confidence intervals for the intercept in the presence of structural breaks. For dynamic autoregressive models in `isat` the `lr` argument returns the time-varying long-run equilibrium together with its approximate variance and standard errors. If `mxfull` and `mxbreak` are specified, then the function returns the coefficient path of the user-specified variable, where `mxfull` denotes the full-sample variable name, to which the `mxbreak` variables are added. To correct for the under-estimation of the residual variance, the argument `conscorr` implements the Johansen and Nielsen (2016) consistency correction, and `efccorr` adds the efficiency correction for standard errors on fixed regressors which are not selected over.

Value

If `lr=FALSE`: A $T \times 4$ matrix (with T = number of observations) where the first column denotes the coefficient path relative to the full sample coefficient, the second column the coefficient path of the intercept, the third the approximate variance of the coefficient path, and the fourth column the approximate standard errors of the coefficient path. If `lr=TRUE`: A $T \times 7$ matrix where the first four columns are identical to the `lr=FALSE` case, and the additional columns denote the long-run equilibrium coefficient path, together with the approximate variance and standard errors of the long-run equilibrium coefficient path.

Author(s)

Felix Pretis, <http://www.felixpretis.org/>
James Reade, <https://sites.google.com/site/jjamesreade/>

References

Pretis, F. (2015): 'Testing for time-varying predictive accuracy using bias-corrected indicator saturation'. Oxford Department of Economics Working Paper. Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

See Also

[isat](#), [coef.gets](#), [plot.gets](#), [biascorr](#), [isattest](#)

Examples

```
##Variance in presence of a break
#nile <- as.zoo(Nile)
#isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=FALSE, t.pval=0.005)
#var <- isatvar(isat.nile)
```

```

#plot(nile)
#lines(isat.nile$mean.fit, col="red")
#lines(isat.nile$mean.fit + 2*var$const.se, col="blue", lty=3)
#lines(isat.nile$mean.fit - 2*var$const.se, col="blue", lty=3)

##Variance when there is no break
#set.seed(1)
#x <- as.zoo(rnorm(100, 0, 1))
#isat.x <- isat(x, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005)
#var.x <- isatvar(isat.x)

#plot(x)
#lines(isat.x$mean.fit, col="red")
#lines(isat.x$mean.fit + 2*var.x[,2], col="blue", lty=3)
#lines(isat.x$mean.fit - 2*var.x[,2], col="blue", lty=3)

##Variance of the long-run equilibrium coefficient path

#nile <- as.zoo(Nile)
#isat.nile <- isat(nile, sis=TRUE, iis=FALSE, plot=TRUE, t.pval=0.005, ar=1:2)
#var <- isatvar(isat.nile, lr=TRUE)

```

isvarcor

IIS Consistency Correction

Description

Consistency correction for estimate of residual variance when using impulse indicator saturation.

Usage

```
isvarcor(t.pval, sigma)
```

Arguments

t.pval	numeric value. the p-value of selection in the impulse indicator saturation model.
sigma	numeric value. The estimated standard deviation of the residuals from the impulse indicator saturation model.

Details

The Johansen and Nielsen (2016) impulse-indicator consistency correction for the estimated residual standard deviation.

Value

a data frame containing the corrected standard deviation `$sigma.cor` and the correction factor used `$corxi`

Author(s)

Felix Pretis, <http://www.felixpretis.org/>

References

Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

See Also

[isatvar](#)

Examples

```
isvarcor(t.pval=0.05, sigma=2)
```

isvareffcor

IIS Efficiency Correction

Description

Efficiency correction for the estimates of coefficient standard errors on fixed regressors.

Usage

```
isvareffcor(t.pval, se, m=1)
```

Arguments

t.pval	numeric value. the p-value of selection in the impulse indicator saturation model.
se	numeric value or vector. The estimated standard errors of the coefficients on fixed regressors in impulse indicator saturation model.
m	integer. The m-step correction factor.

Details

The Johansen and Nielsen (2016) impulse-indicator efficiency correction for the estimated standard errors on fixed regressors in impulse indicator models.

Value

a data frame containing the corrected standard deviation `$se.cor` and the correction factor used `$eta.m`

Author(s)

Felix Pretis, <http://www.felixpretis.org/>

References

Johansen, S., & Nielsen, B. (2016): 'Asymptotic theory of outlier detection algorithms for linear time series regression models.' *Scandinavian Journal of Statistics*, 43(2), 321-348.

See Also

[isatvar](#)

Examples

```
isvareffcor(t.pval=0.05, se=2, m=1)
```

ols

OLS estimation

Description

OLS estimation with the QR decomposition and, for some options, computation of variance- covariance matrices

Usage

```
ols(y, x, untransformed.residuals=NULL, tol=1e-07, LAPACK=FALSE, method=3,
    user.fun=NULL, user.options=NULL)
```

Arguments

y	numeric vector, the regressand
x	numeric matrix, the regressors
untransformed.residuals	NULL, the default, or - when method=6 - a numeric vector containing the untransformed residuals
tol	numeric value. The tolerance for detecting linear dependencies in the columns of the regressors, see the qr function. Only used if LAPACK is FALSE
LAPACK	logical, TRUE or FALSE (default). If true use LAPACK otherwise use LINPACK, see the qr function
method	an integer, 0 to 6, that determines the estimation method
user.fun	NULL (default) or the name (a character) of the user-defined estimator
user.options	NULL (default) or a list with arguments (entries) that are passed on to the user-defined function

Details

method = 1 or 2 only returns the OLS coefficient estimates together with the QR-information. method = 1 is slightly faster than method=2. method=3 returns in addition the ordinary variance-covariance matrix of the OLS estimator. method=4 returns the White (1980) heteroscedasticity robust variance-covariance matrix in addition to the information returned by method=3, whereas method=5 does the same except that the variance-covariance matrix now is that of Newey and West (1987). method=6 undertakes OLS estimation of a log-variance model.

Value

A list with items depending on the method

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

References

H. White (1980): 'A Heteroskedasticity-Consistent Covariance Matrix and a Direct Test for Heteroskedasticity', *Econometrica* 48, pp. 817-838.

W. Newey and K. West (1987): 'A Simple Positive Semi-Definite, Heteroskedasticity and Autocorrelation Consistent Covariance Matrix', *Econometrica* 55, pp. 703-708.

See Also

[qr](#), [solve.qr](#)

paths

Extraction functions for 'arx', 'gets' and 'isat' objects

Description

Extraction functions for objects of class 'arx', 'gets' and 'isat'

Usage

```
paths(object, ...)
terminals(object, ...)
rsquared(object, ...)
```

Arguments

object an object of class 'arx', 'gets' or 'isat'
 ... additional arguments

Details

paths and terminals can only be applied on objects of class 'gets' and 'isat'

Value

paths: a **list** with the paths searched (each number refers to a regressor in the GUM)
terminals: a **list** with the terminal models (each number refers to a regressor in the GUM)
rsquared: a **numeric**, the R-squared of the regression

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[getsm](#), [getsm](#), [getsv](#), [isat](#)

Examples

```
##Simulate from an AR(1):
set.seed(123)
y <- arima.sim(list(ar=0.4), 50)

##Simulate four independent Gaussian regressors:
xregs <- matrix(rnorm(4*50), 50, 4)

##estimate an AR(2) with intercept and four conditioning
##regressors in the mean:
mymod <- arx(y, mc=TRUE, ar=1:2, mxreg=xregs)
rsquared(mymod)

##General-to-Specific (GETS) modelling of the mean:
meanmod <- getsm(mymod)
rsquared(meanmod)

##extract the paths searched:
paths(meanmod)

##extract the terminal models:
terminals(meanmod)
```

periodicdummies

Make matrix of periodicity (e.g. seasonal) dummies

Description

Auxiliary function that generates periodicity dummies (e.g. seasonal dummies) for regular time series. The function is similar to, but more general than, the `seasonaldummy` function in the `forecast` package.

Usage

```
periodicdummies(x, values=1)
```

Arguments

x a regular time series (vector or matrix)
values numeric of length 1 (default) or numeric vector of length equal to frequency(x)

Value

A matrix of class zoo with the periodicity dummies

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

[is.regular](#), [zooreg](#), [zoo](#), [ts](#)

Examples

```
##quarterly dummies:  
x <- zooreg(rnorm(30), start=2000, frequency=4)  
periodicdummies(x)  
  
##monthly dummies:  
y <- zooreg(rnorm(30), start=c(2000,1), frequency=12)  
periodicdummies(y)
```

recursive

Recursive estimation

Description

Recursive estimation of coefficients and standard errors

Usage

```
recursive(object, spec="mean", std.errors=TRUE, from=40, tol=1e-07,  
          LAPACK=FALSE, plot=TRUE, return=TRUE)
```

Arguments

object	an <code>arx</code> , <code>gets</code> or <code>isat</code> object
spec	'mean' or 'variance'. If 'mean' (default), the recursive estimates of the mean-equation are estimated
std.errors	logical. If TRUE (default), then the coefficient standard errors are also computed
from	integer. The starting point of the recursion
tol	numeric. The tolerance for linear dependency among regressors
LAPACK	logical, TRUE or FALSE (default). If true use LAPACK otherwise use LINPACK, see <code>qr</code> function
plot	NULL or logical. If TRUE, then the recursive coefficient estimates are plotted. If NULL (default), then the value set by <code>options</code> determines whether a plot is produced or not.
return	logical. If TRUE (default), then the recursive estimates are returned in a list

Value

If `return=TRUE`, then a `list` is returned with the following components:

estimates	a <code>zoo</code> matrix with the recursive estimates
standard.errors	a <code>zoo</code> matrix with the standard errors

Author(s)

Genaro Sucarrat, <http://www.sucarrat.net/>

See Also

`ols`, `qr`, `solve.qr`

Examples

```
##generate random variates, estimate model:
y <- rnorm(100)
mX <- matrix(rnorm(4*100), 100, 4)
mymodel <- arx(y, mc=TRUE, mxreg=mX)

##compute recursive estimates and plot them:
recursive(mymodel)
```

so2data

UK SO2 Data

Description

UK Annual Total Anthropogenic Sulphur Dioxide (SO₂) Emissions 1946-2005.

Usage

```
data("so2data")
```

Format

A data frame with 60 observations on the following 4 variables.

year Year of observation

uk_tot_so2 UK annual total anthropogenic SO₂ emissions in gigagrams

Luk_tot_so2 Log of UK annual total anthropogenic SO₂ emissions

DLuk_tot_so2 First difference of Log UK annual total anthropogenic SO₂ emissions

Details

Data reports the total estimated anthropogenic SO₂ emissions aggregated over coal, petroleum, biomass combustion, smelting, fuel processing, and other processes.

Source

Smith, SJ, J van Aardenne, Z Klimont, RJ Andres, A Volke, and S Delgado Arias. (2011). Anthropogenic Sulfur Dioxide Emissions, 1850-2005: National and Regional Data Set by Source Category, Version 2.86. Data distributed by the NASA Socioeconomic Data and Applications Center (SEDAC), CIESIN, Columbia University, Palisades, New York. Available at <http://sedac.ciesin.columbia.edu/data/set/haso2-anthro-sulfur-dioxide-emissions-1850-2005-v2-86>

References

Smith, SJ, J van Aardenne, Z Klimont, RJ Andres, A Volke, and S Delgado Arias. (2011). Anthropogenic Sulfur Dioxide Emissions: 1850-2005, Atmospheric Chemistry and Physics, 11:1101-1116.

Examples

```
data(so2data)

##create annual zoo object:
newso2data<- zooreg(so2data[,-1], start=1946, frequency=1)

##plot UK annual total anthropogenic SO2 emissions:
plot(newso2data$uk_tot_so2)
```

`sp500data`*Daily Standard and Poor's 500 index data*

Description

Daily Standard and Poor's 500 (SP500) index data from 3 January 1950 to 8 March 2016.

Usage

```
data("sp500data")
```

Format

A data frame with 16652 observations on the following 7 variables:

Date the dates

Open the opening values of the index

High the daily maximum value of the index

Low the daily minimum value of the index

Close the closing values of the index

Volume the traded volume

Adj.Close the adjusted closing values of the index

Source

Yahoo Finance, retrieved 9 March 2016

Examples

```
data(sp500data)
sp500data <- zoo(sp500data[, -1], order.by = as.Date(sp500data[, "Date"]))
plot(window(sp500data, start = as.Date("2000-01-03")))
```

Index

*Topic **Econometrics**

- arx, [4](#)
- biascorr, [7](#)
- coef.arx, [8](#)
- coef.gets, [12](#)
- coef.isat, [15](#)
- diagnostics, [18](#)
- dropvar, [20](#)
- eqwma, [22](#)
- ES, [24](#)
- eviews, [25](#)
- gets, [26](#)
- gets-package, [2](#)
- getsFun, [26](#)
- getsm, [30](#)
- hpdata, [34](#)
- iim, [35](#)
- infocrit, [38](#)
- isat, [39](#)
- isattest, [43](#)
- isatvar, [45](#)
- isvarcor, [47](#)
- isvareffcor, [48](#)
- ols, [49](#)
- paths, [50](#)
- periodicdummies, [51](#)
- recursive, [52](#)

*Topic **Financial Econometrics**

- arx, [4](#)
- biascorr, [7](#)
- coef.arx, [8](#)
- coef.gets, [12](#)
- coef.isat, [15](#)
- diagnostics, [18](#)
- dropvar, [20](#)
- eqwma, [22](#)
- ES, [24](#)
- eviews, [25](#)
- gets, [26](#)

- gets-package, [2](#)
- getsFun, [26](#)
- getsm, [30](#)
- hpdata, [34](#)
- iim, [35](#)
- infocrit, [38](#)
- isat, [39](#)
- isattest, [43](#)
- isatvar, [45](#)
- isvarcor, [47](#)
- isvareffcor, [48](#)
- ols, [49](#)
- paths, [50](#)
- periodicdummies, [51](#)
- recursive, [52](#)

*Topic **Statistical Models**

- arx, [4](#)
- biascorr, [7](#)
- coef.arx, [8](#)
- coef.gets, [12](#)
- coef.isat, [15](#)
- diagnostics, [18](#)
- dropvar, [20](#)
- eqwma, [22](#)
- ES, [24](#)
- eviews, [25](#)
- gets, [26](#)
- gets-package, [2](#)
- getsFun, [26](#)
- getsm, [30](#)
- iim, [35](#)
- infocrit, [38](#)
- isat, [39](#)
- isattest, [43](#)
- isatvar, [45](#)
- isvarcor, [47](#)
- isvareffcor, [48](#)
- ols, [49](#)
- paths, [50](#)

- periodicdummies, 51
- recursive, 52
- *Topic **Time Series**
 - arx, 4
 - biacorr, 7
 - coef.arx, 8
 - coef.gets, 12
 - coef.isat, 15
 - diagnostics, 18
 - dropvar, 20
 - eqwma, 22
 - ES, 24
 - eviews, 25
 - gets, 26
 - gets-package, 2
 - getsFun, 26
 - getsm, 30
 - hpdata, 34
 - iim, 35
 - infocrit, 38
 - isat, 39
 - isattest, 43
 - isatvar, 45
 - isvarcor, 47
 - isvareffcor, 48
 - ols, 49
 - paths, 50
 - periodicdummies, 51
 - recursive, 52
- *Topic **datasets**
 - hpdata, 34
 - infldata, 37
 - so2data, 54
 - sp500data, 55
- *Topic **emissions**
 - so2data, 54
- AIC, 38
- arx, 2, 3, 4, 10, 17, 18, 20, 23–25, 33, 42, 53
- biacorr, 7, 44, 46
- BIC, 38
- coef.arx, 6, 8
- coef.gets, 8, 12, 17, 33, 42, 44, 46
- coef.isat, 15
- data.frame, 19
- diagnostics, 5, 18, 28, 29, 31, 40
- dropvar, 20
- eqwma, 4, 22, 33, 39, 42
- ES, 6, 24
- eviews, 25
- fitted.arx, 6
- fitted.arx (coef.arx), 8
- fitted.gets, 33, 42
- fitted.gets (coef.gets), 12
- fitted.isat (coef.isat), 15
- gets, 14, 26
- gets-package, 2
- getsFun, 18, 20, 26, 33, 42
- getsm, 2, 3, 6, 14, 17, 18, 20, 23–26, 30, 39, 42, 51
- getsv, 2, 3, 6, 14, 18, 20, 23–26, 29, 51
- getsv (getsm), 30
- hpdata, 34
- iim, 35
- infldata, 37
- info.criterion (infocrit), 38
- infocrit, 29, 38
- is.regular, 52
- isat, 2, 3, 6–8, 14, 17, 18, 20, 21, 24–26, 33, 36, 39, 39, 43–46, 51
- isattest, 8, 43, 46
- isatvar, 8, 44, 45, 48, 49
- isvarcor, 47
- isvareffcor, 48
- leqwma, 5, 33, 42
- leqwma (eqwma), 22
- list, 4, 5, 19, 31, 40, 51, 53
- logLik.arx (coef.arx), 8
- logLik.gets (coef.gets), 12
- logLik.isat (coef.isat), 15
- na.trim, 4, 22, 39
- numeric, 51
- ols, 19, 27, 29, 49, 53
- options, 5, 9, 13, 16, 32, 41, 53
- paths, 17, 33, 42, 50
- periodicdummies, 51
- plot.arx, 6

plot.arx (coef.arx), 8
plot.gets, 8, 33, 42, 44, 46
plot.gets (coef.gets), 12
plot.isat (coef.isat), 15
predict.arx (coef.arx), 8
predict.gets (coef.gets), 12
predict.isat (coef.isat), 15
print.arx, 6
print.arx (coef.arx), 8
print.gets, 33, 42
print.gets (coef.gets), 12
print.isat (coef.isat), 15

qr, 5, 21, 41, 49, 50, 53
qr.solve, 28

recursive, 6, 52
residuals.arx, 6
residuals.arx (coef.arx), 8
residuals.gets, 33, 42
residuals.gets (coef.gets), 12
residuals.isat (coef.isat), 15
rsquared, 6
rsquared (paths), 50

sigma.arx, 6
sigma.arx (coef.arx), 8
sigma.gets (coef.gets), 12
sigma.isat (coef.isat), 15
sim (iim), 35
so2data, 54
solve.qr, 50, 53
sp500data, 55
stata (eviews), 25
summary.arx, 6
summary.arx (coef.arx), 8
summary.gets, 33, 42
summary.gets (coef.gets), 12
summary.isat (coef.isat), 15

terminals, 17, 33, 42
terminals (paths), 50
tim (iim), 35
ts, 52

VaR, 6
VaR (ES), 24
vcov.arx, 6
vcov.arx (coef.arx), 8
vcov.gets, 33, 42
vcov.gets (coef.gets), 12
vcov.isat (coef.isat), 15

zoo, 4, 5, 10, 14, 17, 23, 33, 36, 39, 42, 52, 53
zooreg, 52