

Package ‘coalitions’

March 15, 2018

Type Package

Title Coalition Probabilities in Multi-Party Democracies

Version 0.6.2

Maintainer Andreas Bender <andreas.bender@stat.uni-muenchen.de>

Description An implementation of a MCMC method to calculate probabilities for a coalition majority based on survey results, see Bender and Bauer (2018) <doi:10.21105/joss.00606>.

Depends R (>= 3.2.1)

Imports checkmate, gtools, rvest, xml2, jsonlite, RCurl, reshape2, rlang, magrittr, lubridate, forcats, stringr, tidyr, purrr (> 0.2.2), dplyr (> 0.5.0),

Suggests ggplot2, testthat, covr, knitr, rmarkdown

Encoding UTF-8

License MIT + file LICENSE

URL <https://github.com/adibender/coalitions/>,
<http://adibender.github.io/coalitions/>

BugReports <https://github.com/adibender/coalitions/issues>

RoxygenNote 6.0.1

VignetteBuilder knitr

LazyData true

NeedsCompilation no

Author Andreas Bender [aut, cre] (<<https://orcid.org/0000-0001-5628-8611>>),
Alexander Bauer [aut] (<<https://orcid.org/0000-0003-3495-5131>>)

Repository CRAN

Date/Publication 2018-03-15 09:25:57 UTC

R topics documented:

calculate_prob	2
calculate_probs	3
collapse_parties	4
dHondt	4
draw_from_posterior	5
get_probabilities	6
get_seats	7
get_surveys	8
hare_niemeyer	9
have_majority	9
party_colors_de	10
pool_surveys	11
redistribute	12
scrape_austria	12
scrape_wahlrecht	13
sls	14
surveys_sample	14
Index	16

calculate_prob	<i>Calculate coalition probability from majority table</i>
----------------	--

Description

Given a table with simulations in the rows and coalitions in the columns, this function returns the coalition probabilities for a specified coalition, by default excluding superior coalitions first

Usage

```
calculate_prob(majority_df, coalition, exclude_superior = TRUE, ...)
```

Arguments

majority_df	A data frame containing logical values indicating if the coalitions (columns) have a majority (rows).
coalition	The coalition of interest for which superior coalitions will be obtained by get_superior .
exclude_superior	Logical. If TRUE, superior coalitions will be excluded, otherwise total coalition probabilities will be returned. Usually it makes sense to exclude superior coalitions.
...	Further arguments passed to get_superior

Examples

```
test_df <- data.frame(
  cdu = c(rep(FALSE, 9), TRUE),
  cdu_fdp = c(rep(FALSE, 8), TRUE, TRUE),
  cdu_fdp_greens = c(TRUE, TRUE, rep(FALSE, 6), TRUE, TRUE))
calculate_prob(test_df, "cdu_fdp_greens") # exclude_superior defaults to TRUE
calculate_prob(test_df, "cdu_fdp_greens", exclude_superior=FALSE)
```

calculate_probs	<i>Calculate coalition probabilities for multiple coalitions</i>
-----------------	--

Description

Calculate coalition probabilities for multiple coalitions

Usage

```
calculate_probs(majority_df, coalitions, exclude_superior = TRUE, ...)
```

Arguments

majority_df	A data frame containing logical values indicating if the coalitions (columns) have a majority (rows).
coalitions	A list of coalitions for which coalition probabilities should be calculated. Each list entry must be a vector of party names. Those names need to correspond to the names in majority_df.
exclude_superior	Logical. If TRUE, superior coalitions will be excluded, otherwise total coalition probabilities will be returned. Usually it makes sense to exclude superior coalitions.
...	Further arguments passed to get_superior

See Also

[calculate_prob](#)

Examples

```
test_df <- data.frame(
  cdu = c(rep(FALSE, 9), TRUE),
  cdu_fdp = c(rep(FALSE, 8), TRUE, TRUE),
  cdu_fdp_greens = c(TRUE, TRUE, rep(FALSE, 6), TRUE, TRUE))
calculate_probs(test_df, list("cdu", "cdu_fdp", "cdu_fdp_greens"))
calculate_probs(test_df, list("cdu", "cdu_fdp", "cdu_fdp_greens"), exclude_superior=FALSE)
```

collapse_parties *Transform surveys in long format*

Description

Given a data frame containing multiple surveys (one row per survey), transforms the data into long format with one row per party.

Usage

```
collapse_parties(surveys, parties = c("cdu", "spd", "greens", "fdp", "left",  
  "pirates", "fw", "afd", "others"))
```

Arguments

surveys A data frame with one survey per row.
parties A character vector containing names of parties to collapse.

Value

Data frame in long format

Examples

```
emnid <- scrape_wahlrecht()  
emnid.long <- collapse_parties(emnid)
```

dHondt *Seat Distribution by D'Hondt*

Description

Calculates number of seats for the respective parties that have received more than hurdle percent of votes (according to the method of D'Hondt)

Usage

```
dHondt(votes, parties, n_seats = 183)
```

Arguments

votes Number of votes per party.
parties Names of parties (must be same length as votes).
n_seats Number of seats in parliament. Defaults to 183 (seats in Austrian parliament).

Value

A data.frame containing parties above the hurdle and the respective seats/percentages after redistribution via D'Hondt

See Also

[sls](#)

Examples

```
library(coalitions)
library(dplyr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample) %>% tidyr::unnest()
# calculate the seat distribution based on D'Hondt for a parliament with 300 seats
dHondt(surveys$votes, surveys$party, n_seats = 300)
```

draw_from_posterior *Draw random numbers from posterior distribution*

Description

Draw random numbers from posterior distribution

Usage

```
draw_from_posterior(survey, nsim = 10000, seed = as.numeric(now()),
  prior = NULL, correction = NULL)
```

Arguments

survey	survey object as returned by as_survey or getSurveys
nsim	number of simulations
seed	sets seed
prior	optional prior information. Defaults to 1/2 (Jeffrey's prior).
correction	A positive number. If not NULL, each sample from the Dirichlet distribution will be additionally "corrected" by a random number from U(-1*correction, 1*correction). This can be used to introduce extra variation which might be useful due to rounding errors from reported survey results (or add an additional source of variation in general).

Value

data.frame containing random draws from Dirichlet distribution which can be interpreted as election results.

See Also[as_survey](#)

get_probabilities	<i>Wrapper for calculation of coalition probabilities from survey</i>
-------------------	---

Description

Wrapper for calculation of coalition probabilities from survey

Usage

```
get_probabilities(x, coalitions = list(c("cdu"), c("cdu", "fdp"), c("cdu",
  "fdp", "greens"), c("spd"), c("spd", "left"), c("spd", "left", "greens")),
  nsim = 1e+05, distrib.fun = sls, seats_majority = 300L,
  seed = as.numeric(now()), correction = NULL)
```

Arguments

x	A table containing one row per survey and survey information in long format in a separate column named survey.
coalitions	A list of coalitions for which coalition probabilities should be calculated. Each list entry must be a vector of party names. Those names need to correspond to the names in majority_df.
nsim	number of simulations
distrib.fun	Function to calculate seat distribution. Defaults to sls (Sainte-Lague/Schepers).
seats_majority	The number of seats needed to obtain majority.
seed	sets seed
correction	A positive number. If not NULL, each sample from the Dirichlet distribution will be additionally "corrected" by a random number from $U(-1*\text{correction}, 1*\text{correction})$. This can be used to introduce extra variation which might be useful due to rounding errors from reported survey results (or add an additional source of variation in general).

See Also[calculate_prob](#)**Examples**

```
library(coalitions)
library(dplyr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample)
# calculate probabilities for two coalitions
probs <- get_probabilities(surveys,
```

```

coalitions = list(c("cdu", "fdp"),
                  c("spd", "left", "greens")),
nsim = 100) # ensure fast runtime with only 100 simulations
probs %>% tidyr::unnest()

```

get_seats

*Calculate seat distribution from draws from posterior***Description**

Calculate seat distribution from draws from posterior

Usage

```

get_seats(dirichlet.draws, survey, distrib.fun = sls, samplesize = NULL,
          hurdle = 0.05, others = "others", ...)

```

Arguments

dirichlet.draws	Matrix containing random draws from posterior.
survey	The actual survey results on which <code>dirichlet.draws</code> were based on.
distrib.fun	Function to calculate seat distribution. Defaults to <code>sls</code> (Sainte-Lague/Schepers).
samplesize	Number of individuals participating in the survey.
hurdle	The percentage threshold which has to be reached by a party to enter the parliament.
others	A string indicating the name under which parties not listed explicitly are subsumed.
...	Further arguments passed to <code>distrib.fun</code> .

Value

A data frame containing seat distributions for each simulation in `dirichlet.draws`

See Also

[draw_from_posterior](#), [sls](#), [dHondt](#)

Examples

```

library(coalitions)
library(dplyr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample)
# simulate 100 seat distributions
surveys <- surveys %>% mutate(draws = purrr::map(survey, draw_from_posterior, nsim = 100),
                             seats = purrr::map2(draws, survey, get_seats))
surveys$seats

```

`get_surveys`*Scrape surveys from all pollsters*

Description

Scrape surveys from all pollsters

Scrapes data from wahlrecht.de and performs some sanitizing.

Scrapes data from wahlrecht.de and performs some sanitizing.

Given a specific date, extract the survey from this date or the last one before this date.

Usage

```
get_surveys(country = c("DE", "AT"))  
  
get_surveys_by()  
  
get_surveys_nds()  
  
get_latest(surveys = NULL, max_date = Sys.Date())
```

Arguments

<code>country</code>	Choose country from which surveys should be scraped. Currently "DE" (Germany) and "AT" (Austria) are supported.
<code>surveys</code>	If provided, latest survey will be obtained from this object, otherwise calls get_surveys .
<code>max_date</code>	Specifies the date, relative to which latest survey will be searched for. Defaults to <code>Sys.Date</code> .

Examples

```
library(coalitions)  
# scrape data for the German federal election  
# get_surveys()  
library(coalitions)  
### Scrape the newest poll for the German federal election  
# Possibility 1: Calling get_latest without arguments scrapes surveys from the web  
# Possibility 2: Use get_latest() on an already scraped dataset  
surveys <- get_latest(surveys_sample)
```

hare_niemeyer	<i>Seat Distribution by Hare/Niemeyer</i>
---------------	---

Description

Calculates number of seats for the respective parties that have received more than hurdle percent of votes (according to the method of Hare/Niemeyer)

Usage

```
hare_niemeyer(votes, parties, n_seats = 183)
```

Arguments

votes	Number of votes per party.
parties	Names of parties (must be same length as votes).
n_seats	Number of seats in parliament. Defaults to 183 (seats in Austrian parliament).

Value

A data.frame containing parties above the hurdle and the respective seats/percentages after redistribution via Hare/Niemeyer

See Also

[sls](#)

Examples

```
library(coalitions)
library(dplyr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample) %>% tidyr::unnest()
# calculate the seat distribution based on Hare/Niemeyer for a parliament with 300 seats
hare_niemeyer(surveys$votes, surveys$party, n_seats = 300)
```

have_majority	<i>Do coalitions have a majority</i>
---------------	--------------------------------------

Description

Do coalitions have a majority

Usage

```
have_majority(seats_tab, coalitions = list(c("cdu"), c("cdu", "fdp"), c("cdu",
  "fdp", "greens"), c("spd"), c("spd", "left"), c("spd", "left", "greens")),
  seats_majority = 300L, collapse = "_")
```

Arguments

`seats_tab` A data frame containing number of seats obtained by a party. Must have columns party and seats.

`coalitions` A list of coalitions for which coalition probabilities should be calculated. Each list entry must be a vector of party names. Those names need to correspond to the names in `majority_df`.

`seats_majority` The number of seats needed to obtain majority.

`collapse` an optional character string to separate the results. Not [NA_character_](#).

Examples

```
library(coalitions)
library(dplyr)
library(purrr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample)
# check for majorities of two coalitions
coals <- list(c("cdu", "fdp"),
             c("spd", "left", "greens"))
# only use 100 simulations for a fast runtime
surveys <- surveys %>% mutate(draws = map(survey, draw_from_posterior, nsim = 100),
                             seats = map2(draws, survey, get_seats),
                             majorities = map(seats, have_majority, coalitions = coals))
surveys$majorities
```

party_colors_de

Colors of German parties

Description

A vector of colors associated with German parties.

Usage

```
party_colors_de
```

Format

A named character vector. Names indicate parties. Values contain color strings for the respective parties

pool_surveys	<i>Obtain pooled survey during specified period</i>
--------------	---

Description

Per default, pools surveys starting from current date and going 14 days back. For each pollster within the defined time-frame, only the most recent survey is used.

Usage

```
pool_surveys(surveys, last_date = Sys.Date(), pollsters = c("allensbach",
  "emnid", "forsa", "fgw", "gms", "infratest", "dimap", "infratestdimap",
  "insa"), period = 14, period_extended = NA, corr = 0.5,
  weights = NULL)
```

Arguments

surveys	A tibble containing survey results for multiple pollsters as returned by get_surveys .
last_date	Only surveys in the time-window from last_date to last_date - period will be considered for each pollster. Defaults to current date.
pollsters	Character vector of pollsters that should be considered for pooling.
period	See last_date argument.
period_extended	Optional. If specified, all surveys in the time-window from last_date - period_extended to last_date - period will also be considered for each pollster, but only after down-weighting them by halving their true sample size.
corr	Assumed correlation between surveys (of different pollsters). Defaults to 0.5.
weights	Additional weights for individual surveys.

Examples

```
library(coalitions)
library(dplyr)
latest <- get_latest(surveys_sample)
pool_surveys(surveys_sample, last_date=as.Date("2017-09-02"))
```

redistribute	<i>Calculate percentage of votes/seats after excluding parties with votes < hurdle</i>
--------------	---

Description

Calculate percentage of votes/seats after excluding parties with votes < hurdle

Usage

```
redistribute(survey, hurdle = 0.05, others = "others", epsilon = 1e-05)
```

Arguments

survey	The actual survey results on which <code>dirichlet.draws</code> were based on.
hurdle	The percentage threshold which has to be reached by a party to enter the parliament.
others	A string indicating the name under which parties not listed explicitly are subsumed.
epsilon	Percentages should add up to 1. If they do not, within accuracy of epsilon, an error is thrown.

See Also

[get_seats](#), [sls](#)

Examples

```
library(coalitions)
library(dplyr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample)
# redistribute the shares of 'others' parties and parties with a share of under 5%
surveys <- surveys %>% mutate(survey_redist = purrr::map(survey, redistribute))
surveys$survey # results before redistribution
surveys$survey_redist # results after redistribution
```

scrape_austria	<i>Import Austrian survey results</i>
----------------	---------------------------------------

Description

Reads JSON file from `neuwal.com`

Usage

```
scrape_austria(address = "https://neuwal.com/wahlumfragen/openwal/neuwal-openwal.json")
```

Arguments

address	URL of the JSON file
---------	----------------------

scrape_wahlrecht	<i>Scrape surveys from wahlrecht.de</i>
------------------	---

Description

Scrapes survey tables and performs sanitation to output tidy data

Scrape Bavarian regional polls

Scrape Lower Saxony regional polls

Usage

```
scrape_wahlrecht(address = "https://www.wahlrecht.de/umfragen/emnid.htm",
  parties = c("CDU", "SPD", "GRUENE", "FDP", "LINKE", "PIRATEN", "FW", "AFD",
  "SONSTIGE"))
```

```
scrape_by(address = "https://www.wahlrecht.de/umfragen/landtage/bayern.htm",
  parties = c("CSU", "SPD", "GRUENE", "FDP", "LINKE", "PIRATEN", "FW", "AFD",
  "SONSTIGE"))
```

```
scrape_ltw(address = "https://www.wahlrecht.de/umfragen/landtage/niedersachsen.htm",
  parties = c("CDU", "SPD", "GRUENE", "FDP", "LINKE", "PIRATEN", "FW", "AFD",
  "SONSTIGE"))
```

Arguments

address	http-address from which tables should be scraped.
---------	---

parties	A character vector containing names of parties to collapse.
---------	---

Examples

```
library(coalitions)
library(dplyr)
# select a polling agency from .pollster_df that should be scraped ...
coalitions:::.pollster_df
# ... here we choose Forsa
address <- coalitions:::.pollster_df %>% filter(pollster == "forsa") %>% pull(address)
scrape_wahlrecht(address = address)
```

sls	<i>Seat Distribution by Sainte-Lague/Schepers</i>
-----	---

Description

Calculates number of seats for the respective parties that have received more than 5% of votes (according to the method of Sainte-Lague/Schepers, see <https://www.wahlrecht.de/verfahren/rangmasszahlen.html>).

Usage

```
sls(votes, parties, n_seats = 598L)
```

Arguments

votes	A numeric vector giving the redistributes votes
parties	A character vector indicating the names of parties with respective votes.
n_seats	The total number of seats that can be assigned to the different parties.

Value

A numeric vector giving the number of seats each party obtained.

See Also

[dHondt](#)

Examples

```
library(coalitions)
library(dplyr)
# get the latest survey for the sample German federal election polls
surveys <- get_latest(surveys_sample) %>% tidyr::unnest()
# calculate the seat distribution based on Sainte-Lague/Schepers for a parliament with 300 seats
sls(surveys$votes, surveys$party, n_seats = 300)
```

surveys_sample	<i>Sample of selected surveys</i>
----------------	-----------------------------------

Description

A data set with surveys from seven different pollsters, three surveys per pollster. Surveys report support for different parties in the running for the German Bundestag prior to the 2017 election.

Usage

```
surveys_sample
```

Format

A nested data frame with 7 rows and 2 columns:

institute name of the pollster

surveys a list of data frames, each containing one survey

Source

<https://www.wahlrecht.de/>

Index

- *Topic **datasets**
 - party_colors_de, 10
 - surveys_sample, 14
- *Topic **distribution**
 - get_seats, 7
- *Topic **draw,**
 - draw_from_posterior, 5
- *Topic **seat**
 - get_seats, 7
- *Topic **simulate**
 - draw_from_posterior, 5

as_survey, 6

calculate_prob, 2, 3, 6

calculate_probs, 3

collapse_parties, 4

dHondt, 4, 7, 14

draw_from_posterior, 5, 7

get_latest (get_surveys), 8

get_probabilities, 6

get_seats, 7, 12

get_superior, 2, 3

get_surveys, 8, 8, 11

get_surveys_by (get_surveys), 8

get_surveys_nds (get_surveys), 8

hare_niemeyer, 9

have_majority, 9

NA_character_, 10

party_colors_de, 10

pool_surveys, 11

redistribute, 12

scrape_austria, 12

scrape_by (scrape_wahlrecht), 13

scrape_ltw (scrape_wahlrecht), 13

scrape_wahlrecht, 13

sls, 5–7, 9, 12, 14

surveys_sample, 14