

Package ‘liftr’

December 13, 2017

Type Package

Title Containerize R Markdown Documents

Version 0.8

Maintainer Nan Xiao <me@nanx.me>

Description Persistent reproducible reporting by containerization of R Markdown documents.

License GPL-3 | file LICENSE

SystemRequirements Docker (see
<<https://docs.docker.com/engine/installation/>>)

VignetteBuilder knitr

URL <https://liftr.me>, <https://github.com/road2stat/liftr>

BugReports <https://github.com/road2stat/liftr/issues>

Depends R (>= 3.0.2)

Imports yaml, knitr, rmarkdown, stringr, rstudioapi

Encoding UTF-8

RoxygenNote 6.0.1.9000

NeedsCompilation no

Author Nan Xiao [aut, cre] (0000-0002-0250-5673),
Miao-Zhu Li [ctb],
Teng-Fei Yin [ctb]

Repository CRAN

Date/Publication 2017-12-13 09:21:13 UTC

R topics documented:

liftr-package	2
check_docker_install	2
check_docker_running	3
install_docker	3
lift	4

prune_all_auto	5
prune_container	6
prune_container_auto	6
prune_image	7
prune_image_auto	8
render_docker	8

Index	11
--------------	-----------

liftr-package	<i>Containerize R Markdown Documents</i>
---------------	--

Description

Persistent reproducible reporting by containerization of R Markdown documents.

Details

Package: liftr
 Type: Package
 License: GPL-3

Author(s)

Nan Xiao <<me@nanx.me>> Miao-Zhu Li <<miaozhu.li@duke.edu>> Teng-Fei Yin <<tengfei.yin@sevenbridges.com>>

check_docker_install	<i>Check if Docker was Installed</i>
----------------------	--------------------------------------

Description

This function checks if Docker was properly installed and discoverable by R and liftr. If still not usable, please start Docker daemon

Usage

```
check_docker_install()
```

Value

TRUE if Docker was detected, FALSE otherwise.

Examples

```
## Not run:  
check_docker_install()  
## End(Not run)
```

check_docker_running *Check if Docker Daemon is Running*

Description

This function checks if the Docker daemon is running.

Usage

```
check_docker_running()
```

Value

TRUE if Docker daemon is running, FALSE otherwise.

Examples

```
## Not run:  
check_docker_running()  
## End(Not run)
```

install_docker *Installation Helper for Docker Engine*

Description

This function guides you to install Docker (Engine).

Usage

```
install_docker()
```

References

<https://docs.docker.com/engine/installation/>

Examples

```
## Not run:  
install_docker()  
## End(Not run)
```

Description

Containerize R Markdown documents. This function generates Dockerfile based on the liftr metadata in the RMD document.

Usage

```
lift(input = NULL, use_config = FALSE, config_file = "_liftr.yml",
      output_dir = NULL)
```

Arguments

<code>input</code>	Input (R Markdown) file.
<code>use_config</code>	If TRUE, will parse the liftr metadata from a YAML file, if FALSE, will parse such information from the metadata section in the R Markdown file. Default is FALSE.
<code>config_file</code>	Name of the YAML configuration file, under the same directory as the input file. Default is "_liftr.yml".
<code>output_dir</code>	Directory to output Dockerfile. If not provided, will be the same directory as input.

Details

After running [lift](#), run [render_docker](#) on the document to render the containerized R Markdown document using Docker containers. See `vignette('liftr-intro')` for details about the extended YAML front-matter metadata format used by liftr.

Value

Dockerfile.

Examples

```
# copy example file
dir_example = paste0(tempdir(), '/liftr-minimal/')
dir.create(dir_example)
file.copy(system.file("examples/liftr-minimal.Rmd", package = "liftr"), dir_example)

# containerization
input = paste0(dir_example, "liftr-minimal.Rmd")
lift(input)

## Not run:
# render the document with Docker
render_docker(input)
```

```
# view rendered document
browseURL(paste0(dir_example, "liftr-minimal.html"))

# purge the generated Docker image
purge_image(paste0(dir_example, "liftr-minimal.docker.yml"))
## End(Not run)
```

prune_all_auto	<i>Remove Docker Containers, Images, and Networks</i>
----------------	---

Description

This function removes stopped containers, all networks not used by at least one container, all dangling images, and all build cache.

Usage

```
prune_all_auto(volumes = FALSE)
```

Arguments

volumes Logical. Should we prune volumes? Default is FALSE.

Value

prune results

References

<https://docs.docker.com/engine/admin/pruning/>

Examples

```
## Not run:
prune_all_auto()
## End(Not run)
```

prune_container *Remove Specific Docker Containers*

Description

This function stops and removes the Docker containers used for rendering the R Markdown document based on the output YAML file from the (possibly unsuccessful) rendering process.

Usage

```
prune_container(input_yaml)

purge_container()
```

Arguments

`input_yaml` The YAML file path (output of [render_docker](#)) when `prune_info = TRUE` which stores the information of the Docker container to be stopped and removed. If not specified, will prune all dangling containers.

Value

prune results

Examples

```
## Not run:
prune_container()
## End(Not run)
```

prune_container_auto *Remove Dangling Docker Containers*

Description

This function prunes all dangling Docker containers automatically.

Usage

```
prune_container_auto()
```

Value

prune results

References

<https://docs.docker.com/engine/admin/pruning/>

Examples

```
## Not run:  
prune_container_auto()  
## End(Not run)
```

prune_image	<i>Remove Specific Docker Images</i>
-------------	--------------------------------------

Description

This function removes the Docker images used for rendering the R Markdown document based on the output YAML file from the (possibly unsuccessful) rendering process.

Usage

```
prune_image(input_yaml)  
  
purge_image()
```

Arguments

input_yaml	The YAML file path (output of render_docker) when prune_info = TRUE which stores the information of the Docker image to be removed. If not specified, will prune all dangling images.
------------	--

Value

prune results

Examples

```
## Not run:  
prune_image()  
## End(Not run)
```

prune_image_auto *Remove Dangling Docker Images*

Description

This function prunes all dangling Docker images automatically.

Usage

```
prune_image_auto()
```

Value

prune results

References

<https://docs.docker.com/engine/admin/pruning/>

Examples

```
## Not run:  
prune_image_auto()  
## End(Not run)
```

render_docker *Render Containerized R Markdown Documents*

Description

Render R Markdown documents using Docker.

Usage

```
render_docker(input = NULL, tag = NULL, container_name = NULL,  
  cache = TRUE, build_args = NULL, run_args = NULL, prune = TRUE,  
  prune_info = TRUE, ...)
```

```
drender(...)
```


Arguments

input	Input file to render in Docker container.
tag	Docker image name to build, sent as docker argument <code>-t</code> . If not specified, it will use the same name as the input file.
container_name	Docker container name to run. If not specified, will use a randomly generated name.
cache	Logical. Controls the <code>--no-cache</code> argument in <code>docker run</code> . Setting this to be <code>TRUE</code> can accelerate the rendering speed substantially for repeated/interactive rendering since the Docker image layers will be cached, with only the changed (knitr related) image layer being updated. Default is <code>TRUE</code> .
build_args	A character string specifying additional docker <code>build</code> arguments. For example, <code>--pull=true -m="1024m" --memory-swap="-1"</code> .
run_args	A character string specifying additional docker <code>run</code> arguments. For example, <code>--privileged=true</code> .
prune	Logical. Should we clean up all dangling containers, volumes, networks, and images in case the rendering was not successful? Default is <code>TRUE</code> .
prune_info	Logical. Should we save the Docker container and image information to a YAML file (name ended with <code>.docker.yml</code>) for manual pruning or inspections later? Default is <code>TRUE</code> .
...	Additional arguments passed to render .

Details

Before using this function, please run [lift](#) on the RMD document first to generate the Dockerfile.

After a successful rendering, you will be able to clean up the Docker image with [prune_image](#).

Please see `vignette('liftr-intro')` for details of the extended YAML metadata format and system requirements for writing and rendering containerized R Markdown documents.

Value

- A list containing the image name, container name, and Docker commands will be returned.
- An YAML file ending with `.docker.yml` storing the image name, container name, and Docker commands for rendering this document will be written to the directory of the input file.
- The rendered output will be written to the directory of the input file.

Examples

```
# copy example file
dir_example = paste0(tempdir(), "/liftr-tidyverse/")
dir.create(dir_example)
file.copy(system.file("examples/liftr-tidyverse.Rmd", package = "liftr"), dir_example)

# containerization
input = paste0(dir_example, "liftr-tidyverse.Rmd")
lift(input)
```

```
## Not run:  
# render the document with Docker  
render_docker(input)  
  
# view rendered document  
browseURL(paste0(dir_example, "liftr-tidyverse.pdf"))  
  
# remove the generated Docker image  
prune_image(paste0(dir_example, "liftr-tidyverse.docker.yml"))  
## End(Not run)
```

Index

check_docker_install, [2](#)
check_docker_running, [3](#)

drender (render_docker), [8](#)

install_docker, [3](#)

lift, [4](#), [4](#), [9](#)
liftr-package, [2](#)

prune_all_auto, [5](#)
prune_container, [6](#)
prune_container_auto, [6](#)
prune_image, [7](#), [9](#)
prune_image_auto, [8](#)
purge_container (prune_container), [6](#)
purge_image (prune_image), [7](#)

render, [9](#)
render_docker, [4](#), [6](#), [7](#), [8](#)