

# Package ‘mixOmics’

November 26, 2017

**Type** Package

**Title** Omics Data Integration Project

**Version** 6.3.1

**Date** 2017-10-25

**Depends** R ( $\geq 2.10$ ), MASS, lattice, ggplot2

**Imports** igraph, rgl, ellipse, corpcor, RColorBrewer, plyr, parallel, dplyr, tidyr, reshape2, methods, matrixStats, rARPACK, gridExtra

**Author** Kim-Anh Le Cao, Florian Rohart, Ignacio Gonzalez, Sebastien Dejean with key contributors Benoit Gautier, Francois Bartolo and contributions from Pierre Monget, Jeff Coquery, FangZou Yao, Benoit Liquet.

**Maintainer** Kim-Anh Le Cao <kimanh.lecao@unimelb.edu.au>

**Description** Multivariate methods are well suited to large omics data sets where the number of variables (e.g. genes, proteins, metabolites) is much larger than the number of samples (patients, cells, mice). They have the appealing properties of reducing the dimension of the data by using instrumental variables (components), which are defined as combinations of all variables. Those components are then used to produce useful graphical outputs that enable better understanding of the relationships and correlation structures between the different data sets that are integrated. mixOmics offers a wide range of multivariate methods for the exploration and integration of biological datasets with a particular focus on variable selection. The package proposes several sparse multivariate models we have developed to identify the key variables that are highly correlated, and/or explain the biological outcome of interest. The data that can be analysed with mixOmics may come from high throughput sequencing technologies, such as omics data (transcriptomics, metabolomics, proteomics, metagenomics etc) but also beyond the realm of omics (e.g. spectral imaging). The methods implemented in mixOmics can also handle missing values without having to delete entire rows with missing data. A non exhaustive list of methods include variants of generalised Canonical Correlation Analysis, sparse Partial Least Squares and sparse Discriminant Analysis. Recently we implemented integrative methods to combine multiple data sets: N-integration with variants of Generalised Canonical Correlation Analysis and P-integration with variants of multi-group Partial Least Squares.

**License** GPL ( $\geq 2$ )

**URL** <http://www.mixOmics.org>

**BugReports** <https://bitbucket.org/klecao/package-mixomics/issues>

**Repository** CRAN

**Date/Publication** 2017-11-26 15:26:09 UTC

**NeedsCompilation** no

**LazyData** true

## R topics documented:

auroc	4
background.predict	7
block.pls	9
block.plsda	12
block.spls	15
block.splsda	18
breast.TCGA	21
breast.tumors	22
cim	23
cimDiablo	31
circosPlot	33
color.jet	36
diverse.16S	37
estim.regul	39
explained_variance	39
get.confusion_matrix	40
image	42
image.estim.regul	43
imgCor	43
ipca	45
Koren.16S	47
linnerud	48
liver.toxicity	49
logratio.transfo	50
map	51
mat.rank	52
mint.block.pls	53
mint.block.plsda	55
mint.block.spls	58
mint.block.splsda	61
mint.pca	64
mint.pls	66
mint.plsda	68
mint.spls	71
mint.splsda	73
mixOmics	76
multidrug	80
nearZeroVar	82

network	83
nipals	88
nutrimouse	89
pca	90
pcatune	93
perf	94
plot.perf	102
plot.rcc	105
plot.tune	106
plotArrow	108
plotDiablo	112
plotIndiv	113
plotLoadings	121
plotVar	127
pls	132
plsda	135
predict	138
print	143
rcc	144
selectVar	147
sipca	149
sPCA	151
spls	154
splsda	158
srbc	162
stemcells	163
study_split	164
summary	165
tune	167
tune.block.splsda	171
tune.mint.splsda	175
tune.pca	177
tune.rcc	179
tune.splsda	181
tune.splslevel	185
unmap	186
vac18	187
vac18.simulated	188
vip	189
withinVariation	190
wrapper.rgcca	192
wrapper.sgcca	195
yeast	197

---

auroc *Area Under the Curve (AUC) and Receiver Operating Characteristic (ROC) curves for supervised classification*

---

### Description

Calculates the AUC and plots ROC for supervised objects from `s/plsda`, `mint.s/plsda` and `block.plsda`, `block.splsda` or `wrapper.sgccda`.

### Usage

```
## S3 method for class 'plsda'
auroc(object, newdata = object$input.X, outcome.test = as.factor(object$Y),
multilevel = NULL, plot = TRUE, roc.comp = 1, ...)

## S3 method for class 'splsda'
auroc(object, newdata = object$input.X, outcome.test = as.factor(object$Y),
multilevel = NULL, plot = TRUE, roc.comp = 1, ...)

## S3 method for class 'mint.plsda'
auroc(object, newdata = object$X, outcome.test = as.factor(object$Y),
study.test = object$study, multilevel = NULL, plot = TRUE, roc.comp = 1,
roc.study = "global", ...)

## S3 method for class 'mint.splsda'
auroc(object, newdata = object$X, outcome.test = as.factor(object$Y),
study.test = object$study, multilevel = NULL, plot = TRUE, roc.comp = 1,
roc.study = "global", ...)

## S3 method for class 'sgccda'
auroc(object, newdata = object$X, outcome.test = as.factor(object$Y),
multilevel = NULL, plot = TRUE, roc.block = 1, roc.comp = 1, ...)
```

### Arguments

<code>object</code>	Object from one of the following supervised analysis class: "plsda", "splsda", "mint.plsda", "mint.splsda", "block.splsda" or "wrapper.sgccda"
<code>newdata</code>	numeric matrix of predictors, by default set to the training data set (see details).
<code>outcome.test</code>	Either a factor or a class vector for the discrete outcome, by default set to the outcome vector from the training set (see details).
<code>study.test</code>	For MINT objects, grouping factor indicating which samples of newdata are from the same study. Overlap with <code>object\$study</code> are allowed.
<code>multilevel</code>	Sample information when a newdata matrix is input and when multilevel decomposition for repeated measurements is required. A numeric matrix or data frame indicating the repeated measures on each individual, i.e. the individuals ID. See examples in <code>splsda</code> .

<code>plot</code>	Whether the ROC curves should be plotted, by default set to TRUE (see details).
<code>roc.comp</code>	Specify the component (integer) for which the ROC will be plotted from the multivariate model, default to 1.
<code>roc.block</code>	Specify the block number (integer) or the name of the block (set of characters) for which the ROC will be plotted for a <code>block.plsda</code> or <code>block.splsda</code> object, default to 1.
<code>roc.study</code>	Specify the study for which the ROC will be plotted for a <code>mint.plsda</code> or <code>mint.splsda</code> object, default to "global".
<code>...</code>	external optional arguments for plotting

### Details

For more than two classes in the categorical outcome Y, the AUC is calculated as one class vs. the other and the ROC curves one class vs. the others are output.

The ROC and AUC are calculated based on the predicted scores obtained from the `predict` function applied to the multivariate methods (`predict(object)$predict`). Our multivariate supervised methods already use a prediction threshold based on distances (see `predict`) that optimally determine class membership of the samples tested. As such AUC and ROC are not needed to estimate the performance of the model (see `perf`, `tune` that report classification error rates). We provide those outputs as complementary performance measures.

The pvalue is from a Wilcoxon test between the predicted scores between one class vs the others.

External independent data set (`newdata`) and outcome (`outcome.test`) can be input to calculate AUROC. The external data set must have the same variables as the training data set (`object$X`).

If `newdata` is not provided, AUROC is calculated from the training data set, and may result in overfitting (too optimistic results).

Note that for `mint.plsda` and `mint.splsda` objects, if `roc.study` is different from "global", then `newdata`, `outcome.test` and `sstudy.test` are not used.

### Value

Depending on the type of object used, a list that contains: The AUC and Wilcoxon test pvalue for each 'one vs other' classes comparison performed, either per component (`splsda`, `plsda`, `mint.plsda`, `mint.splsda`), or per block and per component (`wrapper.sgccda`, `block.plsda`, `blocksplsda`).

### Author(s)

Benoit Gautier, Francois Bartolo, Florian Rohart

### See Also

[tune](#), [perf](#), and <http://www.mixOmics.org> for more details.

**Examples**

```

## example with PLSDA, 2 classes
# -----
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- breast.tumors$sample$treatment

plsda.breast <- plsda(X, Y, ncomp = 2)
auc.plsda.breast = auroc(plsda.breast, ncomp = 1)

## example with sPLSDA
# -----
splsda.breast <- splsda(X, Y, ncomp = 2, keepX = c(25, 25))
auroc(plsda.breast, plot = FALSE)

## Not run:

## example with sPLSDA with 4 classes
# -----
data(liver.toxicity)
X <- as.matrix(liver.toxicity$gene)
# Y will be transformed as a factor in the function,
# but we set it as a factor to set up the colors.
Y <- as.factor(liver.toxicity$treatment[, 4])

splsda.liver <- splsda(X, Y, ncomp = 2, keepX = c(20, 20))
auc.splsda.liver = auroc(splsda.liver, ncomp = 1)

## example with mint.plsda
# -----
data(stemcells)

res = mint.plsda(X = stemcells$gene, Y = stemcells$celltype, ncomp = 3,
study = stemcells$study)
auc.mint.plsda = auroc(res, plot = FALSE)

## example with mint.splsda
# -----
res = mint.splsda(X = stemcells$gene, Y = stemcells$celltype, ncomp = 3, keepX = c(10, 5, 15),
study = stemcells$study)
auc.mint.splsda = auroc(res, plot = TRUE, roc.comp = 3)

## example with block.plsda
# -----
data(nutrimouse)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
# with this design, all blocks are connected
design = matrix(c(0,1,1,0), ncol = 2, nrow = 2,
byrow = TRUE, dimnames = list(names(data), names(data)))

```

```

block.plsda.nutri = block.plsda(X = data, Y = nutrilmouse$diet)
auc.block.plsda.nutri = auroc(block.plsda.nutri, block = 'lipid')

## example with block.splsda
# -----
list.keepX = list(gene = rep(10, 2), lipid = rep(5,2))
block.splsda.nutri = block.splsda(X = data, Y = nutrilmouse$diet, keepX = list.keepX)
auc.block.splsda.nutri = auroc(block.splsda.nutri, block = 1)

## End(Not run)

```

---

background.predict      *Calculate prediction areas*

---

## Description

Calculate prediction areas that can be used in plotIndiv to shade the background.

## Usage

```
background.predict (object, comp.predicted = 1, dist = "max.dist",
xlim = NULL, ylim = NULL, resolution = 100)
```

## Arguments

object	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in matrices, samples x variables, with samples order matching in all data sets.
comp.predicted	Matrix response for a multivariate regression framework. Data should be continuous variables (see block.splsda for supervised classification and factor response)
dist	distance to use to predict the class of new data, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see <a href="#">predict</a> ).
xlim,ylim	numeric list of vectors of length 2, giving the x and y coordinates ranges for the simulated data. By default will be 1.2* the range of object\$variates\$X[,i]
resolution	A total of resolution*resolution data are simulated between xlim[1], xlim[2], ylim[1] and ylim[2].

## Details

background.predict simulates resolution\*resolution points within the rectangle defined by xlim on the x-axis and ylim on the y-axis, and then predicts the class of each point (defined by two coordinates). The algorithm estimates the predicted area for each class, defined as the 2D surface where all points are predicted to be of the same class. A polygon is returned and should be passed to [plotIndiv](#) for plotting the actual background.

Note that by default `xlim` and `ylim` will create a rectangle of simulated data that will cover the plotted area of `plotIndiv`. However, if you use `plotIndiv` with `ellipse=TRUE` or if you set `xlim` and `ylim`, then you will need to adapt `xlim` and `ylim` in `background.predict`.

Also note that the white frontier that defines the predicted areas when plotting with `plotIndiv` can be reduced by increasing resolution.

More details about the prediction distances in `?predict` and the supplemental material of the `mixOmics` article (Rohart et al. 2017).

### Value

`background.predict` returns a list of coordinates to be used with `polygon` to draw the predicted area for each class.

### Author(s)

Florian Rohart

### References

Rohart F, Gautier B, Singh A, Lê Cao K-A. `mixOmics`: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

### See Also

`plotIndiv`, `predict`, `polygon`.

### Examples

```
# Example 1
# -----
## Not run:
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- breast.tumors$sample$treatment

splstda.breast <- splstda(X, Y,keepX=c(10,10),ncomp=2)

# calculating background for the two first components, and the centroids distance

background = background.predict(splstda.breast, comp.predicted = 2, dist = "centroids.dist")

# default option: note the outcome color is included by default!
plotIndiv(splstda.breast, background = background)

## End(Not run)

# Example 2
# -----
## Not run:
```



```

data(liver.toxicity)
X = liver.toxicity$gene
Y = as.factor(liver.toxicity$treatment[, 4])

plsda.liver <- plsda(X, Y, ncomp = 2)

# calculating background for the two first components, and the mahalanobis distance
background = background.predict(plsda.liver, comp.predicted = 2, dist = "mahalanobis.dist")

plotIndiv(plsda.liver, background = background, legend = TRUE)

## End(Not run)

```

---

block.pls

*N-integration with Projection to Latent Structures models (PLS)*


---

## Description

Integration of multiple data sets measured on the same samples or observations, ie. N-integration. The method is partly based on Generalised Canonical Correlation Analysis.

## Usage

```

block.pls(X,
Y,
indY,
ncomp = 2,
design,
scheme,
mode,
scale = TRUE,
init ,
tol = 1e-06,
max.iter = 100,
near.zero.var = FALSE,
all.outputs = TRUE)

```

## Arguments

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in matrices, samples x variables, with samples order matching in all data sets.
Y	Matrix response for a multivariate regression framework. Data should be continuous variables (see block.splsda for supervised classification and factor response)
indY	To supply if Y is missing, indicates the position of the matrix response in the list X

ncomp	the number of components to include in the model. Default to 2. Applies to all blocks.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with values between 0 and 1. Each value indicates the strenght of the relationship to be modelled between two blocks; a value of 0 indicates no relationship, 1 is the maximum value. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details. Default = regression.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances. Default = TRUE.
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.single.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

## Details

block.pls function fits a horizontal integration PLS model with a specified number of components per block). An outcome needs to be provided, either by Y or by its position indY in the list of blocks X. Multi (continuous)response are supported. X and Y can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm block.pls without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the nipals function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and ?pls for more details).

Note that our method is partly based on Generalised Canonical Correlation Analysis and differs from the MB-PLS approaches proposed by Kowalski et al., 1989, J Chemom 3(1) and Westerhuis et al., 1998, J Chemom, 12(5).

## Value

block.pls returns an object of class "block.pls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
indY	the position of the outcome Y in the output list X.

ncomp	the number of components included in the model for each block.
mode	the algorithm used to fit the model.
variates	list containing the variates of each block of X.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
iter	Number of iterations of the algorithm for each component
explained_variance	Percentage of explained variance for each component and each block

**Author(s)**

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

**References**

- Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N. Y., 391-420.
- Tenenhaus A. and Tenenhaus M., (2011), Regularized Generalized Canonical Correlation Analysis, *Psychometrika*, Vol. 76, Nr 2, pp 257-284.

**See Also**

[plotIndiv](#), [plotArrow](#), [plotLoadings](#), [plotVar](#), [predict](#), [perf](#), [selectVar](#), [block.spls](#), [block.plsda](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
# Example with TCGA multi omics study
# -----
data("breast.TCGA")
# this is the X data as a list of mRNA and miRNA; the Y data set is a single data set of proteins
data = list(mrna = breast.TCGA$data.train$mrna, mirna = breast.TCGA$data.train$mirna)
# set up a full design where every block is connected
design = matrix(1, ncol = length(data), nrow = length(data),
dimnames = list(names(data), names(data)))
diag(design) = 0
design
# set number of component per data set
ncomp = c(2)

TCGA.block.pls = block.pls(X = data, Y = breast.TCGA$data.train$protein, ncomp = ncomp,
design = design)
TCGA.block.pls
# in plotindiv we color the samples per breast subtype group but the method is unsupervised!
# here Y is the protein data set
```

```
plotIndiv(TCGA.block.pls, group = breast.TCGA$data.train$subtype, ind.names = FALSE)
```

---

block.plsda	<i>N-integration with Projection to Latent Structures models (PLS) with Discriminant Analysis</i>
-------------	---

---

### Description

Integration of multiple data sets measured on the same samples or observations to classify a discrete outcome, ie. N-integration with Discriminant Analysis. The method is partly based on Generalised Canonical Correlation Analysis.

### Usage

```
block.plsda(X,
  Y,
  indY,
  ncomp = 2,
  design,
  scheme,
  mode,
  scale = TRUE,
  init = "svd",
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

### Arguments

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in matrices, samples x variables, with samples order matching in all data sets.
Y	A factor or a class vector indicating the discrete outcome of each sample.
indY	To be supplied if Y is missing, indicates the position of the factor / class vector outcome in the list X
ncomp	the number of components to include in the model. Default to 2. Applies to all blocks.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with values between 0 and 1. Each value indicates the strenght of the relationship to be modelled between two blocks; a value of 0 indicates no relationship, 1 is the maximum value. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.

mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details. Default = regression.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances. Default = TRUE.
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

block.plsda function fits a horizontal integration PLS-DA model with a specified number of components per block). A factor indicating the discrete outcome needs to be provided, either by Y or by its position indY in the list of blocks X.

X can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm block.pls without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the nipals function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and ?pls for more details).

Note that our method is partly based on Generalised Canonical Correlation Analysis and differs from the MB-PLS approaches proposed by Kowalski et al., 1989, J Chemom 3(1) and Westerhuis et al., 1998, J Chemom, 12(5).

### Value

block.plsda returns an object of class "block.plsda", "block.pls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
indY	the position of the outcome Y in the output list X.
ncomp	the number of components included in the model for each block.
mode	the algorithm used to fit the model.
variates	list containing the variates of each block of X.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.

iter                    Number of iterations of the algorithm for each component  
 explained\_variance                    Percentage of explained variance for each component and each block

### Author(s)

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

### References

On PLSDA:

Barker M and Rayens W (2003). Partial least squares for discrimination. *Journal of Chemometrics* **17**(3), 166-173. Perez-Enciso, M. and Tenenhaus, M. (2003). Prediction of clinical outcome with microarray data: a partial least squares discriminant analysis (PLS-DA) approach. *Human Genetics* **112**, 581-592. Nguyen, D. V. and Rocke, D. M. (2002). Tumor classification by partial least squares using microarray gene expression data. *Bioinformatics* **18**, 39-50.

On multiple integration with PLS-DA: Gunther O., Shin H., Ng R. T. , McMaster W. R., McManus B. M. , Keown P. A. , Tebbutt S.J. , Lê Cao K-A. , (2014) Novel multivariate methods for integration of genomics and proteomics data: Applications in a kidney transplant rejection study, *OMICS: A journal of integrative biology*, 18(11), 682-95.

On multiple integration with sPLS-DA and 4 data blocks:

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIA-BLO: multi omics integration for biomarker discovery. BioRxiv available here: <http://biorxiv.org/content/early/2016/08/03/067611>

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

### See Also

[plotIndiv](#), [plotArrow](#), [plotLoadings](#), [plotVar](#), [predict](#), [perf](#), [selectVar](#), [block.pls](#), [block.splsda](#) and <http://www.mixOmics.org> for more details.

### Examples

```
data(nutrimouse)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = nutrimouse$diet)
# with this design, all blocks are connected
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3,
byrow = TRUE, dimnames = list(names(data), names(data)))

res = block.plsda(X = data, indY = 3) # indY indicates where the outcome Y is in the list X
plotIndiv(res, ind.names = FALSE, legend = TRUE)
plotVar(res)

## Not run:
# when Y is provided
```

```

res2 = block.plsda(list(gene = nutrimouse$gene, lipid = nutrimouse$lipid),
  Y = nutrimouse$diet, ncomp = 2)
plotIndiv(res2)
plotVar(res2)

## End(Not run)

```

---

block.spls	<i>N-integration and feature selection with sparse Projection to Latent Structures models (sPLS)</i>
------------	--

---

## Description

Integration of multiple data sets measured on the same samples or observations, with variable selection in each data set, ie. N-integration. The method is partly based on Generalised Canonical Correlation Analysis.

## Usage

```

block.spls(X,
  Y,
  indY,
  ncomp = 2,
  keepX,
  keepY,
  design,
  scheme,
  mode,
  scale = TRUE,
  init ,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)

```

## Arguments

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in matrices, samples x variables, with samples order matching in all data sets.
Y	Matrix response for a multivariate regression framework. Data should be continuous variables (see block.splsda for supervised classification and factor response)
indY	To supply if Y is missing, indicates the position of the matrix response in the list X
ncomp	the number of components to include in the model. Default to 2. Applies to all blocks.

keepX	A list of same length as X. Each entry is the number of variables to select in each of the blocks of X for each component. By default all variables are kept in the model.
keepY	Only if Y is provided. Each entry is the number of variables to select in each of the blocks of Y for each component.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with values between 0 and 1. Each value indicates the strength of the relationship to be modelled between two blocks; a value of 0 indicates no relationship, 1 is the maximum value. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details. Default = regression.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances. Default = TRUE.
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.single.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

## Details

`block.spls` function fits a horizontal sPLS model with a specified number of components per block). An outcome needs to be provided, either by Y or by its position `indY` in the list of blocks X. Multi (continuous) response are supported. X and Y can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm `block.pls` without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

The type of algorithm to use is specified with the `mode` argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and `?pls` for more details).

Note that our method is partly based on sparse Generalised Canonical Correlation Analysis and differs from the MB-PLS approaches proposed by Kowalski et al., 1989, *J Chemom* 3(1), Westerhuis et al., 1998, *J Chemom*, 12(5) and sparse variants Li et al., 2012, *Bioinformatics* 28(19); Karaman et al (2014), *Metabolomics*, 11(2); Kawaguchi et al., 2017, *Biostatistics*.

Variable selection is performed on each component for each block of X, and for Y if specified, via input parameter `keepX` and `keepY`.

Note that if Y is missing and `indY` is provided, then variable selection on Y is performed by specifying the input parameter directly in `keepX` (no `keepY` is needed).



**Value**

block.spls returns an object of class "block.spls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
indY	the position of the outcome Y in the output list X.
ncomp	the number of components included in the model for each block.
mode	the algorithm used to fit the model.
keepX	Number of variables used to build each component of each block
keepY	Number of variables used to build each component of Y
variates	list containing the variates of each block of X.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
iter	Number of iterations of the algorithm for each component
explained_variance	Percentage of explained variance for each component and each block

**Author(s)**

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

**References**

- Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.
- Tenenhaus A. and Tenenhaus M., (2011), Regularized Generalized Canonical Correlation Analysis, *Psychometrika*, Vol. 76, Nr 2, pp 257-284.
- Tenenhaus A., Philippe C., Guillemot V, Lê Cao K.A., Grill J, Frouin V. Variable selection for generalized canonical correlation analysis. *Biostatistics*. kxu001

**See Also**

[plotIndiv](#), [plotArrow](#), [plotLoadings](#), [plotVar](#), [predict](#), [perf](#), [selectVar](#), [block.pls](#), [block.splsda](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
# Example with multi omics TCGA study
# -----
data("breast.TCGA")
# this is the X data as a list of mRNA and miRNA; the Y data set is a single data set of proteins
data = list(mrna = breast.TCGA$data.train$mrna, mirna = breast.TCGA$data.train$mirna)
# set up a full design where every block is connected
```

```

design = matrix(1, ncol = length(data), nrow = length(data),
dimnames = list(names(data), names(data)))
diag(design) = 0
design
# set number of component per data set
ncomp = c(2)
# set number of variables to select, per component and per data set (this is set arbitrarily)
list.keepX = list(mrna = rep(20, 2), mirna = rep(10,2))
list.keepY = c(rep(10, 2))

TCGA.block.spls = block.spls(X = data, Y = breast.TCGA$data.train$protein,
ncomp = ncomp, keepX = list.keepX, keepY = list.keepY, design = design)
TCGA.block.spls
# in plotIndiv we color the samples per breast subtype group but the method is unsupervised!
plotIndiv(TCGA.block.spls, group = breast.TCGA$data.train$subtype, ind.names = FALSE)
# illustrates coefficient weights in each block
plotLoadings(TCGA.block.spls, ncomp = 1)
plotVar(TCGA.block.spls, style = 'graphics', legend = TRUE)
network(TCGA.block.spls)

```

---

block.splsda

*N-integration and feature selection with Projection to Latent Structures models (PLS) with sparse Discriminant Analysis*


---

## Description

Integration of multiple data sets measured on the same samples or observations to classify a discrete outcome to classify a discrete outcome and select features from each data set, ie. N-integration with sparse Discriminant Analysis. The method is partly based on Generalised Canonical Correlation Analysis.

## Usage

```

block.splsda(X,
Y,
indY,
ncomp = 2,
keepX,
design,
scheme,
mode,
scale = TRUE,
init = "svd",
tol = 1e-06,
max.iter = 100,
near.zero.var = FALSE,
all.outputs = TRUE)

```

**Arguments**

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in matrices, samples x variables, with samples order matching in all data sets.
Y	A factor or a class vector indicating the discrete outcome of each sample.
indY	To be supplied if Y is missing, indicates the position of the factor / class vector outcome in the list X
ncomp	the number of components to include in the model. Default to 2. Applies to all blocks.
keepX	A list of same length as X. Each entry is the number of variables to select in each of the blocks of X for each component. By default all variables are kept in the model.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with values between 0 and 1. Each value indicates the strenght of the relationship to be modelled between two blocks; a value of 0 indicates no relationship, 1 is the maximum value. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details. Default = regression.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances. Default = TRUE.
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

**Details**

block.splsda function fits a horizontal integration PLS-DA model with a specified number of components per block). A factor indicating the discrete outcome needs to be provided, either by Y or by its position indY in the list of blocks X.

X can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm block.pls without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the nipals function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis

("invariant") and the classical PLS algorithm ("classic") (see References and ?pls for more details).

Note that our method is partly based on sparse Generalised Canonical Correlation Analysis and differs from the MB-PLS approaches proposed by Kowalski et al., 1989, *J Chemom* 3(1), Westerhuis et al., 1998, *J Chemom*, 12(5) and sparse variants Li et al., 2012, *Bioinformatics* 28(19); Karaman et al (2014), *Metabolomics*, 11(2); Kawaguchi et al., 2017, *Biostatistics*.

Variable selection is performed on each component for each block of X if specified, via input parameter keepX.

## Value

block.splsda returns an object of class "block.splsda", "block.spls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
indY	the position of the outcome Y in the output list X.
ncomp	the number of components included in the model for each block.
mode	the algorithm used to fit the model.
keepX	Number of variables used to build each component of each block
variates	list containing the variates of each block of X.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
iter	Number of iterations of the algorithm for each component
weights	Correlation between the variate of each block and the variate of the outcome. Used to weight predictions.
explained_variance	Percentage of explained variance for each component and each block

## Author(s)

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

## References

On multiple integration with sPLS-DA and 4 data blocks:

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIA-BLO: multi omics integration for biomarker discovery. *BioRxiv* available here: <http://biorxiv.org/content/early/2016/08/03/067611>

On data integration:

Tenenhaus A., Philippe C., Guillemot V, Lê Cao K.A., Grill J, Frouin V. Variable selection for generalized canonical correlation analysis. *Biostatistics*. kxu001

Gunther O., Shin H., Ng R. T. , McMaster W. R., McManus B. M. , Keown P. A. , Tebbutt S.J. , Lê Cao K-A. , (2014) Novel multivariate methods for integration of genomics and proteomics

data: Applications in a kidney transplant rejection study, OMICS: A journal of integrative biology, 18(11), 682-95.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

### See Also

[plotIndiv](#), [plotArrow](#), [plotLoadings](#), [plotVar](#), [predict](#), [perf](#), [selectVar](#), [block.plsda](#), [block.spls](#) and <http://www.mixOmics.org/mixDIABLO> for more details and examples.

### Examples

```
# block.splsda
# -----
data("breast.TCGA")
# this is the X data as a list of mRNA, miRNA and proteins
data = list(mrna = breast.TCGA$data.train$mrna, mirna = breast.TCGA$data.train$mirna,
protein = breast.TCGA$data.train$protein)
# set up a full design where every block is connected
design = matrix(1, ncol = length(data), nrow = length(data),
dimnames = list(names(data), names(data)))
diag(design) = 0
design
# set number of component per data set
ncomp = c(2)
# set number of variables to select, per component and per data set (this is set arbitrarily)
list.keepX = list(mrna = rep(20, 2), mirna = rep(10,2), protein = rep(10, 2))

TCGA.block.splsda = block.splsda(X = data, Y = breast.TCGA$data.train$subtype,
ncomp = ncomp, keepX = list.keepX, design = design)
TCGA.block.splsda

plotIndiv(TCGA.block.splsda, ind.names = FALSE)
# illustrates coefficient weights in each block
plotLoadings(TCGA.block.splsda, ncomp = 1, contrib = 'max')
plotVar(TCGA.block.splsda, style = 'graphics', legend = TRUE)
```

---

breast.TCGA

*Breast Cancer multi omics data from TCGA*

---

### Description

This data set is a small subset of the full data set from The Cancer Genome Atlas that can be analysed with the DIABLO framework. It contains the expression or abundance of three matching omics data sets: mRNA, miRNA and proteomics for 150 breast cancer samples (Basal, Her2, Luminal A) in the training set, and 70 samples in the test set. The test set is missing the proteomics data set.

**Usage**

```
data(breast.TCGA)
```

**Format**

A list containing two data sets, `data.train` and `data.test` which both include:

`miRNA` data frame with 150 (70) rows and 184 columns in the training (test) data set. The expression levels of 184 miRNA.

`mRNA` data frame with 150 (70) rows and 520 columns in the training (test) data set. The expression levels of 200 mRNA.

`protein` data frame with 150 (70) rows and 142 columns in the training data set only. The abundance of 142 proteins.

`subtype` a factor indicating the breast cancer subtypes in the training (length of 150) and test (length of 70) sets.

**Details**

The data come from The Cancer Genome Atlas (TCGA, <http://cancergenome.nih.gov/>). We divided the data into a training (discovery) and test (validation) set. The protein dataset which had a limited number of subjects available was used to allocate subjects into the training set only, while the test set included all remaining subject. Each data set was normalised and pre-processed. For illustrative purposes we drastically filtered the data here.

**Source**

The raw data were downloaded from <http://cancergenome.nih.gov/>. The normalised and filtered data we analysed with DIABLO are available on [www.mixOmics.org/mixDIABLO](http://www.mixOmics.org/mixDIABLO)

**References**

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO - multi omics integration for biomarker discovery. Submitted.

---

breast.tumors

*Human Breast Tumors Data*

---

**Description**

This data set contains the expression of 1,000 genes in 47 surgical specimens of human breast tumours from 17 different individuals before and after chemotherapy treatment.

**Usage**

```
data(breast.tumors)
```

## Format

A list containing the following components:

`gene.exp` data matrix with 47 rows and 1000 columns. Each row represents an experimental sample, and each column a single gene.

`sample` a list containing two character vector components: `name` the name of the samples, and `treatment` the treatment status.

`genes` a list containing two character vector components: `name` the name of the genes, and `description` the description of each gene.

## Details

This data consists of 47 breast cancer samples and 1753 cDNA clones pre-selected by Perez-Enciso *et al.* (2003) to draw their Fig. 1. The authors selected 47 samples for which there was information at least before or before and after chemotherapy treatment. There were 20 tumours that were microarrayed both before and after treatment. For illustrative purposes we then randomly selected 1000 cDNA clones for this data set.

## Source

The Human Breast Tumors dataset is a companion resource for the paper of Perou *et al.* (2000), and was downloaded from the Stanford Genomics Breast Cancer Consortium Portal [http://genome-www.stanford.edu/breast\\_cancer/molecularportraits/download.shtml](http://genome-www.stanford.edu/breast_cancer/molecularportraits/download.shtml)

## References

Perez-Enciso, M. and Tenenhaus, M. (2003). Prediction of clinical outcome with microarray data: a partial least squares discriminant analysis (PLS-DA) approach. *Human Genetics* **112**, 581-592.

Perou, C. M., Sorlie, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., Pollack, J. R., Ross, D. T., Johnsen, H., Akslen, L. A., Fluge, O., Pergamenschikov, A., Williams, C., Zhu, S. X., Lonning, P. E., Borresen-Dale, A. L., Brown, P. O. and Botstein, D. (2000). Molecular portraits of human breast tumours. *Nature* **406**, 747-752.

---

cim

*Clustered Image Maps (CIMs) ("heat maps")*

---

## Description

This function generates color-coded Clustered Image Maps (CIMs) ("heat maps") to represent "high-dimensional" data sets.

**Usage**

```

cim(mat,
    color = NULL,
    row.names = TRUE,
    col.names = TRUE,
    row.sideColors = NULL,
    col.sideColors = NULL,
    row.cex = NULL,
    col.cex = NULL,
    threshold = 0,
    cluster = "both",
    dist.method = c("euclidean", "euclidean"),
    clust.method = c("complete", "complete"),
    cut.tree = c(0, 0),
    transpose = FALSE,
    symkey = TRUE,
    keysize = c(1, 1),
    keysize.label = 1,
    zoom = FALSE,
    title = NULL,
    xlab = NULL,
    ylab = NULL,
    margins = c(5, 5),
    lhei = NULL,
    lwid = NULL,
    comp=NULL,
    center = TRUE,
    scale = FALSE,
    mapping = "XY",
    legend= NULL,
    save = NULL,
    name.save = NULL)

```

**Arguments**

- |   |   |
|---|---|
| <code>mat</code>                                | numeric matrix of values to be plotted. Alternatively, an object of class inheriting from "pca", "spca", "ipca", "sipca", "rcc", "pls", "spls", "plsda", "splda", "mlspls" or "mlsplda" (where "ml" stands for multilevel).                   |
| <code>color</code>                              | a character vector of colors such as that generated by <a href="#">terrain.colors</a> , <a href="#">topo.colors</a> , <a href="#">rainbow</a> , <a href="#">color.jet</a> or similar functions.   |
| <code>row.names</code> , <code>col.names</code> | logical, should the name of rows and/or columns of <code>mat</code> be shown? If TRUE (defaults) <code>rownames(mat)</code> and/or <code>colnames(mat)</code> are used. Possible character vectors with row and/or column labels can be used. |
| <code>row.sideColors</code>                     | (optional) character vector of length <code>nrow(mat)</code> containing the color names for a vertical side bar that may be used to annotate the rows of <code>mat</code> .   |
| <code>col.sideColors</code>                     | (optional) character vector of length <code>ncol(mat)</code> containing the color names for a horizontal side bar that may be used to annotate the columns of <code>mat</code> .  |



row.cex, col.cex	positive numbers, used as <code>cex.axis</code> in for the row or column axis labeling. The defaults currently only use number of rows or columns, respectively.
mapping	character string indicating whether to map "X", "Y" or "XY"-association matrix. See Details.
cluster	character string indicating whether to cluster "none", "row", "column" or "both". Defaults to "both".
dist.method	character vector of length two. The distance measure used in clustering rows and columns. Possible values are "correlation" for Pearson correlation and all the distances supported by <code>dist</code> , such as "euclidean", etc.
clust.method	character vector of length two. The agglomeration method to be used for rows and columns. Accepts the same values as in <code>hclust</code> such as "ward", "complete", etc.
cut.tree	numeric vector of length two with components in [0,1]. The height proportions where the trees should be cut for rows and columns, if these are clustered.
comp	atomic or vector of positive integers. The components to adequately account for the data association. For a non sparse method, the similarity matrix is computed based on the variates and loading vectors of those specified components. For a sparse approach, the similarity matrix is computed based on the variables selected on those specified components. See example. Defaults to <code>comp = 1:object\$ncomp</code> .
transpose	logical indicating if the matrix should be transposed for plotting. Defaults to FALSE.
center	either a logical value or a numeric vector of length equal to the number of columns of <code>mat</code> . See <code>scale</code> function.
scale	either a logical value or a numeric vector of length equal to the number of columns of <code>mat</code> . See <code>scale</code> function.
threshold	numeric between 0 and 1. Variables with correlations below this threshold in absolute value are not plotted. To use only when mapping is "XY".
symkey	boolean indicating whether the color key should be made symmetric about 0. Defaults to TRUE.
keysize	vector of length two, indicating the size of the color key.
keysize.label	vector of length 1, indicating the size of the labels and title of the color key.
zoom	logical. Whether to use zoom for interactive zoom. See Details.
title, xlab, ylab	title, <i>x</i> - and <i>y</i> -axis titles; default to none.
margins	numeric vector of length two containing the margins (see <code>par(mar)</code> ) for column and row names respectively.
lhei, lwid	arguments passed to <code>layout</code> to divide the device up into two (or three if a side color is drawn) rows and two columns, with the row-heights <code>lhei</code> and the column-widths <code>lwid</code> .
legend	A list indicating the legend for each group, the color vector, title of the legend and <code>cex</code> .

save	should the plot be saved? If so, argument to be set to either 'jpeg', 'tiff', 'png' or 'pdf'.
name.save	character string for the name of the file to be saved.

## Details

One matrix Clustered Image Map (default method) is a 2-dimensional visualization of a real-valued matrix (basically `image(t(mat))`) with rows and/or columns reordered according to some hierarchical clustering method to identify interesting patterns. Generated dendrograms from clustering are added to the left side and to the top of the image. By default the used clustering method for rows and columns is the *complete linkage* method and the used distance measure is the distance *euclidean*.

In "pca", "spca", "ipca", "sipca", "plsda", "splda" and multilevel variants methods the mat matrix is `object$X`.

For the remaining methods, if `mapping = "X"` or `mapping = "Y"` the mat matrix is `object$X` or `object$Y` respectively. If `mapping = "XY"`:

- in `rcc` method, the matrix `mat` is created where element  $(j, k)$  is the scalar product value between every pairs of vectors in dimension `length(comp)` representing the variables  $X_j$  and  $Y_k$  on the axis defined by  $Z_i$  with  $i$  in `comp`, where  $Z_i$  is the equiangular vector between the  $i$ -th  $X$  and  $Y$  canonical variate.
- in `pls`, `spls` and multilevel `spls` methods, if `object$mode` is "regression", the element  $(j, k)$  of the matrix `mat` is given by the scalar product value between every pairs of vectors in dimension `length(comp)` representing the variables  $X_j$  and  $Y_k$  on the axis defined by  $U_i$  with  $i$  in `comp`, where  $U_i$  is the  $i$ -th  $X$  variate. If `object$mode` is "canonical" then  $X_j$  and  $Y_k$  are represented on the axis defined by  $U_i$  and  $V_i$  respectively.

By default four components will be displayed in the plot. At the top left is the color key, top right is the column dendrogram, bottom left is the row dendrogram, bottom right is the image plot. When `sideColors` are provided, an additional row or column is inserted in the appropriate location. This layout can be overridden by specifying appropriate values for `lwid` and `lhei`. `lwid` controls the column width, and `lhei` controls the row height. See the help page for `layout` for details on how to use these arguments.

For visualization of "high-dimensional" data sets, a nice zooming tool was created. `zoom = TRUE` open a new device, one for CIM, one for zoom-out region and define an interactive 'zoom' process: click two points at imagen map region by pressing the first mouse button. It then draws a rectangle around the selected region and zoom-out this at new device. The process can be repeated to zoom-out other regions of interest.

The zoom process is terminated by clicking the second button and selecting 'Stop' from the menu, or from the 'Stop' menu on the graphics window.

## Value

A list containing the following components:

M	the mapped matrix used by <code>cim</code> .
rowInd, colInd	row and column index permutation vectors as returned by <code>order.dendrogram</code> .

`ddr, ddc` object of class "dendrogram" which describes the row and column trees produced by `cim`.  
`mat.cor` the correlation matrix used for the heatmap. Available only when `mapping = "XY"`.  
`row.names, col.names` character vectors with row and column labels used.  
`row.sideColors, col.sideColors` character vector containing the color names for vertical and horizontal side bars used to annotate the rows and columns.

### Author(s)

Ignacio González, Francois Bartolo, Kim-Anh Lê Cao.

### References

Eisen, M. B., Spellman, P. T., Brown, P. O. and Botstein, D. (1998). Cluster analysis and display of genome-wide expression patterns. *Proceeding of the National Academy of Sciences of the USA* **95**, 14863-14868.

Weinstein, J. N., Myers, T. G., O'Connor, P. M., Friend, S. H., Fornace Jr., A. J., Kohn, K. W., Fojo, T., Bates, S. E., Rubinstein, L. V., Anderson, N. L., Buolamwini, J. K., van Osdol, W. W., Monks, A. P., Scudiero, D. A., Sausville, E. A., Zaharevitz, D. W., Bunow, B., Viswanadhan, V. N., Johnson, G. S., Wittes, R. E. and Paull, K. D. (1997). An information-intensive approach to the molecular pharmacology of cancer. *Science* **275**, 343-349.

González I., Lê Cao K.A., Davis M.J., Déjean S. (2012). Visualising associations between paired 'omics' data sets. *BioData Mining*; **5**(1).

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

### See Also

[heatmap](#), [hclust](#), [plotVar](#), [network](#) and

<http://mixomics.org/graphics/> for more details on all options available.

### Examples

```
## default method: shows cross correlation between 2 data sets
#-----
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

cim(cor(X, Y), cluster = "none")

## CIM representation for objects of class 'rcc'
#-----
```

```

## Not run:
nutri.rcc <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

cim(nutri.rcc, xlab = "genes", ylab = "lipids", margins = c(5, 6))

## End(Not run)

#-- interactive 'zoom' available as below
## Not run:

  cim(nutri.rcc, xlab = "genes", ylab = "lipids", margins = c(5, 6),
      zoom = TRUE)
  #-- select the region and "see" the zoom-out region

  #-- cim from X matrix with a side bar to indicate the diet
  diet.col <- palette()[as.numeric(nutrirmouse$diet)]
  cim(nutri.rcc, mapping = "X", row.names = nutrirmouse$diet,
      row.sideColors = diet.col, xlab = "lipids",
      clust.method = c("ward", "ward"), margins = c(6, 4))

  #-- cim from Y matrix with a side bar to indicate the genotype
  geno.col = color.mixo(as.numeric(nutrirmouse$genotype))
  cim(nutri.rcc, mapping = "Y", row.names = nutrirmouse$genotype,
      row.sideColors = geno.col, xlab = "genes",
      clust.method = c("ward", "ward"))

  #-- save the result as a jpeg file
  jpeg(filename = "test.jpeg", res = 600, width = 4000, height = 4000)
  cim(nutri.rcc, xlab = "genes", ylab = "lipids", margins = c(5, 6))
  dev.off()

## End(Not run)
## CIM representation for objects of class 'spca' (also works for sipca)
#-----
## Not run:
data(liver.toxicity)
X <- liver.toxicity$gene

liver.spca <- spca(X, ncomp = 2, keepX = c(30, 30), scale = FALSE)

dose.col <- color.mixo(as.numeric(as.factor(liver.toxicity$treatment[, 3])))

# side bar, no variable names shown
cim(liver.spca, row.sideColors = dose.col, col.names = FALSE,
    row.names = liver.toxicity$treatment[, 3],
    clust.method = c("ward", "ward"))

## End(Not run)

## CIM representation for objects of class '(s)pls'
#-----
## Not run:

```

```

data(liver.toxicity)

X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
liver.spls <- spls(X, Y, ncomp = 3,
                  keepX = c(20, 50, 50), keepY = c(10, 10, 10))

# default
cim(liver.spls)

# transpose matrix, choose clustering method
cim(liver.spls, transpose = TRUE,
     clust.method = c("ward", "ward"), margins = c(5, 7))

# Here we visualise only the X variables selected
cim(liver.spls, mapping="X")

# Here we should visualise only the Y variables selected
cim(liver.spls, mapping="Y")

# Here we only visualise the similarity matrix between the variables by spls
cim(liver.spls, cluster="none")

# plotting two data sets with the similarity matrix as input in the function
# (see our BioData Mining paper for more details)
# Only the variables selected by the sPLS model in X and Y are represented
cim(liver.spls, mapping="XY")

# on the X matrix only, side col var to indicate dose
dose.col <- color.mixo(as.numeric(as.factor(liver.toxicity$treatment[, 3])))
cim(liver.spls, mapping = "X", row.sideColors = dose.col,
     row.names = liver.toxicity$treatment[, 3])

# CIM default representation includes the total of 120 genes selected, with the dose color
# with a sparse method, show only the variables selected on specific components
cim(liver.spls, comp = 1)
cim(liver.spls, comp = 2)
cim(liver.spls, comp = c(1,2))
cim(liver.spls, comp = c(1,3))

## End(Not run)

## CIM representation for objects of class '(s)plsda'
#-----
## Not run:

data(liver.toxicity)

X <- liver.toxicity$gene
# Setting up the Y outcome first
Y <- liver.toxicity$treatment[, 3]

```

```

#set up colors for cim
dose.col <- color.mixo(as.numeric(as.factor(liver.toxicity$treatment[, 3])))

liver.splsda <- splsda(X, Y, ncomp = 2, keepX = c(40, 30))

cim(liver.splsda, row.sideColors = dose.col, row.names = Y)

## End(Not run)

## CIM representation for objects of class splsda 'multilevel'
# with a two level factor (repeated sample and time)
#-----
data(vac18.simulated)
X <- vac18.simulated$genes
design <- data.frame(samp = vac18.simulated$sample)
Y = data.frame(time = vac18.simulated$time,
               stim = vac18.simulated$stimulation)

res.2level <- splsda(X, Y = Y, ncomp = 2, multilevel = design,
                   keepX = c(120, 10))

#define colors for the levels: stimulation and time
stim.col <- c("darkblue", "purple", "green4", "red3")
stim.col <- stim.col[as.numeric(Y$stim)]
time.col <- c("orange", "cyan")[as.numeric(Y$time)]

# The row side bar indicates the two levels of the facteur, stimulation and time.
# the sample names have been motified on the plot.
cim(res.2level, row.sideColors = cbind(stim.col, time.col),
    row.names = paste(Y$time, Y$stim, sep = "_"),
    col.names = FALSE,
    #setting up legend:
    legend=list(legend = c(levels(Y$time), levels(Y$stim)),
               col = c("orange", "cyan", "darkblue", "purple", "green4", "red3"),
               title = "Condition", cex = 0.7)
)

## CIM representation for objects of class spls 'multilevel'
#-----

data(liver.toxicity)
repeat.indiv <- c(1, 2, 1, 2, 1, 2, 1, 2, 3, 3, 4, 3, 4, 3, 4, 4, 5, 6, 5, 5,
                6, 5, 6, 7, 7, 8, 6, 7, 8, 7, 8, 8, 9, 10, 9, 10, 11, 9, 9,
                10, 11, 12, 12, 10, 11, 12, 11, 12, 13, 14, 13, 14, 13, 14,
                13, 14, 15, 16, 15, 16, 15, 16, 15, 16)

# SPLS is a non supervised technique, and so we only indicate the sample repetitions
# in the design (1 factor only here, sample)
# SPLS takes as an input 2 data sets, and the variables selected

```

```

design <- data.frame(sample = repeat.indiv)
res.spls.1level <- spls(X = liver.toxicity$gene,
                      Y=liver.toxicity$clinic,
                      multilevel = design,
                      ncomp = 2,
                      keepX = c(50, 50), keepY = c(5, 5),
                      mode = 'canonical')

stim.col <- c("darkblue", "purple", "green4","red3")

# showing only the Y variables, and only those selected in comp 1
cim(res.spls.1level, mapping="Y",
    row.sideColors = stim.col[factor(liver.toxicity$treatment[,3])], comp = 1,
    #setting up legend:
    legend=list(legend = unique(liver.toxicity$treatment[,3]), col=stim.col,
    title = "Dose", cex=0.9))

## Not run:
# showing only the X variables, for all selected on comp 1 and 2
cim(res.spls.1level, mapping="X",
    row.sideColors = stim.col[factor(liver.toxicity$treatment[,3])],
    #setting up legend:
    legend=list(legend = unique(liver.toxicity$treatment[,3]), col=stim.col,
    title = "Dose", cex=0.9))

# These are the cross correlations between the variables selected in X and Y.
# The similarity matrix is obtained as in our paper in Data Mining
cim(res.spls.1level, mapping="XY")

## End(Not run)

```

---

cimDiablo

---

*Clustered Image Maps (CIMs) ("heat maps") for DIABLO*


---

## Description

This function generates color-coded Clustered Image Maps (CIMs) ("heat maps") to represent "high-dimensional" data sets analysed with DIABLO.

## Usage

```

cimDiablo(object,
color = NULL,
color.Y,
color.blocks,
comp = NULL,
margins = c(2, 15),
legend.position = "topright",

```

```
transpose = FALSE,
row.names = TRUE,
col.names = TRUE,
size.legend = 1.5)
```

### Arguments

object	An object of class inheriting from "block.splsda".
color	a character vector of colors such as that generated by <code>terrain.colors</code> , <code>topo.colors</code> , <code>rainbow</code> , <code>color.jet</code> or similar functions.
color.Y	a character vector of colors to be used for the levels of the outcome
color.blocks	a character vector of colors to be used for the blocks
comp	positive integer. The similarity matrix is computed based on the variables selected on those specified components. See example. Defaults to <code>comp = 1</code> .
margins	numeric vector of length two containing the margins (see <code>par(mar)</code> ) for column and row names respectively.
legend.position	position of the legend, one of "bottomright", "bottom", "bottomleft", "left", "topleft", "top", "topright", "right" and "center".
transpose	logical indicating if the matrix should be transposed for plotting. Defaults to FALSE.
row.names, col.names	logical, should the name of rows and/or columns of mat be shown? If TRUE (defaults) <code>rownames(mat)</code> and/or <code>colnames(mat)</code> are used. Possible character vectors with row and/or column labels can be used.
size.legend	size of the legend

### Details

This function is a small wrapper of `link{cim}` specific to the DIABLO framework.

### Author(s)

Amrit Singh, Florian Rohart

### References

- Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO: multi omics integration for biomarker discovery. BioRxiv available here: <http://biorxiv.org/content/early/2016/08/03/067611>
- Eisen, M. B., Spellman, P. T., Brown, P. O. and Botstein, D. (1998). Cluster analysis and display of genome-wide expression patterns. *Proceeding of the National Academy of Sciences of the USA* **95**, 14863-14868.
- Weinstein, J. N., Myers, T. G., O'Connor, P. M., Friend, S. H., Fornace Jr., A. J., Kohn, K. W., Fojo, T., Bates, S. E., Rubinstein, L. V., Anderson, N. L., Buolamwini, J. K., van Osdol, W. W., Monks, A. P., Scudiero, D. A., Sausville, E. A., Zaharevitz, D. W., Bunow, B., Viswanadhan, V.



N., Johnson, G. S., Wittes, R. E. and Paull, K. D. (1997). An information-intensive approach to the molecular pharmacology of cancer. *Science* **275**, 343-349.

González I., Lê Cao K.A., Davis M.J., Déjean S. (2012). Visualising associations between paired 'omics' data sets. *BioData Mining*; **5**(1).

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

### See Also

[cim](#), [heatmap](#), [hclust](#), [plotVar](#), [network](#) and

<http://mixomics.org/mixDIABLO/> for more details on all options available.

### Examples

```
## default method: shows cross correlation between 2 data sets
#-----
data(nutrimouse)
Y = nutrimouse$diet
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

nutrimouse.sgcca <- block.splsda(X = data,
Y = Y,
design = design,
keepX = list(gene = c(10,10), lipid = c(15,15)),
ncomp = 2,
scheme = "centroid")

cimDiablo(nutrimouse.sgcca)
```

---

circosPlot

*circosPlot for DIABLO*

---

### Description

Displays variable correlation among different blocks

### Usage

```
circosPlot(object,
comp = 1 : min(object$ncomp),
cutoff,
color.Y,
color.blocks,
```

```

color.cor,
var.names = NULL,
showIntraLinks = FALSE,
line = TRUE,
size.legend = 0.8,
ncol.legend = 1,
size.variables = 0.25,
size.labels = 1,
legend = TRUE)

```

### Arguments

<code>object</code>	An object of class inheriting from "block.splsda".
<code>comp</code>	Numeric vector indicating which component to plot. Default to all
<code>cutoff</code>	Only shows links with a correlation higher than <code>cutoff</code>
<code>color.Y</code>	a character vector of colors to be used for the levels of the outcome
<code>color.blocks</code>	a character vector of colors to be used for the blocks
<code>color.cor</code>	a character vector of two colors. First one is for the negative correlation, second one is for the positive correlation
<code>var.names</code>	Optional parameter. A list of length the number of blocks in <code>object\$X</code> , containing the names of the variables of each block. If <code>NULL</code> , the <code>colnames</code> of the data matrix are used.
<code>showIntraLinks</code>	if <code>TRUE</code> , shows the correlation higher than the threshold inside each block.
<code>line</code>	if <code>TRUE</code> , shows the overall expression of the selected variables. see examples.
<code>size.legend</code>	size of the legend
<code>ncol.legend</code>	number of columns for the legend
<code>size.variables</code>	size of the variable labels
<code>size.labels</code>	size of the block labels
<code>legend</code>	boolean. Whether the legend should be added. Default is <code>TRUE</code> .

### Details

`circosPlot` function depicts correlations of variables selected with `block.splsda` among different blocks, using a generalisation of the method presented in González et al 2012. If `ncomp` is specified, then only the variables selected on that component are displayed.

### Value

If saved in an object, the `circos` plot will output the similarity matrix and the names of the variables displayed on the plot (see `attributes(object)`).

### Author(s)

Michael Vacher, Amrit Singh, Florian Rohart, Kim-Anh Lê Cao

## References

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO: multi omics integration for biomarker discovery. BioRxiv available here: <http://biorxiv.org/content/early/2016/08/03/067611>

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

González I, Lê Cao K.A., Davis M.J., Déjean S. (2012). Visualising associations between paired 'omics' data sets. *BioData Mining*; 5(1).

## See Also

[block.splsda](#), references and <http://www.mixOmics.org/mixDIABLO> for more details.

## Examples

```
data(nutrimouse)
Y = nutrimouse$diet
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

nutrimouse.sgcca <- wrapper.sgcca(X=data,
Y = Y,
design = design,
keepX = list(gene=c(10,10), lipid=c(15,15)),
ncomp = 2,
scheme = "horst")

circosPlot(nutrimouse.sgcca, cutoff = 0.7, ncol.legend = 2, size.legend = 1.1)

circosPlot(nutrimouse.sgcca, cutoff = 0.7, ncol.legend = 2, size.legend = 1.1,
color.Y = 1:5, color.blocks = c("green","brown"), color.cor = c("magenta", "purple"))

par(mfrow=c(2,2))
circosPlot(nutrimouse.sgcca, cutoff = 0.7, ncol.legend = 2,
size.legend = 1.1)
circosPlot(nutrimouse.sgcca, cutoff = 0.7, ncol.legend = 2,
size.legend = 1.1, showIntraLinks = TRUE)
circosPlot(nutrimouse.sgcca, cutoff = 0.7, ncol.legend = 1,
size.legend = 1.1, showIntraLinks = TRUE)
circosPlot(nutrimouse.sgcca, cutoff = 0.7, ncol.legend = 2,
size.legend = 1.1, showIntraLinks = TRUE, line = FALSE, size.variables = 0.5)
```

---

 color.jet

*Color Palette for mixOmics*


---

### Description

The functions create a vector of n "contiguous" colors (except the color.mixo which are colors used internally to fit our logo colors).

### Usage

```
color.jet(n, alpha = 1)
color.spectral(n, alpha = 1)
color.GreenRed(n, alpha = 1)
color.mixo(num.vector)
```

### Arguments

n	an integer, the number of colors ( $\geq 1$ ) to be in the palette.
alpha	a numeric value between 0 and 1 for alpha channel (opacity).
num.vector	for color.mixo an integer vector specifying which colors to use in the mixOmics palette (there are only 10 colors available).

### Details

The function color.jet(n) create color scheme, beginning with dark blue, ranging through shades of blue, cyan, green, yellow and red, and ending with dark red. This colors palette is suitable for displaying ordered (symmetric) data, with n giving the number of colors desired.

### Value

For color.jet(n), color.spectral(n), color.GreenRed(n) a character vector, cv, of color names. This can be used either to create a user-defined color palette for subsequent graphics by palette(cv), a col= specification in graphics functions or in par.

For color.mixo, a vector of colors matching the mixOmics logo (10 colors max.)

### See Also

[colorRamp](#), [palette](#), [colors](#) for the vector of built-in "named" colors; [hsv](#), [gray](#), [rainbow](#), [terrain.colors](#), ... to construct colors; and [heat.colors](#), [topo.colors](#) for images.

### Examples

```
# -----
# jet colors
# -----
par(mfrow = c(3, 1))
z <- seq(-1, 1, length = 125)
```

```

for (n in c(11, 33, 125)) {
  image(matrix(z, ncol = 1), col = color.jet(n),
    xaxt = 'n', yaxt = 'n', main = paste('n = ', n))
  box()
  par(usr = c(-1, 1, -1, 1))
  axis(1, at = c(-1, 0, 1))
}

# -----
# spectral colors
# -----
par(mfrow = c(3, 1))
z <- seq(-1, 1, length = 125)
for (n in c(11, 33, 125)) {
  image(matrix(z, ncol = 1), col = color.spectral(n),
    xaxt = 'n', yaxt = 'n', main = paste('n = ', n))
  box()
  par(usr = c(-1, 1, -1, 1))
  axis(1, at = c(-1, 0, 1))
}

# -----
# GreenRed colors
# -----
par(mfrow = c(3, 1))
z <- seq(-1, 1, length = 125)
for (n in c(11, 33, 125)) {
  image(matrix(z, ncol = 1), col = color.GreenRed(n),
    xaxt = 'n', yaxt = 'n', main = paste('n = ', n))
  box()
  par(usr = c(-1, 1, -1, 1))
  axis(1, at = c(-1, 0, 1))
}

# # -----
# mixOmics colors
# # -----
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

my.colors = color.mixo(1:5)
my.pch = ifelse(nutrimouse$genotype == 'wt', 16, 17)
#plotIndiv(nutri.res, ind.names = FALSE, group = my.colors, pch = my.pch, cex = 1.5)

```

## Description

The 16S data from the Human Microbiome Project includes only the most diverse bodysites: Antecubital fossa (skin), Stool and Subgingival plaque (oral) and can be analysed using a multilevel approach to account for repeated measurements using our module mixMC. The data include 162 samples (54 unique healthy individuals) measured on 1,674 OTUs.

## Usage

```
data(diverse.16S)
```

## Format

A list containing two data sets, `data.TSS` and `data.raw` and some meta data information:

`data.TSS` data frame with 162 rows (samples) and 1674 columns (OTUs). The prefiltered normalised data using Total Sum Scaling normalisation.

`data.raw` data frame with 162 rows (samples) and 1674 columns (OTUs). The prefiltered raw count OTU data which include a 1 offset (i.e. no 0 values).

`taxonomy` data frame with 1674 rows (OTUs) and 6 columns indicating the taxonomy of each OTU.

`indiv` data frame with 162 rows indicating sample meta data.

`bodysite` factor of length 162 indicating the bodysite with levels "Antecubital\_fossa", "Stool" and "Subgingival\_plaque".

`sample` vector of length 162 indicating the unique individual ID, useful for a multilevel approach to taken into account the repeated measured on each individual.

## Details

The data were downloaded from the Human Microbiome Project (HMP, <http://hmpdacc.org/HMQCP/all/> for the V1-3 variable region). The original data contained 43,146 OTU counts for 2,911 samples measured from 18 different body sites. We focused on the first visit of each healthy individual and focused on the three most diverse habitats. The prefiltered dataset included 1,674 OTU counts. We strongly recommend to use log ratio transformations on the `data.TSS` normalised data, as implemented in the PLS and PCA methods, see details on [www.mixOmic.org/mixMC](http://www.mixOmic.org/mixMC).

The `data.raw` include a 1 offset in order to be log ratios transformed after TSS normalisation. Consequently, the `data.TSS` are TSS normalisation of `data.raw`. The CSS normalisation was performed on the original data (including zero values)

## Source

The raw data were downloaded from <http://hmpdacc.org/HMQCP/all/>. Filtering and normalisation described in our website [www.mixOmic.org/mixMC](http://www.mixOmic.org/mixMC)

## References

Lê Cao K.-A., Costello ME, Lakis VA, Bartolo, F,Chua XY, Brazeilles R, Rondeau P. MixMC: Multivariate insights into Microbial Communities. PLoS ONE, 11(8): e0160169 (2016).

---

estim.regul	<i>Estimate the parameters of regularization for Regularized CCA</i>
-------------	--

---

**Description**

This function has been renamed `tune.rcc`, see [tune.rcc](#).

---

explained_variance	<i>Calculation of explained variance</i>
--------------------	--

---

**Description**

This function calculates the variance explained by variates.

**Usage**

```
explained_variance(data, variates, ncomp)
```

**Arguments**

data	numeric matrix of predictors
variates	variates as obtained from a pls object for instance
ncomp	number of components. Should be lower than the number of columns of variates

**Details**

`explained_variance` calculates the explained variance of each variates out of the total variance in data.

**Value**

`explained_variance` simply returns the explained variance for each variate.

**Author(s)**

Florian Rohart

**See Also**

[spls](#), [splsda](#), [plotIndiv](#), [plotVar](#), [cim](#), [network](#).

## Examples

```
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

toxicity.spls <- spls(X, Y, ncomp = 2, keepX = c(50, 50), keepY = c(10, 10))

ex = explained_variance(toxicity.spls$X, toxicity.spls$variates$X, ncomp = 2)

# ex should be the same as
toxicity.spls$explained_variance$X
```

---

get.confusion\_matrix *Create confusion table and calculate the Balanced Error Rate*

---

## Description

Create confusion table between a vector of true classes and a vector of predicted classes, calculate the Balanced Error rate

## Usage

```
get.confusion_matrix(truth, all.levels, predicted)

get.BER(confusion)
```

## Arguments

truth	A factor vector indicating the true classes of the samples (typically Y from the training set).
all.levels	Levels of the 'truth' factor. Optional parameter if there are some missing levels in truth compared to the fitted predicted model
predicted	Vector of predicted classes (typically the prediction from the test set). Can contain NA.
confusion	result from a get.confusion_matrix to calculate the Balanced Error Rate

## Details

BER is appropriate in case of an unbalanced number of samples per class as it calculates the average proportion of wrongly classified samples in each class, weighted by the number of samples in each class. BER is less biased towards majority classes during the performance assessment.



**Value**

`get.confusion_matrix` returns a confusion matrix.

`get.BER` returns the BER from a confusion matrix

**Author(s)**

Florian Rohart

**References**

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

**See Also**

[predict.](#)

**Examples**

```
# Example
# -----
## Not run:

data(liver.toxicity)
X <- liver.toxicity$gene
Y <- as.factor(liver.toxicity$treatment[, 4])

## if training is performed on 4/5th of the original data
samp <- sample(1:5, nrow(X), replace = TRUE)
test <- which(samp == 1) # testing on the first fold
train <- setdiff(1:nrow(X), test)

plsda.train <- plsda(X[train, ], Y[train], ncomp = 2)
test.predict <- predict(plsda.train, X[test, ], dist = "max.dist")
Prediction <- test.predict$class$max.dist[, 2]

# the confusion table compares the real subtypes with the predicted subtypes for a 2 component model
confusion.mat = get.confusion_matrix(truth = Y[test],
predicted = Prediction)

get.BER(confusion.mat)

## End(Not run)
```

---

`image`*Plot the cross-validation score.*

---

### Description

This function provide a image map (checkerboard plot) of the cross-validation score obtained by the `tune.rcc` function.

### Usage

```
## S3 method for class 'tune.rcc'  
image(x, col = heat.colors, ...)
```

### Arguments

<code>x</code>	object returned by <code>estim.regul</code> .
<code>col</code>	a character string specifying the colors function to use: <a href="#">terrain.colors</a> , <a href="#">topo.colors</a> , <a href="#">rainbow</a> or similar functions. Defaults to <a href="#">heat.colors</a> .
<code>...</code>	not used currently.

### Details

`image.estim.regul` creates an image map of the matrix object `$mat` containing the cross-validation score obtained by the `estim.regul` function. Also a color scales strip is plotted.

### Author(s)

Sébastien Déjean and Ignacio González.

### See Also

[tune.rcc](#), [image](#).

### Examples

```
data(nutrimouse)  
X <- nutrimouse$lipid  
Y <- nutrimouse$gene  
  
## this can take some seconds  
cv.score <- tune.rcc(X, Y, validation = "Mfold", plot = FALSE)  
image(cv.score)
```

---

image.estim.regul      *Plot the cross-validation score.*

---

### Description

This function has been renamed 'image.tune.rcc', see [image.tune.rcc](#).

---

imgCor      *Image Maps of Correlation Matrices between two Data Sets*

---

### Description

Display two-dimensional visualizations (image maps) of the correlation matrices within and between two data sets.

### Usage

```
imgCor(X,
Y,
type = "combine",
X.var.names = TRUE,
Y.var.names = TRUE,
sideColors = TRUE,
interactive.dev = TRUE,
title = TRUE,
color, row.cex, col.cex, symkey, keysize,
xlab, ylab, margins, lhei, lwid)
```

### Arguments

X	numeric matrix or data frame ( $n \times p$ ), the observations on the $X$ variables. NAs are allowed.
Y	numeric matrix or data frame ( $n \times q$ ), the observations on the $Y$ variables. NAs are allowed.
type	character string, (partially) matching one of "combine" or "separated", determining the kind of plots to be produced. See Details.
X.var.names, Y.var.names	logical, should the name of $X$ - and/or $Y$ -variables be shown? If TRUE (defaults) <code>object\$names\$X</code> and/or <code>object\$names\$Y</code> are used. Possible character vector with $X$ - and/or $Y$ -variable labels to use.
sideColors	character vector of length two. The color name for horizontal and vertical side bars that may be used to annotate the $X$ and $Y$ correlation matrices.
interactive.dev	boolean. The current graphics device that will be opened is interactive?

<code>title</code>	logical, should the main titles be shown?
<code>color, xlab, ylab</code>	arguments passed to <code>cim</code> .
<code>row.cex, col.cex</code>	positive numbers, used as <code>cex.axis</code> in for the row or column axis labeling. The defaults currently only use number of rows or columns, respectively.
<code>symkey</code>	boolean indicating whether the color key should be made symmetric about 0. Defaults to TRUE.
<code>keysize</code>	positive numeric value indicating the size of the color key.
<code>margins</code>	numeric vector of length two containing the margins (see <code>par(mar)</code> ) for column and row names respectively.
<code>lhei, lwid</code>	arguments passed to <code>layout</code> to divide the device up into two rows and two columns, with the row-heights <code>lhei</code> and the column-widths <code>lwid</code> .

### Details

If `type="combine"`, the correlation matrix is computed of the combined matrices `cbind(X, Y)` and then plotted. If `type="separate"`, three correlation matrices are computed, `cor(X)`, `cor(Y)` and `cor(X, Y)` and plotted separately on a device. In both cases, a color correlation scales strip is plotted.

The correlation matrices are pre-processed before calling the `image` function in order to get, as in the numerical representation, the diagonal from upper-left corner to bottom-right one.

Missing values are handled by casewise deletion in the `imgCor` function.

If `X.names = FALSE`, the name of each X-variable is hidden. Default value is TRUE.

If `Y.names = FALSE`, the name of each Y-variable is hidden. Default value is TRUE.

### Author(s)

Ignacio González.

### See Also

[cor](#), [image](#), [color.jet](#).

### Examples

```
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

## 'combine' type plot (default)
imgCor(X, Y)

## 'separate' type plot
## Not run:
imgCor(X, Y, type = "separate")
```

```
## 'separate' type plot without the name of datas
imgCor(X, Y, X.names = FALSE, Y.names = FALSE, type = "separate")

## End(Not run)
```

---

ipca

*Independent Principal Component Analysis*


---

### Description

Performs independent principal component analysis on the given data matrix, a combination of Principal Component Analysis and Independent Component Analysis.

### Usage

```
ipca(X,
      ncomp = 2,
      mode = "deflation",
      fun = "logcosh",
      scale = FALSE,
      w.init = NULL,
      max.iter = 200,
      tol = 1e-04)
```

### Arguments

X	a numeric matrix (or data frame) which provides the data for the principal component analysis.
ncomp	integer, number of independent component to choose. Set by default to 3.
mode	character string. What type of algorithm to use when estimating the unmixing matrix, choose one of "deflation", "parallel". Default set to deflation.
fun	the function used in approximation to neg-entropy in the FastICA algorithm. Default set to logcosh, see details of FastICA.
scale	a logical value indicating whether the variables (columns) of the data matrix X should be standardized beforehand. By default, X is centered.
max.iter	integer, maximum number of iterations to perform.
tol	a positive scalar giving the tolerance at which the un-mixing matrix is considered to have converged, see fastICA package.
w.init	initial un-mixing matrix (unlike FastICA, this matrix is fixed here).

## Details

In PCA, the loading vectors indicate the importance of the variables in the principal components. In large biological data sets, the loading vectors should only assign large weights to important variables (genes, metabolites ...). That means the distribution of any loading vector should be super-Gaussian: most of the weights are very close to zero while only a few have large (absolute) values.

However, due to the existence of noise, the distribution of any loading vector is distorted and tends toward a Gaussian distribution according to the Central Limit Theorem. By maximizing the non-Gaussianity of the loading vectors using FastICA, we obtain more noiseless loading vectors. We then project the original data matrix on these noiseless loading vectors, to obtain independent principal components, which should be also more noiseless and be able to better cluster the samples according to the biological treatment (note, IPCA is an unsupervised approach).

**Algorithm 1.** The original data matrix is centered.

2. PCA is used to reduce dimension and generate the loading vectors.
3. ICA (FastICA) is implemented on the loading vectors to generate independent loading vectors.
4. The centered data matrix is projected on the independent loading vectors to obtain the independent principal components.

## Value

ipca returns a list with class "ipca" containing the following components:

ncomp	the number of independent principal components used.
unmixing	the unmixing matrix of size (ncomp x ncomp)
mixing	the mixing matrix of size (ncomp x ncomp)
X	the centered data matrix
x	the independent principal components
loadings	the independent loading vectors
kurtosis	the kurtosis measure of the independent loading vectors

## Author(s)

Fangzhou Yao and Jeff Coquery.

## References

- Yao, F., Coquery, J. and Lê Cao, K.-A. (2011) Principal component analysis with independent loadings: a combination of PCA and ICA. (in preparation)
- A. Hyvarinen and E. Oja (2000) Independent Component Analysis: Algorithms and Applications, *Neural Networks*, **13(4-5)**:411-430
- J L Marchini, C Heaton and B D Ripley (2010). fastICA: FastICA Algorithms to perform ICA and Projection Pursuit. R package version 1.1-13.

## See Also

[sipca](#), [pca](#), [plotIndiv](#), [plotVar](#), and <http://www.mixOmics.org> for more details.

**Examples**

```

data(liver.toxicity)

# implement IPCA on a microarray dataset
ipca.res <- ipca(liver.toxicity$gene, ncomp = 3, mode="deflation")
ipca.res

# samples representation
plotIndiv(ipca.res, ind.names = as.character(liver.toxicity$treatment[, 4]),
          group = as.numeric(as.factor(liver.toxicity$treatment[, 4])))
## Not run:
plotIndiv(ipca.res, cex = 0.01,
          col = as.numeric(as.factor(liver.toxicity$treatment[, 4])),style="3d")

## End(Not run)

# variables representation
plotVar(ipca.res, cex = 0.5)

## Not run:
plotVar(ipca.res, rad.in = 0.5, cex = 0.5,style="3d")

## End(Not run)

```

---

Koren.16S

*16S microbiome atherosclerosis study*


---

**Description**

The 16S data come from Koren et al. (2011) and compared the bodysites oral, gut and plaque microbial communities in patients with atherosclerosis. The data can be analysed with our mixMC module. The data include 43 samples measured on 980 OTUs.

**Usage**

```
data(Koren.16S)
```

**Format**

A list containing two data sets, `data.TSS` and `data.raw` and some meta data information:

`data.TSS` data frame with 43 rows (samples) and 980 columns (OTUs). The prefiltered normalised data using Total Sum Scaling normalisation.

`data.raw` data frame with 43 rows (samples) and 980 columns (OTUs). The prefiltered raw count OTU data which include a 1 offset (i.e. no 0 values).

`taxonomy` data frame with 980 rows (OTUs) and 7 columns indicating the taxonomy of each OTU.

`indiv` data frame with 43 rows indicating sample meta data.

`bodysite` factor of length 43 indicating the bodysite with levels arterial plaque, saliva and stool.

## Details

The data are from Koren et al. (2011) who examined the link between oral, gut and plaque microbial communities in patients with atherosclerosis and controls. Only healthy individuals were retained in the analysis. This study contained partially repeated measures from multiple sites including 15 unique patients samples from saliva and stool, and 13 unique patients only sampled from arterial plaque samples and we therefore considered a non multilevel analysis for that experimental design. After prefiltering, the data included 973 OTU for 43 samples. We strongly recommend to use log ratio transformations on the data.TSS normalisd data, as implemented in the PLS and PCA methods, see details on [www.mixOmics.org/mixMC](http://www.mixOmics.org/mixMC).

The data.raw include a 1 offset in order to be log ratios transformed after TSS normalisation. Consequently, the data.TSS are TSS normalisation of data.raw. The CSS normalisation was performed on the original data (including zero values)

## Source

The raw data were downloaded from the QITA database. Filtering and normalisation described in our website [www.mixOmics.org/mixMC](http://www.mixOmics.org/mixMC)

## References

Lê Cao K.-A., Costello ME, Lakis VA, Bartolo, F,Chua XY, Brazeilles R, Rondeau P. MixMC: Multivariate insights into Microbial Communities. PLoS ONE, 11(8): e0160169 (2016).

Koren, O., Spor, A., Felin, J., Fak, F., Stombaugh, J., Tremaroli, V., et al.: Human oral, gut, and plaque microbiota in patients with atherosclerosis. Proceedings of the National Academy of Sciences 108(Supplement 1), 4592-4598 (2011)

---

linnerud

*Linnerud Dataset*

---

## Description

Three physiological and three exercise variables are measured on twenty middle-aged men in a fitness club.

## Usage

```
data(linnerud)
```

## Format

A list containing the following components:

`exercise` data frame with 20 observations on 3 exercise variables.

`physiological` data frame with 20 observations on 3 physiological variables.



**Source**

Tenenhaus, M. (1998), Table 1, page 15.

**References**

Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.

---

liver.toxicity	<i>Liver Toxicity Data</i>
----------------	----------------------------

---

**Description**

This data set contains the expression measure of 3116 genes and 10 clinical measurements for 64 subjects (rats) that were exposed to non-toxic, moderately toxic or severely toxic doses of acetaminophen in a controlled experiment.

**Usage**

```
data(liver.toxicity)
```

**Format**

A list containing the following components:

`gene` data frame with 64 rows and 3116 columns. The expression measure of 3116 genes for the 64 subjects (rats).

`clinic` data frame with 64 rows and 10 columns, containing 10 clinical variables for the same 64 subjects.

`treatment` data frame with 64 rows and 4 columns, containing the treatment information on the 64 subjects, such as doses of acetaminophen and times of necropsies.

`gene.ID` data frame with 3116 rows and 2 columns, containing geneBank IDs and gene titles of the annotated genes

**Details**

The data come from a liver toxicity study (Bushel *et al.*, 2007) in which 64 male rats of the inbred strain Fisher 344 were exposed to non-toxic (50 or 150 mg/kg), moderately toxic (1500 mg/kg) or severely toxic (2000 mg/kg) doses of acetaminophen (paracetamol) in a controlled experiment. Necropsies were performed at 6, 18, 24 and 48 hours after exposure and the mRNA from the liver was extracted. Ten clinical chemistry measurements of variables containing markers for liver injury are available for each subject and the serum enzymes levels are measured numerically. The data were further normalized and pre-processed by Bushel *et al.* (2007).

**Source**

The two liver toxicity data sets are a companion resource for the paper of Bushel *et al.* (2007), and was downloaded from:

<http://www.biomedcentral.com/1752-0509/1/15/additional/>

## References

Bushel, P., Wolfinger, R. D. and Gibson, G. (2007). Simultaneous clustering of gene expression data with clinical chemistry and pathological evaluations reveals phenotypic prototypes. *BMC Systems Biology* **1**, Number 15.

Lê Cao, K.-A., Rossouw, D., Robert-Granie, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.

---

logratio.transfo	<i>Log-ratio transformation</i>
------------------	---------------------------------

---

## Description

This function applies a log transformation to the data, either CLR or ILR

## Usage

```
logratio.transfo(X, logratio = "none", offset = 0)
```

## Arguments

X	numeric matrix of predictors
logratio	log-ratio transform to apply, one of "none", "CLR" or "ILR"
offset	Value that is added to X for CLR and ILR log transformation. Default to 0.

## Details

logratio.transfo applies a log transformation to the data, either CLR (centered log ratio transformation) or ILR (Isometric Log Ratio transformation). In the case of CLR log-transformation, X needs to be a matrix of non-negative values and offset is used to shift the values away from 0, as commonly done with counts data.

## Value

logratio.transfo simply returns the log-ratio transformed data.

## Author(s)

Florian Rohart

**References**

Kim-Anh Lê Cao, Mary-Ellen Costello, Vanessa Anne Lakis, Francois Bartolo, Xin-Yi Chua, Remi Brazeilles, Pascale Rondeau mixMC: a multivariate statistical framework to gain insight into Microbial Communities bioRxiv 044206; doi: <http://dx.doi.org/10.1101/044206>

John Aitchison. The statistical analysis of compositional data. *Journal of the Royal Statistical Society. Series B (Methodological)*, pages 139-177, 1982.

Peter Filzmoser, Karel Hron, and Clemens Reimann. Principal component analysis for compositional data with outliers. *Environmetrics*, 20(6):621-632, 2009.

**See Also**

[pca](#), [pls](#), [spls](#), [plsda](#), [splsda](#).

---

map

*Classification given Probabilities*

---

**Description**

Converts a matrix in which each row sums to 1 into the nearest matrix of  $(0,1)$  indicator variables.

**Usage**

```
map(Y)
```

**Arguments**

Y                    A matrix (for example a matrix of conditional probabilities in which each row sums to 1).

**Value**

A integer vector with one entry for each row of Y, in which the  $i$ -th value is the column index at which the  $i$ -th row of Y attains a maximum.

**References**

C. Fraley and A. E. Raftery (2002). Model-based clustering, discriminant analysis, and density estimation. *Journal of the American Statistical Association* 97:611-631.

C. Fraley, A. E. Raftery, T. B. Murphy and L. Scrucca (2012). mclust Version 4 for R: Normal Mixture Modeling for Model-Based Clustering, Classification, and Density Estimation. Technical Report No. 597, Department of Statistics, University of Washington.

**See Also**

[unmap](#)

### Examples

```
data(nutrimouse)
Y = unmap(nutrimouse$diet)

map(Y)
```

---

mat.rank

*Matrix Rank*

---

### Description

This function estimate the rank of a matrix.

### Usage

```
mat.rank(mat, tol)
```

### Arguments

**mat** a numeric matrix or data frame that can contain missing values.

**tol** positive real, the tolerance for singular values, only those with values larger than **tol** are considered non-zero.

### Details

`mat.rank` estimate the rank of a matrix by computing its singular values  $d[i]$  (using `nipals`). The rank of the matrix can be defined as the number of singular values  $d[i] > 0$ .

If `tol` is missing, it is given by `tol=max(dim(mat))*max(d)*.Machine$double.eps`.

### Value

The returned value is a list with components:

**rank** a integer value, the matrix rank.

**tol** the tolerance used for singular values.

### Author(s)

Sébastien Déjean and Ignacio González.

### See Also

[nipals](#)

**Examples**

```
## Hilbert matrix
hilbert <- function(n) { i <- 1:n; 1 / outer(i - 1, i, "+") }
mat <- hilbert(16)
mat.rank(mat)

## Hilbert matrix with missing data
idx.na <- matrix(sample(c(0, 1, 1, 1, 1), 36, replace = TRUE), ncol = 6)
m.na <- m <- hilbert(9)[, 1:6]
m.na[idx.na == 0] <- NA
mat.rank(m)
mat.rank(m.na)
```

mint.block.pls

*NP-integration***Description**

Function to integrate data sets measured on the same samples (N-integration) and to combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of multi-group and generalised PLS (unsupervised analysis).

**Usage**

```
mint.block.pls(X,
  Y,
  indY,
  study,
  ncomp = 2,
  design,
  scheme,
  mode,
  scale = TRUE,
  init ,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

**Arguments**

- |   |  |
|---|--|
| X | A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in samples x variables, with samples order matching in all data sets.                |
| Y | Matrix or vector response for a multivariate regression framework. Data should be continuous variables (see <code>mint.block.plsda</code> for supervised classification and factor response) |

indY	To be supplied if Y is missing, indicates the position of the matrix / vector response in the list X
study	factor indicating the membership of each sample to each of the studies being combined
ncomp	the number of components to include in the model. Default to 2.
design	numeric matrix of size (number of blocks) x (number of blocks) with only 0 or 1 values. A value of 1 (0) indicates a relationship (no relationship) between the blocks to be modelled. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.single.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

The function fits multi-group generalised PLS models with a specified number of ncomp components. An outcome needs to be provided, either by Y or by its position indY in the list of blocks X.

Multi (continuous)response are supported. X and Y can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm block.pls without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the nipals function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and more details in ?pls).

### Value

mint.block.pls returns an object of class "mint.pls", "block.pls", a list that contains the following components:

X                    the centered and standardized original predictor matrix.

Y	the centered and standardized original response vector or matrix.
ncomp	the number of components included in the model for each block.
mode	the algorithm used to fit the model.
mat.c	matrix of coefficients from the regression of X / residual matrices X on the X-variates, to be used internally by predict.
variates	list containing the X and Y variates.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
tol	the tolerance used in the iterative algorithm, used for subsequent S3 methods
max.iter	the maximum number of iterations, used for subsequent S3 methods
iter	Number of iterations of the algorithm for each component

**Author(s)**

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

**References**

- Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.
- Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

**See Also**

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.block.spls](#), [mint.block.plsda](#), [mint.block.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

**Examples**

```
# we will soon provide more examples on our website (data too large to be included
#in the package and still in active development)
```

---

mint.block.plsda

*NP-integration with Discriminant Analysis*


---

**Description**

Function to integrate data sets measured on the same samples (N-integration) and to combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of multi-group and generalised PLS-DA for supervised classification.

**Usage**

```
mint.block.plsda(X,
  Y,
  indY,
  study,
  ncomp = 2,
  design,
  scheme,
  mode,
  scale = TRUE,
  init ,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

**Arguments**

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in samples x variables, with samples order matching in all data sets.
Y	A factor or a class vector indicating the discrete outcome of each sample.
indY	To be supplied if Y is missing, indicates the position of the matrix / vector response in the list X
study	factor indicating the membership of each sample to each of the studies being combined
ncomp	Number of components to include in the model (see Details). Default to 2.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with 0 or 1 values. A value of 1 (0) indicates a relationship (no relationship) between the blocks to be modelled. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.single.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE



`all.outputs`      boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

The function fits multi-group generalised PLS models with a specified number of `ncomp` components. A factor indicating the discrete outcome needs to be provided, either by `Y` or by its position `indY` in the list of blocks `X`.

`X` can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm `block.pls` without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

The type of algorithm to use is specified with the `mode` argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and more details in `?pls`).

### Value

`mint.block.plsda` returns an object of class "mint.plsda", "block.plsda", a list that contains the following components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model for each block.
<code>mode</code>	the algorithm used to fit the model.
<code>mat.c</code>	matrix of coefficients from the regression of <code>X</code> / residual matrices <code>X</code> on the <code>X</code> -variates, to be used internally by <code>predict</code> .
<code>variates</code>	list containing the <code>X</code> and <code>Y</code> variates.
<code>loadings</code>	list containing the estimated loadings for the variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.
<code>tol</code>	the tolerance used in the iterative algorithm, used for subsequent S3 methods
<code>max.iter</code>	the maximum number of iterations, used for subsequent S3 methods
<code>iter</code>	Number of iterations of the algorithm for each component

### Author(s)

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

### References

On multi-group PLS:

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

On multiple integration with PLS-DA:

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIA-BLO: multi omics integration for biomarker discovery. *BioRxiv* available here: <http://biorxiv.org/content/early/2016/08/03/067611> Tenenhaus A., Philippe C., Guillemot V, Lê Cao K.A., Grill J, Frouin V. Variable selection for generalized canonical correlation analysis. *Biostatistics*. kxu001

Gunther O., Shin H., Ng R. T. , McMaster W. R., McManus B. M. , Keown P. A. , Tebbutt S.J. , Lê Cao K-A. , (2014) Novel multivariate methods for integration of genomics and proteomics data: Applications in a kidney transplant rejection study, *OMICS: A journal of integrative biology*, 18(11), 682-95.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

### See Also

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.block.spls](#), [mint.block.plsda](#), [mint.block.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

### Examples

```
# we will soon provide more examples on our website (data too large to be included in the package
# and still in active development)
```

---

mint.block.spls

*NP-integration for integration with variable selection*

---

### Description

Function to integrate data sets measured on the same samples (N-integration) and to combine multiple independent studies (P-integration) using variants of sparse multi-group and generalised PLS with variable selection (unsupervised analysis).

### Usage

```
mint.block.spls(X,
  Y,
  indY,
  study,
  ncomp = 2,
  keepX,
  keepY,
  design,
  scheme,
```

```

mode,
scale = TRUE,
init ,
tol = 1e-06,
max.iter = 100,
near.zero.var = FALSE,
all.outputs = TRUE)

```

## Arguments

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in samples x variables, with samples order matching in all data sets.
Y	Matrix or vector response for a multivariate regression framework. Data should be continuous variables (see block.splsda for supervised classification and factor response)
indY	To supply if Y is missing, indicates the position of the matrix / vector response in the list X
study	factor indicating the membership of each sample to each of the studies being combined
ncomp	the number of components to include in the model. Default to 2.
keepX	A list of same length as X. Each entry is the number of variables to select in each of the blocks of X for each component. By default all variables are kept in the model.
keepY	Only if Y is provided. Each entry is the number of variables to select in each of the blocks of Y for each component. By default all variables are kept in the model.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with 0 or 1 values. A value of 1 (0) indicates a relationship (no relationship) between the blocks to be modelled. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.single.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE

`all.outputs`      boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

The function fits sparse multi-group generalised PLS models with a specified number of `ncomp` components. An outcome needs to be provided, either by `Y` or by its position `indY` in the list of blocks `X`.

Multi (continuous)response are supported. `X` and `Y` can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm `block.pls` without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

The type of algorithm to use is specified with the `mode` argument. Four PLS algorithms are available: PLS regression ("`regression`"), PLS canonical analysis ("`canonical`"), redundancy analysis ("`invariant`") and the classical PLS algorithm ("`classic`") (see References and more details in `?pls`).

### Value

`mint.block.spls` returns an object of class "`mint.spls`", "`block.spls`", a list that contains the following components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model for each block.
<code>mode</code>	the algorithm used to fit the model.
<code>mat.c</code>	matrix of coefficients from the regression of <code>X</code> / residual matrices <code>X</code> on the <code>X</code> -variates, to be used internally by <code>predict</code> .
<code>variates</code>	list containing the <code>X</code> and <code>Y</code> variates.
<code>loadings</code>	list containing the estimated loadings for the variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.
<code>tol</code>	the tolerance used in the iterative algorithm, used for subsequent S3 methods
<code>max.iter</code>	the maximum number of iterations, used for subsequent S3 methods
<code>iter</code>	Number of iterations of the algorithm for each component

### Author(s)

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

### References

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

**See Also**

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.block.pls](#), [mint.block.plsda](#), [mint.block.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

**Examples**

```
# we will soon provide more examples on our website (data too large to be included in the package
# and still in active development)
```

---

mint.block.splsda	<i>NP-integration with Discriminant Analysis and variable selection</i>
-------------------	---

---

**Description**

Function to integrate data sets measured on the same samples (N-integration) and to combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of sparse multi-group and generalised PLS-DA for supervised classification and variable selection.

**Usage**

```
mint.block.splsda(X,
  Y,
  indY,
  study,
  ncomp = 2,
  keepX,
  design,
  scheme,
  mode,
  scale = TRUE,
  init ,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

**Arguments**

X	A list of data sets (called 'blocks') measured on the same samples. Data in the list should be arranged in samples x variables, with samples order matching in all data sets.
Y	A factor or a class vector indicating the discrete outcome of each sample.
indY	To be supplied if Y is missing, indicates the position of the matrix / vector response in the list X

study	factor indicating the membership of each sample to each of the studies being combined
ncomp	Number of components to include in the model (see Details). Default to 2.
keepX	A list of same length as X. Each entry is the number of variables to select in each of the blocks of X for each component. By default all variables are kept in the model.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with 0 or 1 values. A value of 1 (0) indicates a relationship (no relationship) between the blocks to be modelled. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
scheme	Either "horst", "factorial" or "centroid". Default = horst, see reference.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single"). Default = svd.single.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

## Details

The function fits sparse multi-group generalised PLS Discriminant Analysis models with a specified number of ncomp components. A factor indicating the discrete outcome needs to be provided, either by Y or by its position indY in the list of blocks X.

X can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm `block.pls` without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and more details in `?pls`).

## Value

`mint.block.splsda` returns an object of class "mint.splsda", "block.splsda", a list that contains the following components:

X                    the centered and standardized original predictor matrix.

Y	the centered and standardized original response vector or matrix.
ncomp	the number of components included in the model for each block.
mode	the algorithm used to fit the model.
mat.c	matrix of coefficients from the regression of X / residual matrices X on the X-variates, to be used internally by predict.
variates	list containing the X and Y variates.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
tol	the tolerance used in the iterative algorithm, used for subsequent S3 methods
max.iter	the maximum number of iterations, used for subsequent S3 methods
iter	Number of iterations of the algorithm for each component

**Author(s)**

Florian Rohart, Benoit Gautier, Kim-Anh Lê Cao

**References**

On multi-group PLS: Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

On multiple integration with sparse PLS: Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO: multi omics integration for biomarker discovery. *BioRxiv* available here: <http://biorxiv.org/content/early/2016/08/03/067611>

Tenenhaus A., Philippe C., Guillemot V, Lê Cao K.A., Grill J, Frouin V. Variable selection for generalized canonical correlation analysis. *Biostatistics*. kxu001

Gunther O., Shin H., Ng R. T. , McMaster W. R., McManus B. M. , Keown P. A. , Tebbutt S.J. , Lê Cao K-A. , (2014) Novel multivariate methods for integration of genomics and proteomics data: Applications in a kidney transplant rejection study, *OMICS: A journal of integrative biology*, 18(11), 682-95.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

**See Also**

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.block.spls](#), [mint.block.plsda](#), [mint.block.pls](#) and <http://www.mixOmics.org/mixMINT> for more details.

**Examples**

```
# we will soon provide more examples on our website (data too large to be included in the package
# and still in active development)
```

---

`mint.pca`*P-integration with Principal Component Analysis*

---

### Description

Function to integrate and combine multiple independent studies measured on the same variables or predictors (P-integration) using a multigroup Principal Component Analysis.

### Usage

```
mint.pca(X,  
ncomp = 2,  
study,  
scale = TRUE,  
tol = 1e-06,  
max.iter = 100  
)
```

### Arguments

<code>X</code>	numeric matrix of predictors combining multiple independent studies on the same set of predictors. NAs are allowed.
<code>ncomp</code>	Number of components to include in the model (see Details). Default to 2
<code>study</code>	factor indicating the membership of each sample to each of the studies being combined
<code>scale</code>	boolean. If <code>scale = TRUE</code> , each block is standardized to zero means and unit variances. Default = <code>TRUE</code> .
<code>tol</code>	Convergence stopping value.
<code>max.iter</code>	integer, the maximum number of iterations.

### Details

`mint.pca` fits a vertical PCA model with `ncomp` components in which several independent studies measured on the same variables are integrated. The `study` factor indicates the membership of each sample in each study. We advise to only combine studies with more than 3 samples as the function performs internal scaling per study.

Missing values are handled by being disregarded during the cross product computations in the algorithm without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

Useful graphical outputs are available, e.g. [plotIndiv](#), [plotLoadings](#), [plotVar](#).



**Value**

mint.pca returns an object of class "mint.pca", "pca", a list that contains the following components:

X	the centered and standardized original predictor matrix.
ncomp	the number of components included in the model.
study	The study grouping factor
sdev	the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix or by using NIPALS.
center, scale	the centering and scaling used, or FALSE.
rotation	the matrix of variable loadings (i.e., a matrix whose columns contain the eigenvectors).
loadings	same as 'rotation' to keep the mixOmics spirit
x	the value of the rotated data (the centred (and scaled if requested) data multiplied by the rotation/loadings matrix), also called the principal components.
variates	same as 'x' to keep the mixOmics spirit
explained_variance	explained variance from the multivariate model, used for plotIndiv
names	list containing the names to be used for individuals and variables.

**Author(s)**

Florian Rohart, Kim-Anh Lê Cao

**References**

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

**See Also**

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.spls](#), [mint.plsda](#), [mint.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

**Examples**

```
data(stemcells)

res = mint.pca(X = stemcells$gene, ncomp = 3,
              study = stemcells$study)

plotIndiv(res, group = stemcells$celltype, legend=TRUE)
```

mint.pls

*P-integration***Description**

Function to integrate and combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of multi-group PLS (unsupervised analysis).

**Usage**

```
mint.pls(X,
  Y,
  ncomp = 2,
  mode = c("regression", "canonical", "invariant", "classic"),
  study,
  scale = TRUE,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

**Arguments**

X	numeric matrix of predictors combining multiple independent studies on the same set of predictors. NAs are allowed.
Y	Matrix or vector response for a multivariate regression framework. Data should be continuous variables (see <code>mint.plsda</code> for supervised classification and factor reponse)
ncomp	Number of components to include in the model (see Details). Default to 2
mode	character string. What type of algorithm to use, (partially) matching one of "regression" or "canonical". See Details.
study	factor indicating the membership of each sample to each of the studies being combined
scale	boolean. If <code>scale = TRUE</code> , each block is standardized to zero means and unit variances. Default = <code>TRUE</code> .
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <code>nearZeroVar</code> function (should be set to <code>TRUE</code> in particular for data with many zero values). Default = <code>FALSE</code> .
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = <code>TRUE</code> .

## Details

mint.pls fits a vertical PLS-DA models with ncomp components in which several independent studies measured on the same variables are integrated. The aim is to explain the continuous outcome Y. The study factor indicates the membership of each sample in each study. We advise to only combine studies with more than 3 samples as the function performs internal scaling per study.

Multi (continuous)response are supported. X and Y can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm mint.pls without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the nipals function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and more details in ?pls).

Useful graphical outputs are available, e.g. [plotIndiv](#), [plotLoadings](#), [plotVar](#).

## Value

mint.pls returns an object of class "mint.pls", "pls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized original response vector or matrix.
ncomp	the number of components included in the model.
study	The study grouping factor
mode	the algorithm used to fit the model.
variates	list containing the variates of X - global variates.
loadings	list containing the estimated loadings for the variates - global loadings.
variates.partial	list containing the variates of X relative to each study - partial variates.
loadings.partial	list containing the estimated loadings for the partial variates - partial loadings.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
iter	Number of iterations of the algorithm for each component
explained_variance	Percentage of explained variance for each component and each study (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between data sets).

## Author(s)

Florian Rohart, Kim-Anh Lê Cao

## References

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

## See Also

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.spls](#), [mint.plsda](#), [mint.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

## Examples

```
# we will soon provide more examples on our website (data too large to be included in the package)
```

---

mint.plsda	<i>P-integration with Projection to Latent Structures models (PLS) with Discriminant Analysis</i>
------------	---

---

## Description

Function to combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of multi-group PLS-DA for supervised classification.

## Usage

```
mint.plsda(X,
  Y,
  ncomp = 2,
  mode = c("regression", "canonical", "invariant", "classic"),
  study,
  scale = TRUE,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

## Arguments

X	numeric matrix of predictors combining multiple independent studies on the same set of predictors. NAs are allowed.
Y	A factor or a class vector indicating the discrete outcome of each sample.
ncomp	Number of components to include in the model (see Details). Default to 2

mode	character string. What type of algorithm to use, (partially) matching one of "regression" or "canonical". See Details.
study	factor indicating the membership of each sample to each of the studies being combined
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances. Default = TRUE.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

`mint.plsda` function fits a vertical PLS-DA models with `ncomp` components in which several independent studies measured on the same variables are integrated. The aim is to classify the discrete outcome  $Y$ . The `study` factor indicates the membership of each sample in each study. We advise to only combine studies with more than 3 samples as the function performs internal scaling per study, and where all outcome categories are represented.

$X$  can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm `mint.plsda` without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

The type of algorithm to use is specified with the `mode` argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and more details in `?pls`).

Useful graphical outputs are available, e.g. [plotIndiv](#), [plotLoadings](#), [plotVar](#).

### Value

`mint.plsda` returns an object of class "`mint.plsda`", "`plsda`", a list that contains the following components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	original factor
<code>ind.mat</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model.
<code>study</code>	The study grouping factor
<code>mode</code>	the algorithm used to fit the model.
<code>variates</code>	list containing the variates of $X$ - global variates.
<code>loadings</code>	list containing the estimated loadings for the variates - global loadings.
<code>variates.partial</code>	list containing the variates of $X$ relative to each study - partial variates.

loadings.partial list containing the estimated loadings for the partial variates - partial loadings.

names list containing the names to be used for individuals and variables.

nzv list containing the zero- or near-zero predictors information.

iter Number of iterations of the algorithm for each component

explained\_variance Percentage of explained variance for each component and each study (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between X and the dummy matrix Y).

### Author(s)

Florian Rohart, Kim-Anh Lê Cao

### References

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

### See Also

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.pls](#), [mint.spls](#), [mint.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

### Examples

```
data(stemcells)

res = mint.plsda(X = stemcells$gene, Y = stemcells$celltype, ncomp = 3,
  study = stemcells$study)

plotIndiv(res)

#plot study-specific outputs for all studies
plotIndiv(res, study = "all.partial")

#plot study-specific outputs for study "2"
plotIndiv(res, study = "2", col = 1:3, legend = TRUE)
```

mint.spls

*P-integration with variable selection***Description**

Function to integrate and combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of multi-group sparse PLS for variable selection (unsupervised analysis).

**Usage**

```
mint.spls(X,
  Y,
  ncomp = 2,
  mode = c("regression", "canonical", "invariant", "classic"),
  study,
  keepX = rep(ncol(X), ncomp),
  keepY = rep(ncol(Y), ncomp),
  scale = TRUE,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

**Arguments**

X	numeric matrix of predictors combining multiple independent studies on the same set of predictors. NAs are allowed.
Y	Matrix or vector response for a multivariate regression framework. Data should be continuous variables (see <code>mint.splsda</code> for supervised classification and factor response)
ncomp	Number of components to include in the model. Default to 2
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
study	grouping factor indicating which samples are from the same study
keepX	numeric vector indicating the number of variables to select in X on each component. By default all variables are kept in the model.
keepY	numeric vector indicating the number of variables to select in Y on each component. By default all variables are kept in the model.
scale	boolean. If <code>scale = TRUE</code> , each block is standardized to zero means and unit variances. Default = <code>TRUE</code> .
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.

<code>near.zero.var</code>	boolean, see the internal <code>nearZeroVar</code> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
<code>all.outputs</code>	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

## Details

`mint.spls` fits a vertical sparse PLS-DA models with `ncomp` components in which several independent studies measured on the same variables are integrated. The aim is to explain the continuous outcome `Y` and selecting correlated features between both data sets `X` and `Y`. The `study` factor indicates the membership of each sample in each study. We advise to only combine studies with more than 3 samples as the function performs internal scaling per study.

Multi (continuous)response are supported. `X` and `Y` can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm `mint.spls` without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the `nipals` function.

The type of algorithm to use is specified with the `mode` argument. Four PLS algorithms are available: PLS regression ("`regression`"), PLS canonical analysis ("`canonical`"), redundancy analysis ("`invariant`") and the classical PLS algorithm ("`classic`") (see References and more details in `?pls`).

Variable selection is performed on each component for each block of `X`, and for `Y` if specified, via input parameter `keepX` and `keepY`.

Useful graphical outputs are available, e.g. `plotIndiv`, `plotLoadings`, `plotVar`.

## Value

`mint.spls` returns an object of class "`mint.spls`", "`spls`", a list that contains the following components:

<code>X</code>	numeric matrix of predictors combining multiple independent studies on the same set of predictors. NAs are allowed.
<code>Y</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model.
<code>study</code>	The study grouping factor
<code>mode</code>	the algorithm used to fit the model.
<code>keepX</code>	Number of variables used to build each component of <code>X</code>
<code>keepY</code>	Number of variables used to build each component of <code>Y</code>
<code>variates</code>	list containing the variates of <code>X</code> - global variates.
<code>loadings</code>	list containing the estimated loadings for the variates - global loadings.
<code>variates.partial</code>	list containing the variates of <code>X</code> relative to each study - partial variates.
<code>loadings.partial</code>	list containing the estimated loadings for the partial variates - partial loadings.
<code>names</code>	list containing the names to be used for individuals and variables.



**nzv** list containing the zero- or near-zero predictors information.  
**iter** Number of iterations of the algorithm for each component  
**explained\_variance** Percentage of explained variance for each component and each study (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between data sets).

### Author(s)

Florian Rohart, Kim-Anh Lê Cao

### References

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

### See Also

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.pls](#), [mint.plsda](#), [mint.splsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

### Examples

```
# we will soon provide more examples on our website (data too large to be included in the package)
```

---

```
mint.splsda
```

*P-integration with Discriminant Analysis and variable selection*

---

### Description

Function to combine multiple independent studies measured on the same variables or predictors (P-integration) using variants of multi-group sparse PLS-DA for supervised classification with variable selection.

### Usage

```
mint.splsda(X,
  Y,
  ncomp = 2,
  mode = c("regression", "canonical", "invariant", "classic"),
  study,
  keepX = rep(ncol(X), ncomp),
  scale = TRUE,
  tol = 1e-06,
```

```
max.iter = 100,
near.zero.var = FALSE,
all.outputs = TRUE)
```

## Arguments

X	numeric matrix of predictors combining multiple independent studies on the same set of predictors. NAs are allowed.
Y	A factor or a class vector indicating the discrete outcome of each sample.
ncomp	Number of components to include in the model (see Details). Default to 2
mode	character string. What type of algorithm to use, (partially) matching one of "regression" or "canonical". See Details.
study	factor indicating the membership of each sample to each of the studies being combined
keepX	numeric vector indicating the number of variables to select in X on each component. By default all variables are kept in the model.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances. Default = TRUE.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default = FALSE.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

## Details

mint.splsda function fits a vertical sparse PLS-DA models with ncomp components in which several independent studies measured on the same variables are integrated. The aim is to classify the discrete outcome Y and select variables that explain the outcome. The study factor indicates the membership of each sample in each study. We advise to only combine studies with more than 3 samples as the function performs internal scaling per study, and where all outcome categories are represented.

X can contain missing values. Missing values are handled by being disregarded during the cross product computations in the algorithm mint.splsda without having to delete rows with missing data. Alternatively, missing data can be imputed prior using the nipals function.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and more details in ?pls).

Variable selection is performed on each component for X via input parameter keepX.

Useful graphical outputs are available, e.g. [plotIndiv](#), [plotLoadings](#), [plotVar](#).

**Value**

mint.splsda returns an object of class "mint.splsda", "splstda", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized original response vector or matrix.
ind.mat	the centered and standardized original response vector or matrix.
ncomp	the number of components included in the model.
study	The study grouping factor
mode	the algorithm used to fit the model.
keepX	Number of variables used to build each component of X
variates	list containing the variates of X - global variates.
loadings	list containing the estimated loadings for the variates - global loadings.
variates.partial	list containing the variates of X relative to each study - partial variates.
loadings.partial	list containing the estimated loadings for the partial variates - partial loadings.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
iter	Number of iterations of the algorithm for each component
explained_variance	Percentage of explained variance for each component and each study (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between X and the dummy matrix Y).

**Author(s)**

Florian Rohart, Kim-Anh Lê Cao

**References**

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2014). Algorithms for multi-group PLS. *J. Chemometrics*, 28(3), 192-201.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

**See Also**

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.pls](#), [mint.plstda](#), [mint.plsda](#) and <http://www.mixOmics.org/mixMINT> for more details.

## Examples

```
data(stemcells)

# -- feature selection
res = mint.splsda(X = stemcells$gene, Y = stemcells$celltype, ncomp = 3, keepX = c(10, 5, 15),
study = stemcells$study)

plotIndiv(res)
#plot study-specific outputs for all studies
plotIndiv(res, study = "all.partial")

#plot study-specific outputs for study "2"
plotIndiv(res, study = "2")

#plot study-specific outputs for study "2", "3" and "4"
plotIndiv(res, study = c(2, 3, 4))
```

---

mixOmics

*PLS-derived methods: one function to rule them all!*

---

## Description

This function performs one of the PLS derived methods included in the mixOmics package that is the most appropriate for your input data, one of (mint).(block).(s)pls(da) depending on your input data (single data, list of data, discrete outcome, ...)

## Usage

```
mixOmics(X,
Y,
indY,
study,
ncomp,
keepX,
keepY,
design,
tau = NULL, # rgcca, number between 0,1 or "optimal"
scheme,
mode,
scale,
init,
tol = 1e-06,
max.iter = 100,
near.zero.var = FALSE)
```

**Arguments**

<code>X</code>	Input data. Either a matrix or a list of data sets (called 'blocks') matching on the same samples. Data should be arranged in samples x variables, with samples order matching in all data sets.
<code>Y</code>	Outcome. Either a numeric matrix of responses or a factor or a class vector for the discrete outcome.
<code>indY</code>	To supply if <code>Y</code> is missing, indicates the position of the outcome in the list <code>X</code>
<code>study</code>	grouping factor indicating which samples are from the same study
<code>ncomp</code>	If <code>X</code> is a data matrix, <code>ncomp</code> is a single value. If <code>X</code> is a list of data sets, <code>ncomp</code> is a numeric vector of length the number of blocks in <code>X</code> . The number of components to include in the model for each block (does not necessarily need to take the same value for each block).
<code>keepX</code>	Number of variables to keep in the <code>X</code> -loadings
<code>keepY</code>	Number of variables to keep in the <code>Y</code> -loadings
<code>design</code>	numeric matrix of size (number of blocks) x (number of blocks) with only 0 or 1 values. A value of 1 (0) indicates a relationship (no relationship) between the blocks to be modelled. If <code>Y</code> is provided instead of <code>indY</code> , the design matrix is changed to include relationships to <code>Y</code> .
<code>tau</code>	numeric vector of length the number of blocks in <code>X</code> . Each regularization parameter will be applied on each block and takes the value between 0 (no regularisation) and 1. If <code>tau</code> = "optimal" the shrinkage parameters are estimated for each block and each dimension using the Schafer and Strimmer (2005) analytical formula.
<code>scheme</code>	Either "horst", "factorial" or "centroid" (Default: "centroid"), see reference paper.
<code>mode</code>	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
<code>scale</code>	boolean. If <code>scale</code> = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
<code>init</code>	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of <code>X</code> with <code>Y</code> ("svd") or each block independently ("svd.single") . Default to "svd".
<code>tol</code>	Convergence stopping value.
<code>max.iter</code>	integer, the maximum number of iterations.
<code>near.zero.var</code>	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE

**Details**

This function performs one of the PLS derived methods included in the mixOmics package that is the most appropriate for your input data, one of (mint).(block).(s)pls(da).

If your input data  $X$  is a matrix, then the algorithm is directed towards one of `(mint).(s)pls(da)` depending on your input data  $Y$  (factor for the discrete outcome directs the algorithm to DA analysis) and whether you input a study parameter (MINT analysis) or a `keepX` parameter (sparse analysis).

If your input data  $X$  is a list of matrices, then the algorithm is directed towards one of `(mint).block.(s)pls(da)` depending on your input data  $Y$  (factor for the discrete outcome directs the algorithm to DA analysis) and whether you input a study parameter (MINT analysis) or a `keepX` parameter (sparse analysis).

More details about the PLS modes in `?pls`.

### Author(s)

Florian Rohart

### References

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

MINT models:

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2013). Multi-group PLS Regression: Application to Epidemiology. In *New Perspectives in Partial Least Squares and Related Methods*, pages 243-255. Springer.

Integration of omics data sets:

Singh A, Gautier B, Shannon C, Vacher M, Rohart F, Tebbutt S, Lê Cao K-A. DIABLO: an integrative, multi-omics, multivariate method for multi-group classification. <http://biorxiv.org/content/early/2016/08/03/067611>

Lê Cao, K.-A., Martin, P.G.P., Robert-Granie, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* 10:34.

Lê Cao, K.-A., Rossouw, D., Robert-Granie, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* 7, article 35.

Tenenhaus A., Phillippe C., Guillemot V., Lê Cao K-A., Grill J., Frouin V. (2014), Variable selection for generalized canonical correlation analysis, *Biostatistics*, doi: 10.1093/biostatistics. PMID: 24550197.

Sparse SVD:

Shen, H. and Huang, J. Z. (2008). Sparse principal component analysis via regularized low rank matrix approximation. *Journal of Multivariate Analysis* 99, 1015-1034.

PLS-DA:

Lê Cao K-A, Boitard S and Besse P (2011). Sparse PLS Discriminant Analysis: biologically relevant feature selection and graphical displays for multiclass problems. *BMC Bioinformatics* 12:253.

PLS:

Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.

Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.

Abdi H (2010). Partial least squares regression and projection on latent structure regression (PLS Regression). *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(1), 97-106.

On multilevel analysis:

Liquet, B., Lê Cao, K.-A., Hocini, H. and Thiebaut, R. (2012) A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *BMC Bioinformatics* **13**:325.

Westerhuis, J. A., van Velzen, E. J., Hoefsloot, H. C., and Smilde, A. K. (2010). Multivariate paired data analysis: multilevel PLS-DA versus OPLS-DA. *Metabolomics*, **6**(1), 119-128.

Visualisations:

González I, Lê Cao K.-A., Davis, M.D. and Déjean S. (2013) Insightful graphical outputs to explore relationships between two omics data sets. *BioData Mining* 5:19.

### See Also

[pls](#), [spls](#), [plsda](#), [splsda](#), [mint.pls](#), [mint.spls](#), [mint.plsda](#), [mint.splsda](#), [block.pls](#), [block.spls](#), [block.plsda](#), [block.splsda](#), [mint.block.pls](#), [mint.block.spls](#), [mint.block.plsda](#), [mint.block.splsda](#)

### Examples

```
## -- directed towards PLS framework because X is a matrix and the study argument is missing
# -----
data(liver.toxicity)
X = liver.toxicity$gene
Y = liver.toxicity$clinic
Y.factor = as.factor(liver.toxicity$treatment[, 4])

# directed towards PLS
out = mixOmics(X, Y, ncomp = 2)

# directed towards sPLS because of keepX and/or keepY
out = mixOmics(X, Y, ncomp = 2, keepX = c(50, 50), keepY = c(10, 10))

# directed towards PLS-DA because Y is a factor
out = mixOmics(X, Y.factor, ncomp = 2)

# directed towards sPLS-DA because Y is a factor and there is a keepX
out = mixOmics(X, Y.factor, ncomp = 2, keepX = c(20, 20))

## -- directed towards block.pls framework because X is a list
# -----
data(nutrimouse)
Y = unmap(nutrimouse$diet)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
```

```

# directed towards block PLS
out = mixOmics(X = data, Y = Y, ncomp = 3)

# directed towards block sPLS because of keepX and/or keepY
out = mixOmics(X = data, Y = Y, ncomp = 3,
keepX = list(gene = c(10,10), lipid = c(15,15)))

# directed towards block PLS-DA because Y is a factor
out = mixOmics(X = data, Y = nutrimouse$diet, ncomp = 3)

# directed towards block sPLS-DA because Y is a factor and there is a keepX
out = mixOmics(X = data, Y = nutrimouse$diet, ncomp = 3,
keepX = list(gene = c(10,10), lipid = c(15,15)))

## -- directed towards mint.pls framework because of the study factor
# -----
data(stemcells)
# directed towards PLS
out = mixOmics(X = stemcells$gene, Y = unmap(stemcells$celltype), ncomp = 2)

# directed towards mint.PLS
out = mixOmics(X = stemcells$gene, Y = unmap(stemcells$celltype),
ncomp = 2, study = stemcells$study)

# directed towards mint.sPLS because of keepX and/or keepY
out = mixOmics(X = stemcells$gene, Y = unmap(stemcells$celltype),
ncomp = 2, study = stemcells$study, keepX = c(10, 5, 15))

# directed towards mint.PLS-DA because Y is a factor
out = mixOmics(X = stemcells$gene, Y = stemcells$celltype, ncomp = 2,
study = stemcells$study)

# directed towards mint.sPLS-DA because Y is a factor and there is a keepX
out = mixOmics(X = stemcells$gene, Y = stemcells$celltype, ncomp = 2,
study = stemcells$study, keepX = c(10, 5, 15))

```

---

multidrug

*Multidrug Resistance Data*


---

### Description

This data set contains the expression of 48 known human ABC transporters with patterns of drug activity in 60 diverse cancer cell lines (the NCI-60) used by the National Cancer Institute to screen for anticancer activity.

### Usage

```
data(multidrug)
```



## Format

A list containing the following components:

ABC.trans data matrix with 60 rows and 48 columns. The expression of the 48 human ABC transporters.

compound data matrix with 60 rows and 1429 columns. The activity of 1429 drugs for the 60 cell lines.

comp.name character vector. The names or the NSC No. of the 1429 compounds.

cell.line a list containing two character vector components: Sample the names of the 60 cell line which were analysed, and Class the phenotypes of the 60 cell lines.

## Details

The data come from a pharmacogenomic study (Szakacs *et al.*, 2004) in which two kinds of measurements acquired on the NCI-60 cancer cell lines are considered:

- the expression of the 48 human ABC transporters measured by real-time quantitative RT-PCR for each cell line;
- the activity of 1429 drugs expressed as  $GI_{50}$  which corresponds to the concentration at which the drug induces 50% inhibition of cellular growth for the cell line tested.

The NCI- 60 panel includes cell lines derived from cancers of colorectal (7 cell lines), renal(8), ovarian(6), breast(8), prostate(2), lung(9) and central nervous system origin(6), as well as leukemias(6) and melanomas(8). It was set up by the Developmental Therapeutics Program of the National Cancer Institute (NCI, one of the U.S. National Institutes of Health) to screen the toxicity of chemical compound repositories. The expressions of the 48 human ABC transporters is available as a supplement to the paper of Szakacs *et al.* (2004).

The drug dataset consists of 118 compounds whose mechanisms of action are putatively classifiable (Weinstein *et al.*, 1992) and a larger set of 1400 compounds that have been tested multiple times and whose screening data met quality control criteria described elsewhere (Scherf *et al.*, 2000). The two were combined to form a joint dataset that included 1429 compounds.

## Source

The NCI dataset was downloaded from The Genomics and Bioinformatics Group Supplemental Table S1 to the paper of Szakacs *et al.* (2004), [http://discover.nci.nih.gov/abc/2004\\_cancer\\_cell\\_abstract.jsp#supplement](http://discover.nci.nih.gov/abc/2004_cancer_cell_abstract.jsp#supplement)

The two drug data sets are a companion resource for the paper of Scherf *et al.* (2000), and was downloaded from <http://discover.nci.nih.gov/datasetsNature2000.jsp>.

## References

Scherf, U., Ross, D. T., Waltham, M., Smith, L. H., Lee, J. K., Tanabe, L., Kohn, K. W., Reinhold, W. C., Myers, T. G., Andrews, D. T., Scudiero, D. A., Eisen, M. B., Sausville, E. A., Pommier, Y., Botstein, D., Brown, P. O. and Weinstein, J. N. (2000). A Gene Expression Database for the Molecular Pharmacology of Cancer. *Nature Genetics*, **24**, 236-244.

Szakacs, G., Annereau, J.-P., Lababidi, S., Shankavaram, U., Arciello, A., Bussey, K. J., Reinhold, W., Guo, Y., Kruh, G. D., Reimers, M., Weinstein, J. N. and Gottesman, M. M. (2004). Predicting

drug sensitivity and resistance: Profiling ABC transporter genes in cancer cells. *Cancer Cell* **4**, 147-166.

Weinstein, J.N., Kohn, K.W., Grever, M.R., Viswanadhan, V.N., Rubinstein, L.V., Monks, A.P., Scudiero, D.A., Welch, L., Koutsoukos, A.D., Chiausa, A.J. et al. 1992. Neural computing in cancer drug development: Predicting mechanism of action. *Science* **258**, 447-451.

---

nearZeroVar

*Identification of zero- or near-zero variance predictors*

---

## Description

Borrowed from the **caret** package. It is used as an internal function in the PLS methods, but can also be used as an external function, in particular when the data contain a lot of zero values and need to be prefiltered beforehand.

This function diagnoses predictors that have one unique value (i.e. are zero variance predictors) or predictors that have both of the following characteristics: they have very few unique values relative to the number of samples and the ratio of the frequency of the most common value to the frequency of the second most common value is large.

## Usage

```
nearZeroVar(x, freqCut = 95/5, uniqueCut = 10)
```

## Arguments

x	a numeric vector or matrix, or a data frame with all numeric data.
freqCut	the cutoff for the ratio of the most common value to the second most common value.
uniqueCut	the cutoff for the percentage of distinct values out of the number of total samples.

## Details

For example, an example of near zero variance predictor is one that, for 1000 samples, has two distinct values and 999 of them are a single value.

To be flagged, first the frequency of the most prevalent value over the second most frequent value (called the “frequency ratio”) must be above freqCut. Secondly, the “percent of unique values,” the number of unique values divided by the total number of samples (times 100), must also be below uniqueCut.

In the above example, the frequency ratio is 999 and the unique value percentage is 0.0001.

**Value**

nearZeroVar returns a list that contains the following components:

Position	a vector of integers corresponding to the column positions of the problematic predictors that will need to be removed.
Metrics	a data frame containing the zero- or near-zero predictors information with columns: freqRatio, the ratio of frequencies for the most common value over the second most common value and, percentUnique, the percentage of unique data points out of the total number of data points.

**Author(s)**

Max Kuhn, with speed improvements to nearZerVar by Allan Engelhardt; enhancements by Florian Rohart, and speed up improvements by Benoit Gautier for mixOmics

**See Also**

[pls](#), [spls](#), [plsda](#), [splda](#)

---

network

*Relevance Network for (r)CCA and (s)PLS regression*

---

**Description**

Display relevance associations network for (regularized) canonical correlation analysis and (sparse) PLS regression. The function avoids the intensive computation of Pearson correlation matrices on large data set by calculating instead a pair-wise similarity matrix directly obtained from the latent components of our integrative approaches (CCA, PLS, block.pls methods). The similarity value between a pair of variables is obtained by calculating the sum of the correlations between the original variables and each of the latent components of the model. The values in the similarity matrix can be seen as a robust approximation of the Pearson correlation (see González et al. 2012 for a mathematical demonstration and exact formula). The advantage of relevance networks is their ability to simultaneously represent positive and negative correlations, which are missed by methods based on Euclidean distances or mutual information. Those networks are bipartite and thus only a link between two variables of different types can be represented. The network can be saved in a .glm format using the igraph package, the function `write.graph` and extracting the output `object$gR`, see details.

**Usage**

```
network(mat,
  comp = NULL,
  blocks = c(1,2),
  cutoff = NULL,
  row.names = TRUE,
  col.names = TRUE,
  block.var.names = TRUE,
```

```

color.node = NULL,
shape.node = NULL,
cex.node.name = 1,
color.edge = color.GreenRed(100),
lty.edge = "solid",
lwd.edge = 1,
show.edge.labels = FALSE,
cex.edge.label = 1,
show.color.key = TRUE,
symkey = TRUE,
keysize = c(1, 1),
keysize.label = 1,
breaks,
interactive = FALSE,
layout.fun = NULL,
save = NULL,
name.save = NULL)

```

### Arguments

<code>mat</code>	numeric matrix of values to be represented.
<code>comp</code>	atomic or vector of positive integers. The components to adequately account for the data association. Defaults to <code>comp = 1</code> .
<code>cutoff</code>	numeric value between 0 and 1. The tuning threshold for the relevant associations network (see Details).
<code>row.names, col.names</code>	character vector containing the names of <i>X</i> - and <i>Y</i> -variables.
<code>color.node</code>	vector of length two, the colors of the <i>X</i> and <i>Y</i> nodes (see Details).
<code>shape.node</code>	character vector of length two, the shape of the <i>X</i> and <i>Y</i> nodes (see Details).
<code>color.edge</code>	vector of colors or character string specifying the colors function to using to color the edges, set to default to <code>color.GreenRed(100)</code> but other palettes can be chosen (see Details and Examples).
<code>lty.edge</code>	character vector of length two, the line type for the edges (see Details).
<code>lwd.edge</code>	vector of length two, the line width of the edges (see Details).
<code>show.edge.labels</code>	logical. If TRUE, plot association values as edge labels (defaults to FALSE).
<code>show.color.key</code>	boolean. If TRUE a color key should be plotted.
<code>symkey</code>	boolean indicating whether the color key should be made symmetric about 0. Defaults to TRUE.
<code>keysize</code>	numeric value indicating the size of the color key.
<code>keysize.label</code>	vector of length 1, indicating the size of the labels and title of the color key.
<code>breaks</code>	(optional) either a numeric vector indicating the splitting points for binning <code>mat</code> into colors, or a integer number of break points to be used, in which case the break points will be spaced equally between <code>min(mat)</code> and <code>max(mat)</code> .

<code>interactive</code>	logical. If TRUE, a scrollbar is created to change the cutoff value interactively (defaults to FALSE). See Details.
<code>save</code>	should the plot be saved ? If so, argument to be set either to 'jpeg', 'tiff', 'png' or 'pdf'.
<code>name.save</code>	character string giving the name of the saved file.
<code>cex.edge.label</code>	the font size for the edge labels.
<code>cex.node.name</code>	the font size for the node labels.
<code>blocks</code>	a vector indicating the block variables to display.
<code>block.var.names</code>	either a list of vector components for variable names in each block or FALSE for no names. If TRUE, the columns names of the blocks are used as names.
<code>layout.fun</code>	a function. It specifies how the vertices will be placed on the graph. See <code>help(layout)</code> in the <code>igraph</code> package. Defaults to <code>layout.fruchterman.reingold</code> .

## Details

`network` allows to infer large-scale association networks between the  $X$  and  $Y$  datasets in `rcc` or `spls`. The output is a graph where each  $X$ - and  $Y$ -variable corresponds to a node and the edges included in the graph portray associations between them.

In `rcc`, to identify  $X$ - $Y$  pairs showing relevant associations, `network` calculate a similarity measure between  $X$  and  $Y$  variables in a pair-wise manner: the scalar product value between every pairs of vectors in dimension `length(comp)` representing the variables  $X$  and  $Y$  on the axis defined by  $Z_i$  with  $i$  in `comp`, where  $Z_i$  is the equiangular vector between the  $i$ -th  $X$  and  $Y$  canonical variate.

In `spls`, if `object$mode` is `regression`, the similarity measure between  $X$  and  $Y$  variables is given by the scalar product value between every pairs of vectors in dimension `length(comp)` representing the variables  $X$  and  $Y$  on the axis defined by  $U_i$  with  $i$  in `comp`, where  $U_i$  is the  $i$ -th  $X$  variate. If `object$mode` is `canonical` then  $X$  and  $Y$  are represented on the axis defined by  $U_i$  and  $V_i$  respectively.

Variable pairs with a high similarity measure (in absolute value) are considered as relevant. By changing the cutoff, one can tune the relevance of the associations to include or exclude relationships in the network.

`interactive=TRUE` open two device, one for association network, one for scrollbar, and define an interactive process: by clicking either at each end ('-' or '+') of the scrollbar or at middle portion of this. The position of the slider indicate which is the 'cutoff' value associated to the display network.

The network can be saved in a `.glm` format using the **igraph** package, the function `write.graph` and extracting the output `object$gR`.

The interactive process is terminated by clicking the second button and selecting 'Stop' from the menu, or from the 'Stop' menu on the graphics window.

The `color.node` is a vector of length two, of any of the three kind of R colors, i.e., either a color name (an element of `colors()`), a hexadecimal string of the form `"#rrggbb"`, or an integer `i` meaning `palette()[i]`. `color.node[1]` and `color.node[2]` give the color for filled nodes of the  $X$ - and  $Y$ -variables respectively. Defaults to `c("white", "white")`.

`color.edge` give the color to edges with colors corresponding to the values in `mat`. Defaults to `color.GreenRed(100)` for negative (green) and positive (red) correlations. We also propose other

palettes of colors, such as `color.jet` and `color.spectral`, see help on those functions, and examples below. Other palette of colors from the stats package can be used too.

`shape.node[1]` and `shape.node[2]` provide the shape of the nodes associate to  $X$ - and  $Y$ -variables respectively. Current acceptable values are "circle" and "rectangle". Defaults to `c("circle", "rectangle")`.

`lty.edge[1]` and `lty.edge[2]` give the line type to edges with positive and negative weight respectively. Can be one of "solid", "dashed", "dotted", "dotdash", "longdash" and "twodash". Defaults to `c("solid", "solid")`.

`lwd.edge[1]` and `lwd.edge[2]` provide the line width to edges with positive and negative weight respectively. This attribute is of type double with a default of `c(1, 1)`.

### Value

`network` return a list containing the following components:

<code>M</code>	the correlation matrix used by <code>network</code> .
<code>gR</code>	a graph object to save the graph for cytoscape use (requires to load the <b>igraph</b> package).

### Warning

If the number of variables is high, the generation of the network generation can take some time.

### Author(s)

Ignacio González and Kim-Anh Lê Cao.

### References

Mathematical definition: González I., Lê Cao K-A., Davis, M.J. and Déjean, S. (2012). Visualising associations between paired omics data sets. *J. Data Mining* 5:19. <http://www.biodatamining.org/content/5/1/19/abstract>

Examples and illustrations:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

Relevance networks:

Butte, A. J., Tamayo, P., Slonim, D., Golub, T. R. and Kohane, I. S. (2000). Discovering functional relationships between RNA expression and chemotherapeutic susceptibility using relevance networks. *Proceedings of the National Academy of Sciences of the USA* **97**, 12182-12186.

Moriyama, M., Hoshida, Y., Otsuka, M., Nishimura, S., Kato, N., Goto, T., Taniguchi, H., Shiratori, Y., Seki, N. and Omata, M. (2003). Relevance Network between Chemosensitivity and Transcriptome in Human Hepatoma Cells. *Molecular Cancer Therapeutics* **2**, 199-205.

### See Also

`plotVar`, `cim`, `color.GreenRed`, `color.jet`, `color.spectral` and <http://www.mixOmics.org> for more details.

**Examples**

```
## network representation for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

## Not run:
# may not work on the Linux version, use Windows instead
# sometimes with Rstudio might not work because of margin issues,
# in that case save it as an image
jpeg('example1-network.jpeg', res = 600, width = 4000, height = 4000)
network(nutri.res, comp = 1:3, cutoff = 0.6)
dev.off()

## End(Not run)

## Changing the attributes of the network
## Not run:
# sometimes with Rstudio might not work because of margin issues,
# in that case save it as an image
jpeg('example2-network.jpeg')
network(nutri.res, comp = 1:3, cutoff = 0.45,
color.node = c("mistyrose", "lightcyan"),
shape.node = c("circle", "rectangle"),
color.edge = color.jet(100),
lty.edge = "solid", lwd.edge = 2,
show.edge.labels = FALSE)
dev.off()

## End(Not run)

## interactive 'cutoff'
## Not run:
network(nutri.res, comp = 1:3, cutoff = 0.55, interactive = TRUE)
## select the 'cutoff' and "see" the new network

## End(Not run)

## network representation for objects of class 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
keepY = c(10, 10, 10))
## Not run:
# sometimes with Rstudio might not work because of margin issues,
# in that case save it as an image
jpeg('example3-network.jpeg')
network(toxicity.spls, comp = 1:3, cutoff = 0.8,
color.node = c("mistyrose", "lightcyan"),
```

```

shape.node = c("rectangle", "circle"),
color.edge = color.spectral(100),
lty.edge = "solid", lwd.edge = 1,
show.edge.labels = FALSE, interactive = FALSE)
dev.off()

## End(Not run)

```

---

nipals

*Non-linear Iterative Partial Least Squares (NIPALS) algorithm*


---

### Description

This function performs NIPALS algorithm, i.e. the singular-value decomposition (SVD) of a data table that can contain missing values.

### Usage

```
nipals(X, ncomp = 1, reconst = FALSE, max.iter = 500, tol = 1e-09)
```

### Arguments

X	real matrix or data frame whose SVD decomposition is to be computed. It can contain missing values.
ncomp	integer, the number of components to keep. If missing ncomp=ncol(X).
reconst	logical that specify if nipals must perform the reconstitution of the data using the ncomp components.
max.iter	integer, the maximum number of iterations.
tol	a positive real, the tolerance used in the iterative algorithm.

### Details

The NIPALS algorithm (Non-linear Iterative Partial Least Squares) has been developed by H. Wold at first for PCA and later-on for PLS. It is the most commonly used method for calculating the principal components of a data set. It gives more numerically accurate results when compared with the SVD of the covariance matrix, but is slower to calculate.

This algorithm allows to realize SVD with missing data, without having to delete the rows with missing data or to estimate the missing data.

### Value

The returned value is a list with components:

eig	vector containing the pseudosingular values of X, of length ncomp.
t	matrix whose columns contain the left singular vectors of X.
p	matrix whose columns contain the right singular vectors of X. Note that for a complete data matrix X, the return values eig, t and p such that $X = t * \text{diag}(\text{eig}) * t(p)$ .
rec	matrix obtained by the reconstitution of the data using the ncomp components.



**Author(s)**

Sébastien Déjean and Ignacio González.

**References**

- Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.
- Wold H. (1975). Path models with latent variables: The NIPALS approach. In: Blalock H. M. et al. (editors). *Quantitative Sociology: International perspectives on mathematical and statistical model building*. Academic Press, N.Y., 307-357.

**See Also**

[svd](#), [princomp](#), [prcomp](#), [eigen](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
## Hilbert matrix
hilbert <- function(n) { i <- 1:n; 1 / outer(i - 1, i, "+") }
X.na <- X <- hilbert(9)[, 1:6]

## Hilbert matrix with missing data
idx.na <- matrix(sample(c(0, 1, 1, 1, 1), 36, replace = TRUE), ncol = 6)
X.na[idx.na == 0] <- NA
X.rec <- nipals(X.na, reconst = TRUE)$rec
round(X, 2)
round(X.rec, 2)
```

---

nutrimouse

*Nutrimouse Dataset*

---

**Description**

The nutrimouse dataset contains the expression measure of 120 genes potentially involved in nutritional problems and the concentrations of 21 hepatic fatty acids for forty mice.

**Usage**

```
data(nutrimouse)
```

**Format**

A list containing the following components:

- gene data frame with 40 observations on 120 numerical variables.
- lipid data frame with 40 observations on 21 numerical variables.
- diet factor of 5 levels containing 40 labels for the diet factor.
- genotype factor of 2 levels containing 40 labels for the diet factor.

## Details

The data sets come from a nutrigenomic study in the mouse (Martin *et al.*, 2007) in which the effects of five regimens with contrasted fatty acid compositions on liver lipids and hepatic gene expression in mice were considered. Two sets of variables were acquired on forty mice:

- gene: expressions of 120 genes measured in liver cells, selected (among about 30,000) as potentially relevant in the context of the nutrition study. These expressions come from a nylon macroarray with radioactive labelling;
- lipid: concentrations (in percentages) of 21 hepatic fatty acids measured by gas chromatography.

Biological units (mice) were cross-classified according to two factors experimental design (4 replicates):

- Genotype: 2-levels factor, wild-type (WT) and PPAR $\alpha$  *-/-* (PPAR).
- Diet: 5-levels factor. Oils used for experimental diets preparation were corn and colza oils (50/50) for a reference diet (REF), hydrogenated coconut oil for a saturated fatty acid diet (COC), sunflower oil for an Omega6 fatty acid-rich diet (SUN), linseed oil for an Omega3-rich diet (LIN) and corn/colza/enriched fish oils for the FISH diet (43/43/14).

## Source

The nutrimouse dataset was provided by Pascal Martin from the Toxicology and Pharmacology Laboratory, National Institute for Agronomic Research, French.

## References

Martin, P. G. P., Guillou, H., Lasserre, F., Déjean, S., Lan, A., Pascussi, J.-M., San Cristobal, M., Legrand, P., Besse, P. and Pineau, T. (2007). Novel aspects of PPAR $\alpha$ -mediated regulation of lipid and xenobiotic metabolism revealed through a multigenomic study. *Hepatology* **54**, 767-777.

---

pca

*Principal Components Analysis*

---

## Description

Performs a principal components analysis on the given data matrix that can contain missing values. If data are complete 'pca' uses Singular Value Decomposition, if there are some missing values, it uses the NIPALS algorithm.

**Usage**

```
pca(X,
    ncomp = 2,
    center = TRUE,
    scale = FALSE,
    max.iter = 500,
    tol = 1e-09,
    logratio = 'none', # one of ('none', 'CLR', 'ILR')
    ilr.offset = 0.001,
    V = NULL,
    multilevel = NULL)
```

**Arguments**

<code>X</code>	a numeric matrix (or data frame) which provides the data for the principal components analysis. It can contain missing values.
<code>ncomp</code>	integer, if data is complete <code>ncomp</code> decides the number of components and associated eigenvalues to display from the <code>pcasvd</code> algorithm and if the data has missing values, <code>ncomp</code> gives the number of components to keep to perform the reconstitution of the data using the NIPALS algorithm. If <code>NULL</code> , function sets <code>ncomp = min(nrow(X), ncol(X))</code>
<code>center</code>	a logical value indicating whether the variables should be shifted to be zero centered. Alternately, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to <code>scale</code> .
<code>scale</code>	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is <code>FALSE</code> for consistency with <code>prcomp</code> function, but in general scaling is advisable. Alternatively, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to <code>scale</code> .
<code>max.iter</code>	integer, the maximum number of iterations in the NIPALS algorithm.
<code>tol</code>	a positive real, the tolerance used in the NIPALS algorithm.
<code>logratio</code>	one of ('none', 'CLR', 'ILR'). Specifies the log ratio transformation to deal with compositional values that may arise from specific normalisation in sequencing data. Default to 'none'
<code>ilr.offset</code>	When <code>logratio</code> is set to 'ILR', an offset must be input to avoid infinite value after the <code>logratio</code> transform, default to 0.001.
<code>V</code>	Matrix used in the <code>logratio</code> transformation id provided.
<code>multilevel</code>	sample information for multilevel decomposition for repeated measurements.

**Details**

The calculation is done either by a singular value decomposition of the (possibly centered and scaled) data matrix, if the data is complete or by using the NIPALS algorithm if there is data missing. Unlike `princomp`, the print method for these objects prints the results in a nice format and the `plot` method produces a bar plot of the percentage of variance explained by the principal components (PCs).

When using NIPALS (missing values), we make the assumption that the first ( $\min(\text{ncol}(X), \text{nrow}(X))$ ) principal components will account for 100 % of the explained variance.

Note that `scale= TRUE` cannot be used if there are zero or constant (for `center = TRUE`) variables.

Components are omitted if their standard deviations are less than or equal to `comp.tol` times the standard deviation of the first component. With the default null setting, no components are omitted. Other settings for `comp.tol` could be `comp.tol = sqrt(.Machine$double.eps)`, which would omit essentially constant components, or `comp.tol = 0`.

According to Filzmoser et al., a ILR log ratio transformation is more appropriate for PCA with compositional data. Both CLR and ILR are valid.

Logratio transform and multilevel analysis are performed sequentially as internal pre-processing step, through `logratio.transfo` and `withinVariation` respectively.

Logratio can only be applied if the data do not contain any 0 value (for count data, we thus advise the normalise raw data with a 1 offset). For ILR transformation and additional offset might be needed.

## Value

`pca` returns a list with class "pca" and "prcomp" containing the following components:

<code>ncomp</code>	the number of principal components used.
<code>sdev</code>	the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix or by using NIPALS.
<code>rotation</code>	the matrix of variable loadings (i.e., a matrix whose columns contain the eigenvectors).
<code>loadings</code>	same as 'rotation' to keep the mixOmics spirit
<code>x</code>	the value of the rotated data (the centred (and scaled if requested) data multiplied by the rotation/loadings matrix), also called the principal components.
<code>variates</code>	same as 'x' to keep the mixOmics spirit
<code>center, scale</code>	the centering and scaling used, or FALSE.
<code>explained_variance</code>	explained variance from the multivariate model, used for <code>plotIndiv</code>

## Author(s)

Florian Rohart, Kim-Anh Lê Cao, Ignacio González

## References

On log ratio transformations: Filzmoser, P., Hron, K., Reimann, C.: Principal component analysis for compositional data with outliers. *Environmetrics* 20(6), 621-632 (2009) Lê Cao K.-A., Costello ME, Lakis VA, Bartolo, F,Chua XY, Brazeilles R, Rondeau P. MixMC: Multivariate insights into Microbial Communities. *PLoS ONE*, 11(8): e0160169 (2016). On multilevel decomposition: West-erhuis, J.A., van Velzen, E.J., Hoefsloot, H.C., Smilde, A.K.: Multivariate paired data analysis: multilevel plsda versus opslsda. *Metabolomics* 6(1), 119-128 (2010) Lique, B., Lê Cao, K.-A., Hocini, H., Thiebaut, R.: A novel approach for biomarker selection and the integration of repeated measures experiments from two assays. *BMC bioinformatics* 13(1), 325 (2012)

**See Also**

[nipals](#), [prcomp](#), [biplot](#), [plotIndiv](#), [plotVar](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
# example with missing values where NIPALS is applied
# -----
data(multidrug)
pca.res <- pca(multidrug$ABC.trans, ncomp = 4, scale = TRUE)
plot(pca.res)
print(pca.res)
biplot(pca.res, xlabs = multidrug$cell.line$Class, cex = 0.7)

# samples representation
plotIndiv(pca.res, ind.names = multidrug$cell.line$Class,
          group = as.numeric(as.factor(multidrug$cell.line$Class)))
## Not run:
plotIndiv(pca.res, cex = 0.2,
          col = as.numeric(as.factor(multidrug$cell.line$Class)), style="3d")

## End(Not run)
# variable representation
plotVar(pca.res)
## Not run:
plotVar(pca.res, rad.in = 0.5, cex = 0.5, style="3d")

## End(Not run)

# example with multilevel decomposition and CLR log ratio transformation (ILR longer to run)
# -----
## Not run:
data("diverse.16S")
pca.res = pca(X = diverse.16S$data.TSS, ncomp = 5,
             logratio = 'CLR', multilevel = diverse.16S$sample)
plot(pca.res)
plotIndiv(pca.res, ind.names = FALSE, group = diverse.16S$body.site, title = '16S diverse data',
          legend = TRUE)

## End(Not run)
```

---

pcatune

*Tune the number of principal components in PCA*


---

**Description**

This function has been renamed [tune.pca](#).

---

perf	<i>Compute evaluation criteria for PLS, sPLS, PLS-DA, sPLS-DA, MINT and DIABLO</i>
------	--

---

### Description

Function to evaluate the performance of the fitted PLS, sparse PLS, PLS-DA, sparse PLS-DA, MINT (mint.splsda) and DIABLO (block.splsda) models using various criteria.

### Usage

```
## S3 method for class 'pls'
perf(object, validation = c("Mfold", "loo"),
      folds = 10, progressBar = TRUE, ...)

## S3 method for class 'spls'
perf(object, validation = c("Mfold", "loo"),
      folds = 10, progressBar = TRUE, ...)

## S3 method for class 'plsda'
perf(object,
      dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
      validation = c("Mfold", "loo"),
      folds = 10, nrepeat = 1, auc = FALSE, progressBar = TRUE, cpus, ...)

## S3 method for class 'splsda'
perf(object,
      dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
      validation = c("Mfold", "loo"),
      folds = 10, nrepeat = 1, auc = FALSE, progressBar = TRUE, cpus, ...)

## S3 method for class 'mint.splsda'
perf(object,
      dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
      auc = FALSE, progressBar = TRUE, ...)

## S3 method for class 'sgccda'
perf(object,
      dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
      validation = c("Mfold", "loo"),
      folds = 10, nrepeat = 1, cpus, ...)
```

### Arguments

object	object of class inheriting from "pls", "plsda", "spls", "splsda" or "mint.splsda". The function will retrieve some key parameters stored in that object.
--------	---

dist	only applies to an object inheriting from "plsda", "splsda" or "mint.splsda" to evaluate the classification performance of the model. Should be a subset of "max.dist", "centroids.dist", "mahalanobis.dist". Default is "all". See <a href="#">predict</a> .
validation	character. What kind of (internal) validation to use, matching one of "Mfold" or "loo" (see below). Default is "Mfold".
fold	the folds in the Mfold cross-validation. See Details.
nrepeat	Number of times the Cross-Validation process is repeated. This is an important argument to ensure the estimation of the performance to be as accurate as possible.
auc	if TRUE calculate the Area Under the Curve (AUC) performance of the model.
progressBar	by default set to TRUE to output the progress bar of the computation.
cpus	Number of cpus to use when running the code in parallel.
...	not used

## Details

**Procedure.** The process of evaluating the performance of a fitted model object is similar for all PLS-derived methods; a cross-validation approach is used to fit the method of object on folds-1 subsets of the data and then to predict on the subset left out. Different measures of performance are available depending on the model. Parameters such as `logratio`, `multilevel`, `keepX` or `keepY` are retrieved from object.

**Parameters.** If `validation = "Mfold"`, M-fold cross-validation is performed. `fold` specifies the number of folds to generate. The folds also can be supplied as a list of vectors containing the indexes defining each fold as produced by `split`. When using `validation = "Mfold"`, make sure that you repeat the process several times (as the results will be highly dependent on the random splits and the sample size).

If `validation = "loo"`, leave-one-out cross-validation is performed (in that case, there is no need to repeat the process).

**Measures of performance.** For fitted PLS and sPLS regression models, `perf` estimates the mean squared error of prediction (MSEP),  $R^2$ , and  $Q^2$  to assess the predictive perifty of the model using M-fold or leave-one-out cross-validation. Note that only the `classic`, `regression` and `invariant` modes can be applied. For sPLS, the MSEP,  $R^2$ , and  $Q^2$  criteria are averaged across all folds. Note that for PLS and sPLS objects, `perf` is performed on the pre-processed data after log ratio transform and multilevel analysis, if any.

**Sparse methods.** The `sPLS`, `sPLS-DA` and `sgccda` functions are run on several and different subsets of data (the cross-folds) and will certainly lead to different subset of selected features. Those are summarised in the output `features$stable` (see output `Value` below) to assess how often the variables are selected across all folds. Note that for PLS-DA and sPLS-DA objects, `perf` is performed on the original data, i.e. before the pre-processing step of the log ratio transform and multilevel analysis, if any. In addition for these methods, the classification error rate is averaged across all folds.

The `mint.sPLS-DA` function estimates errors based on Leave-one-group-out cross validation (where each levels of `object$study` is left out (and predicted) once) and provides study-specific outputs (`study.specific.error`) as well as global outputs (`global.error`).

AUROC. For PLS-DA, sPLS-DA, mint.PLS-DA and mint.sPLS-DA methods: if `auc=TRUE`, Area Under the Curve (AUC) values are calculated from the predicted scores obtained from the `predict` function applied to the internal test sets in the cross-validation process, either for all samples or for study-specific samples (for mint models). Therefore we minimise the risk of overfitting. See [auroc](#) for more details. Our multivariate supervised methods already use a prediction threshold based on distances (see `predict`) that optimally determine class membership of the samples tested. As such AUC and ROC are not needed to estimate the performance of the model. We provide those outputs as complementary performance measures. See more details in our [mixOmics](#) article.

Prediction distances. See details from `?predict`, and also our supplemental material in the [mixOmics](#) article.

Repeats of the CV-folds. Repeated cross-validation implies that the whole CV process is repeated a number of times (`nrepeat`) to reduce variability across the different subset partitions. In the case of Leave-One-Out CV (`validation = 'loo'`), each sample is left out once (`folds = N` is set internally) and therefore `nrepeat` is by default 1.

BER is appropriate in case of an unbalanced number of samples per class as it calculates the average proportion of wrongly classified samples in each class, weighted by the number of samples in each class. BER is less biased towards majority classes during the performance assessment.

More details about the PLS modes in `?pls`.

## Value

For PLS and sPLS models, `perf` produces a list with the following components:

MSEP	Mean Square Error Prediction for each $Y$ variable, only applies to object inherited from "pls", and "spls".
R2	a matrix of $R^2$ values of the $Y$ -variables for models with $1, \dots, n_{\text{comp}}$ components, only applies to object inherited from "pls", and "spls".
Q2	if $Y$ contains one variable, a vector of $Q^2$ values else a list with a matrix of $Q^2$ values for each $Y$ -variable. Note that in the specific case of an sPLS model, it is better to have a look at the <code>Q2.total</code> criterion, only applies to object inherited from "pls", and "spls"
Q2.total	a vector of $Q^2$ -total values for models with $1, \dots, n_{\text{comp}}$ components, only applies to object inherited from "pls", and "spls"
features	a list of features selected across the folds ( <code>\$stable.X</code> and <code>\$stable.Y</code> ) for the <code>keepX</code> and <code>keepY</code> parameters from the input object.
error.rate	For PLS-DA and sPLS-DA models, <code>perf</code> produces a matrix of classification error rate estimation. The dimensions correspond to the components in the model and to the prediction method used, respectively. Note that error rates reported in any component include the performance of the model in earlier components for the specified <code>keepX</code> parameters (e.g. error rate reported for component 3 for <code>keepX = 20</code> already includes the fitted model on components 1 and 2 for <code>keepX = 20</code> ). For more advanced usage of the <code>perf</code> function, see <a href="http://www.mixomics.org/methods/spls-da/">www.mixomics.org/methods/spls-da/</a> and consider using the <code>predict</code> function.
auc	Averaged AUC values over the <code>nrepeat</code>

For `mint.splsda` models, `perf` produces the following outputs:



<code>study.specific.error</code>	A list that gives BER, overall error rate and error rate per class, for each study
<code>global.error</code>	A list that gives BER, overall error rate and error rate per class for all samples
<code>predict</code>	A list of length <code>ncomp</code> that produces the predicted values of each sample for each class
<code>class</code>	A list which gives the predicted class of each sample for each <code>dist</code> and each of the <code>ncomp</code> components. Directly obtained from the <code>predict</code> output.
<code>auc</code>	AUC values
<code>auc.study</code>	AUC values for each study

For `sgccda` models, `perf` produces the following outputs:

<code>error.rate</code>	Prediction error rate for each block of <code>object\$X</code> and each <code>dist</code>
<code>error.rate.per.class</code>	Prediction error rate for each block of <code>object\$X</code> , each <code>dist</code> and each class
<code>predict</code>	Predicted values of each sample for each class, each block and each component
<code>class</code>	Predicted class of each sample for each block, each <code>dist</code> , each component and each <code>nrepeat</code>
<code>features</code>	a list of features selected across the folds ( <code>\$stable.X</code> and <code>\$stable.Y</code> ) for the <code>keepX</code> and <code>keepY</code> parameters from the input object.
<code>AveragedPredict.class</code>	if more than one block, returns the average predicted class over the blocks (averaged of the <code>Predict</code> output and prediction using the <code>max.dist</code> distance)
<code>AveragedPredict.error.rate</code>	if more than one block, returns the average predicted error rate over the blocks (using the <code>AveragedPredict.class</code> output)
<code>WeightedPredict.class</code>	if more than one block, returns the weighted predicted class over the blocks (weighted average of the <code>Predict</code> output and prediction using the <code>max.dist</code> distance)
<code>WeightedPredict.error.rate</code>	if more than one block, returns the weighted average predicted error rate over the blocks (using the <code>WeightedPredict.class</code> output)
<code>MajorityVote</code>	if more than one block, returns the majority class over the blocks. NA for a sample means that there is no consensus on the predicted class for this particular sample over the blocks.
<code>MajorityVote.error.rate</code>	if more than one block, returns the error rate of the <code>MajorityVote</code> output
<code>WeightedVote</code>	if more than one block, returns the weighted majority class over the blocks. NA for a sample means that there is no consensus on the predicted class for this particular sample over the blocks.
<code>WeightedVote.error.rate</code>	if more than one block, returns the error rate of the <code>WeightedVote</code> output
<code>weights</code>	Returns the weights of each block used for the weighted predictions, for each <code>nrepeat</code> and each fold

choice.ncomp For supervised models; returns the optimal number of components for the model for each prediction distance using one-sided t-tests that test for a significant difference in the mean error rate (gain in prediction) when components are added to the model. See more details in Rohart et al 2017 Suppl. For more than one block, an optimal ncomp is returned for each prediction framework.

### Author(s)

Ignacio González, Amrit Singh, Kim-Anh Lê Cao, Benoit Gautier, Florian Rohart.

### References

DIABLO:

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO - multi omics integration for biomarker discovery.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

MINT:

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

PLS and PLS criteria for PLS regression: Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.

Chavent, Marie and Patouille, Brigitte (2003). Calcul des coefficients de regression et du PRESS en regression PLS1. *Modulad n*, **30** 1-11. (this is the formula we use to calculate the Q2 in perf.pls and perf.sppls)

Mevik, B.-H., Cederkvist, H. R. (2004). Mean Squared Error of Prediction (MSEP) Estimates for Principal Component Regression (PCR) and Partial Least Squares Regression (PLSR). *Journal of Chemometrics* **18**(9), 422-429.

sparse PLS regression mode:

Lê Cao, K. A., Rossouw D., Robert-Granie, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.

One-sided t-tests (suppl material):

Rohart F, Mason EA, Matigian N, Mosbergen R, Korn O, Chen T, Butcher S, Patel J, Atkinson K, Khosrotehrani K, Fisk NM, Lê Cao K-A&, Wells CA& (2016). A Molecular Classification of Human Mesenchymal Stromal Cells. *PeerJ* 4:e1845.

### See Also

[predict](#), [nipals](#), [plot.perf](#), [auroc](#) and [www.mixOmics.org](http://www.mixOmics.org) for more details.

**Examples**

```

## Not run:
## validation for objects of class 'pls' (regression)
# -----
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

# try tune the number of component to choose
# -----
# first learn the full model
liver.pls <- pls(X, Y, ncomp = 10)

# with 5-fold cross validation: we use the same parameters as in model above
# but we perform cross validation to compute the MSE, Q2 and R2 criteria
# -----
liver.val <- perf(liver.pls, validation = "Mfold", folds = 5)

# Q2 total should decrease until it reaches a threshold
liver.val$Q2.total

# ncomp = 2 is enough
plot(liver.val$Q2.total, type = 'l', col = 'red', ylim = c(-0.5, 0.5),
     xlab = 'PLS components', ylab = 'Q2 total')
abline(h = 0.0975, col = 'darkgreen')
legend('topright', col = c('red', 'darkgreen'),
     legend = c('Q2 total', 'threshold 0.0975'), lty = 1)
title('Liver toxicity PLS 5-fold, Q2 total values')

#have a look at the other criteria
# -----
# R2
liver.val$R2
matplot(t(liver.val$R2), type = 'l', xlab = 'PLS components', ylab = 'R2 for each variable')
title('Liver toxicity PLS 5-fold, R2 values')

# MSE
liver.val$MSEP
matplot(t(liver.val$MSEP), type = 'l', xlab = 'PLS components', ylab = 'MSEP for each variable')
title('Liver toxicity PLS 5-fold, MSE values')

## validation for objects of class 'spls' (regression)
# -----
ncomp = 7
# first, learn the model on the whole data set
model.spls = spls(X, Y, ncomp = ncomp, mode = 'regression',
  keepX = c(rep(10, ncomp)), keepY = c(rep(4, ncomp)))

# with leave-one-out cross validation

```

```

##set.seed(45)
model.spls.val <- perf(model.spls, validation = "Mfold", folds = 5)#validation = "loo")

#Q2 total
model.spls.val$Q2.total

# R2:we can see how the performance degrades when ncomp increases
model.spls.val$R2
plot(model.spls.val, criterion="R2", type = 'l')
plot(model.spls.val, criterion="Q2", type = 'l')

## validation for objects of class 'splsda' (classification)
# -----
data(srbct)
X <- srbct$gene
Y <- srbct$class

ncomp = 2

srbct.splsda <- splsda(X, Y, ncomp = ncomp, keepX = rep(10, ncomp))

# with Mfold
# -----
set.seed(45)
error <- perf(srbct.splsda, validation = "Mfold", folds = 8,
dist = "all", auc = TRUE)
error
error$auc

plot(error)

# parallel code
set.seed(45)
error <- perf(srbct.splsda, validation = "Mfold", folds = 8,
dist = "all", auc = TRUE, cpus =2)

\dontrun{
# with 5 components and nrepeat =5, to get a $choice.ncomp
ncomp = 5
srbct.splsda <- splsda(X, Y, ncomp = ncomp, keepX = rep(10, ncomp))

set.seed(45)
error <- perf(srbct.splsda, validation = "Mfold", folds = 8,
dist = "all", nrepeat =5)
error

plot(error)

# parallel code

```

```

set.seed(45)
error <- perf(srbct.splsda, validation = "Mfold", folds = 8,
dist = "all", auc = TRUE, cpus =2)

}

## validation for objects of class 'mint.splsda' (classification)
# -----

data(stemcells)
res = mint.splsda(X = stemcells$gene, Y = stemcells$celltype, ncomp = 3, keepX = c(10, 5, 15),
study = stemcells$study)

out = perf(res, auc = TRUE)
out

out$auc
out$auc.study

## validation for objects of class 'sgccda' (classification)
# -----

data(nutrimouse)
Y = nutrimouse$diet
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

nutrimouse.sgccda <- block.splsda(X=data,
Y = Y,
design = design,
keepX = list(gene=c(10,10), lipid=c(15,15)),
ncomp = 2,
scheme = "horst")

perf = perf(nutrimouse.sgccda)
perf

\dontrun{
#with 5 components and nrepeat=5 to get $choice.ncomp
nutrimouse.sgccda <- block.splsda(X=data,
Y = Y,
design = design,
keepX = list(gene=c(10,10), lipid=c(15,15)),
ncomp = 5,
scheme = "horst")

perf = perf(nutrimouse.sgccda, folds = 5, nrepeat = 5)
perf

perf$choice.ncomp
}

```

```
## End(Not run)
```

---

```
plot.perf
```

```
Plot for model performance
```

---

### Description

Function to plot performance criteria, such as MSE, RMSEP,  $R^2$ ,  $Q^2$  for s/PLS methods, and classification performance for supervised methods, as a function of the number of components.

### Usage

```
## S3 method for class 'perf.spls.mthd'
plot(x,
     criterion = "MSEP",
     xlab = "number of components",
     ylab = NULL,
     LimQ2 = 0.0975,
     LimQ2.col = "darkgrey",
     cTicks = NULL,
     layout = NULL,
     ...)

## S3 method for class 'perf.splsda.mthd'
plot(x,
     dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
     measure = c("all", "overall", "BER"),
     col,
     xlab = NULL,
     ylab = NULL,
     overlay=c("all", "measure", "dist"),
     legend.position=c("vertical", "horizontal"),
     sd = TRUE,
     ...)

## S3 method for class 'perf.mint.splsda.mthd'
plot(x,
     dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
     measure = c("all", "overall", "BER"),
     col,
     xlab = NULL,
     ylab = NULL,
     study = "global",
     overlay= c("all", "measure", "dist"),
     legend.position=c("vertical", "horizontal"),
     ...)
```

```
## S3 method for class 'perf.sgccda.mthd'
plot(x,
     dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
     measure = c("all", "overall", "BER"),
     col,
     weighted = TRUE,
     xlab = NULL,
     ylab = NULL,
     overlay = c("all", "measure", "dist"),
     legend.position = c("vertical", "horizontal"),
     sd = TRUE,
     ...)
```

### Arguments

x	an perf object.
criterion	character string. What type of validation criterion to plot for pls or spls. One of "MSEP", "RMSEP", "R2" or "Q2". See <a href="#">perf</a> .
dist	prediction method applied in perf for plsda or splsda. See <a href="#">perf</a> .
measure	Two misclassification measure are available: overall misclassification error overall or the Balanced Error Rate BER
col	character (or symbol) color to be used, possibly vector. One color per distance dist.
weighted	plot either the performance of the Majority vote or the Weighted vote.
study	Indicates which study-specific outputs to plot. A character vector containing some levels of object\$study, "all.partial" to plot all studies or "global" is expected. Default to "global".
overlay	parameter to overlay graphs; if 'all', only one graph is shown with all outputs; if 'measure', a graph is shown per distance; if 'dist', a graph is shown per measure.
legend.position	position of the legend, one of "vertical" (only one column) or "horizontal" (two columns).
xlab, ylab	titles for <i>x</i> and <i>y</i> axes. Typically character strings, but can be expressions (e.g., expression(R <sup>2</sup> )).
LimQ2	numeric value. Signification limit for the components in the model. Default is LimQ2 = 0.0975.
LimQ2.col	character string specifying the color for the LimQ2 line to be plotted. If "none" the line will not be plotted.
cTicks	integer vector. Axis tickmark locations for the used number of components. Default is 1:ncomp (see <a href="#">perf</a> ).
layout	numeric vector of length two giving the number of rows and columns in a multi panel display. If not specified, plot.perf tries to be intelligent.
sd	If 'nrepeat' was used in the call to 'perf', error bar shows the standard deviation if sd=TRUE
...	Further arguments sent to <a href="#">xyplot</a> function.

**Details**

plot.perf creates one plot for each response variable in the model, laid out in a multi panel display. It uses [xyplot](#) for performing the actual plotting.

More details about the prediction distances in ?predict and the supplemental material of the mixOmics article (Rohart et al. 2017).

**Author(s)**

Ignacio González, Florian Rohart, Francois Bartolo, Kim-Anh Lê Cao.

**References**

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

**See Also**

[pls](#), [spls](#), [plsda](#), [splsda](#), [perf](#).

**Examples**

```
require(lattice)

## validation for objects of class 'pls' or 'spls'
## Not run:
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

liver.pls <- pls(X, Y, ncomp = 3)
liver.perf <- perf(liver.pls, validation = "Mfold")

plot(liver.perf, criterion = "R2", layout = c(2, 2))

## End(Not run)

## validation for objects of class 'plsda' or 'splsda'
## Not run:
data(breast.tumors)
X <- breast.tumors$gene.exp
# Y will be transformed as a factor in the function,
# but we set it as a factor to set up the colors.
Y <- as.factor(breast.tumors$sample$treatment)

res <- splsda(X, Y, ncomp = 2, keepX = c(25, 25))
breast.perf <- perf(res, nrepeat = 5)

plot(breast.perf)
plot(breast.perf, col=1:3)
plot(breast.perf, col=1:3, sd=FALSE)
```



```
## End(Not run)
```

---

plot.rcc

*Canonical Correlations Plot*

---

## Description

This function provides scree plot of the canonical correlations.

## Usage

```
## S3 method for class 'rcc'  
plot(x, scree.type = c("pointplot", "barplot"), ...)
```

## Arguments

x	object of class inheriting from "rcc".
scree.type	character string, (partially) matching one of "pointplot" or "barplot", determining the kind of scree plots to be produced.
...	arguments to be passed to other methods. For the "pointplot" type see <a href="#">points</a> , for "barplot" type see <a href="#">barplot</a> .

## Author(s)

Sébastien Déjean and Ignacio González.

## See Also

[points](#), [barplot](#), [par](#).

## Examples

```
data(nutrimouse)  
X <- nutrimouse$lipid  
Y <- nutrimouse$gene  
nutri.res <- rcc(X, Y, lambda1 = 0.064, lambda2 = 0.008)  
  
## 'pointplot' type scree  
plot(nutri.res) #(default)  
  
plot(nutri.res, pch = 19, cex = 1.2,  
      col = c(rep("red", 3), rep("darkblue", 18)))  
  
## 'barplot' type scree  
plot(nutri.res, scree.type = "barplot")  
  
plot(nutri.res, scree.type = "barplot", density = 20, col = "black")
```

plot.tune

*Plot for model performance***Description**

Function to plot performance criteria, such as classification error rate or balanced error rate on a `tune.splsda` result.

**Usage**

```
## S3 method for class 'tune.splsda'
plot(x, optimal = TRUE, sd = TRUE, legend.position = "topright", col, ...)

## S3 method for class 'tune.block.splsda'
plot(x, sd = TRUE, col, ...)
```

**Arguments**

<code>x</code>	an <code>tune.splsda</code> object.
<code>optimal</code>	If TRUE, highlights the optimal keepX per component
<code>sd</code>	If 'nrepeat' was used in the call to 'tune.splsda', error bar shows the standard deviation if sd=TRUE
<code>legend.position</code>	position of the legend, one of "bottomright", "bottom", "bottomleft", "-left", "topleft", "top", "topright", "right" and "center".
<code>col</code>	character (or symbol) color to be used, possibly vector. One color per component.
<code>...</code>	Further arguments sent to <code>xyplot</code> function.

**Details**

`plot.tune.splsda` plots the classification error rate or the balanced error rate from `x$error.rate`, for each component of the model. A circle highlights the optimal number of variables oneach component.

`plot.tune.block.splsda` plots the classification error rate or the balanced error rate from `x$error.rate`, for each component of the model. The error rate is ordered by increasing value, the yaxis shows the optimal combination of keepX at the top (e.g. 'keepX on block 1'\_'keepX on block 2'\_'keepX on block 3')

**Author(s)**

Kim-Anh Lê Cao, Florian Rohart, Francois Bartolo.

**See Also**

[tune.mint.splsda](#), [tune.splsda](#) [tune.block.splsda](#) and <http://www.mixOmics.org> for more details.

**Examples**

```

## validation for objects of class 'splstda'
## Not run:
data(breast.tumors)
X = breast.tumors$gene.exp
Y = as.factor(breast.tumors$sample$treatment)
out = tune.splstda(X, Y, ncomp = 3, nrepeat = 2, logratio = "none",
test.keepX = c(5, 10, 15), folds = 10, dist = "max.dist",
progressBar = TRUE)

plot(out)

## End(Not run)

## validation for objects of class 'mint.splstda'
## Not run:
data(stemcells)
data = stemcells$gene
type.id = stemcells$celltype
exp = stemcells$study

out = tune(method="mint.splstda", X=data,Y=type.id, ncomp=2, study=exp, test.keepX=seq(1,10,1))
out$choice.keepX

plot(out)

## End(Not run)

## validation for objects of class 'mint.splstda'
## Not run:
data("breast.TCGA")
# this is the X data as a list of mRNA and miRNA; the Y data set is a single data set of proteins
data = list(mrna = breast.TCGA$data.train$mrna, mirna = breast.TCGA$data.train$mirna,
protein = breast.TCGA$data.train$protein)
# set up a full design where every block is connected
# could also consider other weights, see our mixOmics manuscript
design = matrix(1, ncol = length(data), nrow = length(data),
dimnames = list(names(data), names(data)))
diag(design) = 0
design
# set number of component per data set
ncomp = 5

# Tuning the first two components
# -----

# definition of the keepX value to be tested for each block mRNA miRNA and protein
# names of test.keepX must match the names of 'data'

```

```

test.keepX = list(mrna = seq(10,40,20), mirna = seq(10,30,10), protein = seq(1,10,5))

# the following may take some time to run, note that for through tuning
# nrepeat should be > 1
tune = tune.block.splsda(X = data, Y = breast.TCGA$data.train$subtype,
ncomp = ncomp, test.keepX = test.keepX, design = design, nrepeat = 3)

tune$choice.ncomp
tune$choice.keepX

plot(tune)

## End(Not run)

```

---

plotArrow

*Arrow sample plot*


---

## Description

Represents samples from multiple coordinates.

## Usage

```

plotArrow( object,
            comp = NULL,
            abline = FALSE,
            xlim = NULL,
            ylim = NULL,
            group=NULL,
            col,
            cex,
            pch,
            title=NULL,
            plot.arrows=TRUE,
            legend=FALSE,
            X.label = NULL,
            Y.label = NULL,
            ind.names=FALSE,
            position.names='centroid'
          )

```

## Arguments

object	object of class inheriting from <b>mixOmics</b> : PLS, sPLS, rCC, rGCCA, sGCCA, sGCCDA
comp	integer vector of length two indicating the components represented on the horizontal and the vertical axis to project the individuals.

abline	should the vertical and horizontal line through the center be plotted? Default set to FALSE
xlim	the ranges to be encompassed by the $x$ axis, if NULL they are computed.
ylim	the ranges to be encompassed by the $y$ axis, if NULL they are computed.
group	factor indicating the group membership for each sample. Coded as default for the supervised method sGCCDA, sPLSDA, but needs to be input for the unsupervised methods PLS, sPLS, rCC, rGCCA, sGCCA
col	character (or symbol) color to be used, color vector also possible.
cex	numeric character (or symbol) expansion, , color vector also possible.
pch	plot character. A character string or a vector of single characters or integers. See <a href="#">points</a> for all alternatives.
title	set of characters for the title plot.
plot.arrows	boolean. Whether arrows should be added or not. Default is TRUE.
legend	boolean. Whether the legend should be added. Only for the supervised methods and if group!=NULL. Default is FALSE.
X.label	x axis titles.
Y.label	y axis titles.
ind.names	If TRUE, the row names of the first (or second) data matrix are used as sample names (see Details). Can be a vector of length the sample size to display sample names.
position.names	One of "centroid", "start", "end". Define where sample names are plotted when ind.names=TRUE. In a multiblock analysis, centroid and start will display similarly.

### Details

Graphical of the samples (individuals) is displayed in a superimposed manner where each sample will be indicated using an arrow. The start of the arrow indicates the location of the sample in  $X$  in one plot, and the tip the location of the sample in  $Y$  in the other plot.

For objects of class "GCCA" and if there are more than 3 blocks, the start of the arrow indicates the centroid between all data sets for a given individual and the tips of the arrows the location of that individual in each block.

Short arrows indicate a strong agreement between the matching data sets, long arrows a disagreement between the matching data sets.

### Author(s)

Francois Bartolo, Kim-Anh Lê Cao.

### References

Lê Cao, K.-A., Martin, P.G.P., Robert-Granie, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* **10**:34.

**See Also**

[arrows](#), [text](#), [points](#) and <http://mixOmics.org/graphics> for more details.

**Examples**

```
## plot of individuals for objects of class 'rcc'
# -----
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

plotArrow(nutri.res)

# names indicate genotype
plotArrow(nutri.res,
group = nutrimouse$genotype, ind.names = nutrimouse$genotype)

## Not run:
plotArrow(nutri.res, group = nutrimouse$genotype,
legend = TRUE)

## End(Not run)

## plot of individuals for objects of class 'pls' or 'spls'
# -----
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
keepY = c(10, 10, 10))

#default
plotArrow(toxicity.spls)

## Not run:
# colors indicate time of necropsy, text is the dose
plotArrow(toxicity.spls, group = liver.toxicity$treatment[, 'Time.Group'],
ind.names = liver.toxicity$treatment[, 'Dose.Group'],
legend = TRUE)

# colors indicate time of necropsy, text is the dose, label at start of arrow
plotArrow(toxicity.spls, group = liver.toxicity$treatment[, 'Time.Group'],
ind.names = liver.toxicity$treatment[, 'Dose.Group'],
legend = TRUE, position.names = 'start')

## End(Not run)

## variable representation for objects of class 'sgcca' (or 'rgcca')
# -----
data(nutrimouse)
```

```

Y = unmap(nutrimouse$diet)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
design1 = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3, byrow = TRUE)
nutrimouse.sgcca <- wrapper.sgcca(X = data,
design = design1,
penalty = c(0.3, 0.5, 1),
ncomp = 3,
scheme = "centroid")

# default style: same color for all samples
plotArrow(nutrimouse.sgcca)

## Not run:
plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot')

# ind.names to visualise the unique individuals
plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot', ind.names = TRUE)

# ind.names to visualise the unique individuals
plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot', ind.names = TRUE, position.names = 'start')

plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot', ind.names = TRUE, position.names = 'end')

# ind.names indicates the diet
plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot', ind.names = nutrimouse$diet, position.names= 'start')

# ind.names to visualise the unique individuals, start position
plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot', ind.names = TRUE, position.names = 'start')

# end position
plotArrow(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
title = 'my plot', ind.names = TRUE, position.names = 'end')

## End(Not run)

## variable representation for objects of class 'sgccda'
# -----
# Note: the code differs from above as we use a 'supervised' GCCA analysis
data(nutrimouse)
Y = nutrimouse$diet
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
design1 = matrix(c(0,1,0,1), ncol = 2, nrow = 2, byrow = TRUE)

nutrimouse.sgccda1 <- wrapper.sgccda(X = data,
Y = Y,
design = design1,
ncomp = 2,

```

```

keepX = list(gene = c(10,10), lipid = c(15,15)),
scheme = "centroid")

# default colors correspond to outcome Y
plotArrow(nutrimouse.sgccda1)

## Not run:
# with legend and title and indiv ID
plotArrow(nutrimouse.sgccda1, legend = TRUE, title = 'my sample plot',
ind.names = TRUE, position.names = 'start')

## End(Not run)

```

---

plotDiablo

*Graphical output for the DIABLO framework*


---

## Description

Function to visualise correlation between components from different data sets

## Usage

```
plotDiablo(x, ncomp = 1, legend = TRUE, legend.ncol, ...)
```

## Arguments

x	object of class inheriting from "block.splsda".
ncomp	Which component to plot calculated from each data set. Has to be lower than the minimum of object\$ncomp
legend	boolean. Whether the legend should be added. Default is TRUE.
legend.ncol	Number of columns for the legend. Default to min(5, nlevels(x\$Y))
...	not used

## Details

The function uses a plot.data.frame to plot the component ncomp calculated from each data set to visualise whether DIABLO (block.splsda) is successful at maximising the correlation between each data sets' component. The lower triangular panel indicated the Pearson's correlation coefficient, the upper triangular panel the scatter plot.

## Author(s)

Amrit Singh



## References

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO - multi omics integration for biomarker discovery. Submitted.

## See Also

[block.splsda](#) and <http://www.mixOmics.org/mixDIABLO> for more details.

## Examples

```
data('breast.TCGA')
Y = breast.TCGA$data.train$subtype

data = list(mrna = breast.TCGA$data.train$mrna,
mirna = breast.TCGA$data.train$mirna, prot = breast.TCGA$data.train$protein)

# set number of component per data set
ncomp = 3
# set number of variables to select, per component and per data set (arbitrarily set)
list.keepX = list(mrna = rep(20, 3), mirna = rep(10,3), prot = rep(10,3))

# set up a full design where every block is connected
design = matrix(1, ncol = length(data), nrow = length(data),
dimnames = list(names(data), names(data)))
diag(design) = 0
design

BC.diablo = block.splsda(X = data, Y = Y, ncomp = ncomp, keepX = list.keepX, design = design)
plotDiablo(BC.diablo, ncomp = 1)
```

---

plotIndiv

*Plot of Individuals (Experimental Units)*

---

## Description

This function provides scatter plots for individuals (experimental units) representation in (sparse)(I)PCA, (regularized)CCA, (sparse)PLS(DA) and (sparse)(R)GCCA(DA).

## Usage

```
## S3 method for class 'pls'
plotIndiv(object, comp = NULL, rep.space = NULL, ind.names = TRUE, group, col.per.group,
style = "ggplot2", ellipse = FALSE, ellipse.level = 0.95, centroid = FALSE, star = FALSE,
title = NULL, subtitle, legend = FALSE,
X.label = NULL, Y.label = NULL, Z.label = NULL, abline = FALSE,
xlim = NULL, ylim = NULL, col, cex, pch, pch.levels, alpha = 0.2, axes.box = "box",
layout = NULL,
```

```
size.title = rel(2), size.subtitle = rel(1.5), size.xlabel = rel(1),
size.ylabel = rel(1), size.axis = rel(0.8), size.legend = rel(1),
size.legend.title = rel(1.1), legend.title = "Legend", legend.title.pch = "Legend",
legend.position = "right",
point.lwd = 1, background = NULL, ... )
```

```
## S3 method for class 'mint.spls'
plotIndiv(object, comp = NULL, study = "global", rep.space = NULL, group, col.per.group,
style = "ggplot2", ellipse = FALSE, ellipse.level = 0.95, centroid = FALSE, star = FALSE,
title = NULL, subtitle, legend=FALSE,
X.label = NULL, Y.label = NULL, abline = FALSE,
xlim = NULL, ylim = NULL, col, cex, pch, layout = NULL,
size.title = rel(2), size.subtitle = rel(1.5), size.xlabel = rel(1),
size.ylabel = rel(1), size.axis = rel(0.8), size.legend = rel(1),
size.legend.title = rel(1.1), legend.title = "Legend", legend.position = "right",
point.lwd = 1, ... )
```

```
## S3 method for class 'sgcca'
plotIndiv(object, comp = NULL, blocks = NULL, ind.names = TRUE, group, col.per.group,
style = "ggplot2", ellipse = FALSE, ellipse.level = 0.95, centroid = FALSE, star = FALSE,
title = NULL, subtitle, legend = FALSE,
X.label = NULL, Y.label = NULL, Z.label = NULL, abline = FALSE,
xlim = NULL, ylim = NULL, col, cex, pch, pch.levels,
alpha = 0.2, axes.box = "box", layout = NULL,
size.title = rel(2), size.subtitle = rel(1.5), size.xlabel = rel(1),
size.ylabel = rel(1), size.axis = rel(0.8), size.legend = rel(1),
size.legend.title = rel(1.1), legend.title = "Legend", legend.title.pch = "Legend",
legend.position = "right",
point.lwd = 1, ... )
```

## Arguments

object	object of class inheriting from any <b>mixOmics</b> : PLS, sPLS, PLS-DA, SPLS-DA, rCC, PCA, sPCA, IPCA
comp	integer vector of length two (or three to 3d). The components that will be used on the horizontal and the vertical axis respectively to project the individuals.
rep.space	For objects of class "rcc", "pls", "spls", character string, (partially) matching one of "X-variate", "Y-variate" ,or "XY-variate", determining the subspace to project the individuals. Defaults to "X-variate" "pca" object and for "plsda" objects. For objects of class "pls" and "rcc", defaults, the tree subspaces represent the individuals. For objects of class "rgcca" and "sgcca", numerical value indicating the block data set form which to represent the individuals.
blocks	integer value of name of a block to be plotted using the GCCA module. See examples.
study	Indicates which study-specific outputs to plot. A character vector containing

	some levels of <code>object\$study</code> , "all.partial" to plot all studies or "global" is expected. Default to "global".
<code>ind.names</code>	either a character vector of names for the individuals to be plotted, or FALSE for no names. If TRUE, the row names of the first (or second) data matrix is used as names (see Details).
<code>group</code>	factor indicating the group membership for each sample, useful for ellipse plots. Coded as default for the supervised methods PLS-DA, SPLS-DA, sGCCDA, but needs to be input for the unsupervised methods PCA, sPCA, IPCA, sIPCA, PLS, sPLS, rCC, rGCCA, sGCCA.
<code>col.per.group</code>	character (or symbol) color to be used when 'group' is defined. Vector of the same length than the number of groups.
<code>style</code>	argument to be set to either 'graphics', 'lattice', 'ggplot2' or '3d' for a style of plotting. Default set to 'ggplot2'. See details. 3d is not available for MINT objects.
<code>ellipse</code>	boolean indicating if ellipse plots should be plotted. In the non supervised objects PCA, sPCA, IPCA, sIPCA, PLS, sPLS, rCC, rGCCA, sGCCA ellipse plot is only be plotted if the argument group is provided. In the PLS-DA, SPLS-DA, sGCCDA supervised object, by default the ellipse will be plotted according to the outcome Y.
<code>ellipse.level</code>	Numerical value indicating the confidence level of ellipse being plotted when <code>ellipse = TRUE</code> (i.e. the size of the ellipse). The default is set to 0.95, for a 95% region.
<code>centroid</code>	boolean indicating whether centroid points should be plotted. In the non supervised objects PCA, sPCA, IPCA, sIPCA, PLS, sPLS, rCC, rGCCA, sGCCA the centroid will only be plotted if the argument group is provided. The centroid will be calculated based on the group categories. In the supervised objects PLS-DA, SPLS-DA, sGCCDA the centroid will be calculated according to the outcome Y.
<code>star</code>	boolean indicating whether a star plot should be plotted, with arrows starting from the centroid (see argument <code>centroid</code> , and ending for each sample belonging to each group or outcome. In the non supervised objects PCA, sPCA, IPCA, sIPCA, PLS, sPLS, rCC, rGCCA, sGCCA star plot is only be plotted if the argument group is provided. In the supervised objects PLS-DA, SPLS-DA, sGCCDA the star plot is plotted according to the outcome Y.
<code>title</code>	set of characters indicating the title plot.
<code>subtitle</code>	subtitle for each plot, only used when several block or study are plotted.
<code>legend</code>	boolean. Whether the legend should be added. Default is FALSE.
<code>X.label</code>	x axis titles.
<code>Y.label</code>	y axis titles.
<code>Z.label</code>	z axis titles (when <code>style = '3d'</code> ).
<code>abline</code>	should the vertical and horizontal line through the center be plotted? Default set to FALSE
<code>xlim,ylim</code>	numeric list of vectors of length 2 and <code>length=length(blocks)</code> , giving the x and y coordinates ranges.

col	character (or symbol) color to be used, possibly vector.
cex	numeric character (or symbol) expansion, possibly vector.
pch	plot character. A character string or a vector of single characters or integers. See <a href="#">points</a> for all alternatives.
pch.levels	Only used when pch is different from col or col.per.group, ie when pch creates a second factor. Only used for the legend.
alpha	Semi-transparent colors ( $0 < \text{'alpha'} < 1$ )
axes.box	for style '3d', argument to be set to either 'axes', 'box', 'bbox' or 'all', defining the shape of the box.
layout	layout parameter passed to mfrow. Only used when study is not "global"
size.title	size of the title
size.subtitle	size of the subtitle
size.xlabel	size of xlabel
size.ylabel	size of ylabel
size.axis	size of the axis
size.legend	size of the legend
size.legend.title	size of the legend title
legend.title	title of the legend
legend.title.pch	title of the second legend created by pch, if any.
legend.position	position of the legend, one of "bottom", "left", "top" and "right".
point.lwd	lwd of the points, used when ind.names = FALSE
background	color the background by the predicted class, see <a href="#">background.predict</a>
...	external arguments or type par can be added with style = 'graphics'

## Details

plotIndiv method makes scatter plot for individuals representation depending on the subspace of projection. Each point corresponds to an individual.

If ind.names=TRUE and row names is NULL, then ind.names=1:n, where n is the number of individuals. Also, if pch is an input, then ind.names is set to FALSE as we do not show both names and shapes.

plotIndiv can have a two layers legend. This is especially convenient when you have two grouping factors, such as a gender effect and a study effect, and you want to highlight both simultaneously on the graphical output. A first layer is coded by the group factor, the second by the pch argument. When pch is missing, a single layer legend is shown. If the group factor is missing, the col argument is used to create the grouping factor group. When a second grouping factor is needed and added via pch, pch needs to be a vector of length the number of samples. In the case where pch is a vector or length the number of groups, then we consider that the user wants a different pch for each level of group. This leads to a single layer legend and we merge col and pch. In the similar case

where pch is a single value, then this value is used to represent all samples. See examples below for object of class plsda and splsda.

In the specific case of a single 'omics supervised model ([plsda](#), [splsda](#)), users can overlay prediction results to sample plots in order to visualise the prediction areas of each class, via the background input parameter. Note that this functionality is only available for models with less than 2 components as the surfaces obtained for higher order components cannot be projected onto a 2D representation in a meaningful way. For more details, see [background.predict](#)

For customized plots (i.e. adding points, text), use the style = 'graphics' (default is ggplot2).

Note: the ellipse options were borrowed from the **ellipse**.

### Author(s)

Ignacio González, Benoit Gautier, Francois Bartolo, Florian Rohart

### See Also

[text](#), [background.predict](#), [points](#) and <http://mixOmics.org/graphics> for more details.

### Examples

```
## plot of individuals for objects of class 'rcc'
# -----
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

# default, only in the X space
plotIndiv(nutri.res)

## Not run:
# ellipse with respect to genotype in the XY space,
# names also indicate genotype
plotIndiv(nutri.res, rep.space= 'XY-variate',
  ellipse = TRUE, ellipse.level = 0.9,
  group = nutrimouse$genotype, ind.names = nutrimouse$genotype)

# ellipse with respect to genotype in the XY space, with legend
plotIndiv(nutri.res, rep.space= 'XY-variate', group = nutrimouse$genotype,
  legend = TRUE)

# lattice style
plotIndiv(nutri.res, rep.space= 'XY-variate', group = nutrimouse$genotype,
  legend = TRUE, style = 'lattice')

# classic style, in the Y space
plotIndiv(nutri.res, rep.space= 'Y-variate', group = nutrimouse$genotype,
  legend = TRUE, style = 'graphics')

## End(Not run)
```

```

## plot of individuals for objects of class 'pls' or 'spls'
# -----
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
keepY = c(10, 10, 10))

#default
plotIndiv(toxicity.spls)

## Not run:
# two layers legend: a first grouping with Time.Group and 'group'
# and a second with Dose.Group and 'pch'
plotIndiv(toxicity.spls, rep.space="X-variate", ind.name = FALSE,
group = liver.toxicity$treatment[, 'Time.Group'], # first factor
pch = as.numeric(factor(liver.toxicity$treatment$Dose.Group)), #second factor
pch.levels =liver.toxicity$treatment$Dose.Group, #levels of the second factor, for the legend
legend = TRUE)

## End(Not run)

# indicating the centroid
plotIndiv(toxicity.spls, rep.space= 'X-variate', ind.names = FALSE,
          group = liver.toxicity$treatment[, 'Time.Group'], centroid = TRUE)

# indicating the star and centroid
plotIndiv(toxicity.spls, rep.space= 'X-variate', ind.names = FALSE,
          group = liver.toxicity$treatment[, 'Time.Group'], centroid = TRUE, star = TRUE)

# indicating the star and ellipse
plotIndiv(toxicity.spls, rep.space= 'X-variate', ind.names = FALSE,
          group = liver.toxicity$treatment[, 'Time.Group'], centroid = TRUE,
          star = TRUE, ellipse = TRUE)

# in the Y space, colors indicate time of necropsy, text is the dose
plotIndiv(toxicity.spls, rep.space= 'Y-variate',
          group = liver.toxicity$treatment[, 'Time.Group'],
          ind.names = liver.toxicity$treatment[, 'Dose.Group'],
          legend = TRUE)

## plot of individuals for objects of class 'plsda' or 'splda'
# -----
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- breast.tumors$sample$treatment

```

```

splsda.breast <- splsda(X, Y,keepX=c(10,10),ncomp=2)

# default option: note the outcome color is included by default!
plotIndiv(splsda.breast)

# also check ?background.predict for to visualise the prediction
# area with a plsda or splsda object!

## Not run:
# default option with no ind name: pch and color are set automatically
plotIndiv(splsda.breast, ind.names = FALSE, comp = c(1, 2))

# default option with no ind name: pch and color are set automatically, with legend
plotIndiv(splsda.breast, ind.names = FALSE, comp = c(1, 2), legend = TRUE)

# trying the different styles
plotIndiv(splsda.breast, ind.names = TRUE, comp = c(1, 2),
ellipse = TRUE, style = "ggplot2", cex = c(1, 1))
plotIndiv(splsda.breast, ind.names = TRUE, comp = c(1, 2),
ellipse = TRUE, style = "lattice", cex = c(1, 1))

# changing pch of the two groups
plotIndiv(splsda.breast, ind.names = FALSE, comp = c(1, 2),
pch = c(15,16), legend = TRUE)

# creating a second grouping factor with a pch of length 3,
# which is recycled to obtain a vector of length n
plotIndiv(splsda.breast, ind.names = FALSE, comp = c(1, 2),
pch = c(15,16,17), legend = TRUE)

#same thing as
pch.indiv = c(rep(15:17,15), 15, 16) # length n
plotIndiv(splsda.breast, ind.names = FALSE, comp = c(1, 2),
pch = pch.indiv, legend = TRUE)

# change the names of the second legend with pch.levels
plotIndiv(splsda.breast, ind.names = FALSE, comp = c(1, 2),
pch = 15:17, pch.levels = c("a","b","c"),legend = TRUE)

## End(Not run)

## plot of individuals for objects of class 'mint.plsda' or 'mint.splsda'
# -----
data(stemcells)
res = mint.splsda(X = stemcells$gene, Y = stemcells$celltype, ncomp = 2, keepX = c(10, 5),
study = stemcells$study)

plotIndiv(res)

## Not run:

```

```

#plot study-specific outputs for all studies
plotIndiv(res, study = "all.partial")

#plot study-specific outputs for study "2"
plotIndiv(res, study = "2")

## End(Not run)

## variable representation for objects of class 'sgcca' (or 'rgcca')
# -----
## Not run:
data(nutrimouse)
Y = unmap(nutrimouse$diet)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
design1 = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3, byrow = TRUE)
nutrimouse.sgcca <- wrapper.sgcca(X = data,
design = design1,
penalty = c(0.3, 0.5, 1),
ncomp = 3,
scheme = "horst")

# default style: one panel for each block
plotIndiv(nutrimouse.sgcca)

# for the block 'lipid' with ellipse plots and legend, different styles
plotIndiv(nutrimouse.sgcca, group = nutrimouse$diet, legend =TRUE,
ellipse = TRUE, ellipse.level = 0.5, blocks = "lipid", title = 'my plot')
plotIndiv(nutrimouse.sgcca, style = "lattice", group = nutrimouse$diet,
legend = TRUE, ellipse = TRUE, ellipse.level = 0.5, blocks = "lipid",
title = 'my plot')
plotIndiv(nutrimouse.sgcca, style = "graphics", group = nutrimouse$diet,
legend = TRUE, ellipse = TRUE, ellipse.level = 0.5, blocks = "lipid",
title = 'my plot')

## End(Not run)

## variable representation for objects of class 'sgccda'
# -----
## Not run:
# Note: the code differs from above as we use a 'supervised' GCCA analysis
data(nutrimouse)
Y = nutrimouse$diet
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
design1 = matrix(c(0,1,0,1), ncol = 2, nrow = 2, byrow = TRUE)

nutrimouse.sgccda1 <- wrapper.sgccda(X = data,
Y = Y,
design = design1,
ncomp = 2,
keepX = list(gene = c(10,10), lipid = c(15,15)),
scheme = "centroid")

```



```

# plotIndiv
# -----

# displaying all blocks. bu default colors correspond to outcome Y
plotIndiv(nutrimouse.sgccda1)

# displaying only 2 blocks
plotIndiv(nutrimouse.sgccda1, blocks = c(1,2), group = nutrimouse$diet)

# with some ellipse, legend and title
plotIndiv(nutrimouse.sgccda1, blocks = c(1,2), group = nutrimouse$diet,
ellipse = TRUE, legend = TRUE, title = 'my sample plot')

## End(Not run)

```

---

plotLoadings

*Plot of Loading vectors*


---

## Description

This function provides a horizontal bar plot to visualise loading vectors. For discriminant analysis, it provides visualisation of highest or lowest mean/median value of the variables with color code corresponding to the outcome of interest.

## Usage

```

## S3 method for class 'pls'
plotLoadings(object, block, comp = 1, col = NULL, ndisplay = NULL,
size.name = 0.7, name.var = NULL, name.var.complete = FALSE, title = NULL, subtitle,
size.title = rel(2), size.subtitle = rel(1.5), layout = NULL, border = NA,
xlim = NULL, ... )

## S3 method for class 'mint.pls'
plotLoadings(object, study = "global", comp = 1, col = NULL, ndisplay = NULL,
size.name = 0.7, name.var = NULL, name.var.complete = FALSE, title = NULL, subtitle,
size.title = rel(1.8), size.subtitle = rel(1.4), layout = NULL, border = NA,
xlim = NULL, ... )

## S3 method for class 'plsda'
plotLoadings(object, contrib, method = "mean", block, comp = 1,
plot = TRUE, show.ties = TRUE, col.ties="white", ndisplay = NULL, size.name = 0.7,
size.legend = 0.8, name.var=NULL, name.var.complete=FALSE, title = NULL,
subtitle, size.title = rel(1.8), size.subtitle = rel(1.4),
legend = TRUE, legend.color = NULL, legend.title = 'Outcome',
layout = NULL, border = NA, xlim = NULL, ... )

## S3 method for class 'mint.plsda'

```

```
plotLoadings(object, contrib = NULL, method = "mean",
  study = "global", comp = 1, plot = TRUE, show.ties = TRUE, col.ties = "white",
  ndisplay = NULL, size.name = 0.7, size.legend = 0.8, name.var = NULL,
  name.var.complete = FALSE, title = NULL, subtitle, size.title = rel(1.8),
  size.subtitle = rel(1.4), legend = TRUE, legend.color = NULL,
  legend.title = 'Outcome', layout = NULL, border = NA, xlim = NULL, ... )
```

## Arguments

object	object
contrib	a character set to 'max' or 'min' indicating if the color of the bar should correspond to the group with the maximal or minimal expression levels / abundance.
method	a character set to 'mean' or 'median' indicating the criterion to assess the contribution. We recommend using median in the case of count or skewed data.
study	Indicates which study are to be plotted. A character vector containing some levels of object\$study, "all.partial" to plot all studies or "global" is expected.
block	A single value indicating which block to consider in a sgccda object.
comp	integer value indicating the component of interest from the object.
col	color used in the barplot, only for object from non Discriminant analysis
plot	Boolean indicating of the plot should be output. If set to FALSE the user can extract the contribution matrix, see example. Default value is TRUE.
show.ties	Boolean. If TRUE then tie groups appear in the color set by col.ties, which will appear in the legend. Ties can happen when dealing with count data type. By default set to TRUE.
col.ties	Color corresponding to ties, only used if show.ties=TRUE and ties are present.
ndisplay	integer indicating how many of the most important variables are to be plotted (ranked by decreasing weights in each PLS-component). Useful to lighten a graph.
size.name	A numerical value giving the amount by which plotting the variable name text should be magnified or reduced relative to the default.
size.legend	A numerical value giving the amount by which plotting the legend text should be magnified or reduced relative to the default.
name.var	A character vector indicating the names of the variables. The names of the vector should match the names of the input data, see example.
name.var.complete	Boolean. If name.var is supplied with some empty names, name.var.complete allows you to use the initial variable names to complete the graph (from colnames(X)). Default to FALSE.
title	A set of characters to indicate the title of the plot. Default value is NULL.
subtitle	subtitle for each plot, only used when several block or study are plotted.
size.title	size of the title
size.subtitle	size of the subtitle

legend	Boolean indicating if the legend indicating the group outcomes should be added to the plot. Default value is TRUE.
legend.color	A color vector of length the number of group outcomes. See examples.
legend.title	A set of characters to indicate the title of the legend. Default value is NULL.
layout	Vector of two values (rows,cols) that indicates the layout of the plot. If layout is provided, the remaining empty subplots are still active
border	Argument from <code>barplot</code> : indicates whether to draw a border on the barplot.
xlim	Argument from <code>barplot</code> : limit of the x-axis. When plotting several block, a matrix is expected where each row is the <code>xlim</code> used for each of the blocks.
...	not used.

### Details

The contribution of each variable for each component (depending on the object) is represented in a barplot where each bar length corresponds to the loading weight (importance) of the feature. The loading weight can be positive or negative.

For discriminant analysis, the color corresponds to the group in which the feature is most 'abundant'. Note that this type of graphical output is particularly insightful for count microbial data - in that latter case using the `method = 'median'` is advised. Note also that if the parameter `contrib` is not provided, plots are white.

For MINT analysis, `study="global"` plots the global loadings while partial loadings are plotted when `study` is a level of `object$study`. Since variable selection in MINT is performed at the global level, only the selected variables are plotted for the partial loadings even if the partial loadings are not sparse. See references. Importantly for multi plots, the legend accounts for one subplot in the layout design.

### Author(s)

Florian Rohart, Kim-Anh Lê Cao, Benoit Gautier

### References

- Rohart F. et al (2016, submitted). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms.
- Eslami, A., Qannari, E. M., Kohler, A., and Bougeard, S. (2013). Multi-group PLS Regression: Application to Epidemiology. In *New Perspectives in Partial Least Squares and Related Methods*, pages 243-255. Springer.
- Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO - multi omics integration for biomarker discovery.
- Lê Cao, K.-A., Martin, P.G.P., Robert-Granie, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* **10**:34.
- Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.

**See Also**

[pls](#), [spls](#), [plsda](#), [splsda](#), [mint.pls](#), [mint.spls](#), [mint.plsda](#), [mint.splsda](#), [block.pls](#), [block.spls](#), [block.plsda](#), [block.splsda](#), [mint.block.pls](#), [mint.block.spls](#), [mint.block.plsda](#), [mint.block.splsda](#)

**Examples**

```
## object of class 'spls'
# -----
data(liver.toxicity)
X = liver.toxicity$gene
Y = liver.toxicity$clinic

toxicity.spls = spls(X, Y, ncomp = 2, keepX = c(50, 50),
keepY = c(10, 10))

plotLoadings(toxicity.spls)

# with xlim
xlim = matrix(c(-0.1,0.3, -0.4,0.6), nrow = 2, byrow = TRUE)
plotLoadings(toxicity.spls, xlim = xlim)

## object of class 'splsda'
# -----
data(liver.toxicity)
X = as.matrix(liver.toxicity$gene)
Y = as.factor(liver.toxicity$treatment[, 4])

splsda.liver = splsda(X, Y, ncomp = 2, keepX = c(20, 20))

# contribution on comp 1, based on the median.
# Colors indicate the group in which the median expression is maximal
plotLoadings(splsda.liver, comp = 1, method = 'median')
plotLoadings(splsda.liver, comp = 1, method = 'median', contrib = "max")

# contribution on comp 2, based on median.
#Colors indicate the group in which the median expression is maximal
plotLoadings(splsda.liver, comp = 2, method = 'median', contrib = "max")

# contribution on comp 2, based on median.
# Colors indicate the group in which the median expression is minimal
plotLoadings(splsda.liver, comp = 2, method = 'median', contrib = 'min')

# changing the name to gene names
# if the user input a name.var but names(name.var) is NULL,
# then a warning will be output and assign names of name.var to colnames(X)
# this is to make sure we can match the name of the selected variables to the contribution plot.
name.var = liver.toxicity$gene.ID[, 'geneBank']
length(name.var)
plotLoadings(splsda.liver, comp = 2, method = 'median', name.var = name.var,
title = "Liver data", contrib = "max")
```

```
# if names are provided: ok, even when NAs
name.var = liver.toxicity$gene.ID[, 'geneBank']
names(name.var) = rownames(liver.toxicity$gene.ID)
plotLoadings(splsda.liver, comp = 2, method = 'median',
name.var = name.var, size.name = 0.5, contrib = "max")

#missing names of some genes? complete with the original names
plotLoadings(splsda.liver, comp = 2, method = 'median',
name.var = name.var, size.name = 0.5,complete.name.var=TRUE, contrib = "max")

# look at the contribution (median) for each variable
plot.contrib = plotLoadings(splsda.liver, comp = 2, method = 'median', plot = FALSE,
contrib = "max")
head(plot.contrib$contrib)
# change the title of the legend and title name
plotLoadings(splsda.liver, comp = 2, method = 'median', legend.title = 'Time',
title = 'Contribution plot', contrib = "max")

# no legend
plotLoadings(splsda.liver, comp = 2, method = 'median', legend = FALSE, contrib = "max")

# change the color of the legend
plotLoadings(splsda.liver, comp = 2, method = 'median', legend.color = c(1:4), contrib = "max")

# object 'splsda multilevel'
# -----
## Not run:
data(vac18)
X = vac18$genes
Y = vac18$stimulation
# sample indicates the repeated measurements
sample = vac18$sample
stimul = vac18$stimulation

# multilevel sPLS-DA model
res.1level = splsda(X, Y = stimul, ncomp = 3, multilevel = sample,
keepX = c(30, 137, 123))

name.var = vac18$tab.prob.gene[, 'Gene']
names(name.var) = colnames(X)

plotLoadings(res.1level, comp = 2, method = 'median', legend.title = 'Stimu',
name.var = name.var, size.name = 0.2, contrib = "max")

# too many transcripts? only output the top ones
plotLoadings(res.1level, comp = 2, method = 'median', legend.title = 'Stimu',
name.var = name.var, size.name = 0.5, ndisplay = 60, contrib = "max")

## End(Not run)
```

```

# object 'plsda'
# -----
## Not run:
# breast tumors
# ---
data(breast.tumors)
X = breast.tumors$gene.exp
Y = breast.tumors$sample$treatment

plsda.breast = plsda(X, Y, ncomp = 2)

name.var = as.character(breast.tumors$genes$name)
names(name.var) = colnames(X)

# with gene IDs, showing the top 60
plotLoadings(plsda.breast, contrib = 'max', comp = 1, method = 'median',
             ndisplay = 60,
             name.var = name.var,
             size.name = 0.6,
             legend.color = color.mixo(1:2))

## End(Not run)

# liver toxicity
# ---
## Not run:
data(liver.toxicity)
X = liver.toxicity$gene
Y = liver.toxicity$treatment[, 4]

plsda.liver = plsda(X, Y, ncomp = 2)
plotIndiv(plsda.liver, ind.names = Y, ellipse = TRUE)

name.var = liver.toxicity$gene.ID[, 'geneBank']
names(name.var) = rownames(liver.toxicity$gene.ID)

plotLoadings(plsda.liver, contrib = 'max', comp = 1, method = 'median', ndisplay = 100,
             name.var = name.var, size.name = 0.4,
             legend.color = color.mixo(1:4))

## End(Not run)

# object 'sgccda'
# -----
## Not run:
data(nutrimouse)
Y = nutrimouse$diet
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid)
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

nutrimouse.sgccda = wrapper.sgccda(X = data,

```

```

Y = Y,
design = design,
keepX = list(gene = c(10,10), lipid = c(15,15)),
ncomp = 2,
scheme = "centroid")

plotLoadings(nutrimouse.sgccda,block=2)
plotLoadings(nutrimouse.sgccda,block="gene")

## End(Not run)

# object 'mint.splsda'
# -----
data(stemcells)
data = stemcells$gene
type.id = stemcells$celltype
exp = stemcells$study

res = mint.splsda(X = data, Y = type.id, ncomp = 3, keepX = c(10,5,15), study = exp)

plotLoadings(res)
plotLoadings(res, contrib = "max")
plotLoadings(res, contrib = "min", study = 1:4,comp=2)

# combining different plots by setting a layout of 2 rows and 4columns.
# Note that the legend accounts for a subplot so 4columns instead of 2.
plotLoadings(res,contrib="min",study=c(1,2,3),comp=2, layout = c(2,4))
plotLoadings(res,contrib="min",study="global",comp=2)

```

---

plotVar

*Plot of Variables*


---

### Description

This function provides variables representation for (regularized) CCA, (sparse) PLS regression, PCA and (sparse) Regularized generalised CCA.

### Usage

```

plotVar(object,
comp = NULL,
comp.select = comp,
plot=TRUE,
var.names = NULL,
blocks = NULL, # to choose which block data to plot, when using GCCA module
X.label = NULL,

```

```

Y.label = NULL,
Z.label = NULL,
abline = TRUE,
col,
cex,
pch,
font,
cutoff = 0,
rad.in = 0.5,
title="Correlation Circle Plots",
legend = FALSE,
style="ggplot2", # can choose between graphics,3d, lattice or ggplot2,
overlap = TRUE,
axes.box = "all",
label.axes.box = "both")

```

### Arguments

object	object of class inheriting from "rcc", "pls", "plsda", "spls", "splsda", "pca" or "spca".
comp	integer vector of length two. The components that will be used on the horizontal and the vertical axis respectively to project the variables. By default, comp=c(1,2) except when style='3d', comp=c(1:3)
comp.select	for the sparse versions, an input vector indicating the components on which the variables were selected. Only those selected variables are displayed. By default, comp.select=comp
plot	if TRUE (the default) then a plot is produced. If not, the summaries which the plots are based on are returned.
var.names	either a character vector of names for the variables to be plotted, or FALSE for no names. If TRUE, the col names of the first (or second) data matrix is used as names.
blocks	for an object of class "rgcca" or "sgcca", a numerical vector indicating the block variables to display.
X.label	x axis titles.
Y.label	y axis titles.
Z.label	z axis titles (when style = '3d').
abline	should the vertical and horizontal line through the center be plotted? Default set to FALSE
col	character or integer vector of colors for plotted character and symbols, can be of length 2 (one for each data set) or of length (p+q) (i.e. the total number of variables). See Details.
cex	numeric vector of character expansion sizes for the plotted character and symbols, can be of length 2 (one for each data set) or of length (p+q) (i.e. the total number of variables).



pch	plot character. A vector of single characters or integers, can be of length 2 (one for each data set) or of length (p+q) (i.e. the total number of variables). See <a href="#">points</a> for all alternatives.
font	numeric vector of font to be used, can be of length 2 (one for each data set) or of length (p+q) (i.e. the total number of variables). See <a href="#">par</a> for details.
cutoff	numeric between 0 and 1. Variables with correlations below this cutoff in absolute value are not plotted (see Details).
rad.in	numeric between 0 and 1, the radius of the inner circle. Defaults to 0.5.
title	character indicating the title plot.
legend	boolean. Whether the legend should be added. Default is TRUE.
style	argument to be set to either 'graphics', 'lattice', 'ggplot2' or '3d' for a style of plotting.
overlap	boolean. Whether the variables should be plotted in one single figure. Default is TRUE.
axes.box	for style '3d', argument to be set to either 'axes', 'box', 'bbox' or 'all', defining the shape of the box.
label.axes.box	for style '3d', argument to be set to either 'axes', 'box', 'both', indicating which labels to print.

## Details

plotVar produce a "correlation circle", i.e. the correlations between each variable and the selected components are plotted as scatter plot, with concentric circles of radius one et radius given by rad.in. Each point corresponds to a variable. For (regularized) CCA the components correspond to the equiangular vector between  $X$ - and  $Y$ -variates. For (sparse) PLS regression mode the components correspond to the  $X$ -variates. If mode is canonical, the components for  $X$  and  $Y$  variables correspond to the  $X$ - and  $Y$ -variates respectively.

For plsda and splsda objects, only the  $X$  variables are represented.

For spls and splsda objects, only the  $X$  and  $Y$  variables selected on dimensions comp are represented.

The arguments col, pch, cex and font can be either vectors of length two or a list with two vector components of length  $p$  and  $q$  respectively, where  $p$  is the number of  $X$ -variables and  $q$  is the number of  $Y$ -variables. In the first case, the first and second component of the vector determine the graphics attributes for the  $X$ - and  $Y$ -variables respectively. Otherwise, multiple arguments values can be specified so that each point (variable) can be given its own graphic attributes. In this case, the first component of the list correspond to the  $X$  attributs and the second component correspond to the  $Y$  attributs. Default values exist for this arguments.

## Value

A list containing the following components:

x	a vector of coordinates of the variables on the x-axis.
y	a vector of coordinates of the variables on the y-axis.
Block	the data block name each variable belongs to.
names	the name of each variable, matching their coordinates values.

**Author(s)**

Ignacio González, Kim-Anh Lê Cao, Benoit Gautier, Florian Rohart, Francois Bartolo.

**References**

González I., Lê Cao K-A., Davis, M.J. and Déjean, S. (2012). Visualising associations between paired 'omics data sets. *J. Data Mining* 5:19. <http://www.biodatamining.org/content/5/1/19/abstract>

**See Also**

[cim](#), [network](#), [par](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
## variable representation for objects of class 'rcc'
# -----
data(nutrilmouse)
X <- nutrilmouse$lipid
Y <- nutrilmouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

plotVar(nutri.res) #(default)

## Not run:
plotVar(nutri.res, comp = c(1,3), cutoff = 0.5)

## End(Not run)

## variable representation for objects of class 'pls' or 'spls'
# -----
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))

plotVar(toxicity.spls, cex = c(1,0.8))

## variable representation for objects of class 'spllda'
# -----
## Not run:
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- as.factor(liver.toxicity$treatment[, 4])

ncomp <- 2
keepX <- rep(20, ncomp)

spllda.liver <- spllda(X, Y, ncomp = ncomp, keepX = keepX)
plotVar(spllda.liver)
```

```

## End(Not run)

## variable representation for objects of class 'sgcca' (or 'rgcca')
# -----
## see example in ??wrapper.sgcca
data(nutrimouse)
# need to unmap the Y factor diet
Y = unmap(nutrimouse$diet)
# set up the data as list
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)

# set up the design matrix:
# with this design, gene expression and lipids are connected to the diet factor
# design = matrix(c(0,0,1,
#                   0,0,1,
#                   1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

# with this design, gene expression and lipids are connected to the diet factor
# and gene expression and lipids are also connected
design = matrix(c(0,1,1,
                 1,0,1,
                 1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

#note: the penalty parameters will need to be tuned
wrap.result.sgcca = wrapper.sgcca(X = data, design = design, penalty = c(.3,.3, 1),
                                  ncomp = 2,
                                  scheme = "centroid")

wrap.result.sgcca

#variables selected on component 1 for each block
selectVar(wrap.result.sgcca, comp = 1, block = c(1,2))$'gene'$name
selectVar(wrap.result.sgcca, comp = 1, block = c(1,2))$'lipid'$name

#variables selected on component 2 for each block
selectVar(wrap.result.sgcca, comp = 2, block = c(1,2))$'gene'$name
selectVar(wrap.result.sgcca, comp = 2, block = c(1,2))$'lipid'$name

plotVar(wrap.result.sgcca, comp = c(1,2), block = c(1,2), comp.select = c(1,1),
        title = c('Variables selected on component 1 only'))

## Not run:
plotVar(wrap.result.sgcca, comp = c(1,2), block = c(1,2), comp.select = c(2,2),
        title = c('Variables selected on component 2 only'))

# -> this one shows the variables selected on both components
plotVar(wrap.result.sgcca, comp = c(1,2), block = c(1,2),
        title = c('Variables selected on components 1 and 2'))

## End(Not run)
## variable representation for objects of class 'rgcca'
# -----
## Not run:

```

```

data(nutrimouse)
# need to unmap Y for an unsupervised analysis, where Y is included as a data block in data
Y = unmap(nutrimouse$diet)

data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
# with this design, all blocks are connected
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3,
               byrow = TRUE, dimnames = list(names(data), names(data)))

nutrimouse.rgcca <- wrapper.rgcca(X = data,
                                design = design,
                                tau = "optimal",
                                ncomp = 2,
                                scheme = "centroid")

plotVar(nutrimouse.rgcca, comp = c(1,2), block = c(1,2), cex = c(1.5, 1.5))

plotVar(nutrimouse.rgcca, comp = c(1,2), block = c(1,2))

# set up the data as list
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
# with this design, gene expression and lipids are connected to the diet factor
# design = matrix(c(0,0,1,
#                   0,0,1,
#                   1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

# with this design, gene expression and lipids are connected to the diet factor
# and gene expression and lipids are also connected
design = matrix(c(0,1,1,
                 1,0,1,
                 1,1,0), ncol = 3, nrow = 3, byrow = TRUE)
#note: the tau parameter is the regularization parameter
wrap.result.rgcca = wrapper.rgcca(X = data, design = design, tau = c(1, 1, 0),
                                ncomp = 2,
                                scheme = "centroid")

#wrap.result.rgcca
plotVar(wrap.result.rgcca, comp = c(1,2), block = c(1,2))

## End(Not run)

```

---

pls

*Partial Least Squares (PLS) Regression*

---

## Description

Function to perform Partial Least Squares (PLS) regression.

**Usage**

```
pls(X,
    Y,
    ncomp = 2,
    scale = TRUE,
    mode = c("regression", "canonical", "invariant", "classic"),
    tol = 1e-06,
    max.iter = 100,
    near.zero.var = FALSE,
    logratio="none",
    multilevel=NULL,
    all.outputs = TRUE)
```

**Arguments**

X	numeric matrix of predictors. NAs are allowed.
Y	numeric vector or matrix of responses (for multi-response models). NAs are allowed.
ncomp	the number of components to include in the model. Default to 2.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE
logratio	one of ('none', 'CLR'). Default to 'none'
multilevel	Design matrix for repeated measurement analysis, where multilevel decomposition is required. For a one factor decomposition, the repeated measures on each individual, i.e. the individuals ID is input as the first column. For a 2 level factor decomposition then 2nd AND 3rd columns indicate those factors. See examples in <code>?sp1s</code> ).
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

**Details**

pls function fit PLS models with  $1, \dots, ncomp$  components. Multi-response models are fully supported. The X and Y datasets can contain missing values.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References). Different modes

relate on how the  $Y$  matrix is deflated across the iterations of the algorithms - i.e. the different components.

- Regression mode: the  $Y$  matrix is deflated with respect to the information extracted/modelled from the local regression on  $X$ . Here the goal is to predict  $Y$  from  $X$  ( $Y$  and  $X$  play an asymmetric role). Consequently the latent variables computed to predict  $Y$  from  $X$  are different from those computed to predict  $X$  from  $Y$ .

- Canonical mode: the  $Y$  matrix is deflated to the information extracted/modelled from the local regression on  $Y$ . Here  $X$  and  $Y$  play a symmetric role and the goal is similar to a Canonical Correlation type of analysis.

- Invariant mode: the  $Y$  matrix is not deflated

- Classic mode: is similar to a regression mode. It gives identical results for the variates and loadings associated to the  $X$  data set, but differences for the loadings vectors associated to the  $Y$  data set (different normalisations are used). Classic mode is the PLS2 model as defined by Tenenhaus (1998), Chap 9.

Note that in all cases the results are the same on the first component as deflation only starts after component 1.

The estimation of the missing values can be performed by the reconstitution of the data matrix using the `nipals` function. Otherwise, missing values are handled by casewise deletion in the `pls` function without having to delete the rows with missing data.

`logratio` transform and multilevel analysis are performed sequentially as internal pre-processing step, through `logratio.transfo` and `withinVariation` respectively.

## Value

`pls` returns an object of class "pls", a list that contains the following components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model.
<code>mode</code>	the algorithm used to fit the model.
<code>variates</code>	list containing the variates.
<code>loadings</code>	list containing the estimated loadings for the $X$ and $Y$ variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>tol</code>	the tolerance used in the iterative algorithm, used for subsequent S3 methods
<code>iter</code>	Number of iterations of the algorithm for each component
<code>max.iter</code>	the maximum number of iterations, used for subsequent S3 methods
<code>nzv</code>	list containing the zero- or near-zero predictors information.
<code>scale</code>	whether scaling was applied per predictor.
<code>logratio</code>	whether log ratio transformation for relative proportion data was applied, and if so, which type of transformation.
<code>explained_variance</code>	amount of variance explained per component (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between data sets).

input.X	numeric matrix of predictors in X that was input, before any saling / logratio / multilevel transformation.
mat.c	matrix of coefficients from the regression of X / residual matrices X on the X-variates, to be used internally by predict.
defl.matrix	residual matrices X for each dimension.

**Author(s)**

Sébastien Déjean and Ignacio González and Kim-Anh Lê Cao.

**References**

- Tenenhous, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.
- Abdi H (2010). Partial least squares regression and projection on latent structure regression (PLS Regression). *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(1), 97-106.

**See Also**

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y, mode = "classic")

data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

toxicity.pls <- pls(X, Y, ncomp = 3)
```

---

plsda

*Partial Least Squares Discriminant Analysis (PLS-DA).*

---

**Description**

Function to perform standard Partial Least Squares regression to classify samples.

**Usage**

```
plsda(X,
      Y,
      ncomp = 2,
      scale = TRUE,
      mode = c("regression", "canonical", "invariant", "classic"),
      tol = 1e-06,
      max.iter = 100,
      near.zero.var = FALSE,
      logratio="none", # one of "none", "CLR"
      multilevel=NULL,
      all.outputs = TRUE)
```

**Arguments**

X	numeric matrix of predictors. NAs are allowed.
Y	a factor or a class vector for the discrete outcome.
ncomp	the number of components to include in the model. Default to 2.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE
logratio	one of ('none','CLR') specifies the log ratio transformation to deal with compositional values that may arise from specific normalisation in sequencing data. Default to 'none'
multilevel	sample information for multilevel decomposition for repeated measurements. A numeric matrix or data frame indicating the repeated measures on each individual, i.e. the individuals ID. See examples in <code>?spplsda</code> .
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

**Details**

plsda function fit PLS models with 1, ..., ncomp components to the factor or class vector Y. The appropriate indicator matrix is created.

logratio transform and multilevel analysis are performed sequentially as internal pre-processing step, through [logratio.transfo](#) and [withinVariation](#) respectively.

Logratio can only be applied if the data do not contain any 0 value (for count data, we thus advise the normalise raw data with a 1 offset).

More details about the PLS modes in `?pls`.



**Value**

plsda returns an object of class "plsda", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized indicator response vector or matrix.
ind.mat	the indicator matrix.
ncomp	the number of components included in the model.
variates	list containing the X and Y variates.
loadings	list containing the estimated loadings for the variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.
tol	the tolerance used in the iterative algorithm, used for subsequent S3 methods
max.iter	the maximum number of iterations, used for subsequent S3 methods
iter	Number of iterations of the algorithm for each component
explained_variance	amount of variance explained per component (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between X and the dummy matrix Y).
mat.c	matrix of coefficients from the regression of X / residual matrices X on the X-variates, to be used internally by predict.
defl.matrix	residual matrices X for each dimension.

**Author(s)**

Ignacio González, Kim-Anh Lê Cao.

**References**

On PLSDA: Barker M and Rayens W (2003). Partial least squares for discrimination. *Journal of Chemometrics* **17**(3), 166-173. Perez-Enciso, M. and Tenenhaus, M. (2003). Prediction of clinical outcome with microarray data: a partial least squares discriminant analysis (PLS-DA) approach. *Human Genetics* **112**, 581-592. Nguyen, D. V. and Rocke, D. M. (2002). Tumor classification by partial least squares using microarray gene expression data. *Bioinformatics* **18**, 39-50. On log ratio transformation: Filzmoser, P., Hron, K., Reimann, C.: Principal component analysis for compositional data with outliers. *Environmetrics* 20(6), 621-632 (2009) Lê Cao K.-A., Costello ME, Lakis VA, Bartolo, F, Chua XY, Brazeilles R, Rondeau P. MixMC: Multivariate insights into Microbial Communities. *PLoS ONE*, 11(8): e0160169 (2016). On multilevel decomposition: Westerhuis, J.A., van Velzen, E.J., Hoefsloot, H.C., Smilde, A.K.: Multivariate paired data analysis: multilevel plsda versus oplstda. *Metabolomics* 6(1), 119-128 (2010) Liqueet, B., Lê Cao K.-A., Hocini, H., Thiebaut, R.: A novel approach for biomarker selection and the integration of repeated measures experiments from two assays. *BMC bioinformatics* 13(1), 325 (2012)

**See Also**

[splstda](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [perf](#), [mint.block.plsda](#), [block.plsda](#) and <http://mixOmics.org> for more details.

**Examples**

```
## First example
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- breast.tumors$sample$treatment

plsda.breast <- plsda(X, Y, ncomp = 2)
plotIndiv(plsda.breast, ind.names = TRUE, ellipse = TRUE, legend = TRUE)

## Not run:
## Second example
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$treatment[, 4]

plsda.liver <- plsda(X, Y, ncomp = 2)
plotIndiv(plsda.liver, ind.names = Y, ellipse = TRUE, legend =TRUE)

## End(Not run)
```

---

predict

*Predict Method for (mint).(block).(s)pls(da) methods*


---

**Description**

Predicted values based on PLS models. New responses and variates are predicted using a fitted model and a new matrix of observations.

**Usage**

```
## S3 method for class 'mint.splsda'
predict(object, newdata, study.test,
  dist = c("all", "max.dist", "centroids.dist", "mahalanobis.dist"),
  multilevel, ...)
```

**Arguments**

object	object of class inheriting from "(mint).(block).(s)pls(da)".
newdata	data matrix in which to look for for explanatory variables to be used for prediction. Please note that this method does not perform multilevel decomposition or log ratio transformations, which need to be processed beforehand.
study.test	For MINT objects, grouping factor indicating which samples of newdata are from the same study. Overlap with object\$study are allowed.
dist	distance to be applied for discriminant methods to predict the class of new data, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see Details). Defaults to "all".

<code>multilevel</code>	Design matrix for multilevel analysis (for repeated measurements). A numeric matrix or data frame. For a one level factor decomposition, the input is a vector indicating the repeated measures on each individual, i.e. the individuals ID. For a two level decomposition with <code>splsda</code> models, the two factors are included in <code>Y</code> . Finally for a two level decomposition with <code>spls</code> models, 2nd AND 3rd columns in design indicate those factors (see example in <code>?splsda</code> and <code>?spls</code> ).
<code>...</code>	not used currently.

## Details

`predict` produces predicted values, obtained by evaluating the PLS-derived methods, returned by `(mint).(block).(s)pls(da)` in the frame `newdata`. Variates for `newdata` are also returned. Please note that this method performs multilevel decomposition and/or log ratio transformations if needed (`multilevel` is an input parameter while `logratio` is extracted from object).

Different prediction distances are proposed for discriminant analysis. The reason is that our supervised models work with a dummy indicator matrix of `Y` to indicate the class membership of each sample. The prediction of a new observation results in either a predicted dummy variable (output `object$predict`), or a predicted variate (output `object$variates`). Therefore, an appropriate distance needs to be applied to those predicted values to assign the predicted class. We propose distances such as ‘maximum distance’ for the predicted dummy variables, ‘Mahalanobis distance’ and ‘Centroids distance’ for the predicted variates.

`"max.dist"` is the simplest method to predict the class of a test sample. For each new individual, the class with the largest predicted dummy variable is the predicted class. This distance performs well in single data set analysis with multiclass problems (PLS-DA).

`"centroids.dist"` allocates to the new observation the class that minimises the distance between the predicted score and the centroids of the classes calculated on the latent components or variates of the trained model.

`"mahalanobis.dist"` allocates the new sample the class defined as the centroid distance, but using the Mahalanobis metric in the calculation of the distance.

In practice we found that the centroid-based distances (`"centroids.dist"` and `"mahalanobis.dist"`), and specifically the Mahalanobis distance led to more accurate predictions than the maximum distance for complex classification problems and N-integration problems (`block.splsda`). The centroid distances consider the prediction in dimensional space spanned by the predicted variates, while the maximum distance considers a single point estimate using the predicted scores on the last dimension of the model. The user can assess the different distances, and choose the prediction distance that leads to the best performance of the model, as highlighted from the `tune` and `perf` outputs

More (mathematical) details about the prediction distances are available in the supplemental of the `mixOmics` article (Rohart et al 2017).

For a visualisation of those prediction distances, see `background.predict` that overlays the prediction area in `plotIndiv` for a `sPLS-DA` object.

For MINT objects, the `study.test` argument is required and provides the grouping factor of `newdata`.

For multi block analysis (thus `block` objects), `newdata` is a list of matrices whose names are a subset of `names(object$X)` and missing blocks are allowed. Several predictions are returned, either for each block or for all blocks. For non discriminant analysis, the predicted values (`predict`) are returned for each block and these values are combined by average (`AveragedPredict`) or weighted

average (`WeightedPredict`), using the weights of the blocks that are calculated as the correlation between a block's components and the outcome's components.

For discriminant analysis, the predicted class is returned for each block (`class`) and each distance (`dist`) and these predictions are combined by majority vote (`MajorityVote`) or weighted majority vote (`WeightedVote`), using the weights of the blocks that are calculated as the correlation between a block's components and the outcome's components. NA means that there is no consensus among the block. For PLS-DA and sPLS-DA objects, the prediction area can be visualised in `plotIndiv` via the `background.predict` function.

## Value

`predict` produces a list with the following components:

<code>predict</code>	predicted response values. The dimensions correspond to the observations, the response variables and the model dimension, respectively. For a supervised model, it corresponds to the predicted dummy variables.
<code>variates</code>	matrix of predicted variates.
<code>B.hat</code>	matrix of regression coefficients (without the intercept).
<code>AveragedPredict</code>	if more than one block, returns the average predicted values over the blocks (using the <code>predict</code> output)
<code>WeightedPredict</code>	if more than one block, returns the weighted average of the predicted values over the blocks (using the <code>predict</code> and <code>weights</code> outputs)
<code>class</code>	predicted class of newdata for each 1, ..., ncomp components.
<code>MajorityVote</code>	if more than one block, returns the majority class over the blocks. NA for a sample means that there is no consensus on the predicted class for this particular sample over the blocks.
<code>WeightedVote</code>	if more than one block, returns the weighted majority class over the blocks. NA for a sample means that there is no consensus on the predicted class for this particular sample over the blocks.
<code>weights</code>	Returns the weights of each block used for the weighted predictions, for each nrepeat and each fold
<code>centroids</code>	matrix of coordinates for centroids.
<code>dist</code>	type of distance requested.
<code>vote</code>	majority vote result for multi block analysis (see details above).

## Author(s)

Florian Rohart, Sébastien Déjean, Ignacio González, Kim-Anh Lê Cao

## References

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. *PLoS Comput Biol* 13(11): e1005752

Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.

**See Also**

[pls](#), [spls](#), [plsda](#), [splsda](#), [mint.pls](#), [mint.spls](#), [mint.plsda](#), [mint.splsda](#), [block.pls](#), [block.spls](#), [block.plsda](#), [block.splsda](#), [mint.block.pls](#), [mint.block.spls](#), [mint.block.plsda](#), [mint.block.splsda](#) and visualisation with [background.predict](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y, ncomp = 2, mode = "classic")

indiv1 <- c(200, 40, 60)
indiv2 <- c(190, 45, 45)
newdata <- rbind(indiv1, indiv2)
colnames(newdata) <- colnames(X)
newdata

pred <- predict(linn.pls, newdata)

plotIndiv(linn.pls, comp = 1:2, rep.space = "X-variate", style="graphics", ind.names=FALSE)
points(pred$variates[, 1], pred$variates[, 2], pch = 19, cex = 1.2)
text(pred$variates[, 1], pred$variates[, 2],
      c("new ind.1", "new ind.2"), pos = 3)

## First example with plsda
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- as.factor(liver.toxicity$treatment[, 4])

## if training is performed on 4/5th of the original data
samp <- sample(1:5, nrow(X), replace = TRUE)
test <- which(samp == 1) # testing on the first fold
train <- setdiff(1:nrow(X), test)

plsda.train <- plsda(X[train, ], Y[train], ncomp = 2)
test.predict <- predict(plsda.train, X[test, ], dist = "max.dist")
Prediction <- test.predict$class$max.dist[, 2]
cbind(Y = as.character(Y[test]), Prediction)

## Not run:
## Second example with splsda
splsda.train <- splsda(X[train, ], Y[train], ncomp = 2, keepX = c(30, 30))
test.predict <- predict(splsda.train, X[test, ], dist = "max.dist")
Prediction <- test.predict$class$max.dist[, 2]
cbind(Y = as.character(Y[test]), Prediction)

## example with block.splsda=diablo=sgccda and a missing block
data(nutrimouse)
# need to unmap Y for an unsupervised analysis, where Y is included as a data block in data
Y.mat = unmap(nutrimouse$diet)
```

```

data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y.mat)
# with this design, all blocks are connected
design = matrix(c(0,1,1,1,0,1,1,1,0), ncol = 3, nrow = 3,
byrow = TRUE, dimnames = list(names(data), names(data)))

# train on 75
ind.train=NULL
for(i in 1:nlevels(nutrimouse$diet))
ind.train=c(ind.train,which(nutrimouse$diet==levels(nutrimouse$diet)[i])[1:6])

#training set
gene.train=nutrimouse$gene[ind.train,]
lipid.train=nutrimouse$lipid[ind.train,]
Y.mat.train=Y.mat[ind.train,]
Y.train=nutrimouse$diet[ind.train]
data.train=list(gene=gene.train,lipid=lipid.train,Y=Y.mat.train)

#test set
gene.test=nutrimouse$gene[-ind.train,]
lipid.test=nutrimouse$lipid[-ind.train,]
Y.mat.test=Y.mat[-ind.train,]
Y.test=nutrimouse$diet[-ind.train]
data.test=list(gene=gene.test,lipid=lipid.test)

# example with block.splsda=diablo=sgccda and a missing block
res.train = block.splsda(X=list(gene=gene.train,lipid=lipid.train),Y=Y.train,
ncomp=3,keepX=list(gene=c(10,10,10),lipid=c(5,5,5)))
test.predict = predict(res.train, newdata=data.test[2], method = "max.dist")

## example with mint.splsda
data(stemcells)

#training set
ind.test = which(stemcells$study == "3")
gene.train = stemcells$gene[-ind.test,]
Y.train = stemcells$celltype[-ind.test]
study.train = factor(stemcells$study[-ind.test])

#test set
gene.test = stemcells$gene[ind.test,]
Y.test = stemcells$celltype[ind.test]
study.test = factor(stemcells$study[ind.test])

res = mint.splsda(X = gene.train, Y = Y.train, ncomp = 3, keepX = c(10, 5, 15),
study = study.train)

pred = predict(res, newdata = gene.test, study.test = study.test)

data.frame(Truth = Y.test, prediction = pred$class$max.dist)

## End(Not run)

```

---

print

*Print Methods for CCA, (s)PLS, PCA and Summary objects*

---

### Description

Produce print methods for class "rcc", "pls", "spls", "pca", "rgcca", "sgcca" and "summary".

### Usage

```
## S3 method for class 'rcc'  
print(x, ...)  
  
## S3 method for class 'pls'  
print(x, ...)  
  
## S3 method for class 'spls'  
print(x, ...)  
  
## S3 method for class 'pca'  
print(x, ...)  
  
## S3 method for class 'spca'  
print(x, ...)  
  
## S3 method for class 'rgcca'  
print(x, ...)  
  
## S3 method for class 'sgcca'  
print(x, ...)  
  
## S3 method for class 'summary'  
print(x, ...)
```

### Arguments

x	object of class inheriting from "rcc", "pls", "spls", "pca", "spca", "rgcca", "sgcca" or "summary".
...	not used currently.

### Details

print method for "rcc", "pls", "spls", "pca", "rgcca", "sgcca" class, returns a description of the x object including: the function used, the regularization parameters (if x of class "rcc"), the (s)PLS algorithm used (if x of class "pls" or "spls"), the samples size, the number of variables selected on each of the sPLS components (if x of class "spls") and the available components of the object.

print method for "summary" class, gives the (s)PLS algorithm used (if x of class "pls" or "spls"), the number of variates considered, the canonical correlations (if x of class "rcc"), the number of variables selected on each of the sPLS components (if x of class "spls") and the available components for Communalities Analysis, Redundancy Analysis and Variable Importance in the Projection (VIP).

### Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

### See Also

[rcc](#), [pls](#), [spls](#), [vip](#).

### Examples

```
## print for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)
print(nutri.res)

## print for objects of class 'summary'
more <- summary(nutri.res, cutoff = 0.65)
print(more)

## print for objects of class 'pls'
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y)
print(linn.pls)

## print for objects of class 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))
print(toxicity.spls)
```

---

rcc

*Regularized Canonical Correlation Analysis*

---

### Description

The function performs the regularized extension of the Canonical Correlation Analysis to seek correlations between two data matrices.



**Usage**

```
rcc(X,
    Y,
    ncomp = 2,
    method = "ridge", #choose between c("ridge", "shrinkage")
    lambda1 = 0,
    lambda2 = 0)
```

**Arguments**

X	numeric matrix or data frame ( $n \times p$ ), the observations on the $X$ variables. NAs are allowed.
Y	numeric matrix or data frame ( $n \times q$ ), the observations on the $Y$ variables. NAs are allowed.
method	One of "ridge" or "shrinkage". If "ridge", lambda1 and lambda2 need to be supplied (see also our function <code>tune.rcc</code> ); if "shrinkage", parameters are directly estimated with Strimmer's formula, see below and reference.
ncomp	the number of components to include in the model. Default to 2.
lambda1, lambda2	a non-negative real. The regularization parameter for the $X$ and $Y$ data. Defaults to lambda1=lambda2=0. Only used if method="ridge"

**Details**

The main purpose of Canonical Correlations Analysis (CCA) is the exploration of sample correlations between two sets of variables  $X$  and  $Y$  observed on the same individuals (experimental units) whose roles in the analysis are strictly symmetric.

The `cancor` function performs the core of computations but additional tools are required to deal with data sets highly correlated (nearly collinear), data sets with more variables than units by example.

The `rcc` function, the regularized version of CCA, is one way to deal with this problem by including a regularization step in the computations of CCA. Such a regularization in this context was first proposed by Vinod (1976), then developed by Leurgans *et al.* (1993). It consists in the regularization of the empirical covariances matrices of  $X$  and  $Y$  by adding a multiple of the matrix identity, that is,  $\text{Cov}(X) + \lambda_1 I$  and  $\text{Cov}(Y) + \lambda_2 I$ .

When lambda1=0 and lambda2=0, `rcc` performs a classical CCA, if possible (i.e. when  $n > p + q$ ).

The shrinkage estimates method = "shrinkage" can be used to bypass `tune.rcc` to choose the shrinkage parameters - which can be long and costly to compute with very large data sets. Note that both functions `tune.rcc` (which uses cross-validation) and the shrinkage parameters (which uses the formula from Schafer and Strimmer) may output different results.

Note: when method = "shrinkage" the input data are centered and scaled for the estimation of the shrinkage parameters and the calculation of the regularised variance-covariance matrices in `rcc`.

The estimation of the missing values can be performed by the reconstitution of the data matrix using the `nipals` function. Otherwise, missing values are handled by casewise deletion in the `rcc` function.

**Value**

rcc returns a object of class "rcc", a list that contains the following components:

X	the original $X$ data.
Y	the original $Y$ data.
cor	a vector containing the canonical correlations.
lambda	a vector containing the regularization parameters whether those were input if ridge method or directly estimated with the shrinkage method.
loadings	list containing the estimated coefficients used to calculate the canonical variates in $X$ and $Y$ .
variates	list containing the canonical variates.
names	list containing the names to be used for individuals and variables.

**Author(s)**

Sébastien Déjean, Ignacio González, Francois Bartolo.

**References**

González, I., Déjean, S., Martin, P. G., and Baccini, A. (2008). CCA: An R package to extend canonical correlation analysis. *Journal of Statistical Software*, 23(12), 1-14.

González, I., Déjean, S., Martin, P., Goncalves, O., Besse, P., and Baccini, A. (2009). Highlighting relationships between heterogeneous biological data through graphical displays based on regularized canonical correlation analysis. *Journal of Biological Systems*, 17(02), 173-199.

Leurgans, S. E., Moyeed, R. A. and Silverman, B. W. (1993). Canonical correlation analysis when the data are curves. *Journal of the Royal Statistical Society. Series B* 55, 725-740.

Vinod, H. D. (1976). Canonical ridge and econometrics of joint production. *Journal of Econometrics* 6, 129-137.

Opgen-Rhein, R., and K. Strimmer. 2007. Accurate ranking of differentially expressed genes by a distribution-free shrinkage approach. *Statist. emphAppl. Genet. Mol. Biol.* 6:9. (<http://www.bepress.com/sagmb/vol6/iss1/a>)

Sch" afer, J., and K. Strimmer. 2005. A shrinkage approach to large-scale covariance estimation and implications for functional genomics. *Statist. emphAppl. Genet. Mol. Biol.* 4:32. (<http://www.bepress.com/sagmb/vol4/iss1/art32/>)

**See Also**

[summary](#), [tune.rcc](#), [plot.rcc](#), [plotIndiv](#), [plotVar](#), [cim](#), [network](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
## Classic CCA
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.res <- rcc(X, Y)
```

```
## Regularized CCA
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res1 <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

## using shrinkage parameters
nutri.res2 <- rcc(X, Y, ncomp = 3, method = 'shrinkage')
nutri.res2$lambda # the shrinkage parameters
```

---

selectVar	<i>Output of selected variables</i>
-----------	-------------------------------------

---

### Description

This function outputs the selected variables on each component for the sparse versions of the approaches (was also generalised to the non sparse versions for our internal functions).

### Usage

```
## S3 method for class 'pls'
selectVar(object, comp =1, block=NULL,...)
## S3 method for class 'pca'
selectVar(object, comp =1, block=NULL,...)
## S3 method for class 'spls'
selectVar(object, comp =1, block=NULL,...)
## S3 method for class 'sgcca'
selectVar(object, comp =1, block=NULL, ...)
## S3 method for class 'rgcca'
selectVar(object, comp =1, block=NULL, ...)
```

### Arguments

object	object of class inheriting from "pls", "spls", "plsda", "splda", "pca", "spca", "sipca".
comp	integer value indicating the component of interest.
block	for an object of class "sgcca", the block data sets can be specified as an input vector, for example c(1,2) for the first two blocks. Default to NULL (all block data sets)
...	other arguments.

**Details**

selectVar provides the variables selected on a given component. \

name outputs the name of the selected variables (provided that the input data have colnames) ranked in decreasing order of importance.

value outputs the loading value for each selected variable, the loadings are ranked according to their absolute value.

These functions are only implemented for the sparse versions.

**Author(s)**

Kim-Anh Lê Cao, Florian Rohart.

**Examples**

```
data(liver.toxicity)
X = liver.toxicity$gene
Y = liver.toxicity$clinic

# example with sPCA
# -----
liver.spca <- spca(X, ncomp = 1, keepX = 10)
selectVar(liver.spca, comp = 1)$name
selectVar(liver.spca, comp = 1)$value

#example with sIPCA
# -----
## Not run:
liver.sipca <- sipca(X, ncomp = 3, keepX = rep(10, 3))
selectVar(liver.sipca, comp = 1)

## End(Not run)

# example with sPLS
# -----
## Not run:
liver.spls = spls(X, Y, ncomp = 2, keepX = c(20, 40),keepY = c(5, 5))
selectVar(liver.spls, comp = 2)

# example with sPLS-DA
data(srbct) # an example with no gene name in the data
X = srbct$gene
Y = srbct$class

srbct.splsda = splsda(X, Y, ncomp = 2, keepX = c(5, 10))
select = selectVar(srbct.splsda, comp = 2)
select
# this is a very specific case where a data set has no rownames.
srbct$gene.name[substr(select$select, 2,5),]

## End(Not run)
```

```

# example with sGCCA
# -----
## Not run:
data(nutrimouse)

# ! need to unmap the Y factor
Y = unmap(nutrimouse$diet)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y)
# in this design, gene expression and lipids are connected to the diet factor
# and gene expression and lipids are also connected
design = matrix(c(0,1,1,
                 1,0,1,
                 1,1,0), ncol = 3, nrow = 3, byrow = T)
#note: the penalty parameters need to be tuned
wrap.result.sgcca = wrapper.sgcca(X = data, design = design, penalty = c(.3, .3, 1),
                                  ncomp = 2,
                                  scheme = "horst")

#variables selected and loadings values on component 1 for the two blocs
selectVar(wrap.result.sgcca, comp = 1, block = c(1,2))

#variables selected on component 1 for each block
selectVar(wrap.result.sgcca, comp = 1, block = c(1,2))$'gene'$name
selectVar(wrap.result.sgcca, comp = 1, block = c(1,2))$'lipid'$name

#variables selected on component 2 for each block
selectVar(wrap.result.sgcca, comp = 2, block = c(1,2))$'gene'$name
selectVar(wrap.result.sgcca, comp = 2, block = c(1,2))$'lipid'$name

# loading value of the variables selected on the first block
selectVar(wrap.result.sgcca, comp = 1, block = 1)$'gene'$value

## End(Not run)

```

---

sipca

*Independent Principal Component Analysis*


---

## Description

Performs sparse independent principal component analysis on the given data matrix to enable variable selection.

## Usage

```

sipca(X, ncomp, mode = c("deflation", "parallel"),
      fun = c("logcosh", "exp"),
      scale = FALSE, max.iter = 200,
      tol = 1e-04, keepX = rep(50, ncomp),
      w.init=NULL)

```

**Arguments**

<code>X</code>	a numeric matrix (or data frame) which provides the data for the principal component analysis.
<code>ncomp</code>	integer, number of independent component to choose. Set by default to 3.
<code>mode</code>	character string. What type of algorithm to use when estimating the unmixing matrix, (partially) matching one of "deflation", "parallel". Default set to deflation.
<code>fun</code>	the function used in approximation to neg-entropy in the FastICA algorithm. Default set to logcosh, see details of FastICA.
<code>scale</code>	a logical value indicating whether rows of the data matrix X should be standardized beforehand.
<code>max.iter</code>	integer, maximum number of iterations to perform.
<code>tol</code>	a positive scalar giving the tolerance at which the un-mixing matrix is considered to have converged, see fastICA package.
<code>keepX</code>	the number of variable to keep on each dimensions.
<code>w.init</code>	initial un-mixing matrix (unlike FastICA, this matrix is fixed here).

**Details**

See Details of ipca.

Soft thresholding is implemented on the independent loading vectors to obtain sparse loading vectors and enable variable selection.

**Value**

`pca` returns a list with class "ipca" containing the following components:

<code>ncomp</code>	the number of principal components used.
<code>unmixing</code>	the unmixing matrix of size (ncomp x ncomp)
<code>mixing</code>	the mixing matrix of size (ncomp x ncomp)
<code>X</code>	the centered data matrix
<code>x</code>	the principal components (with sparse independent loadings)
<code>loadings</code>	the sparse independent loading vectors
<code>kurtosis</code>	the kurtosis measure of the independent loading vectors

**Author(s)**

Fangzhou Yao and Jeff Coquery.

## References

- Yao, F, Coquery, J. and Lê Cao, K.-A. (2011) Principal component analysis with independent loadings: a combination of PCA and ICA. (in preparation)
- A. Hyvarinen and E. Oja (2000) Independent Component Analysis: Algorithms and Applications, *Neural Networks*, **13(4-5)**:411-430
- J L Marchini, C Heaton and B D Ripley (2010). fastICA: FastICA Algorithms to perform ICA and Projection Pursuit. R package version 1.1-13.

## See Also

[ipca](#), [pca](#), [plotIndiv](#), [plotVar](#) and <http://www.mixOmics.org> for more details.

## Examples

```
data(liver.toxicity)

# implement IPCA on a microarray dataset
sipca.res <- sipca(liver.toxicity$gene, ncomp = 3, mode="deflation", keepX=c(50,50,50))
sipca.res

# samples representation
plotIndiv(sipca.res, ind.names = liver.toxicity$treatment[, 4],
          group = as.numeric(as.factor(liver.toxicity$treatment[, 4])))
## Not run:
plotIndiv(sipca.res, cex = 0.01,
          col = as.numeric(as.factor(liver.toxicity$treatment[, 4])),style="3d")

## End(Not run)
# variables representation
plotVar(sipca.res, cex = 2.5)
## Not run:
plotVar(sipca.res, rad.in = 0.5, cex = 2.5,style="3d")

## End(Not run)
```

---

spca

*Sparse Principal Components Analysis*

---

## Description

Performs a sparse principal components analysis to perform variable selection by using singular value decomposition.

## Usage

```
spca(X, ncomp = 2, center = TRUE, scale = TRUE,
     keepX = rep(ncol(X),ncomp), max.iter = 500,
     tol = 1e-06, logratio = 'none', # one of ('none','CLR')
     multilevel = NULL)
```

**Arguments**

<code>X</code>	a numeric matrix (or data frame) which provides the data for the sparse principal components analysis.
<code>ncomp</code>	integer, the number of components to keep.
<code>center</code>	a logical value indicating whether the variables should be shifted to be zero centered. Alternatively, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to <a href="#">scale</a> .
<code>scale</code>	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is TRUE. See details.
<code>max.iter</code>	integer, the maximum number of iterations to check convergence in each component.
<code>tol</code>	a positive real, the tolerance used in the iterative algorithm.
<code>keepX</code>	numeric vector of length <code>ncomp</code> , the number of variables to keep in loading vectors. By default all variables are kept in the model. See details.
<code>logratio</code>	one of ('none', 'CLR'). Specifies the log ratio transformation to deal with compositional values that may arise from specific normalisation in sequencing data. Default to 'none'
<code>multilevel</code>	sample information for multilevel decomposition for repeated measurements.

**Details**

The calculation employs singular value decomposition of the (centered and scaled) data matrix and LASSO to generate sparsity on the loading vectors.

`scale= TRUE` is highly recommended as it will help obtaining orthogonal sparse loading vectors.

`keepX` is the number of variables to keep in loading vectors. The difference between number of columns of `X` and `keepX` is the degree of sparsity, which refers to the number of zeros in each loading vector.

Note that `spca` does not apply to the data matrix with missing values. The biplot function for `spca` is not available.

According to Filzmoser et al., a ILR log ratio transformation is more appropriate for PCA with compositional data. Both CLR and ILR are valid.

`Logratio` transform and `multilevel` analysis are performed sequentially as internal pre-processing step, through [logratio.transfo](#) and [withinVariation](#) respectively.

`Logratio` can only be applied if the data do not contain any 0 value (for count data, we thus advise the normalise raw data with a 1 offset). For ILR transformation and additional offset might be needed.

**Value**

`spca` returns a list with class "`spca`" containing the following components:

<code>ncomp</code>	the number of components to keep in the calculation.
<code>varX</code>	the adjusted cumulative percentage of variances explained.
<code>keepX</code>	the number of variables kept in each loading vector.



iter            the number of iterations needed to reach convergence for each component.  
 rotation       the matrix containing the sparse loading vectors.  
 x               the matrix containing the principal components.

### Author(s)

Kim-Anh Lê Cao, Fangzhou Yao, Leigh Coonan

### References

Shen, H. and Huang, J. Z. (2008). Sparse principal component analysis via regularized low rank matrix approximation. *Journal of Multivariate Analysis* **99**, 1015-1034.

### See Also

[pca](#) and <http://www.mixOmics.org> for more details.

### Examples

```
data(liver.toxicity)
spca.rat <- spca(liver.toxicity$gene, ncomp = 3, keepX = rep(50, 3))
spca.rat

## variable representation
plotVar(spca.rat, cex = 0.5)
## Not run: plotVar(spca.rat, style="3d")

## samples representation
plotIndiv(spca.rat, ind.names = liver.toxicity$treatment[, 3],
          group = as.numeric(liver.toxicity$treatment[, 3]))
## Not run: plotIndiv(spca.rat, cex = 0.01,
                    col = as.numeric(liver.toxicity$treatment[, 3]), style="3d")
## End(Not run)

# example with multilevel decomposition and CLR log ratio transformation
# -----
## Not run:
data("diverse.16S")
pca.res = pca(X = diverse.16S$data.TSS, ncomp = 5,
             logratio = 'CLR', multilevel = diverse.16S$sample)
plot(pca.res)
plotIndiv(pca.res, ind.names = FALSE, group = diverse.16S$bodybsite, title = '16S diverse data',
          legend=TRUE)

## End(Not run)
```

spls

*Sparse Partial Least Squares (sPLS)***Description**

Function to perform sparse Partial Least Squares (sPLS). The sPLS approach combines both integration and variable selection simultaneously on two data sets in a one-step strategy.

**Usage**

```
spls(X,
     Y,
     ncomp = 2,
     mode = c("regression", "canonical", "invariant", "classic"),
     keepX,
     keepY,
     scale = TRUE,
     tol = 1e-06,
     max.iter = 100,
     near.zero.var = FALSE,
     logratio="none",
     multilevel=NULL,
     all.outputs = TRUE)
```

**Arguments**

X	numeric matrix of predictors. NAs are allowed.
Y	numeric vector or matrix of responses (for multi-response models). NAs are allowed. For multilevel analysis, a data frame of up to two columns is accepted.
ncomp	the number of components to include in the model (see Details). Default is set to from one to the rank of X.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
keepX	numeric vector of length ncomp, the number of variables to keep in X-loadings. By default all variables are kept in the model.
keepY	numeric vector of length ncomp, the number of variables to keep in Y-loadings. By default all variables are kept in the model.
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE

logratio	one of ('none','CLR'). Default to 'none'
multilevel	Design matrix for repeated measurement analysis, where multilevel decomposition is required. For a one factor decomposition, the repeated measures on each individual, i.e. the individuals ID is input as the first column. For a 2 level factor decomposition then 2nd AND 3rd columns indicate those factors. See examples.
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

## Details

spls function fit sPLS models with  $1, \dots, ncomp$  components. Multi-response models are fully supported. The  $X$  and  $Y$  datasets can contain missing values.

The type of algorithm to use is specified with the mode argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References and ?pls for more details).

The estimation of the missing values can be performed by the reconstitution of the data matrix using the nipals function. Otherwise, missing values are handled by casewise deletion in the spls function without having to delete the rows with missing data.

logratio transform and multilevel analysis are performed sequentially as internal pre-processing step, through [logratio.transfo](#) and [withinVariation](#) respectively.

Multilevel sPLS enables the integration of data measured on two different data sets on the same individuals. This approach differs from multilevel sPLS-DA as the aim is to select subsets of variables from both data sets that are highly positively or negatively correlated across samples. The approach is unsupervised, i.e. no prior knowledge about the sample groups is included.

## Value

spls returns an object of class "spls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized original response vector or matrix.
ncomp	the number of components included in the model.
mode	the algorithm used to fit the model.
keepX	number of $X$ variables kept in the model on each component.
keepY	number of $Y$ variables kept in the model on each component.
variates	list containing the variates.
loadings	list containing the estimated loadings for the $X$ and $Y$ variates.
names	list containing the names to be used for individuals and variables.
tol	the tolerance used in the iterative algorithm, used for subsequent S3 methods
iter	Number of iterations of the algorithm for each component
max.iter	the maximum number of iterations, used for subsequent S3 methods
nzv	list containing the zero- or near-zero predictors information.

scale	whether scaling was applied per predictor.
logratio	whether log ratio transformation for relative proportion data was applied, and if so, which type of transformation.
explained_variance	amount of variance explained per component (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between data sets).
input.X	numeric matrix of predictors in X that was input, before any saling / logratio / multilevel transformation.
mat.c	matrix of coefficients from the regression of X / residual matrices X on the X-variates, to be used internally by predict.
defl.matrix	residual matrices X for each dimension.

### Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

### References

Sparse PLS: canonical and regression modes:

Lê Cao, K.-A., Martin, P.G.P., Robert-Granie, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* **10**:34.

Lê Cao, K.-A., Rossouw, D., Robert-Granie, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.

Sparse SVD: Shen, H. and Huang, J. Z. (2008). Sparse principal component analysis via regularized low rank matrix approximation. *Journal of Multivariate Analysis* **99**, 1015-1034.

PLS methods: Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic. Chapters 9 and 11.

Abdi H (2010). Partial least squares regression and projection on latent structure regression (PLS Regression). *Wiley Interdisciplinary Reviews: Computational Statistics*, **2**(1), 97-106.

Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.

On multilevel analysis:

Liquet, B., Lê Cao, K.-A., Hocini, H. and Thiebaut, R. (2012) A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *BMC Bioinformatics* **13**:325.

Westerhuis, J. A., van Velzen, E. J., Hoefsloot, H. C., and Smilde, A. K. (2010). Multivariate paired data analysis: multilevel PLS-DA versus OPLS-DA. *Metabolomics*, **6**(1), 119-128.

### See Also

[pls](#), [summary](#), [plotIndiv](#), [plotVar](#), [cim](#), [network](#), [predict](#), [perf](#) and <http://www.mixOmics.org> for more details.

**Examples**

```

data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

toxicity.spls <- spls(X, Y, ncomp = 2, keepX = c(50, 50),
                    keepY = c(10, 10))

toxicity.spls <- spls(X, Y[,1:2,drop=FALSE], ncomp = 5, keepX = c(50, 50))#, mode="canonical")

## Second example: one-factor multilevel analysis with sPLS, selecting a subset of variables
#-----
## Not run:
data(liver.toxicity)
# note: we made up those data, pretending they are repeated measurements
repeat.indiv <- c(1, 2, 1, 2, 1, 2, 1, 2, 3, 3, 4, 3, 4, 3, 4, 4, 5, 6, 5, 5,
6, 5, 6, 7, 7, 8, 6, 7, 8, 7, 8, 8, 9, 10, 9, 10, 11, 9, 9,
10, 11, 12, 12, 10, 11, 12, 11, 12, 13, 14, 13, 14, 13, 14,
13, 14, 15, 16, 15, 16, 15, 16, 15, 16)
summary(as.factor(repeat.indiv)) # 16 rats, 4 measurements each

# this is a spls (unsupervised analysis) so no need to mention any factor in design
# we only perform a one level variation split
design <- data.frame(sample = repeat.indiv)
res.spls.1level <- spls(X = liver.toxicity$gene,
Y=liver.toxicity$clinic,
multilevel = design,
ncomp = 3,
keepX = c(50, 50, 50), keepY = c(5, 5, 5),
mode = 'canonical')

# set up colors and pch for plotIndiv
col.stimu <- 1:nlevels(design$stimu)

plotIndiv(res.spls.1level, rep.space = 'X-variate', ind.names = FALSE,
group = liver.toxicity$treatment$Dose.Group,
pch = 20, main = 'Gene expression subspace',
legend = TRUE)

plotIndiv(res.spls.1level, rep.space = 'Y-variate', ind.names = FALSE,
group = liver.toxicity$treatment$Dose.Group,
pch = 20, main = 'Clinical measurements ssubspace',
legend = TRUE)

plotIndiv(res.spls.1level, rep.space = 'XY-variate', ind.names = FALSE,
group = liver.toxicity$treatment$Dose.Group,
pch = 20, main = 'Both Gene expression and Clinical subspaces',
legend = TRUE)

## End(Not run)

```

```
## Third example: two-factor multilevel analysis with sPLS, selecting a subset of variables
#-----
## Not run:
data(liver.toxicity)
dose <- as.factor(liver.toxicity$treatment$Dose.Group)
time <- as.factor(liver.toxicity$treatment$Time.Group)
# note: we made up those data, pretending they are repeated measurements
repeat.indiv <- c(1, 2, 1, 2, 1, 2, 1, 2, 3, 3, 4, 3, 4, 3, 4, 4, 5, 6, 5, 5,
                 6, 5, 6, 7, 7, 8, 6, 7, 8, 7, 8, 8, 9, 10, 9, 10, 11, 9, 9,
                 10, 11, 12, 12, 10, 11, 12, 11, 12, 13, 14, 13, 14, 13, 14,
                 13, 14, 15, 16, 15, 16, 15, 16, 15, 16)
summary(as.factor(repeat.indiv)) # 16 rats, 4 measurements each
design <- data.frame(sample = repeat.indiv, dose = dose, time = time)

res.spls.2level = spls(liver.toxicity$gene,
                      Y = liver.toxicity$clinic,
                      multilevel = design,
                      ncomp=2,
                      keepX = c(10,10), keepY = c(5,5))

## End(Not run)
```

---

splstda

*Sparse Partial Least Squares Discriminant Analysis (sPLS-DA)*


---

## Description

Function to perform sparse Partial Least Squares to classify samples (supervised analysis) and select variables.

## Usage

```
splstda(X,
Y,
ncomp = 2,
mode = c("regression", "canonical", "invariant", "classic"),
keepX,
scale = TRUE,
tol = 1e-06,
max.iter = 100,
near.zero.var = FALSE,
logratio="none", # one of "none", "CLR"
multilevel=NULL,
all.outputs = TRUE)
```

**Arguments**

<code>X</code>	numeric matrix of predictors. NAs are allowed.
<code>Y</code>	a factor or a class vector for the discrete outcome.
<code>ncomp</code>	the number of components to include in the model (see Details). Default is set to from one to the rank of $X$ .
<code>mode</code>	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
<code>keepX</code>	numeric vector of length <code>ncomp</code> , the number of variables to keep in $X$ -loadings. By default all variables are kept in the model.
<code>scale</code>	boolean. If <code>scale = TRUE</code> , each block is standardized to zero means and unit variances (default: <code>TRUE</code> )
<code>tol</code>	Convergence stopping value.
<code>max.iter</code>	integer, the maximum number of iterations.
<code>near.zero.var</code>	boolean, see the internal <code>nearZeroVar</code> function (should be set to <code>TRUE</code> in particular for data with many zero values). Setting this argument to <code>FALSE</code> (when appropriate) will speed up the computations. Default value is <code>FALSE</code>
<code>logratio</code>	one of ('none', 'CLR') specifies the log ratio transformation to deal with compositional values that may arise from specific normalisation in sequencing data. Default to 'none'
<code>multilevel</code>	sample information for multilevel decomposition for repeated measurements. A numeric matrix or data frame indicating the repeated measures on each individual, i.e. the individuals ID. See examples.
<code>all.outputs</code>	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = <code>TRUE</code> .

**Details**

`splstda` function fits an sPLS model with  $1, \dots, ncomp$  components to the factor or class vector  $Y$ . The appropriate indicator (dummy) matrix is created. Logratio transform and multilevel analysis are performed sequentially as internal pre-processing step, through `logratio.transfo` and `withinVariation` respectively.

Logratio can only be applied if the data do not contain any 0 value (for count data, we thus advise the normalise raw data with a 1 offset).

More details about the PLS modes in `?pls`.

**Value**

`splstda` returns an object of class "splstda", a list that contains the following components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized indicator response vector or matrix.
<code>ind.mat</code>	the indicator matrix.
<code>ncomp</code>	the number of components included in the model.

<code>keepX</code>	number of $X$ variables kept in the model on each component.
<code>variates</code>	list containing the variates.
<code>loadings</code>	list containing the estimated loadings for the $X$ and $Y$ variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.
<code>tol</code>	the tolerance used in the iterative algorithm, used for subsequent S3 methods
<code>iter</code>	Number of iterations of the algorithm for each component
<code>max.iter</code>	the maximum number of iterations, used for subsequent S3 methods
<code>scale</code>	boolean indicating whether the data were scaled in MINT S3 methods
<code>logratio</code>	whether logratio transformations were used for compositional data
<code>explained_variance</code>	amount of variance explained per component (note that contrary to PCA, this amount may not decrease as the aim of the method is not to maximise the variance, but the covariance between $X$ and the dummy matrix $Y$ ).
<code>mat.c</code>	matrix of coefficients from the regression of $X$ / residual matrices $X$ on the $X$ -variates, to be used internally by <code>predict</code> .
<code>defl.matrix</code>	residual matrices $X$ for each dimension.

**Author(s)**

Florian Rohart, Ignacio González, Kim-Anh Lê Cao.

**References**

On sPLS-DA: Lê Cao, K.-A., Boitard, S. and Besse, P. (2011). Sparse PLS Discriminant Analysis: biologically relevant feature selection and graphical displays for multiclass problems. *BMC Bioinformatics* **12**:253. On log ratio transformations: Filzmoser, P., Hron, K., Reimann, C.: Principal component analysis for compositional data with outliers. *Environmetrics* 20(6), 621-632 (2009) Lê Cao K.-A., Costello ME, Lakis VA, Bartolo, F, Chua XY, Brazeilles R, Rondeau P. MixMC: Multivariate insights into Microbial Communities. *PLoS ONE*, 11(8): e0160169 (2016). On multilevel decomposition: Westerhuis, J.A., van Velzen, E.J., Hoefsloot, H.C., Smilde, A.K.: Multivariate paired data analysis: multilevel plsda versus opllda. *Metabolomics* 6(1), 119-128 (2010) Liqueur, B., Lê Cao K.-A., Hocini, H., Thiebaut, R.: A novel approach for biomarker selection and the integration of repeated measures experiments from two assays. *BMC bioinformatics* 13(1), 325 (2012)

**See Also**

[spl](#), [summary](#), [plotIndiv](#), [plotVar](#), [cim](#), [network](#), [predict](#), [perf](#), [mint.block.spllda](#), [block.spllda](#) and <http://www.mixOmics.org> for more details.



**Examples**

```

## First example
data(breast.tumors)
X <- breast.tumors$gene.exp
# Y will be transformed as a factor in the function,
# but we set it as a factor to set up the colors.
Y <- as.factor(breast.tumors$sample$treatment)

res <- splsda(X, Y, ncomp = 2, keepX = c(25, 25))

# individual names appear
plotIndiv(res, ind.names = Y, legend = TRUE, ellipse = TRUE)

## Second example: one-factor analysis with sPLS-DA, selecting a subset of variables
# as in the paper Liquet et al.
#-----
data(vac18)
X <- vac18$genes
Y <- vac18$stimulation
# sample indicates the repeated measurements
design <- data.frame(sample = vac18$sample)
Y = data.frame(stimul = vac18$stimulation)

# multilevel sPLS-DA model
res.1level <- splsda(X, Y = Y, ncomp = 3, multilevel = design,
  keepX = c(30, 137, 123))

# set up colors for plotIndiv
col.stim <- c("darkblue", "purple", "green4", "red3")
plotIndiv(res.1level, ind.names = Y, col.per.group = col.stim)

## Third example: two-factor analysis with sPLS-DA, selecting a subset of variables
# as in the paper Liquet et al.
#-----
## Not run:
data(vac18.simulated) # simulated data

X <- vac18.simulated$genes
design <- data.frame(sample = vac18.simulated$sample)
Y = data.frame( stimu = vac18.simulated$stimulation,
  time = vac18.simulated$time)

res.2level <- splsda(X, Y = Y, ncomp = 2, multilevel = design,
  keepX = c(200, 200))

plotIndiv(res.2level, group = Y$stimu, ind.names = vac18.simulated$time,
  legend = TRUE, style = 'lattice')

## End(Not run)

```

```

## Fourth example: with more than two classes
# -----
## Not run:
data(liver.toxicity)
X <- as.matrix(liver.toxicity$gene)
# Y will be transformed as a factor in the function,
# but we set it as a factor to set up the colors.
Y <- as.factor(liver.toxicity$treatment[, 4])

splstda.liver <- splstda(X, Y, ncomp = 2, keepX = c(20, 20))

# individual name is set to the treatment
plotIndiv(splstda.liver, ind.names = Y, ellipse = TRUE, legend = TRUE)

## End(Not run)

## Fifth example: 16S data with multilevel decomposition and log ratio transformation
# -----
## Not run:
splstda.16S = splstda(
X = diverse.16S$data.TSS, # TSS normalised data
Y = diverse.16S$body-site,
multilevel = diverse.16S$sample, # multilevel decomposition
ncomp = 2,
keepX = c(10, 150),
logratio= 'CLR') # CLR log ratio transformation

plotIndiv(splstda.16S, ind.names = FALSE, pch = 16, ellipse = TRUE, legend = TRUE)
#OTUs selected at the family level
diverse.16S$taxonomy[selectVar(splstda.16S, comp = 1)$name, 'Family']

## End(Not run)

```

---

srbct

*Small version of the small round blue cell tumors of childhood data*


---

## Description

This data set from Khan *et al.*, (2001) gives the expression measure of 2308 genes measured on 63 samples.

## Usage

```
data(srbct)
```

## Format

A list containing the following components:

gene data frame with 63 rows and 2308 columns. The expression measure of 2308 genes for the 63 subjects.

class A class vector containing the class tumour of each case (4 classes in total).

gene.name data frame with 2308 rows and 2 columns containing further information on the genes.

### Source

<http://research.nhgri.nih.gov/microarray/Supplement>

### References

Khan et al. (2001). Classification and diagnostic prediction of cancers using gene expression profiling and artificial neural networks. *Nature Medicine* 7, Number 6, June.

---

stemcells

*Human Stem Cells Data*

---

### Description

This data set contains the expression of a random subset of 400 genes in 125 samples from 4 independent studies and 3 cell types.

### Usage

```
data(stemcells)
```

### Format

A list containing the following components:

gene data matrix with 125 rows and 400 columns. Each row represents an experimental sample, and each column a single gene.

celltype a factor indicating the cell type of each sample.

study a factor indicating the study from which the sample was extracted.

### Details

This data set contains the expression of a random subset of 400 genes in 125 samples from 4 independent studies and 3 cell types. Those studies can be combined and analysed using the MINT procedure.

### References

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

---

study_split	<i>divides a data matrix in a list of matrices defined by a factor</i>
-------------	--

---

**Description**

study\_split divides a data matrix in a list of matrices defined by a study input.

**Usage**

```
study_split(data, study)
```

**Arguments**

data	numeric matrix of predictors
study	grouping factor indicating which samples are from the same study

**Value**

study\_split simply returns a list of the same length as the number of levels of study that contains submatrices of data.

**Author(s)**

Florian Rohart

**See Also**

[mint.pls](#), [mint.spls](#), [mint.plsda](#), [mint.splsda](#).

**Examples**

```
data = stemcells$gene
exp = stemcells$study

data.list = study_split(data, exp)

names(data.list)
lapply(data.list, dim)
table(exp)
```

**Description**

Produce summary methods for class "rcc", "pls" and "spls".

**Usage**

```
## S3 method for class 'rcc'
summary(object, what = c("all", "communalities", "redundancy"),
        cutoff = NULL, digits = 4, ...)

## S3 method for class 'pls'
summary(object, what = c("all", "communalities", "redundancy",
                        "VIP"), digits = 4, keep.var = FALSE, ...)

## S3 method for class 'spls'
summary(object, what = c("all", "communalities", "redundancy",
                        "VIP"), digits = 4, keep.var = FALSE, ...)
```

**Arguments**

object	object of class inheriting from "rcc", "pls" or "spls".
cutoff	real between 0 and 1. Variables with all correlations components below this cutoff in absolute value are not showed (see Details).
digits	integer, the number of significant digits to use when printing. Defaults to 4.
what	character string or vector. Should be a subset of c("all", "summarised", "communalities", "redundancy", "VIP"). "VIP" is only available for (s)PLS. See Details.
keep.var	boolean. If TRUE only the variables with loadings not zero (as selected by spls) are showed. Defaults to FALSE.
...	not used currently.

**Details**

The information in the rcc, pls or spls object is summarised, it includes: the dimensions of X and Y data, the number of variates considered, the canonical correlations (if object of class "rcc") and the (s)PLS algorithm used (if object of class "pls" or "spls") and the number of variables selected on each of the sPLS components (if x of class "spls").

"communalities" in what gives Communalities Analysis. "redundancy" display Redundancy Analysis. "VIP" gives the Variable Importance in the Projection (VIP) coefficients fit by pls or spls. If what is "all", all are given.

For class "rcc", when a value to cutoff is specified, the correlations between each variable and the equiangular vector between X- and Y-variates are computed. Variables with at least one correlation

componente bigger than cutoff are showed. The defaults is cutoff=NULL all the variables are given.

### Value

The function `summary` returns a list with components:

<code>ncomp</code>	the number of components in the model.
<code>cor</code>	the canonical correlations.
<code>cutoff</code>	the cutoff used.
<code>keep.var</code>	list containing the name of the variables selected.
<code>mode</code>	the algorithm used in pls or spls.
<code>Cm</code>	list containing the communalities.
<code>Rd</code>	list containing the redundancy.
<code>VIP</code>	matrix of VIP coefficients.
<code>what</code>	subset of <code>c("all", "communalities", "redundancy", "VIP")</code> .
<code>digits</code>	the number of significant digits to use when printing.
<code>method</code>	method used: <code>rcc</code> , <code>pls</code> or <code>spls</code> .

### Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

### See Also

[rcc](#), [pls](#), [spls](#), [vip](#).

### Examples

```
## summary for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)
more <- summary(nutri.res, cutoff = 0.65)

## summary for objects of class 'pls'
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y)
more <- summary(linn.pls)

## summary for objects of class 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))
more <- summary(toxicity.spls, what = "redundancy", keep.var = TRUE)
```

---

tune	<i>Generic function to choose the parameters in the different methods in mixOmics</i>
------	---

---

### Description

Wrapper of all tuning functions.

### Usage

```
tune(method,
      X,
      Y,
      multilevel,
      ncomp,
      study, # mint.splsda
      test.keepX = c(5, 10, 15), # all but pca, rcc
      test.keepY = NULL, # rcc, multilevel
      already.tested.X, # all but pca, rcc
      already.tested.Y, #multilevel
      mode = "regression", # multilevel
      nrepeat = 1, #multilevel, splsda
      grid1 = seq(0.001, 1, length = 5), # rcc
      grid2 = seq(0.001, 1, length = 5), # rcc
      validation = "Mfold", # all but pca
      folds = 10, # all but pca
      dist = "max.dist", # all but pca, rcc
      measure = c("BER"), # all but pca, rcc
      auc = FALSE,
      progressBar = TRUE, # all but pca, rcc
      near.zero.var = FALSE, # all but pca, rcc
      logratio = "none", # all but pca, rcc
      center = TRUE, # pca
      scale = TRUE, # mint, splsda
      max.iter = 100, #pca
      tol = 1e-09,
      light.output = TRUE # mint, splsda
    )
```

### Arguments

method	This parameter is used to pass all other argument to the suitable function. method has to be one of the following: "spl", "splsda", "mint.splsda", "rcc", "pca".
X	numeric matrix of predictors. NAs are allowed.
Y	Either a factor or a class vector for the discrete outcome, or a numeric vector or matrix of continuous responses (for multi-response models).

<code>multilevel</code>	Design matrix for multilevel analysis (for repeated measurements) that indicates the repeated measures on each individual, i.e. the individuals ID. See Details.
<code>ncomp</code>	the number of components to include in the model.
<code>study</code>	grouping factor indicating which samples are from the same study
<code>test.keepX</code>	numeric vector for the different number of variables to test from the $X$ data set
<code>test.keepY</code>	If <code>method = 'splsc'</code> , numeric vector for the different number of variables to test from the $Y$ data set
<code>already.tested.X</code>	Optional, if <code>ncomp &gt; 1</code> A numeric vector indicating the number of variables to select from the $X$ data set on the first components.
<code>already.tested.Y</code>	if <code>method = 'splsc'</code> and if ( <code>ncomp &gt; 1</code> ) numeric vector indicating the number of variables to select from the $Y$ data set on the first components
<code>mode</code>	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.
<code>nrepeat</code>	Number of times the Cross-Validation process is repeated.
<code>grid1, grid2</code>	vector numeric defining the values of <code>lambda1</code> and <code>lambda2</code> at which cross-validation score should be computed. Defaults to <code>grid1=grid2=seq(0.001, 1, length=5)</code> .
<code>validation</code>	character. What kind of (internal) validation to use, matching one of "Mfold" or "loo" (see below). Default is "Mfold".
<code>fold</code>	the folds in the Mfold cross-validation. See Details.
<code>dist</code>	distance metric to use for <code>splscda</code> to estimate the classification error rate, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see Details).
<code>measure</code>	Two misclassification measures are available: overall misclassification error <code>overall</code> or the Balanced Error Rate <code>BER</code>
<code>auc</code>	if <code>TRUE</code> calculate the Area Under the Curve (AUC) performance of the model.
<code>progressBar</code>	by default set to <code>TRUE</code> to output the progress bar of the computation.
<code>near.zero.var</code>	boolean, see the internal <code>nearZeroVar</code> function (should be set to <code>TRUE</code> in particular for data with many zero values). Default value is <code>FALSE</code>
<code>logratio</code>	one of ('none', 'CLR'). Default to 'none'
<code>center</code>	a logical value indicating whether the variables should be shifted to be zero centered. Alternately, a vector of length equal the number of columns of $X$ can be supplied. The value is passed to <code>scale</code> .
<code>scale</code>	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is <code>FALSE</code> for consistency with <code>prcomp</code> function, but in general scaling is advisable. Alternatively, a vector of length equal the number of columns of $X$ can be supplied. The value is passed to <code>scale</code> .
<code>max.iter</code>	integer, the maximum number of iterations for the NIPALS algorithm.
<code>tol</code>	a positive real, the tolerance used for the NIPALS algorithm.
<code>light.output</code>	if set to <code>FALSE</code> , the prediction/classification of each sample for each of <code>test.keepX</code> and each component is returned.



## Details

The tune function called the function predict. more details about most arguments are detailed in ?predict.

Also see the help file corresponding to your method, e.g. tune.splsda. Note that only the arguments used in the tune function corresponding to method are passed on.

Some details on the use of the nrepeat argument are provided in ?perf.

More details about the prediction distances in ?predict and the supplemental material of the mixOmics article (Rohart et al. 2017). More details about the PLS modes are in ?pls.

## Value

Depending on the type of analysis performed and the input arguments, a list that may contain:

error.rate	returns the prediction error for each test.keepX on each component, averaged across all repeats and subsampling folds. Standard deviation is also output. All error rates are also available as a list.
choice.keepX	returns the number of variables selected (optimal keepX) on each component.
choice.ncomp	For supervised models; returns the optimal number of components for the model for each prediction distance using one-sided t-tests that test for a significant difference in the mean error rate (gain in prediction) when components are added to the model. See more details in Rohart et al 2017 Suppl. For more than one block, an optimal ncomp is returned for each prediction framework.
error.rate.class	returns the error rate for each level of Y and for each component computed with the optimal keepX
predict	Prediction values for each sample, each test.keepX, each comp and each repeat. Only if light.output=FALSE
class	Predicted class for each sample, each test.keepX, each comp and each repeat. Only if light.output=FALSE
auc	AUC mean and standard deviation if the number of categories in Y is greater than 2, see details above. Only if auc = TRUE
cor.value	only if multilevel analysis with 2 factors: correlation between latent variables.

## Author(s)

Florian Rohart

## References

DIABLO:

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO - multi omics integration for biomarker discovery.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

**MINT:**

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. *BMC Bioinformatics* 18:128.

PLS and PLS criteria for PLS regression: Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.

Chavent, Marie and Patouille, Brigitte (2003). Calcul des coefficients de regression et du PRESS en regression PLS1. *Modulad n*, 30 1-11. (this is the formula we use to calculate the Q2 in perf.pls and perf.spls)

Mevik, B.-H., Cederkvist, H. R. (2004). Mean Squared Error of Prediction (MSEP) Estimates for Principal Component Regression (PCR) and Partial Least Squares Regression (PLSR). *Journal of Chemometrics* 18(9), 422-429.

sparse PLS regression mode:

Lê Cao, K. A., Rossouw D., Robert-Granie, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* 7, article 35.

One-sided t-tests (suppl material):

Rohart F, Mason EA, Matigian N, Mosbergen R, Korn O, Chen T, Butcher S, Patel J, Atkinson K, Khosrotehrani K, Fisk NM, Lê Cao K-A&, Wells CA& (2016). A Molecular Classification of Human Mesenchymal Stromal Cells. *PeerJ* 4:e1845.

**See Also**

[tune.rcc](#), [tune.mint.splsda](#), [tune.pca](#), [tune.splsda](#), [tune.splslevel](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
## sPLS-DA
## Not run:
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- as.factor(breast.tumors$sample$treatment)
tune= tune(method = "splsda", X, Y, ncomp=1, nrepeat=10, logratio="none",
           test.keepX = c(5, 10, 15), folds=10, dist="max.dist", progressBar = TRUE)

plot(tune)

## End(Not run)

## mint.splsda
## Not run:
data(stemcells)
data = stemcells$gene
type.id = stemcells$celltype
exp = stemcells$study
```

```
out = tune(method="mint.splsda", X=data,Y=type.id, ncomp=2, study=exp, test.keepX=seq(1,10,1))
out$choice.keepX

plot(out)

## End(Not run)
```

---

tune.block.splsda	<i>Tuning function for block.splsda method (N-integration with sparse Discriminant Analysis)</i>
-------------------	--

---

## Description

Computes M-fold or Leave-One-Out Cross-Validation scores based on a user-input grid to determine the optimal parsity parameters values for method `block.splsda`.

## Usage

```
tune.block.splsda(X, Y,
  indY,
  ncomp = 2,
  test.keepX,
  already.tested.X,
  validation = "Mfold",
  folds = 10,
  dist = "max.dist",
  measure = "BER",
  weighted = TRUE,
  progressBar = TRUE,
  tol = 1e-06,
  max.iter = 100,
  near.zero.var = FALSE,
  nrepeat = 1,
  design,
  scheme= "horst",
  scale = TRUE,
  init = "svd",
  light.output = TRUE,
  cpus,
  name.save=NULL
)
```

**Arguments**

<code>X</code>	numeric matrix of predictors. NAs are allowed.
<code>Y</code>	if( <code>method = 'splS'</code> ) numeric vector or matrix of continuous responses (for multi-response models) NAs are allowed.
<code>indY</code>	To be supplied if <code>Y</code> is missing, indicates the position of the matrix / vector response in the list <code>X</code>
<code>ncomp</code>	the number of components to include in the model.
<code>test.keepX</code>	A list of length the number of blocks in <code>X</code> (without the outcome). Each entry of this list is a numeric vector for the different <code>keepX</code> values to test for that specific block.
<code>already.tested.X</code>	Optional, if <code>ncomp &gt; 1</code> A numeric vector indicating the number of variables to select from the <code>X</code> data set on the firsts components.
<code>validation</code>	character. What kind of (internal) validation to use, matching one of "Mfold" or "loo" (see below). Default is "Mfold".
<code>folds</code>	the folds in the Mfold cross-validation. See Details.
<code>dist</code>	distance metric to use for <code>splsda</code> to estimate the classification error rate, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see Details).
<code>measure</code>	Two misclassification measure are available: overall misclassification error <code>overall</code> or the Balanced Error Rate <code>BER</code>
<code>weighted</code>	tune using either the performance of the Majority vote or the Weighted vote.
<code>progressBar</code>	by default set to <code>TRUE</code> to output the progress bar of the computation.
<code>tol</code>	Convergence stopping value.
<code>max.iter</code>	integer, the maximum number of iterations.
<code>near.zero.var</code>	boolean, see the internal <code>nearZeroVar</code> function (should be set to <code>TRUE</code> in particular for data with many zero values). Default value is <code>FALSE</code>
<code>nrepeat</code>	Number of times the Cross-Validation process is repeated.
<code>design</code>	numeric matrix of size (number of blocks in <code>X</code> ) x (number of blocks in <code>X</code> ) with 0 or 1 values. A value of 1 (0) indicates a relationship (no relationship) between the blocks to be modelled. If <code>Y</code> is provided instead of <code>indY</code> , the design matrix is changed to include relationships to <code>Y</code> .
<code>scheme</code>	Either "horst", "factorial" or "centroid". Default = centroid, see reference.
<code>scale</code>	boolean. If <code>scale = TRUE</code> , each block is standardized to zero means and unit variances. Default = <code>TRUE</code> .
<code>init</code>	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of <code>X</code> with <code>Y</code> ("svd") or each block independently ("svd.single"). Default = <code>svd</code> .
<code>light.output</code>	if set to <code>FALSE</code> , the prediction/classification of each sample for each of <code>test.keepX</code> and each comp is returned.
<code>cpus</code>	Number of cpus to use when running the code in parallel.
<code>name.save</code>	character string for the name of the file to be saved.

## Details

This tuning function should be used to tune the `keepX` parameters in the `block.splsda` function (N-integration with sparse Discriminant Analysis).

M-fold or LOO cross-validation is performed with stratified subsampling where all classes are represented in each fold.

If `validation = "Mfold"`, M-fold cross-validation is performed. The number of folds to generate is to be specified in the argument `fold`s.

If `validation = "loo"`, leave-one-out cross-validation is performed. By default `fold`s is set to the number of unique individuals.

All combination of `test.keepX` values are tested. A message informs how many will be fitted on each component for a given `test.keepX`.

More details about the prediction distances in `?predict` and the supplemental material of the *mixOmics* article (Rohart et al. 2017). Details about the PLS modes are in `?pls`.

BER is appropriate in case of an unbalanced number of samples per class as it calculates the average proportion of wrongly classified samples in each class, weighted by the number of samples in each class. BER is less biased towards majority classes during the performance assessment.

## Value

A list that contains:

<code>error.rate</code>	returns the prediction error for each <code>test.keepX</code> on each component, averaged across all repeats and subsampling folds. Standard deviation is also output. All error rates are also available as a list.
<code>choice.keepX</code>	returns the number of variables selected (optimal <code>keepX</code> ) on each component, for each block.
<code>choice.ncomp</code>	returns the optimal number of components for the model fitted with <code>\$choice.keepX</code> .
<code>error.rate.class</code>	returns the error rate for each level of Y and for each component computed with the optimal <code>keepX</code>
<code>predict</code>	Prediction values for each sample, each <code>test.keepX</code> , each comp and each repeat. Only if <code>light.output=FALSE</code>
<code>class</code>	Predicted class for each sample, each <code>test.keepX</code> , each comp and each repeat. Only if <code>light.output=FALSE</code>
<code>cor.value</code>	compute the correlation between latent variables for two-factor sPLS-DA analysis.

## Author(s)

Florian Rohart, Amrit Singh, Kim-Anh Lê Cao.

## References

Method:

Singh A., Gautier B., Shannon C., Vacher M., Rohart F., Tebbutt S. and Lê Cao K.A. (2016). DIABLO: multi omics integration for biomarker discovery.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

## See Also

[block.splsda](#) and <http://www.mixOmics.org> for more details.

## Examples

```
## Not run:
data("breast.TCGA")
# this is the X data as a list of mRNA and miRNA; the Y data set is a single data set of proteins
data = list(mrna = breast.TCGA$data.train$mrna, mirna = breast.TCGA$data.train$mirna,
protein = breast.TCGA$data.train$protein)
# set up a full design where every block is connected
# could also consider other weights, see our mixOmics manuscript
design = matrix(1, ncol = length(data), nrow = length(data),
              dimnames = list(names(data), names(data)))
diag(design) = 0
design
# set number of component per data set
ncomp = 5

# Tuning the first two components
# -----

# definition of the keepX value to be tested for each block mRNA miRNA and protein
# names of test.keepX must match the names of 'data'
test.keepX = list(mrna = seq(10,40,20), mirna = seq(10,30,10), protein = seq(1,10,5))

# the following may take some time to run, note that for through tuning
# nrepeat should be > 1
tune = tune.block.splsda(X = data, Y = breast.TCGA$data.train$subtype,
ncomp = ncomp, test.keepX = test.keepX, design = design, nrepeat = 3)

tune$choice.ncomp
tune$choice.keepX

# Only tuning the second component
# -----

already.mrna = 4 # 4 variables selected on comp1 for mrna
already.mirna = 2 # 2 variables selected on comp1 for mirna
```

```

already.prot = 1 # 1 variables selected on comp1 for protein

already.tested.X = list(mrna = already.mrna, mirna = already.mirna, prot = already.prot)

tune = tune.block.splsda(X = data, Y = breast.TCGA$data.train$subtype,
ncomp = 2, test.keepX = test.keepX, design = design,
already.tested.X = already.tested.X)

tune$choice.keepX

## End(Not run)

```

tune.mint.splsda

*Estimate the parameters of mint.splsda method***Description**

Computes Leave-One-Group-Out-Cross-Validation (LOGOCV) scores on a user-input grid to determine optimal values for the sparsity parameters in `mint.splsda`.

**Usage**

```

tune.mint.splsda(X, Y, ncomp = 1, study, test.keepX = c(5, 10, 15), already.tested.X,
dist = "max.dist", measure = "BER", auc = FALSE, progressBar = TRUE,
scale = TRUE, tol = 1e-06, max.iter = 100, near.zero.var = FALSE, light.output = TRUE )

```

**Arguments**

<code>X</code>	numeric matrix of predictors. NAs are allowed.
<code>Y</code>	Outcome. Numeric vector or matrix of responses (for multi-response models)
<code>ncomp</code>	Number of components to include in the model (see Details). Default to 1
<code>study</code>	grouping factor indicating which samples are from the same study
<code>test.keepX</code>	numeric vector for the different number of variables to test from the $X$ data set
<code>already.tested.X</code>	if <code>ncomp &gt; 1</code> Numeric vector indicating the number of variables to select from the $X$ data set on the firsts components
<code>dist</code>	only applies to an object inheriting from "plsda" or "splsda" to evaluate the classification performance of the model. Should be a subset of "max.dist", "centroids.dist", "mahalanobis.dist". Default is "all". See <a href="#">predict</a> .
<code>measure</code>	Two misclassification measure are available: overall misclassification error overall or the Balanced Error Rate BER
<code>auc</code>	if TRUE calculate the Area Under the Curve (AUC) performance of the model.
<code>progressBar</code>	by default set to TRUE to output the progress bar of the computation.

scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default value is FALSE
light.output	if set to FALSE, the prediction/classification of each sample for each of test.keepX and each comp is returned.

### Details

This function performs a Leave-One-Group-Out-Cross-Validation (LOGOCV), where each of study is left out once. It returns a list of variables of X that were selected on each of the ncomp components. Then, a [mint.splsda](#) can be performed with keepX set as the output choice.keepX.

All component 1 : ncomp are tuned, except the first ones for which a already.tested.X is provided. See examples below.

The function outputs the optimal number of components that achieve the best performance based on the overall error rate or BER. The assessment is data-driven and similar to the process detailed in (Rohart et al., 2016), where one-sided t-tests assess whether there is a gain in performance when adding a component to the model. Our experience has shown that in most case, the optimal number of components is the number of categories in Y - 1, but it is worth tuning a few extra components to check (see our website and case studies for more details).

BER is appropriate in case of an unbalanced number of samples per class as it calculates the average proportion of wrongly classified samples in each class, weighted by the number of samples in each class. BER is less biased towards majority classes during the performance assessment.

More details about the prediction distances in ?predict and the supplemental material of the mixOmics article (Rohart et al. 2017).

### Value

The returned value is a list with components:

error.rate	returns the prediction error for each test.keepX on each component, averaged across all repeats and subsampling folds. Standard deviation is also output. All error rates are also available as a list.
choice.keepX	returns the number of variables selected (optimal keepX) on each component.
choice.ncomp	returns the optimal number of components for the model fitted with \$choice.keepX
error.rate.class	returns the error rate for each level of Y and for each component computed with the optimal keepX
predict	Prediction values for each sample, each test.keepX and each comp.
class	Predicted class for each sample, each test.keepX and each comp.

### Author(s)

Florian Rohart



## References

Rohart F, Eslami A, Matigian, N, Bougeard S, Lê Cao K-A (2017). MINT: A multivariate integrative approach to identify a reproducible biomarker signature across multiple experiments and platforms. BMC Bioinformatics 18:128.

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

## See Also

[mint.splsda](#) and <http://www.mixOmics.org> for more details.

## Examples

```
data(stemcells)
data = stemcells$gene
type.id = stemcells$celltype
exp = stemcells$study

res = mint.splsda(X=data,Y=type.id,ncomp=3,keepX=c(10,5,15),study=exp)
out = tune.mint.splsda(X=data,Y=type.id,ncomp=2,near.zero.var=FALSE,
study=exp,test.keepX=seq(1,10,1))

out$choice.ncomp
out$choice.keepX

## Not run:
out = tune.mint.splsda(X=data,Y=type.id,ncomp=2,near.zero.var=FALSE,
study=exp,test.keepX=seq(1,10,1))
out$choice.keepX

## only tune component 2 and keeping 10 genes on comp1
out = tune.mint.splsda(X=data,Y=type.id,ncomp=2, study=exp,
already.tested.X = c(10),
test.keepX=seq(1,10,1))
out$choice.keepX

## End(Not run)
```

---

tune.pca

*Tune the number of principal components in PCA*

---

## Description

tune.pca can be used to quickly visualise the proportion of explained variance for a large number of principal components in PCA.

**Usage**

```
tune.pca(X, ncomp = NULL, center = TRUE, scale = FALSE,
max.iter = 500, tol = 1e-09, logratio = 'none',
V = NULL, multilevel = NULL)
```

**Arguments**

<code>X</code>	a numeric matrix (or data frame) which provides the data for the principal components analysis. It can contain missing values.
<code>ncomp</code>	integer, the number of components to initially analyse in <code>tune.pca</code> to choose a final <code>ncomp</code> for <code>pca</code> . If <code>NULL</code> , function sets <code>ncomp = min(nrow(X), ncol(X))</code>
<code>center</code>	a logical value indicating whether the variables should be shifted to be zero centered. Alternately, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to <a href="#">scale</a> .
<code>scale</code>	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is <code>FALSE</code> for consistency with <code>prcomp</code> function, but in general scaling is advisable. Alternatively, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to <a href="#">scale</a> .
<code>max.iter</code>	integer, the maximum number of iterations for the NIPALS algorithm.
<code>tol</code>	a positive real, the tolerance used for the NIPALS algorithm.
<code>logratio</code>	one of ('none', 'CLR', 'ILR'). Default to 'none'
<code>V</code>	Matrix used in the logratio transformation id provided.
<code>multilevel</code>	Design matrix for multilevel analysis (for repeated measurements).

**Details**

The calculation is done either by a singular value decomposition of the (possibly centered and scaled) data matrix, if the data is complete or by using the NIPALS algorithm if there is data missing. Unlike [princomp](#), the `print` method for these objects prints the results in a nice format and the `plot` method produces a bar plot of the percentage of variance explained by the principal components (PCs).

When using NIPALS (missing values), we make the assumption that the first ( $\min(\text{ncol}(X), \text{nrow}(X))$ ) principal components will account for 100 % of the explained variance.

Note that `scale = TRUE` cannot be used if there are zero or constant (for `center = TRUE`) variables.

Components are omitted if their standard deviations are less than or equal to `comp.tol` times the standard deviation of the first component. With the default null setting, no components are omitted. Other settings for `comp.tol` could be `comp.tol = sqrt(.Machine$double.eps)`, which would omit essentially constant components, or `comp.tol = 0`.

`logratio` transform and multilevel analysis are performed sequentially as internal pre-processing step, through [logratio.transfo](#) and [withinVariation](#) respectively.

**Value**

tune.pca returns a list with class "tune.pca" containing the following components:

sdev	the square root of the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix).
explained_variance	the proportion of explained variance accounted for by each principal component is calculated using the eigenvalues
cum.var	the cumulative proportion of explained variance accounted for by the sequential accumulation of principal components is calculated using the sum of the proportion of explained variance

**Author(s)**

Ignacio González and Leigh Coonan

**See Also**

[nipals](#), [biplot](#), [plotIndiv](#), [plotVar](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
data(liver.toxicity)
tune <- tune.pca(liver.toxicity$gene, center = TRUE, scale = TRUE)
tune
```

---

tune.rcc

*Estimate the parameters of regularization for Regularized CCA*

---

**Description**

Computes leave-one-out or M-fold cross-validation scores on a two-dimensional grid to determine optimal values for the parameters of regularization in rcc.

**Usage**

```
tune.rcc(X, Y, grid1 = seq(0.001, 1, length = 5),
         grid2 = seq(0.001, 1, length = 5),
         validation = c("loo", "Mfold"),
         folds = 10, plot = TRUE)
```

**Arguments**

<code>X</code>	numeric matrix or data frame ( $n \times p$ ), the observations on the $X$ variables. NAs are allowed.
<code>Y</code>	numeric matrix or data frame ( $n \times q$ ), the observations on the $Y$ variables. NAs are allowed.
<code>grid1, grid2</code>	vector numeric defining the values of <code>lambda1</code> and <code>lambda2</code> at which cross-validation score should be computed. Defaults to <code>grid1=grid2=seq(0.001, 1, length=5)</code> .
<code>validation</code>	character string. What kind of (internal) cross-validation method to use, (partially) matching one of "loo" (leave-one-out) or "Mfolds" (M-folds). See Details.
<code>folds</code>	positive integer. Number of folds to use if <code>validation="Mfold"</code> . Defaults to <code>folds=10</code> .
<code>plot</code>	logical argument indicating whether a image map should be plotted by calling the <code>imgCV</code> function.

**Details**

If `validation="Mfolds"`, M-fold cross-validation is performed by calling `Mfold`. When `folds` is given, the elements of `folds` should be integer vectors specifying the indices of the validation sample and the argument `M` is ignored. Otherwise, the folds are generated. The number of cross-validation folds is specified with the argument `M`.

If `validation="loo"`, leave-one-out cross-validation is performed by calling the `loo` function. In this case the arguments `folds` and `M` are ignored.

The estimation of the missing values can be performed by the reconstitution of the data matrix using the `nipals` function. Otherwise, missing values are handled by casewise deletion in the `rcc` function.

**Value**

The returned value is a list with components:

<code>opt.lambda1,</code>	
<code>opt.lambda2</code>	value of the parameters of regularization on which the cross-validation method reached it optimal.
<code>opt.score</code>	the optimal cross-validation score reached on the grid.
<code>grid1, grid2</code>	original vectors <code>grid1</code> and <code>grid2</code> .
<code>mat</code>	matrix containing the cross-validation score computed on the grid.

**Author(s)**

Sébastien Déjean and Ignacio González.

**See Also**

[image.tune.rcc](http://image.tune.rcc) and <http://www.mixOmics.org> for more details.

**Examples**

```

data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

## this can take some seconds
## Not run:
tune.rcc(X, Y, validation = "Mfold")

## End(Not run)

```

tune.splsda

*Tuning functions for sPLS-DA method***Description**

Computes M-fold or Leave-One-Out Cross-Validation scores on a user-input grid to determine optimal values for the sparsity parameters in splsda.

**Usage**

```

tune.splsda(X, Y, ncomp = 1,
test.keepX = c(5, 10, 15), already.tested.X, validation = "Mfold",
folds = 10, dist = "max.dist", measure = "BER", scale = TRUE, auc = FALSE,
progressBar = TRUE, tol = 1e-06,max.iter = 100, near.zero.var = FALSE,
nrepeat = 1, logratio = c('none','CLR'), multilevel = NULL, light.output = TRUE, cpus)

```

**Arguments**

X	numeric matrix of predictors. NAs are allowed.
Y	if(method = 'spls') numeric vector or matrix of continuous responses (for multi-response models) NAs are allowed.
ncomp	the number of components to include in the model.
test.keepX	numeric vector for the different number of variables to test from the X data set
already.tested.X	Optional, if ncomp > 1 A numeric vector indicating the number of variables to select from the X data set on the firsts components.
validation	character. What kind of (internal) validation to use, matching one of "Mfold" or "loo" (see below). Default is "Mfold".
folds	the folds in the Mfold cross-validation. See Details.
dist	distance metric to use for splsda to estimate the classification error rate, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see Details).

measure	Two misclassification measure are available: overall misclassification error overall or the Balanced Error Rate BER
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
auc	if TRUE calculate the Area Under the Curve (AUC) performance of the model.
progressBar	by default set to TRUE to output the progress bar of the computation.
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Default value is FALSE
nrepeat	Number of times the Cross-Validation process is repeated.
logratio	one of ('none', 'CLR'). Default to 'none'
multilevel	Design matrix for multilevel analysis (for repeated measurements) that indicates the repeated measures on each individual, i.e. the individuals ID. See Details.
light.output	if set to FALSE, the prediction/classification of each sample for each of test. keepX and each comp is returned.
cpus	Number of cpus to use when running the code in parallel.

### Details

This tuning function should be used to tune the parameters in the `splsda` function (number of components and number of variables in `keepX` to select).

For a sPLS-DA, M-fold or LOO cross-validation is performed with stratified subsampling where all classes are represented in each fold.

If `validation = "loo"`, leave-one-out cross-validation is performed. By default `fold` is set to the number of unique individuals.

The function outputs the optimal number of components that achieve the best performance based on the overall error rate or BER. The assessment is data-driven and similar to the process detailed in (Rohart et al., 2016), where one-sided t-tests assess whether there is a gain in performance when adding a component to the model. Our experience has shown that in most case, the optimal number of components is the number of categories in  $Y - 1$ , but it is worth tuning a few extra components to check (see our website and case studies for more details).

For sPLS-DA multilevel one-factor analysis, M-fold or LOO cross-validation is performed where all repeated measurements of one sample are in the same fold. Note that `logratio` transform and the multilevel analysis are performed internally and independently on the training and test set.

For a sPLS-DA multilevel two-factor analysis, the correlation between components from the within-subject variation of X and the cond matrix is computed on the whole data set. The reason why we cannot obtain a cross-validation error rate as for the sPLS-DA one-factor analysis is because of the difficulty to decompose and predict the within matrices within each fold.

For a sPLS two-factor analysis a sPLS canonical mode is run, and the correlation between components from the within-subject variation of X and Y is computed on the whole data set.

If `validation = "Mfold"`, M-fold cross-validation is performed. How many folds to generate is selected by specifying the number of folds in `fold`.

If `auc = TRUE` and there are more than 2 categories in `Y`, the Area Under the Curve is averaged using one-vs-all comparison. Note however that the AUC criteria may not be particularly insightful as the prediction threshold we use in sPLS-DA differs from an AUC threshold (sPLS-DA relies on prediction distances for predictions, see `?predict.splsda` for more details) and the supplemental material of the mixOmics article (Rohart et al. 2017).

BER is appropriate in case of an unbalanced number of samples per class as it calculates the average proportion of wrongly classified samples in each class, weighted by the number of samples in each class. BER is less biased towards majority classes during the performance assessment.

More details about the prediction distances in `?predict` and the supplemental material of the mixOmics article (Rohart et al. 2017).

## Value

Depending on the type of analysis performed, a list that contains:

<code>error.rate</code>	returns the prediction error for each <code>test.keepX</code> on each component, averaged across all repeats and subsampling folds. Standard deviation is also output. All error rates are also available as a list.
<code>choice.keepX</code>	returns the number of variables selected (optimal <code>keepX</code> ) on each component.
<code>choice.ncomp</code>	returns the optimal number of components for the model fitted with <code>\$choice.keepX</code>
<code>error.rate.class</code>	returns the error rate for each level of <code>Y</code> and for each component computed with the optimal <code>keepX</code>
<code>predict</code>	Prediction values for each sample, each <code>test.keepX</code> , each comp and each repeat. Only if <code>light.output=FALSE</code>
<code>class</code>	Predicted class for each sample, each <code>test.keepX</code> , each comp and each repeat. Only if <code>light.output=FALSE</code>
<code>auc</code>	AUC mean and standard deviation if the number of categories in <code>Y</code> is greater than 2, see details above. Only if <code>auc = TRUE</code>
<code>cor.value</code>	only if multilevel analysis with 2 factors: correlation between latent variables.

## Author(s)

Kim-Anh Lê Cao, Benoit Gautier, Francois Bartolo, Florian Rohart.

## References

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

## See Also

[splsda](#), [predict.splsda](#) and <http://www.mixOmics.org> for more details.

**Examples**

```

## First example: analysis with sPLS-DA
## Not run:
data(breast.tumors)
X = breast.tumors$gene.exp
Y = as.factor(breast.tumors$sample$treatment)
tune = tune.splsda(X, Y, ncomp = 1, nrepeat = 10, logratio = "none",
  test.keepX = c(5, 10, 15), folds = 10, dist = "max.dist",
  progressBar = TRUE)

# 5 components, optimising 'keepX' and 'ncomp'
tune = tune.splsda(X, Y, ncomp = 5, test.keepX = c(5, 10, 15),
  folds = 10, dist = "max.dist", nrepeat = 5, progressBar = TRUE)

tune$choice.ncomp
tune$choice.keepX
plot(tune)

## End(Not run)

## only tune component 3 and 4
# keeping 5 and 10 variables on the first two components respectively
## Not run:
tune = tune.splsda(X = X, Y = Y, ncomp = 4,
  already.tested.X = c(5,10),
  test.keepX = seq(1,10,2), progressBar = TRUE)

## End(Not run)

## Second example: multilevel one-factor analysis with sPLS-DA
## Not run:
data(vac18)
X = vac18$genes
Y = vac18$stimulation
# sample indicates the repeated measurements
design = data.frame(sample = vac18$sample)

tune = tune.splsda(X, Y = Y, ncomp = 3, nrepeat = 10, logratio = "none",
  test.keepX = c(5,50,100), folds = 10, dist = "max.dist", multilevel = design)

## End(Not run)

```



---

tune.splslevel      *Tuning functions for multilevel sPLS method*

---

### Description

For a multilevel spls analysis, the tuning criterion is based on the maximisation of the correlation between the components from both data sets

### Usage

```
tune.splslevel(X, Y, multilevel, ncomp = NULL,
mode = "regression",
test.keepX = rep(ncol(X), ncomp),
test.keepY = rep(ncol(Y), ncomp),
already.tested.X = NULL,
already.tested.Y = NULL)
```

### Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	if(method = 'spls') numeric vector or matrix of continuous responses (for multi-response models) NAs are allowed.
multilevel	Design matrix for multilevel analysis (for repeated measurements) that indicates the repeated measures on each individual, i.e. the individuals ID. See Details.
ncomp	the number of components to include in the model.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic".
test.keepX	numeric vector for the different number of variables to test from the <i>X</i> data set
test.keepY	numeric vector for the different number of variables to test from the <i>Y</i> data set
already.tested.X	Optional, if ncomp > 1 A numeric vector indicating the number of variables to select from the <i>X</i> data set on the firsts components.
already.tested.Y	Optional, if ncomp > 1 A numeric vector indicating the number of variables to select from the <i>Y</i> data set on the firsts components.

### Details

For a multilevel spls analysis, the tuning criterion is based on the maximisation of the correlation between the components from both data sets

### Value

cor.value      correlation between latent variables

**Author(s)**

Kim-Anh Lê Cao, Benoit Gautier, Francois Bartolo, Florian Rohart.

**References**

mixOmics article:

Rohart F, Gautier B, Singh A, Lê Cao K-A. mixOmics: an R package for 'omics feature selection and multiple data integration. PLoS Comput Biol 13(11): e1005752

**See Also**

[splstda](#), [predict.splstda](#) and <http://www.mixOmics.org> for more details.

**Examples**

```
data(liver.toxicity)
# note: we made up those data, pretending they are repeated measurements
repeat.indiv <- c(1, 2, 1, 2, 1, 2, 1, 2, 3, 3, 4, 3, 4, 3, 4, 4, 5, 6, 5, 5,
6, 5, 6, 7, 7, 8, 6, 7, 8, 7, 8, 8, 9, 10, 9, 10, 11, 9, 9,
10, 11, 12, 12, 10, 11, 12, 11, 12, 13, 14, 13, 14, 13, 14,
13, 14, 15, 16, 15, 16, 15, 16)
summary(as.factor(repeat.indiv)) # 16 rats, 4 measurements each

# this is a spls (unsupervised analysis) so no need to mention any factor in design
# we only perform a one level variation split
design <- data.frame(sample = repeat.indiv)

tune.splslevel(X = liver.toxicity$gene,
Y=liver.toxicity$clinic,
multilevel = design,
test.keepX = c(5,10,15),
test.keepY = c(1,2,5),
ncomp = 1)
```

---

unmap

*Dummy matrix for an outcome factor*

---

**Description**

Converts a class or group vector or factor into a matrix of indicator variables.

**Usage**

```
unmap(classification, groups=NULL, noise=NULL)
```

**Arguments**

- `classification` A numeric or character vector or factor. Typically the distinct entries of this vector would represent a classification of observations in a data set.
- `groups` A numeric or character vector indicating the groups from which `classification` is drawn. If not supplied, the default is to assumed to be the unique entries of `classification`.
- `noise` A single numeric or character value used to indicate the value of groups corresponding to noise.

**Value**

An  $n$  by  $K$  matrix of  $(0,1)$  indicator variables, where  $n$  is the length of samples and  $K$  the number of classes in the outcome.

If a noise value of symbol is designated, the corresponding indicator variables are relocated to the last column of the matrix.

Note: - you can remap an unmap vector using the function `map` from the package **mclust**. - this function should be used to unmap an outcome vector as in the non-supervised methods of `mixOmics`. For other supervised analyses such as (s)PLS-DA, (s)gcccaDA this function is used internally.

**References**

C. Fraley and A. E. Raftery (2002). Model-based clustering, discriminant analysis, and density estimation. *Journal of the American Statistical Association* 97:611-631.

C. Fraley, A. E. Raftery, T. B. Murphy and L. Scrucca (2012). `mclust` Version 4 for R: Normal Mixture Modeling for Model-Based Clustering, Classification, and Density Estimation. Technical Report No. 597, Department of Statistics, University of Washington.

**Examples**

```
data(nutrimouse)
Y = unmap(nutrimouse$diet)
Y
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
# data could then used as an input in wrapper.rgccca, which is not, technically,
# a supervised method, see ??wrapper.rgccca
```

---

 vac18

*Vaccine study Data*


---

**Description**

The data come from a trial evaluating a vaccine based on HIV-1 lipopeptides in HIV-negative volunteers. The vaccine (HIV-1 LIPO-5 ANRS vaccine) contains five HIV-1 amino acid sequences coding for Gag, Pol and Nef proteins. This data set contains the expression measure of a subset of 1000 genes from purified in vitro stimulated Peripheral Blood Mononuclear Cells from 42 repeated samples (12 unique vaccinated participants) 14 weeks after vaccination, , 6 hours after in vitro

stimulation by either (1) all the peptides included in the vaccine (LIPO-5), or (2) the Gag peptides included in the vaccine (GAG+) or (3) the Gag peptides not included in the vaccine (GAG-) or (4) without any stimulation (NS).

### Usage

```
data(vac18)
```

### Format

A list containing the following components:

`gene` data frame with 42 rows and 1000 columns. The expression measure of 1000 genes for the 42 samples (PBMC cells from 12 unique subjects).

`stimulation` is a factor of 42 elements indicating the type of in vitro simulation for each sample.

`sample` is a vector of 42 elements indicating the unique subjects (for example the value '1' correspond to the first patient PBMC cells). Note that the design of this study is unbalanced.

`tab.prob.gene` is a data frame with 1000 rows and 2 columns, indicating the Illumina probe ID and the gene name of the annotated genes.

### Details

This is a subset of the original study for illustrative purposes.

### References

Salmon-Ceron D, Durier C, Desaint C, Cuzin L, Surenaud M, Hamouda N, Lelievre J, Bonnet B, Pialoux G, Poizot-Martin I, Aboulker J, Levy Y, Launay O, trial group AV: Immunogenicity and safety of an HIV-1 lipopeptide vaccine in healthy adults: a phase 2 placebo-controlled ANRS trial. *AIDS* 2010, 24(14):2211-2223.

---

vac18.simulated

*Simulated data based on the vac18 study for multilevel analysis*

---

### Description

Simulated data based on the vac18 study to illustrate the use of the multilevel analysis for one and two-factor analysis with sPLS-DA. This data set contains the expression simulated of 500 genes.

### Usage

```
data(vac18.simulated)
```

**Format**

A list containing the following components:

`genes` data frame with 48 rows and 500 columns. The simulated expression of 500 genes for 48 subjects.

`sample` a vector indicating the repeated measurements on each unique subject. See Details.

`stimulation` a factor indicating the stimulation condition on each sample.

`time` a factor indicating the time condition on each sample.

**Details**

In this cross-over design, repeated measurements are performed 12 experiments units (or unique subjects) for each of the 4 stimulations.

The simulation study was based on a mixed effects model (see reference for details). Ten clusters of 100 genes were generated. Amongst those, 4 clusters of genes discriminate the 4 stimulations (denoted LIPO5, GAG+, GAG- and NS) as follows: \ -2 gene clusters discriminate (LIPO5, GAG+) versus (GAG-, NS) \ -2 gene clusters discriminate LIPO5 versus GAG+, while GAG+ and NS have the same effect \ -2 gene clusters discriminate GAG- versus NS, while LIPO5 and GAG+ have the same effect \ -the 4 remaining clusters represent noisy signal (no stimulation effect) \

Only a subset of those genes are presented here (to save memory space).

**References**

Liquet, B., Lê Cao, K.-A., Hocini, H. and Thiebaut, R. (2012). A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *BMC Bioinformatics* **13**:325.

---

vip

---

*Variable Importance in the Projection (VIP)*


---

**Description**

The function `vip` computes the influence on the  $Y$ -responses of every predictor  $X$  in the model.

**Usage**

```
vip(object)
```

**Arguments**

`object` object of class inheriting from "pls", "plsda", "spls" or "splsda".

**Details**

Variable importance in projection (VIP) coefficients reflect the relative importance of each  $X$  variable for each  $X$  variate in the prediction model. VIP coefficients thus represent the importance of each  $X$  variable in fitting both the  $X$ - and  $Y$ -variates, since the  $Y$ -variates are predicted from the  $X$ -variates.

VIP allows to classify the  $X$ -variables according to their explanatory power of  $Y$ . Predictors with large VIP, larger than 1, are the most relevant for explaining  $Y$ .

**Value**

`vip` produces a matrix of VIP coefficients for each  $X$  variable (rows) on each variate component (columns).

**Author(s)**

Sébastien Déjean and Ignacio González.

**References**

Tenenhaus, M. (1998). *La regression PLS: theorie et pratique*. Paris: Editions Technic.

**See Also**

[pls](#), [spls](#), [summary](#).

**Examples**

```
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y)

linn.vip <- vip(linn.pls)

barplot(linn.vip,
        beside = TRUE, col = c("lightblue", "mistyrose", "lightcyan"),
        ylim = c(0, 1.7), legend = rownames(linn.vip),
        main = "Variable Importance in the Projection", font.main = 4)
```

---

withinVariation

*Within matrix decomposition for repeated measurements (cross-over design)*

---

**Description**

This function is internally called by `pca`, `pls`, `spls`, `plsda` and `splsda` functions for cross-over design data, but can be called independently prior to any kind of multivariate analyses.

**Usage**

```
withinVariation(X, design)
```

**Arguments**

X	numeric matrix of predictors. NAs are allowed.
design	a numeric matrix or data frame. The first column indicates the repeated measures on each individual, i.e. the individuals ID. The 2nd and 3rd columns are to split the variation for a 2 level factor.

**Details**

withinVariation function decomposes the Within variation in the  $X$  data set. The resulting  $Xw$  matrix is then input in the multilevel function.

One or two-factor analyses are available.

**Value**

withinVariation simply returns the  $Xw$  within matrix, which can be input in the other multivariate approaches already implemented in mixOmics (i.e. spls or splsda, see multilevel, but also pca or ipca).

**Author(s)**

Benoit Liquet, Kim-Anh Lê Cao, Benoit Gautier, Ignacio González.

**References**

On multilevel analysis:

Liquet, B., Lê Cao, K.-A., Hocini, H. and Thiebaut, R. (2012) A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *BMC Bioinformatics* **13**:325.

Westerhuis, J. A., van Velzen, E. J., Hoefsloot, H. C., and Smilde, A. K. (2010). Multivariate paired data analysis: multilevel PLSDA versus OPLSDA. *Metabolomics*, **6**(1), 119-128.

**See Also**

[spls](#), [splsda](#), [plotIndiv](#), [plotVar](#), [cim](#), [network](#).

**Examples**

```
## Example: one-factor analysis matrix decomposition
#-----
data(vac18)
X <- vac18$genes
# in design we only need to mention the repeated measurements to split the one level variation
design <- data.frame(sample = vac18$sample)

Xw <- withinVariation(X = X, design = design)
```

```

# multilevel PCA
res.pca.1level <- pca(Xw, ncomp = 3)

# compare a normal PCA with a multilevel PCA for repeated measurements.
# note: PCA makes the assumptions that all samples are independent,
# so this analysis is flawed and you should use a multilevel PCA instead
res.pca <- pca(X, ncomp = 3)

# set up colors for plotIndiv
col.stim <- c("darkblue", "purple", "green4", "red3")
col.stim <- col.stim[as.numeric(vac18$stimulation)]

# plotIndiv comparing both PCA and PCA multilevel
plotIndiv(res.pca, ind.names = vac18$stimulation, group = col.stim)
title(main = 'PCA ')
plotIndiv(res.pca.1level, ind.names = vac18$stimulation, group = col.stim)
title(main = 'PCA multilevel')

```

---

 wrapper.rgccca

*mixOmics wrapper for Regularised Generalised Canonical Correlation Analysis (rgcca)*


---

## Description

Wrapper function to perform Regularized Generalised Canonical Correlation Analysis (rGCCA), a generalised approach for the integration of multiple datasets. For more details, see the `help(rgcca)` from the **RGCCA** package.

## Usage

```

wrapper.rgccca(X,
  design = 1 - diag(length(X)),
  tau = rep(1, length(X)),
  ncomp = 1,
  keepX,
  scheme = "horst",
  scale = TRUE,
  init = "svd.single",
  tol = .Machine$double.eps,
  max.iter=1000,
  near.zero.var = FALSE,
  all.outputs = TRUE)

```

## Arguments

**X** a list of data sets (called 'blocks') matching on the same samples. Data in the list should be arranged in samples x variables. NAs are not allowed.



design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with values between 0 and 1. Each value indicates the strenght of the relationship to be modelled between two blocks using sGCCA; a value of 0 indicates no relationship, 1 is the maximum value. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
tau	numeric vector of length the number of blocks in X. Each regularization parameter will be applied on each block and takes the value between 0 (no regularisation) and 1. If tau = "optimal" the shrinkage parameters are estimated for each block and each dimension using the Schafer and Strimmer (2005) analytical formula.
ncomp	the number of components to include in the model. Default to 1.
keepX	A vector of same length as X. Each entry keepX[i] is the number of X[[i]]-variables kept in the model.
scheme	Either "horst", "factorial" or "centroid" (Default: "horst").
scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single") . Default to "svd.single".
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

This wrapper function performs rGCCA (see **RGCCA**) with  $1, \dots, n_{\text{comp}}$  components on each block data set. A supervised or unsupervised model can be run. For a supervised model, the [unmap](#) function should be used as an input data set. More details can be found on the package **RGCCA**.

### Value

wrapper.rgccca returns an object of class "rgcca", a list that contains the following components:

data	the input data set (as a list).
design	the input design.
variates	the sgcca components.
loadings	the loadings for each block data set (outer wieght vector).
loadings.star	the laodings, standardised.
tau	the input tau parameter.
scheme	the input schme.

ncomp	the number of components included in the model for each block.
crit	the convergence criterion.
AVE	Indicators of model quality based on the Average Variance Explained (AVE): AVE(for one block), AVE(outer model), AVE(inner model)..
names	list containing the names to be used for individuals and variables.

More details can be found in the references.

### Author(s)

Arthur Tenenhaus, Vincent Guillemot and Kim-Anh Lê Cao.

### References

Tenenhaus A. and Tenenhaus M., (2011), Regularized Generalized Canonical Correlation Analysis, *Psychometrika*, Vol. 76, Nr 2, pp 257-284.

Schafer J. and Strimmer K., (2005), A shrinkage approach to large-scale covariance matrix estimation and implications for functional genomics. *Statist. Appl. Genet. Mol. Biol.* 4:32.

### See Also

[wrapper.rgccca](#), [plotIndiv](#), [plotVar](#), [wrapper.sgccca](#) and <http://www.mixOmics.org> for more details.

### Examples

```
data(nutrimouse)
# need to unmap the Y factor diet
Y = unmap(nutrimouse$diet)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
# with this design, gene expression and lipids are connected to the diet factor
# design = matrix(c(0,0,1,
#                   0,0,1,
#                   1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

# with this design, gene expression and lipids are connected to the diet factor
# and gene expression and lipids are also connected
design = matrix(c(0,1,1,
                 1,0,1,
                 1,1,0), ncol = 3, nrow = 3, byrow = TRUE)
#note: the tau parameter is the regularization parameter
wrap.result.rgccca = wrapper.rgccca(X = data, design = design, tau = c(1, 1, 0),
                                   ncomp = 2,
                                   scheme = "centroid")

#wrap.result.rgccca
```

---

wrapper.sgcca	<i>mixOmics wrapper for Sparse Generalised Canonical Correlation Analysis (sgcca)</i>
---------------	---

---

## Description

Wrapper function to perform Sparse Generalised Canonical Correlation Analysis (sGCCA), a generalised approach for the integration of multiple datasets. For more details, see the `help(sgcca)` from the **RGCCA** package.

## Usage

```
wrapper.sgcca(X,
  design = 1 - diag(length(X)),
  penalty = NULL,
  ncomp = 1,
  keepX,
  scheme = "horst",
  mode="canonical",
  scale = TRUE,
  init = "svd.single",
  tol = .Machine$double.eps,
  max.iter=1000,
  near.zero.var = FALSE,
  all.outputs = TRUE)
```

## Arguments

X	a list of data sets (called 'blocks') matching on the same samples. Data in the list should be arranged in samples x variables. NAs are not allowed.
design	numeric matrix of size (number of blocks in X) x (number of blocks in X) with values between 0 and 1. Each value indicates the strenght of the relationship to be modelled between two blocks using sGCCA; a value of 0 indicates no relationship, 1 is the maximum value. If Y is provided instead of indY, the design matrix is changed to include relationships to Y.
penalty	numeric vector of length the number of blocks in X. Each penalty parameter will be applied on each block and takes the value between 0 (no variable selected) and 1 (all variables included).
ncomp	the number of components to include in the model. Default to 1.
keepX	A vector of same length as X. Each entry <code>keepX[i]</code> is the number of <code>X[[i]]</code> -variables kept in the model.
scheme	Either "horst", "factorial" or "centroid" (Default: "horst").
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.

scale	boolean. If scale = TRUE, each block is standardized to zero means and unit variances (default: TRUE)
init	Mode of initialization use in the algorithm, either by Singular Value Decomposition of the product of each block of X with Y ("svd") or each block independently ("svd.single") . Default to "svd.single".
tol	Convergence stopping value.
max.iter	integer, the maximum number of iterations.
near.zero.var	boolean, see the internal <a href="#">nearZeroVar</a> function (should be set to TRUE in particular for data with many zero values). Setting this argument to FALSE (when appropriate) will speed up the computations. Default value is FALSE
all.outputs	boolean. Computation can be faster when some specific (and non-essential) outputs are not calculated. Default = TRUE.

### Details

This wrapper function performs sGCCA (see **RGCCA**) with  $1, \dots, n_{\text{comp}}$  components on each block data set. A supervised or unsupervised model can be run. For a supervised model, the [unmap](#) function should be used as an input data set. More details can be found on the package **RGCCA**.

Note that this function is the same as [block.spls](#) with different default arguments.

More details about the PLS modes in [?pls](#).

### Value

`wrapper.sgcca` returns an object of class "sgcca", a list that contains the following components:

data	the input data set (as a list).
design	the input design.
variates	the sgcca components.
loadings	the loadings for each block data set (outer wieght vector).
loadings.star	the laodings, standardised.
penalty	the input penalty parameter.
scheme	the input schme.
ncomp	the number of components included in the model for each block.
crit	the convergence criterion.
AVE	Indicators of model quality based on the Average Variance Explained (AVE): AVE(for one block), AVE(outer model), AVE(inner model)..
names	list containing the names to be used for individuals and variables.

More details can be found in the references.

### Author(s)

Arthur Tenenhaus, Vincent Guillemot and Kim-Anh Lê Cao.

## References

Tenenhaus A. and Tenenhaus M., (2011), Regularized Generalized Canonical Correlation Analysis, *Psychometrika*, Vol. 76, Nr 2, pp 257-284.

Tenenhaus A., Phillippe C., Guillemot, V., Lê Cao K-A., Grill J., Frouin, V. Variable Selection For Generalized Canonical Correlation Analysis. 2013. (in revision)

## See Also

`wrapper.sgcca`, `plotIndiv`, `plotVar`, `wrapper.rgcca` and <http://www.mixOmics.org> for more details.

## Examples

```
## Not run:
data(nutrimouse)
# need to unmap the Y factor diet if you pretend this is not a classification pb.
# see also the function block.splsda for discriminant analysis where you dont
# need to unmap Y.
Y = unmap(nutrimouse$diet)
data = list(gene = nutrimouse$gene, lipid = nutrimouse$lipid, Y = Y)
# with this design, gene expression and lipids are connected to the diet factor
# design = matrix(c(0,0,1,
#                   0,0,1,
#                   1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

# with this design, gene expression and lipids are connected to the diet factor
# and gene expression and lipids are also connected
design = matrix(c(0,1,1,
                 1,0,1,
                 1,1,0), ncol = 3, nrow = 3, byrow = TRUE)

#note: the penalty parameters will need to be tuned
wrap.result.sgcca = wrapper.sgcca(X = data, design = design, penalty = c(.3, .5, 1),
                                  ncomp = 2,
                                  scheme = "centroid")

wrap.result.sgcca
#did the algo converge?
wrap.result.sgcca$crit # yes

## End(Not run)
```

---

yeast

*Yeast metabolomic study*

---

## Description

Two *Saccharomyces Cerevisiae* strains were compared under two different environmental conditions, 37 metabolites expression are measured.

**Usage**

data(yeast)

**Format**

A list containing the following components:

data data matrix with 55 rows and 37 columns. Each row represents an experimental sample, and each column a single metabolite.

strain a factor containing the type of strain (MT or WT).

condition a factor containing the type of environmental condition (AER or ANA).

strain.condition a crossed factor between strain and condition.

**Details**

In this study, two *Saccharomyces cerevisiae* strains were used - wild-type (WT) and mutant (MT), and were carried out in batch cultures under two different environmental conditions, aerobic (AER) and anaerobic (ANA) in standard mineral media with glucose as the sole carbon source. After normalization and pre processing, the metabolomic data results in 37 metabolites and 55 samples which include 13 MT-AER, 14 MT-ANA, 15 WT-AER and 13 WT-ANA samples

**References**

Villas-Boas S, Moxley J, Akesson M, Stephanopoulos G, Nielsen J: High-throughput metabolic state analysis (2005). The missing link in integrated functional genomics. *Biochemical Journal*, **388**:669–677.

# Index

- \*Topic **algebra**
  - ipca, 45
  - mat.rank, 52
  - nipals, 88
  - pca, 90
  - sipca, 149
  - spca, 151
  - tune.pca, 177
- \*Topic **cluster**
  - cim, 23
  - cimDiablo, 31
  - unmap, 186
- \*Topic **color**
  - color.jet, 36
- \*Topic **datasets**
  - breast.TCGA, 21
  - breast.tumors, 22
  - diverse.16S, 37
  - Koren.16S, 47
  - linnerud, 48
  - liver.toxicity, 49
  - multidrug, 80
  - nutrimouse, 89
  - srbct, 162
  - stemcells, 163
  - vac18, 187
  - vac18.simulated, 188
  - yeast, 197
- \*Topic **dplot**
  - image, 42
  - imgCor, 43
  - mixOmics, 76
  - network, 83
  - plotArrow, 108
  - plotIndiv, 113
  - plotVar, 127
  - tune.mint.splsda, 175
  - tune.rcc, 179
- \*Topic **graphs**
  - cim, 23
  - cimDiablo, 31
  - network, 83
- \*Topic **hplot**
  - cim, 23
  - cimDiablo, 31
  - image, 42
  - mixOmics, 76
  - network, 83
  - plot.perf, 102
  - plot.rcc, 105
  - plot.tune, 106
  - plotArrow, 108
  - plotIndiv, 113
  - plotVar, 127
- \*Topic **iplot**
  - cim, 23
  - cimDiablo, 31
  - network, 83
- \*Topic **multivariate**
  - auroc, 4
  - block.pls, 9
  - block.plsda, 12
  - block.spls, 15
  - block.splsda, 18
  - cim, 23
  - cimDiablo, 31
  - circosPlot, 33
  - explained\_variance, 39
  - imgCor, 43
  - mint.block.pls, 53
  - mint.block.plsda, 55
  - mint.block.spls, 58
  - mint.block.splsda, 61
  - mint.pca, 64
  - mint.pls, 66
  - mint.plsda, 68
  - mint.spls, 71
  - mint.splsda, 73

- mixOmics, [76](#)
- network, [83](#)
- nipals, [88](#)
- perf, [94](#)
- plot.perf, [102](#)
- plot.rcc, [105](#)
- plot.tune, [106](#)
- plotArrow, [108](#)
- plotDiablo, [112](#)
- plotIndiv, [113](#)
- plotLoadings, [121](#)
- plotVar, [127](#)
- pls, [132](#)
- plsda, [135](#)
- predict, [138](#)
- print, [143](#)
- rcc, [144](#)
- spls, [154](#)
- splsda, [158](#)
- study\_split, [164](#)
- summary, [165](#)
- tune, [167](#)
- tune.block.splsda, [171](#)
- tune.mint.splsda, [175](#)
- tune.rcc, [179](#)
- tune.splsda, [181](#)
- tune.splslevel, [185](#)
- vip, [189](#)
- withinVariation, [190](#)
- wrapper.rgcca, [192](#)
- wrapper.sgcca, [195](#)
- \*Topic **regression**
  - auroc, [4](#)
  - block.pls, [9](#)
  - block.plsda, [12](#)
  - block.spls, [15](#)
  - block.splsda, [18](#)
  - circosPlot, [33](#)
  - explained\_variance, [39](#)
  - mint.block.pls, [53](#)
  - mint.block.plsda, [55](#)
  - mint.block.spls, [58](#)
  - mint.block.splsda, [61](#)
  - mint.pca, [64](#)
  - mint.pls, [66](#)
  - mint.plsda, [68](#)
  - mint.spls, [71](#)
  - mint.splsda, [73](#)
  - perf, [94](#)
  - plot.perf, [102](#)
  - plot.tune, [106](#)
  - plotDiablo, [112](#)
  - pls, [132](#)
  - plsda, [135](#)
  - predict, [138](#)
  - print, [143](#)
  - spls, [154](#)
  - splsda, [158](#)
  - study\_split, [164](#)
  - summary, [165](#)
  - tune, [167](#)
  - tune.block.splsda, [171](#)
  - tune.splsda, [181](#)
  - tune.splslevel, [185](#)
  - vip, [189](#)
  - withinVariation, [190](#)
- \*Topic **utilities**
  - nearZeroVar, [82](#)
- arrows, [110](#)
- auroc, [4](#), [96](#), [98](#)
- background.predict, [7](#), [116](#), [117](#), [141](#)
- barplot, [105](#), [123](#)
- biplot, [93](#), [179](#)
- block.pls, [9](#), [14](#), [17](#), [79](#), [124](#), [141](#)
- block.plsda, [11](#), [12](#), [21](#), [79](#), [124](#), [137](#), [141](#)
- block.spls, [11](#), [15](#), [21](#), [79](#), [124](#), [141](#), [196](#)
- block.splsda, [14](#), [17](#), [18](#), [35](#), [79](#), [113](#), [124](#), [141](#), [160](#), [174](#)
- breast.TCGA, [21](#)
- breast.tumors, [22](#)
- cim, [23](#), [33](#), [39](#), [86](#), [130](#), [146](#), [156](#), [160](#), [191](#)
- cimDiablo, [31](#)
- circosPlot, [33](#)
- color.GreenRed, [86](#)
- color.GreenRed (color.jet), [36](#)
- color.jet, [24](#), [32](#), [36](#), [44](#), [86](#)
- color.mixo (color.jet), [36](#)
- color.spectral, [86](#)
- color.spectral (color.jet), [36](#)
- colorRamp, [36](#)
- colors, [36](#)
- cor, [44](#)
- dist, [25](#)



- diverse.16S, 37
- eigen, 89
- estim.regul, 39
- explained\_variance, 39
- get.BER (get.confusion\_matrix), 40
- get.confusion\_matrix, 40
- gray, 36
- hclust, 25, 27, 33
- heat.colors, 36, 42
- heatmap, 27, 33
- hsv, 36
- image, 26, 42, 42, 44
- image.estim.regul, 43
- image.tune.rcc, 43, 180
- imgCor, 43
- ipca, 45, 151
- Koren.16S, 47
- layout, 26
- linnerud, 48
- liver.toxicity, 49
- logratio.transfo, 50, 92, 134, 136, 152, 155, 159, 178
- map, 51
- mat.rank, 52
- mint.block.pls, 53, 61, 63, 79, 124, 141
- mint.block.plsda, 55, 55, 58, 61, 63, 79, 124, 137, 141
- mint.block.spls, 55, 58, 58, 63, 79, 124, 141
- mint.block.splsda, 55, 58, 61, 61, 79, 124, 141, 160
- mint.pca, 64
- mint.pls, 66, 70, 73, 75, 79, 124, 141, 164
- mint.plsda, 65, 68, 68, 73, 75, 79, 124, 141, 164
- mint.spls, 65, 68, 70, 71, 79, 124, 141, 164
- mint.splsda, 65, 68, 70, 73, 73, 79, 124, 141, 164, 176, 177
- mixOmics, 76
- multidrug, 80
- nearZeroVar, 10, 13, 16, 19, 54, 56, 59, 62, 66, 69, 72, 74, 77, 82, 133, 136, 154, 159, 168, 172, 176, 182, 193, 196
- network, 27, 33, 39, 83, 130, 146, 156, 160, 191
- nipals, 52, 88, 93, 98, 179
- nutrimouse, 89
- order.dendrogram, 26
- palette, 36
- par, 25, 32, 44, 105, 129, 130
- pca, 46, 51, 90, 151, 153
- pcatune, 93
- perf, 5, 11, 14, 17, 21, 55, 58, 61, 63, 65, 68, 70, 73, 75, 94, 103, 104, 135, 137, 156, 160
- plot.perf, 98, 102
- plot.rcc, 105, 146
- plot.tune, 106
- plotArrow, 11, 14, 17, 21, 108
- plotDiablo, 112
- plotIndiv, 7, 8, 11, 14, 17, 21, 39, 46, 55, 58, 61, 63–65, 67–70, 72–75, 93, 113, 135, 137, 146, 151, 156, 160, 179, 191, 194, 197
- plotLoadings, 11, 14, 17, 21, 64, 67, 69, 72, 74, 121
- plotVar, 11, 14, 17, 21, 27, 33, 39, 46, 55, 58, 61, 63–65, 67–70, 72–75, 86, 93, 127, 135, 137, 146, 151, 156, 160, 179, 191, 194, 197
- pls, 51, 79, 83, 104, 124, 132, 141, 144, 156, 166, 190
- plsda, 51, 79, 83, 104, 117, 124, 135, 141
- points, 105, 109, 110, 116, 117, 129
- polygon, 8
- prcomp, 89, 93
- predict, 7, 8, 11, 14, 17, 21, 41, 55, 58, 61, 63, 65, 68, 70, 73, 75, 95, 98, 135, 137, 138, 156, 160, 175
- predict.splsda, 183, 186
- princomp, 89, 91, 178
- print, 143
- rainbow, 24, 32, 36, 42
- rcc, 144, 144, 145, 166
- scale, 25, 91, 152, 168, 178
- select.var (selectVar), 147
- selectVar, 11, 14, 17, 21, 147
- sipca, 46, 149

spca, 151  
spl<sub>s</sub>, 39, 51, 55, 58, 61, 63, 65, 68, 70, 73, 75,  
79, 83, 104, 124, 135, 141, 144, 154,  
160, 166, 190, 191  
spl<sub>s</sub>da, 39, 51, 79, 83, 104, 117, 124, 137,  
141, 158, 183, 186, 191  
sr<sub>b</sub>ct, 162  
stemcells, 163  
study\_split, 164  
summary, 55, 58, 61, 63, 65, 68, 70, 73, 75,  
135, 137, 146, 156, 160, 165, 190  
svd, 89  
  
terrain.colors, 24, 32, 36, 42  
text, 110, 117  
topo.colors, 24, 32, 36, 42  
tune, 5, 167  
tune.block.spl<sub>s</sub>da, 106, 171  
tune.mint.spl<sub>s</sub>da, 106, 170, 175  
tune.pca, 93, 170, 177  
tune.rcc, 39, 42, 145, 146, 170, 179  
tune.spl<sub>s</sub>da, 106, 170, 181  
tune.spl<sub>s</sub>level, 170, 185  
  
unmap, 51, 186, 193, 196  
  
vac18, 187  
vac18.simulated, 188  
vip, 144, 166, 189  
  
withinVariation, 92, 134, 136, 152, 155,  
159, 178, 190  
wrapper.rgcca, 192, 194, 197  
wrapper.sgcca, 194, 195, 197  
wrapper.sgcca(block.spl<sub>s</sub>da), 18  
  
xyplot, 103, 104, 106  
  
yeast, 197