

Package ‘DendroSync’

May 22, 2017

Type Package

Title A Set of Tools for Calculating Spatial Synchrony Between
Tree-Ring Chronologies

Version 0.1.0

Date 2017-05-18

Author Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

Maintainer Josu G. Alday <josucham@gmail.com>

Description Provides functions for the calculation and plotting of synchrony in tree growth from tree-ring width chronologies (TRW index). It combines variance-covariance (VCOV) mixed modelling with functions that quantify the degree to which the TRW chronologies contain a common temporal signal. It also implements temporal trends in spatial synchrony using a moving window. These methods can also be used with other kind of ecological variables that have temporal autocorrelation corrected.

License GPL-2

Depends R (>= 3.1.2), nlme, ggplot2

LazyData TRUE

Imports stats, utils, gridExtra

RoxygenNote 6.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2017-05-22 12:18:47 UTC

R topics documented:

bet.aSE	2
bet.het.aSE	3
conifersIP	5
csbet.aSE	6
csbet.het.aSE	7
cswi.aSE	8

cswi.het.aSE	10
dendro.varcov	11
gen.aSE	14
gen.het.aSE	15
het.var	17
mod.table	18
sync	19
sync.plot	22
sync.trend	23
sync.trend.plot	26

Index	28
--------------	-----------

bet.aSE	<i>Between-group synchrony for a homoscedastic unstructured model</i>
---------	---

Description

The function calculates the between-group synchrony (a^{\wedge}) and standard error (SE) for a homoscedastic unstructured model or full model (mUN).

Usage

```
bet.aSE(model)
```

Arguments

model	a class "lme" unstructured model (mUN) produced by dendro.varcov with homoscedastic equals TRUE.
-------	--

Details

The function calculates between-group synchrony for a homoscedastic unstructured model (mUN).

Value

The function returns a matrix containing between-group synchrony and SE for each combination of varGroup levels. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate between-group synchrony and SE
# for an unstructured homoscedastic model of conifersIP data:
data(conifersIP)

#Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
# using taxonomic grouping criteria (ie. Species)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = TRUE)

summary(ModHm)

#Obtain the unstructured model between-group synchrony and SE
# for each varGroup stratum.
bet.aSE(ModHm$mUN)#Unstructure
```

bet.het.aSE

Between-group synchrony for a heteroscedastic unstructured model

Description

The function calculates the between-group synchrony (a^{\wedge}) and standard error (SE) for a heteroscedastic unstructured model (mHeUN).

Usage

```
bet.het.aSE(model)
```

Arguments

model a class "lme" unstructured model (mHeUN) produced by [dendro.varcov](#) with homoscedastic equals FALSE.

Details

The function calculates between-group synchrony for a heteroscedastic unstructured model (mHeUN).

Value

The function returns a matrix containing between-group synchrony and SE for each combination of varGroup levels. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate between-group synchrony and SE
##for a heteroscedastic unstructured model for conifersIP data:
data(conifersIP)

#Fit the heteroscedastic set of varcov models (mBE, mHeNE, mHeCS, mHeUN)
# using taxonomic grouping criteria (ie. Species)
ModHt <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = FALSE)

#between-group synchrony and SE for each varGroup stratum combination
# in heteroscedastic unstructured models.
bet.het.aSE(ModHt$mHeUN)#Unstructured model
```

`conifersIP`*Iberian Peninsula tree-ring width dataset*

Description

This dataset presents tree-ring width chronologies of residual indices published in Shestakova et al. (2016). The dataset contains 30 tree-ring width chronologies of conifer species from the Iberian Peninsula for the period 1950-1999. Tree species are represented by *Abies alba* Mill., *Pinus nigra* subsp. *salzmannii* (Dunal) Franco and *Pinus sylvestris* L. The sampling sites are distributed across three subregions (*north*, *centre* and *south*) of the Iberian Peninsula. Site chronologies are obtained by cross-dating tree-ring width series and posterior detrending and autocorrelation removal with the Friedman supersmoother spline and autoregressive modeling.

Usage

```
data(conifersIP)
```

Format

A data frame containing 30 tree-ring chronologies of residual indices for the period 1950-1999. The dataset includes three species (*Abies alba*, *Pinus nigra*, *Pinus sylvestris*) that are distributed across three regions (*north*, *centre* and *south*) in accordance with the latitudinal position of each sampling site. `conifersIP` has following variables:

- Year: year of tree-ring formation (1950-1999)
- Region: geographical region for Iberian Peninsula: north, centre, south
- Species: tree species: *Abies alba*, *Pinus nigra*, *Pinus sylvestris*
- Code: specific name of tree-ring width chronology
- TRW: residual indices of tree-ring width chronologies

References

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

csbet.aSE	<i>Between-group synchrony for homoscedastic compound symmetry model</i>
-----------	--

Description

The function calculates the between-group synchrony (\hat{a}) and standard error (SE) for homoscedastic compound symmetry model (mCS).

Usage

```
csbet.aSE(model)
```

Arguments

model	a class "lme" compound symmetry model (mCS) produced by dendro.varcov with homoscedastic equals TRUE.
-------	---

Details

The function calculates between-group synchrony for homoscedastic compound symmetry model (mCS).

Value

The function returns a matrix containing between-group synchrony and SE for each combination of varGroup levels. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

- Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.
- Shestakova, T.A., Gutierrez, E., Kiryanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate between-group homoscedastic synchrony and SE
# for compound symmetry homocedastic model of conifersIP data:
data(conifersIP)

#Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
# using taxonomic grouping criteria (ie. Species)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = TRUE)

summary(ModHm)

#Obtain the compound symmetry model between-group synchrony and SE
# for each varGroup stratum.
csbet.aSE (ModHm$mCS)#compound symmetry
```

csbet.het.aSE	<i>Between-group synchrony for heteroscedastic compound symmetry model</i>
---------------	--

Description

The function calculates the between-group synchrony (a^{\wedge}) and standard error (SE) for heteroscedastic compound symmetry model (mHeCS).

Usage

```
csbet.het.aSE(model)
```

Arguments

model	a class "lme" compound symmetry model (mHeCS) produced by dendro.varcov with homoscedastic equals FALSE.
-------	--

Details

The function calculates between-group synchrony for heteroscedastic compound symmetry models (mHeCS).

Value

The function returns a matrix containing between-group synchrony and SE for each combination of varGroup levels. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate between-group synchrony and SE
##for heteroscedastic compound symmetry model for conifersIP data:
data(conifersIP)

#Fit the heteroscedastic set of varcov models (mBE, mHeNE, mHeCS, mHeUN)
# using taxonomic grouping criteria (ie. Species)
ModHt <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = FALSE)

#between-group synchrony and SE for each varGroup stratum combination
# in heteroscedastic compound symmetry models.
cset.het.aSE(ModHt$mHeCS)
```

cswi.aSE

Within-group synchrony for homoscedastic compound symmetry model

Description

The function calculates the within-group synchrony (a^{\wedge}) and standard error (SE) for homoscedastic compound symmetry models (mCS).

Usage

```
cswi.aSE(model)
```

Arguments

model a class "lme" compound symmetry model (mCS) produced by [dendro.varcov](#) with homoscedastic equals TRUE.

Details

The function calculates within-group synchrony for homoscedastic compound symmetry model (mCS).

Value

The function returns a matrix containing within-group synchrony and SE for each combinations of varGroup levels. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate within-group homoscedastic synchrony and SE
# for compound symmetry homoscedastic model of conifersIP data:
data(conifersIP)

#Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
# using taxonomic grouping criteria (ie. Species)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = TRUE)
summary(ModHm)

#Obtain the compound symmetry model within-group synchrony and SE
# for each varGroup stratum.
cswi.aSE(ModHm$mCS)#compound symmetry
```

cswi.het.aSE	<i>Within-group synchrony for heteroscedastic compound symmetry mixed models</i>
--------------	--

Description

The function calculates for each varGroup stratum the synchrony (a^{\wedge}) and standard error (SE) for heteroscedastic compound symmetry models (mHeCS).

Usage

```
cswi.het.aSE (model)
```

Arguments

model	a class "lme" model produced by dendro.varcov with homoscedastic equals FALSE.
-------	--

Details

The function calculates the within-group synchrony values for each varGroup stratum based on the methodology described in Shestakova et al. (2014) and Shestakova et al. (2016). Note that this function is designed to work only in heteroscedastic compound symmetry mixed models (i.e. mHeCS).

Value

The function returns a matrix containing within-group synchrony and SE for each level of varGroup. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate within-group heteroscedastic synchrony and SE for conifersIP data:
data(conifersIP)

#Fit the heteroscedastic set of varcov models (mBE, mHeNE, mHeCS, mHeUN)
# using taxonomic grouping criteria (i.e. Species)
ModHt <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = FALSE)

summary(ModHt)

#Obtain the heteroscedastic compound symmetry
#within-group synchrony and SE for each varGroup stratum.
cswi.het.aSE(ModHt$mHeCS)
```

dendro.varcov

Fit variance-covariance mixed models on tree-ring chronologies

Description

The function calculates variance-covariance (VCOV) mixed models from a `data.frame` with tree-ring width index and years for each chronology following the methodology described in Shestakova et al. (2014). The mixed models relate tree-ring width (Y) against specific names of tree-ring width chronologies (A), using years and grouping variable as random factors to characterize the strength of the common signal across the grouping variable. First, a linear mixed-effect model with null positive-definite matrix structure or broad evaluation is fitted and the subsequent models are consequently derived from it using the function `update`. When a `data.frame` with tree-ring width index has NAs the models are fitted with `na.action = na.omit`. Simultaneously, `complete.cases` is applied to guarantee that rows have no missing values across the entire `data.frame`.

Usage

```
dendro.varcov(formula, varTime = "", varGroup = "", data,
              homoscedastic = TRUE, null.mod = FALSE, all.mod = FALSE)
```

Arguments

<code>formula</code>	a model formula such as $Y \sim A$, where Y is usually tree-ring width and A will be a factor variable such as the specific names of tree-ring width chronologies (<code>conifersIP</code>) or <code>~1</code> for a null model.
<code>varTime</code>	a character specifying the time variable to consider in calculating synchrony estimates. Models with <code>varTime</code> variable with less than 10 different time-points produce unreliable results.
<code>varGroup</code>	a character grouping variable. In dendrochronological studies different grouping strategies can be used. We used here two strategies following taxonomic (i.e. species) or geographic (i.e. region) criteria.

<code>data</code>	a <code>data.frame</code> with tree-ring chronologies, years and grouping variables as columns.
<code>homoscedastic</code>	logical if TRUE models do not included an optional <code>varFunc</code> object. If FALSE models will include a one-sided formula describing the within-group heteroscedasticity structure (<code>varIdent</code>).
<code>null.mod</code>	logical if TRUE only broad evaluation model will be fitted. Default FALSE.
<code>all.mod</code>	logical if TRUE all homoscedastic and heteroscedastic model types will be fitted. Default FALSE.

Details

The function fits a set of variance-covariance mixed models following Shestakova et al. (2014). A total of 7 different variance-covariance mixed models can be fitted: a null positive-definite matrix structure (mBE), and the homoscedastic and heteroscedastic versions of a diagonal positive-definite matrix structure (mNE, mHeNE), a positive-definite matrix with compound symmetry structure (mCS, mHeCS) and a general positive-definite matrix structure (mUN, mHeUN). Note that if `null.mod` is TRUE the function only fits broad evaluation model (mBE), this is set to FALSE by default. If `all.mod` is TRUE the function fits heteroscedastic and homoscedastic versions of all models. This is set to FALSE by default, because for large-datasets it may take a long time to converge.

Value

The function returns a list containing the following components:

- for `null.mod = TRUE`:

`mBE` an object of class "lme" representing the linear mixed-effects model fit of null positive-definite matrix structure or broad evaluation. See [lmeObject](#) for the components of the fit.

- for `homoscedastic = TRUE`:

`mNE` an object of class "lme" representing the linear mixed-effects model fit of a diagonal positive-definite matrix structure or narrow evaluation. See [lmeObject](#) for the components of the fit.

`mCS` an object of class "lme" representing the linear mixed-effects model fit of a positive-definite matrix with compound symmetry structure. See [lmeObject](#) for the components of the fit.

`mUN` an object of class "lme" representing the linear mixed-effects model fit of a general positive-definite matrix structure or unstructured. See [lmeObject](#) for the components of the fit.

- for `homoscedastic = FALSE`:

`mHeNE` an object of class "lme" representing the linear mixed-effects model fit of the heteroscedastic variant of a diagonal positive-definite matrix structure or narrow evaluation. See [lmeObject](#) for the components of the fit.

`mHeCS` an object of class "lme" representing the linear mixed-effects model fit of the heteroscedastic variant of a positive-definite matrix with compound symmetry structure. See [lmeObject](#) for the components of the fit.

mHeUN an object of class "lme" representing the linear mixed-effects model fit of the heteroscedastic variant of a general positive-definite matrix structure or unstructured. See [lmeObject](#) for the components of the fit.

- for all.mod = TRUE:

The function returns the homoscedastic and heteroscedastic versions of all fitted models.

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirdyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[lmeObject](#), [na.action](#), [complete.cases](#)

Examples

```
## Calculate variance-covariance models on Iberian Peninsula conifers
# chronologies using two different grouping strategies.
# Tree-ring width chronologies are grouped according to taxonomic (i.e. Species)
# or geographic (i.e. Region) criteria.
#User-defined homoscedastic or heteroscedastic variances can be fitted.
data(conifersIP)

#Chop the data from 1960 to 1989.
conif.30 <- conifersIP[conifersIP$Year>1959 & conifersIP$Year<1990,]
summary(conif.30$Year)

##Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
# using taxonomic grouping criteria (ie. Species)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conif.30, homoscedastic = TRUE)

summary(ModHm)# Class and length of list elements
ModHm
ModHm[2]#mNE fitted model results

##Fit the heteroscedastic set of varcov models (mBE, mHeNE, mHeCS, mHeUN)
# using geographic grouping criteria (ie. Region)
```

```
ModHt <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Region",
                      data = conif.30, homoscedastic = FALSE)

summary(ModHt)# Class and length of list elements
ModHt
ModHt[3]#mHeCS fitted model results
```

gen.aSE

within-group synchrony for homoscedastic models

Description

The function calculates for each varGroup stratum the within-group synchrony (a^{\wedge}) and standard error (SE). However, it only works for homoscedastic broad evaluation, narrow evaluation and unstructured models (mBE, mNE, mUN).

Usage

```
gen.aSE(model)
```

Arguments

model a class "lme" model produced by [dendro.varcov](#) with homoscedastic equals TRUE.

Details

The function calculates the within-group synchrony values for each varGroup stratum based on the methodology described in Shestakova et al. (2014) and Shestakova et al. (2016). Note that this function is designed to work only in 3 homoscedastic models (mBE, mNE, mUN).

Value

The function returns a matrix containing the synchrony and SE for each level of varGroup. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate within-group homoscedastic synchrony and SE for conifersIP data:
data(conifersIP)

#Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
# using taxonomic grouping criteria (ie. Species)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = TRUE)

summary(ModHm)

#Obtain the within-group synchrony and SE for each varGroup stratum.
gen.aSE(ModHm$mBE)#Broad evaluation
gen.aSE(ModHm$mUN)#Unstructured
```

gen.het.aSE

Within-group synchrony for heteroscedastic mixed models

Description

The function calculates for each varGroup stratum the synchrony (a^{\wedge}) and standard error (SE), but only for heteroscedastic unstructured and narrow evaluation mixed models (mHeNE, mHeUN).

Usage

```
gen.het.aSE (model)
```

Arguments

model a class "lme" model produced by [dendro.varcov](#) with homoscedastic equals FALSE.

Details

The function calculates the within-group synchrony values for each varGroup stratum based on the methodology described in Shestakova et al. (2014) and Shestakova et al. (2016). Note that this function is designed to work only in heteroscedastic narrow evaluation and unstructured mixed models (ie. mHeNE and mHeUN).

Value

The function returns a matrix containing within-group synchrony and SE for each level of varGroup. This function is used internally in [sync](#).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[sync](#) for a clear description of synchrony evaluation.

Examples

```
## Calculate within-group heteroscedastic synchrony and SE for conifersIP data:
data(conifersIP)

#Fit the heteroscedastic set of varcov models (mBE, mHeNE, mHeCS, mHeUN)
# using taxonomic grouping criteria (i.e. Species)
ModHt <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = FALSE)
summary(ModHt)

#Obtain the heteroscedastic within-group synchrony and SE for each varGroup stratum.
gen.het.aSE(ModHt$mHeNE)#Narrow evaluation model
gen.het.aSE(ModHt$mHeUN)#Unstructured model
```

het.var	<i>Variances per varGroup stratum for heteroscedastic models</i>
---------	--

Description

The function obtains the heteroscedastic variances for each varGroup elements for a selected model (mHeCS, mHeUN, mHeNE).

Usage

```
het.var(model)
```

Arguments

model	a class "lme" model produced by dendro.varcov with homoscedastic equals FALSE.
-------	--

Details

The function extracts the variances for each varGroup stratum using the within-group heteroscedastic structure of the fitted models (varIdent constant variance per stratum). Note that this function only works for heteroscedastic models: mHeCS, mHeNE, mHeUN.

Value

The function returns a numeric vector containing the variance per each level of varGroup. They are used internally to calculate synchrony ([sync](#)).

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

Examples

```
## Calculate within-group heteroscedastic variances for conifersIP data:
data(conifersIP)

#Fit the heteroscedastic set of models (mBE, mHeCS, mHeNE, mHeUN)
# using taxonomic grouping criteria (i.e. Species)
ModHt <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = FALSE)

#Obtain the within-group variances for the model of interest
het.var(ModHt$mHeCS)#Heterogeneous variant of compound symmetry model
het.var(ModHt$mHeUN)#Heterogeneous unstructured model
```

mod.table	<i>Function to calculate goodness-of-fit statistics for variance-covariance models</i>
-----------	--

Description

The function provides a table to compare fitted variance-covariance (VCOV) mixed models by AIC, AICc, BIC and LogLik. The restricted log-likelihood (LogLik) statistics for different models can be compared by Chi-square test, while Akaike information criterion (AIC), corrected Akaike information criterion (AICc) and Bayesian information criterion (BIC) are in the smaller-is-better form.

Usage

```
mod.table(modellist)
```

Arguments

`modellist` a list of variance-covariance (VCOV) mixed models of the type as produced by [dendro.varcov](#).

Details

The function returns a table to compare the fitted variance-covariance (VCOV) mixed models to the same data based on information criteria. The smaller AIC, AICc or BIC, the better fit. Also, LogLik value is included. AICc is calculated according to the formula $AIC + 2 * npar * (nobs / (nobs - npar - 2))$, where `npar` represents the number of parameters and `nobs` the number of observations in the fitted model.

Value

The function returns a `data.frame` with rows corresponding to the objects and columns containing the following components:

<code>n</code>	the number of observations used in the model fit.
<code>df</code>	the number of parameters in the fitted model.
<code>AIC</code>	Akaike's Information Criterion of the fitted model.
<code>AICc</code>	corrected Akaike's Information Criterion of the fitted model.
<code>BIC</code>	Bayesian Information Criterion of the fitted model.
<code>LogLik</code>	log-likelihood of the fitted model

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

Arguments

<code>modellist</code>	a list of the type as produced by <code>dendro.varcov</code> .
<code>modname</code>	a character string of "mBE", "mNE", "mCS", "mUN", "mHeNE", "mHeCS" or "mHeUN", specifying the variance-covariance structures selected for synchrony evaluation.
<code>trend.mBE</code>	a logical specifying if a broad evaluation model (mBE) output for each grouping level is reported. This is a special mBE output to plot synchrony trends with <code>sync.trend.plot</code> . Default FALSE.

Details

The function calculates the within- and between-group synchrony. For the more general (unstructured) model, the correlation of pairs of chronologies i and i^* belonging to group r is:

$$\rho(W_i, W_{i^*}) = \text{cov}(W_i, W_{i^*}) / \sqrt{\text{Var}(W_i) * \text{Var}(W_{i^*})} = \sigma^2_{yr} / \sigma^2_{yr} + \sigma^2_e$$

Where W_i is tree-ring width of i th chronology, σ^2_{yr} is a covariance between observations W_i and W_{i^*} belonging to a group r , σ^2_e is a random deviation within the r th group. Conversely, the correlation of pairs of chronologies i and i^* belonging to groups r and r^* is:

$$\rho(W_i, W_{i^*}) = \text{cov}(W_i, W_{i^*}) / \sqrt{\text{Var}(W_i) * \text{Var}(W_{i^*})} = \sigma^2_{yr} * \sqrt{(\sigma^2_{yr} + \sigma^2_e) + (\sigma^2_{yr^*} + \sigma^2_e)}$$

Note that if no `modname` is provided a warning message appears indicating that synchrony will be only calculated for the first `modname` vector element, i.e. broad evaluation model (mBE).

Value

The function returns a list containing the following components:

- for within-group synchrony:

`Modname` a column indicating the variance-covariance mixed models fit type:

- mBE: null (or broad evaluation) structure.
- mNE: homoscedastic variant of banded main diagonal (or narrow evaluation) structure.
- mCS: homoscedastic variant of compound symmetry structure.
- mUN: homoscedastic variant of unstructured (or full) structure.
- mHeNE: heteroscedastic variant of banded main diagonal (or narrow evaluation) structure.
- mHeCS: heteroscedastic variant of compound symmetry structure.
- mHeUN: heteroscedastic variant of unstructured (or full) structure.

`a_Group` a column representing the within-group synchrony.

`SE_Group` standard error of each observation.

- for between-group synchrony:

Modname	a column indicating the model fit type. See previous description.
GroupName	a column indicating between-group varGroup pairwise combinations r and r*.
a_betw_Grp	a column indicating between-group varGroup synchrony.
SE_betw_Grp	standard error of each observation.

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirilyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

See Also

[dendro.varcov](#) for models details.

Examples

```
## Calculate synchrony for null.model (broad evaluation, mBE) and homoscedastic variant
# of unstructured model (or full, mUN) for conifersIP data,
# and heteroscedastic variant for 1970-1999 period.
data(conifersIP)

##Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
#using taxonomic grouping criteria (i.e. Species)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, homoscedastic = TRUE)

summary(ModHm)# Class and length of list elements

#Synchrony for mBE and mUN models
sync(ModHm, modname = "mBE")
sync(ModHm, modname = "mUN")

##Chop the data from 1970 to 1999.
conif.30 <- conifersIP[conifersIP$Year>1969 & conifersIP$Year<2000,]
summary(conif.30$Year)

#Fit the heteroscedastic set of variance covariance mixed models (mBE, mHeNE, mHeCS, mHeUN)
# using taxonomic grouping criteria (ie. Species)
ModHt30 <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Species",
```

```

                                data = conif.30, homoscedastic = FALSE)
sync(ModHt30, modname = "mBE")
sync(ModHt30, modname = "mHeUN")

```

sync.plot

Plot within- and between-group synchrony

Description

The function creates dot plots of within- and between-group synchrony as produced by [sync](#) from a selected model produced by [dendro.varcov](#). Note that broad evaluation model (mBE) can not be plotted since it produces only one value per model.

Usage

```
sync.plot (syncList)
```

Arguments

syncList a list of the type as produced by [sync](#).

Details

The function makes a dot plots for within- and between-group synchrony for a user defined varGroup and varTime period in [dendro.varcov](#).

Value

Dotplot

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

Examples

```

## Plot homoscedastic narrow evaluation (mNE) and unstructured model (mUN)
# synchronies for conifersIP data:
data(conifersIP)

##Fit the homoscedastic set of varcov models (mBE, mNE, mCS, mUN)
# using geographic grouping criteria (ie. Region)
ModHm <- dendro.varcov(TRW ~ Code, varTime = "Year", varGroup = "Region",
                      data = conifersIP, homoscedastic = TRUE)

sync.plot(sync(ModHm, modname = "mNE"))
sync.plot(sync(ModHm, modname = "mUN"))

```

sync.trend	<i>Calculate temporal trends of synchrony</i>
------------	---

Description

The function calculates temporal trends of spatial synchrony from a `data.frame` with tree-ring width chronologies using a moving window as described in Shestakova et al. (2016). This method splits the time variable (`varTime`) in 30 years windows plus a 5 years lag, and in each window the within- or between-group level (`varGroup`) synchronies are calculated. The function can also be used to find synchrony with similar time series `data.frame` from other fields.

Usage

```
sync.trend (formula, varTime="", varGroup="", data, window = 30, lag = 5,
           null.mod = TRUE, selection.method = c("AIC", "AICc", "BIC"),
           all.mod = FALSE, homoscedastic = TRUE, between.group = FALSE)
```

Arguments

formula	a formula a typical model formula such as $Y \sim A$, where Y is usually tree-ring width and A may be a grouping factor such as the specific names of tree-ring width chronologies (<code>conifersIP</code>).
varTime	a character specifying the time variable to consider in calculating synchrony estimates. Models with less than 10 different time-points may produce unreliable results.
varGroup	a character grouping variable. In dendrochronological studies different grouping strategies can be used. We used here two strategies following taxonomic (i.e. species) or geographic (i.e. region) criteria.
data	a <code>data.frame</code> with tree-ring chronologies, years and grouping variables as columns.
window	an integer specifying the window size (i.e. number of years) to be used to calculate synchrony. Must be greater than 20 (≥ 20). Defaults to 20.
lag	an integer specifying the lag that the window is moving (i.e. number of <code>varTime</code> moving window) to be used to calculate synchrony. Must be greater than 1 (≥ 1). Defaults to 5.
null.mod	a logical specifying if only the null model for general synchrony is fitted (broad evaluation, mBE). Default TRUE.
selection.method	a character string of "AIC", "AICc" or "BIC", specifying the information criterion used for model selection.
all.mod	a logical specifying if all homoscedastic and heteroscedastic models should be fitted. Default FALSE.
homoscedastic	a logical specifying if models should be an optional <code>varFunc</code> object or one-sided formula describing the within-group heteroscedasticity structure. Default TRUE
between.group	a logical specifying if between-group synchrony is displayed instead of within-group synchrony. Default FALSE.

Details

The function fits by default ("null.mod=T") the null model for general synchrony (broad evaluation, mBE) for a specified time window size and lag. If "null.mod=F" the function calculates homoscedastic or heteroscedastic versions of variance-covariance (VCOV) mixed models available (mBE, mNE, mCS, mUN, mHeNE, mHeCS, mHeUN; `dendro.varcov`) for each time window size and lag selected. In each window the best model is chosen based on the minimum information criterion selected between "AIC", "AICc" or "BIC". When no selection.method is defined by default AIC is used. If "all.mod=T" the functions fits the homoscedastic and heteroscedastic versions of the 7 models (this is a highly time consuming process).

Value

The function returns a `data.frame` containing the following components:

- for `null.mod TRUE`:

<code>a_Group</code>	a column representing the within-group synchrony (mBE).
<code>SE</code>	standard error of each observation.
<code>Windlag</code>	a column representing the lag of the window used to split the time variable. A 0 value means that lag is 0, and then the defined time window starts from minimum <code>varTime</code> value.
<code>varTime</code>	a column representing the <code>varTime</code> variable.

- for `null.mod FALSE`:

<code>Modname</code>	a column indicating the best model fit and the information criterion used.
<code>GroupName</code>	a column indicating levels of the <code>varGroup</code> for each time-window selected.
<code>a_Group</code>	a column indicating within-group synchrony for each <code>varGroup</code> level at time-window selected.
<code>a_betw_Grp</code>	a column indicating between-group synchrony for each <code>varGroup</code> level at time-window selected. Only if <code>between.group</code> is set to <code>TRUE</code> .
<code>SE</code>	standard error of each observation.
<code>Windlag</code>	a column representing the lag of the window used to split the time variable. A 0 value means that lag is 0, and then the defined time window starts from minimum <code>varTime</code> value.
<code>varTime</code>	a column representing the <code>varTime</code> variable window mean point.

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

References

Shestakova, T.A., Aguilera, M., Ferrio, J.P., Gutierrez, E. & Voltas, J. (2014). Unravelling spatiotemporal tree-ring signals in Mediterranean oaks: a variance-covariance modelling approach of carbon and oxygen isotope ratios. *Tree Physiology* 34: 819-838.

Shestakova, T.A., Gutierrez, E., Kirdyanov, A.V., Camarero, J.J., Genova, M., Knorre, A.A., Linares, J.C., Resco de Dios, V., Sanchez-Salguero, R. & Voltas, J. (2016). Forests synchronize their growth in contrasting Eurasian regions in response to climate warming. *Proceedings of the National Academy of Sciences of the United States of America* 113: 662-667.

Examples

```
## Calculate temporal trends of spatial synchrony for conifersIP data:
data(conifersIP)

##Fit the null.model temporal trend (mBE)
#using taxonomic grouping criteria (i.e. Species)
mBE.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Species",
                      data = conifersIP, null.mod = TRUE, window = 30, lag = 5)

mBE.trend# it returns a data.frame

## Not run:
##Fit homoscedastic within-group trends (mBE, mNE, mCS, mUN)
# using geographic grouping criteria (i.e. Region)
geo.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Region",
                      data = conifersIP, window = 30, lag = 5,
                      null.mod = FALSE, homoscedastic = TRUE)

geo.trend#a data.frame with varGroup synchrony for each time window.

##Fit heteroscedastic between-group trends (mBE, mHeNE, mHeCS, mHeUN)
#using geographic grouping criteria (i.e. Region) and BIC
geo.het.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Region",
                          data = conifersIP, window = 30, lag = 5, null.mod = FALSE,
                          selection.method = c("BIC"), homoscedastic = FALSE,
                          between.group = TRUE)

geo.het.trend

##Fit homoscedastic and heteroscedastic within-group trends
# using taxonomic grouping criteria (i.e. Species) and BIC
geo.tot.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Species",
                          data = conifersIP, window = 30, lag = 5,
                          selection.method = c("BIC"), all.mod = TRUE)

geo.tot.trend

## End(Not run)
```

sync.trend.plot *Plot temporal trends of synchrony*

Description

The function creates a line chart showing temporal trends of spatial synchrony from data.frame of the type as produced by [sync.trend](#).

Usage

```
sync.trend.plot (sync.trend.data)
```

Arguments

sync.trend.data
 a data.frame of the type as produced by [sync.trend](#).

Details

The function makes a line chart showing synchrony trends across years from a data.frame produced by [sync.trend](#). Within- or between- group synchrony and SE are indicated for a selected time window. If synchrony is defined using using null.mod = TRUE ([sync.trend](#)) only general synchrony is plotted. If synchrony is defined using using null.mod = FALSE ([sync.trend](#)) different synchronies for each group variable (varGroup) are fitted with different colours for each stratum.

Value

Line chart

Author(s)

Josu G. Alday, Tatiana A. Shestakova, Victor Resco de Dios, Jordi Voltas

Examples

```
## Calculate temporal trends of synchrony for conifersIP data:
data(conifersIP)

##Fit the null.model temporal trend (mBE) using taxonomic grouping criteria (i.e. Species)
mBE.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Species",
  data = conifersIP, null.mod = TRUE, window = 30, lag = 5)

mBE.trend# it returns a data.frame
sync.trend.plot(mBE.trend)# Broad evaluation synchrony linechart

## Not run:
##Fit homoscedastic within-group trends (mBE, mNE, mCS, mUN)
# using geographic grouping criteria (i.e. Region)
geo.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Region",
```

```
data = conifersIP, window = 30, lag = 5,
null.mod = FALSE, homoscedastic = TRUE)

geo.trend#a data.frame with varGroup synchrony for each time window.
sync.trend.plot(geo.trend)#Selected heteroscedastic between-group trends by AIC

##Fit heteroscedastic between-group trends (mBE, mHeNE, mHeCS, mHeUN)
# using geographic grouping criteria (i.e. Region) and AICc
geo.het.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Region",
data = conifersIP, window = 30, lag = 5, null.mod = FALSE,
selection.method = c("AICc"), homoscedastic = FALSE, between.group = TRUE)

geo.het.trend
sync.trend.plot(geo.het.trend)#Selected heteroscedastic between-group trends by AICc

##Fit homoscedastic and heteroscedastic within-group trends
# using taxonomic grouping criteria (i.e. Species) and BIC
geo.tot.trend <- sync.trend(TRW ~ Code, varTime = "Year", varGroup = "Species",
data = conifersIP, window = 30, lag = 5, selection.method = c("BIC"),
all.mod = TRUE)

geo.tot.trend
#Selected homoscedastic and heteroscedastic within-group trends by BIC
sync.trend.plot(geo.tot.trend)

## End(Not run)
```

Index

*Topic **datasets**

conifersIP, 5

AIC, 19

bet.aSE, 2

bet.het.aSE, 3

BIC, 19

complete.cases, 11, 13

conifersIP, 5, 11, 23

csbet.aSE, 6

csbet.het.aSE, 7

cswi.aSE, 8

cswi.het.aSE, 10

dendro.varcov, 2, 3, 6–8, 10, 11, 14, 15,
17–22, 24

gen.aSE, 14

gen.het.aSE, 15

het.var, 17

lmeObject, 12, 13

logLik, 19

mod.table, 18

na.action, 11, 13

sync, 2–4, 6–10, 14–17, 19, 22

sync.plot, 22

sync.trend, 23, 26

sync.trend.plot, 20, 26

varFunc, 12

varIdent, 12