

Package ‘icesDatras’

January 10, 2017

Version 1.2-0

Date 2017-01-10

Title DATRAS Trawl Database Web Services

Imports utils

Suggests icesVocab, testthat

Description R interface to access the web services of the ICES (International Council for the Exploration of the Sea) DATRAS trawl survey database <<https://datras.ices.dk/WebServices/Webservices.aspx>>.

License GPL (>= 2)

URL <https://datras.ices.dk/WebServices/Webservices.aspx>

RoxygenNote 5.0.1

NeedsCompilation no

Author Colin Millar [aut, cre],
Scott Large [aut],
Arni Magnusson [aut]

Maintainer Colin Millar <colin.millar@ices.dk>

Repository CRAN

Date/Publication 2017-01-10 15:32:23

R topics documented:

icesDatras-package	2
checkSurveyOK	2
checkSurveyYearOK	3
checkSurveyYearQuarterOK	4
getCAdata	5
getCatchWgt	6
getDATRAS	7
getDatrasDataOverview	8
getHHdata	8
getHLdata	9

getSurveyList	10
getSurveyYearList	11
getSurveyYearQuarterList	11

Index	13
--------------	-----------

icesDatras-package	<i>DATRAS Trawl Database Web Services</i>
--------------------	---

Description

R interface to access the web services of the ICES (International Council for the Exploration of the Sea) DATRAS trawl database.

Details

Get dataset:

getHHdata	haul data
getHLdata	length-based data
getCAdata	age-based data
getDATRAS	any data

Overview of available data:

getSurveyList	surveys
getSurveyYearList	years
getSurveyYearQuarterList	quarters
getDatrasDataOverview	surveys, years, and quarters

Author(s)

Colin Millar, Scott Large, and Arni Magnusson.

References

ICES DATRAS web services: <http://datras.ices.dk/>.

checkSurveyOK	<i>Check that a survey name is in the database</i>
---------------	--

Description

Checks a survey name against a list of all survey names in the DATRAS database. If the name is not matched it puts up a message showing the available survey names.

Usage

```
checkSurveyOK(survey)
```

Arguments

survey the survey acronym, e.g. NS-IBTS.

Value

logical.

See Also

[checkSurveyYearOK](#) and [getSurveyYearQuarterList](#) also perform checks against the DATRAS database.

[icesDatras-package](#) gives an overview of the package.

Examples

```
checkSurveyOK(survey = "ROCKALL")  
checkSurveyOK(survey = "NOTALL")
```

checkSurveyYearOK *Check that a survey and year combination is in the database*

Description

Checks a year and/or survey name against a list of all survey year combinations in the DATRAS database. If the combination is not matched it puts up a message showing the available options.

Usage

```
checkSurveyYearOK(survey, year, checksurvey = TRUE)
```

Arguments

survey the survey acronym, e.g. NS-IBTS.
year the year of the survey, e.g. 2010.
checksurvey logical, should the survey name also be checked.

Value

logical.

See Also

[checkSurveyOK](#) and [checkSurveyYearQuarterOK](#) also perform checks against the DATRAS database. [icesDatras-package](#) gives an overview of the package.

Examples

```
checkSurveyYearOK(survey = "ROCKALL", 2015)
checkSurveyYearOK(survey = "ROCKALL", 2000)
checkSurveyYearOK(survey = "NOTALL", 2000)
```

checkSurveyYearQuarterOK

Check that a survey, year and quarter combination is in the database

Description

Checks a quarter and/or year and/or survey name against a list of all survey year quarter combinations in the DATRAS database. If the combination is not matched it puts up a message showing the available options.

Usage

```
checkSurveyYearQuarterOK(survey, year, quarter, checksurvey = TRUE,
  checkyear = TRUE)
```

Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.
checksurvey	logical, should the survey name also be checked.
checkyear	logical, should the year also be checked.

Value

logical.

See Also

[checkSurveyOK](#) and [checkSurveyYearOK](#) also perform checks against the DATRAS database. [icesDatras-package](#) gives an overview of the package.

Examples

```
checkSurveyYearQuarterOK(survey = "ROCKALL", 2015, 3)
checkSurveyYearQuarterOK(survey = "ROCKALL", 2015, 1)
checkSurveyYearQuarterOK(survey = "ROCKALL", 2000, 1)
checkSurveyYearQuarterOK(survey = "NOTALL", 2000, 1)

# be careful of unexpected results with checksurvey and checkyear!
checkSurveyYearQuarterOK(survey = "NOTALL", 2000, 1, checksurvey=FALSE)
```

getCAdata

Get Age-Based Data

Description

Get age-based data such as sex, maturity, and age counts per length of sampled species.

Usage

```
getCAdata(survey, year, quarter)
```

Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

Value

A data frame.

Author(s)

Colin Millar.

See Also

[getDATRAS](#) supports querying many years and quarters in one function call.
[getHHdata](#) and [getHLdata](#) get haul data and length-based data.
[icesDatras-package](#) gives an overview of the package.

Examples

```
cadata <- getCAdata(survey = "ROCKALL", year = 2002, quarter = 3)
str(cadata)
```

`getCatchWgt`*Get Catch Weights*

Description

Get the reported catch weight by species and haul.

Usage

```
getCatchWgt(survey, years, quarters, aphia)
```

Arguments

survey	the survey acronym e.g. NS-IBTS.
years	a vector of years of the survey, e.g. c(2010, 2012) or 2005:2010.
quarters	a vector of quarters of the year the survey took place, e.g. c(1, 4) or 1:4.
aphia	a vector of Aphia species codes defined in the WoRMS database, e.g. c(126436, 1264374).

Value

A data frame.

Note

The **icesAdvice** package provides `findAphia`, a function to look up Aphia species codes.

Author(s)

Colin Millar.

See Also

[getSurveyYearList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

Examples

```
getCatchWgt(survey = "ROCKALL", years = 2002, quarters = 3, aphia = 126437)

# look up specific species
aphia <- icesVocab::findAphia(c("cod", "haddock"))
cwt <- getCatchWgt(survey = "ROCKALL", years = 2002, quarters = 3, aphia = aphia)
```

`getDATRAS`*Get Any DATRAS Data*

Description

This function combines the functionality of `getHHdata`, `getHLdata`, and `getCAdata`. It supports querying many years and quarters in one function call.

Usage

```
getDATRAS(record = "HH", survey, years, quarters)
```

Arguments

<code>record</code>	the data type required: "HH" haul data, "HL" length-based data, "CA" age-based data.
<code>survey</code>	the survey acronym e.g. NS-IBTS.
<code>years</code>	a vector of years of the survey, e.g. <code>c(2010, 2012)</code> or <code>2005:2010</code> .
<code>quarters</code>	a vector of quarters of the year the survey took place, i.e. <code>c(1, 4)</code> or <code>1:4</code> .

Value

A data frame.

Author(s)

Scott Large and Colin Millar.

See Also

[getHHdata](#), [getHLdata](#), and [getCAdata](#) get haul data, length-based data, and age-based data.
[icesDatras-package](#) gives an overview of the package.

Examples

```
hhdata <- getDATRAS(record = "HH", survey = "ROCKALL", years = 2002, quarters = 3)
hldata <- getDATRAS(record = "HL", survey = "ROCKALL", years = 2002, quarters = 3)
cadata <- getDATRAS(record = "CA", survey = "ROCKALL", years = 2002, quarters = 3)
```

getDatrasDataOverview *Summarize Data Availability*

Description

Evaluate a presence-absence table for each survey with '1' where there is data and '0' (printed as '.') otherwise.

Usage

```
getDatrasDataOverview(surveys = NULL)
```

Arguments

surveys a vector of survey names, or NULL to process all surveys.

Value

A list of tables.

Author(s)

Colin Millar.

See Also

[getSurveyList](#), [getSurveyYearList](#), and [getSurveyYearQuarterList](#) also list available data. [icesDatras-package](#) gives an overview of the package.

Examples

```
getDatrasDataOverview(surveys = "ROCKALL")
```

getHHdata *Get Haul Data*

Description

Get haul data such as position, depth, sampling method, etc.

Usage

```
getHHdata(survey, year, quarter)
```

Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

Value

A data frame.

Author(s)

Colin Millar.

See Also

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHLdata](#) and [getCAdata](#) get length-based data and age-based data.

[icesDatras-package](#) gives an overview of the package.

Examples

```
hhdata <- getHHdata(survey = "ROCKALL", year = 2002, quarter = 3)
str(hhdata)
```

```
# error checking examples:
```

```
hhdata <- getHHdata(survey = "NS-IBTS", year = 2016, quarter = 1)
```

```
hhdata <- getHHdata(survey = "NS-IBTS", year = 2030, quarter = 1)
```

```
hhdata <- getHHdata(survey = "NS-IBTS", year = 2016, quarter = 6)
```

getHLdata

Get Length-Based Data

Description

Get length-based information such as measured length, individual counts, and subfactors of sampled species.

Usage

```
getHLdata(survey, year, quarter)
```

Arguments

survey	the survey acronym, e.g. NS-IBTS.
year	the year of the survey, e.g. 2010.
quarter	the quarter of the year the survey took place, i.e. 1, 2, 3 or 4.

Value

A data frame.

Author(s)

Colin Millar.

See Also

[getDATRAS](#) supports querying many years and quarters in one function call.

[getHHdata](#) and [getCAdata](#) get haul data and age-based data.

[icesDatras-package](#) gives an overview of the package.

Examples

```
hldata <- getHLdata(survey = "ROCKALL", year = 2002, quarter = 3)
str(hldata)
```

getSurveyList

Get a List of All Surveys

Description

Get a list of all survey acronyms.

Usage

```
getSurveyList()
```

Value

A character vector.

Author(s)

Colin Millar.

See Also

[getSurveyYearList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

Examples

```
getSurveyList()
```

`getSurveyYearList` *Get a List of Survey Years*

Description

Get a list of all data years for a given survey.

Usage

```
getSurveyYearList(survey)
```

Arguments

survey the survey acronym, e.g. NS-IBTS.

Value

A numeric vector.

Author(s)

Colin Millar.

See Also

[getSurveyList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

Examples

```
getSurveyYearList(survey = "ROCKALL")
```

`getSurveyYearQuarterList`
Get a List of Quarters

Description

Get a list of quarters available for a given survey and year.

Usage

```
getSurveyYearQuarterList(survey, year)
```

Arguments

survey the survey acronym, e.g. NS-IBTS.
year the year of the survey, e.g. 2010.

Value

A numeric vector.

Author(s)

Colin Millar.

See Also

[getSurveyYearList](#), [getSurveyYearQuarterList](#), and [getDatrasDataOverview](#) also list available data.

[icesDatras-package](#) gives an overview of the package.

Examples

```
getSurveyYearQuarterList(survey = "ROCKALL", year = 2002)
```

Index

checkSurveyOK, [2](#), [4](#)
checkSurveyYearOK, [3](#), [3](#), [4](#)
checkSurveyYearQuarterOK, [4](#), [4](#)

getCAdata, [2](#), [5](#), [7](#), [9](#), [10](#)
getCatchWgt, [6](#)
getDATRAS, [2](#), [5](#), [7](#), [9](#), [10](#)
getDatrasDataOverview, [2](#), [6](#), [8](#), [10–12](#)
getHHdata, [2](#), [5](#), [7](#), [8](#), [10](#)
getHLdata, [2](#), [5](#), [7](#), [9](#), [9](#)
getSurveyList, [2](#), [8](#), [10](#), [11](#)
getSurveyYearList, [2](#), [6](#), [8](#), [10](#), [11](#), [12](#)
getSurveyYearQuarterList, [2](#), [3](#), [6](#), [8](#), [10](#),
[11](#), [11](#), [12](#)

icesDatras (icesDatras-package), [2](#)
icesDatras-package, [2](#)