

Package ‘iptools’

April 4, 2016

Type Package

Title Manipulate, Validate and Resolve 'IP' Addresses

Version 0.4.0

Date 2016-04-04

Author Bob Rudis <bob@rudis.net> [aut, cre],
Oliver Keyes <ironholds@gmail.com> [aut],
Tim Smith [ctb]

Maintainer Bob Rudis <bob@rudis.net>

Description A toolkit for manipulating, validating and testing 'IP' addresses and ranges, along with datasets relating to 'IP' addresses. Tools are also provided to map 'IPv4' blocks to country codes. While it primarily has support for the 'IPv4' address space, more extensive 'IPv6' support is intended.

License MIT + file LICENSE

URL <http://github.com/hrbrmstr/iptools>

BugReports <https://github.com/hrbrmstr/iptools/issues>

NeedsCompilation yes

Depends R (>= 3.0.0)

Suggests testthat, knitr, rmarkdown

Imports Rcpp (>= 0.11.2), utils, stats, AsioHeaders, ISOcodes

Encoding UTF-8

LinkingTo BH, Rcpp, AsioHeaders

VignetteBuilder knitr

RoxygenNote 5.0.1

Repository CRAN

Date/Publication 2016-04-04 18:39:39

R topics documented:

cached_country_cidrs	2
country_ranges	2
flush_country_cidrs	3
get_all_country_ranges	3
hostname_to_ip	4
iana_assignments	5
iana_assignments_refresh	6
iana_ports	6
iana_special_assignments	7
iptools	8
ip_classify	9
ip_in_range	10
ip_random	10
ip_to_hostname	11
ip_to_numeric	12
is_multicast	13
range_boundaries	13
range_generate	14
validate_range	15
xff_extract	16
Index	17

cached_country_cidrs *Inspect cached CIDR countries*

Description

Inspect cached CIDR countries

Usage

```
cached_country_cidrs()
```

country_ranges *Return CIDR ranges for given ISO 3166-1 alpha-2 country codes*

Description

Query <http://www.iwik.org/ipcountry/> for the CIDR ranges for a given set of ISO 3166-1 alpha-2 country codes and return the results in a named list of character vectors.

Usage

```
country_ranges(countries)
```

Arguments

countries character vector of ISO 3166-1 alpha-2 country codes (case-insensitive)

Details

An internal cache of the CIDR query results are maintained as they only change daily (12:00 CET). The cache can be flushed with `flush_country_cidrs` and which codes have been cached can be retrieved with `cached_country_cidrs`.

Value

named list of character vectors of CIDR blocks

Note

This function requires internet connectivity as it pulls daily updated data from <http://www.iwik.org/ipcountry/>.

Examples

```
rng <- country_ranges(c("PW", "UZ"))
```

`flush_country_cidrs` *Flush the country CIDR cache*

Description

Flush the country CIDR cache

Usage

```
flush_country_cidrs()
```

`get_all_country_ranges`
Fetch all country CIDR blocks

Description

Iterates through all the country codes in ISO_3166_1\$Alpha_2 and returns a named list of CIDR blocks for all those countries.

Usage

```
get_all_country_ranges()
```

Value

named list of character vectors of CIDR blocks

Note

This is an expensive operation as it pulls 249 files from <http://www.iwik.org/ipcountry/>. Try not to do this too often.

hostname_to_ip	<i>Returns the IP addresses associated with a hostname.</i>
----------------	---

Description

takes in a vector of hostnames and returns the IP addresses from each hostname's DNS entries. Compatible with both IPv4 and IPv6 addresses.

Usage

```
hostname_to_ip(hostnames)
```

Arguments

hostnames a vector of hostnames.

Value

a list the length of hostnames, containing the IP addresses from each hostname's DNS entries. In the event that a hostname cannot be resolved, the list element will consist of a length-1 character vector containing "Not resolved".

See Also

`ip_to_hostname` for the opposite functionality - resolving IP addresses to their associated host-name(s) - and `ip_to_numeric` for converting IP addresses retrieved from `hostname_to_ip` into their numeric representation.

Examples

```
## Not run:
# One hostname
hostname_to_ip("dds.ec")
## [1] "162.243.111.4"

# Multiple hostnames
hostname_to_ip(c("dds.ec", "ironholds.org"))
#[[1]]
#[1] "162.243.111.4"
```

```
#[[2]]
#[1] "104.131.2.226"

## End(Not run)
```

iana_assignments	<i>IANA IPv4 Address Space Registry</i>
------------------	---

Description

This dataset contains the registry of address space assignments for IPv4 IP addresses, as set by IANA. It consists of a data.frame containing the columns:

- `prefix`: A block of IPv4 (CIDR notation) addresses that has been registered for a particular purpose (e.g. "100.64.0.0/10")
- `designation`: The entity the block is assigned to.
- `date`: the assignment date of the block, stored as YYYY-MM.
- `whois`: whois registry [whois.afrinic.net|whois.apnic.net|whois.arin.net|whois.lacnic.net|whois.ripe.net]
- `status`: status of the assignment [ALLOCATED|LEGACY|RESERVED]

Usage

```
data(iana_assignments)
```

Format

A data frame with 256 rows and 5 variables

Note

Last updated 2015-05-01.

References

- The [IANA page](#) on the IPv4 assignments.
- [RFC1466](#).

See Also

[iana_assignments_refresh](#) for updating the dataset, and [iana_special_assignments](#) for particular, special IPv4 assignments.

iana_assignments_refresh

Refresh iptools Internal Datasets

Description

iptools contains a variety of internal datasets. While these should be updated on a regular basis by the package authors and maintainers, they can also be refreshed by you, the user, using this collection of functions. Each one takes the form [dataset_name]_refresh() to make it clear which dataset is updated by which function.

Usage

```
iana_assignments_refresh()
```

```
iana_special_assignments_refresh()
```

```
iana_ports_refresh()
```

Examples

```
## Not run:  
  
#update iana_assignments  
  
iana_assignments_refresh()  
#[1] TRUE  
  
#update iana_special_assignments  
  
iana_special_assignments_refresh()  
#[1] TRUE  
  
## End(Not run)
```

iana_ports

IANA Service Name and Transport Protocol Port Number Registry

Description

This is the dataset of IANA service names and their assigned ports and transport protocols - along with related metadata.

- service_name: The service name for the port assignment
- port_number: The ports assigned to that service. This can be individual ports, or a range.

- `transport_protocol`: The transport protocol(s) of the port assignment - [dccplscptlpcpludp]
- `description`: An explanation of the port assignment
- `assignee`: the name of the individual or organisation to whom the assignment is made
- `contact`: the name of the individual or organisation who serves as the contact person for the assignment.
- `registration_date`: The date the assignment was registered on. This may be empty, in the case of early assignments; otherwise, it is stored in the form "YYYY-MM".
- `modification_date`: The date of any modification to the assignment. Same format as `registration_date`
- `reference`: A description of (or a reference to a document describing) the protocol or application using this port
- `known_unauthorised_uses`: A list of uses by applications or organizations who are not the assignee
- `assignment_notes`: Indications of owner/name change, or any other assignment process issue

Usage

```
data(iana_ports)
```

Format

A data frame with 13,659 rows and 12 variables

Note

Last updated 2015-05-02

References

The [IANA list](#). [RFC6335](#)

iana_special_assignments

IANA IPv4 Special-Purpose Address Registry

Description

This dataset contains the registry of special address space assignments for IPv4 IP addresses, as set by IANA. It consists of a data.frame containing the columns:

- `address_block`: the full IPv4 range (chr) (e.g. "11.0.0.0/8")
- `name`: the descriptive name for the special-purpose address block
- `rfc`: the Request for Comment (RFC) through which the special-purpose address block was requested
- `allocation_date`: the allocation date of the block, stored as YYYY-MM.

- `source`: whether an address from the allocated special-purpose address block is valid when used as the source address of an IP datagram that transits two devices (TRUE) or not (FALSE).
- `destination`: whether an address from the allocated special-purpose address block is valid when used as the destination address of an IP datagram that transits two devices (TRUE) or not (FALSE).
- `forwardable`: whether a router may forward an IP datagram whose destination address is drawn from the allocated special-purpose address block between external interfaces (TRUE) or not (FALSE).
- `global`: whether an IP datagram whose destination address is drawn from the allocated special-purpose address block is forwardable beyond a specified administrative domain (TRUE) or not (FALSE).
- `reserved_by_protocol`: whether the special-purpose address block is reserved by IP, itself. This value is TRUE if the RFC that created the special-purpose address block requires all compliant IP implementations to behave in a special way when processing packets either to or from addresses contained by the address block, and FALSE otherwise.

Usage

```
data(iana_special_assignments)
```

Format

A data frame with 256 rows and 5 variables

Note

Last updated 2014-08-07

References

- The [IANA page](#) on specially assigned blocks.
- [RFC5376](#)
- [RFC6890](#)

See Also

[iana_special_assignments_refresh](#) to refresh this dataset, and [iana_assignments](#) for a dataset covering general (non-special) IPv4 assignments.

iptools

A package to quickly and easily handle IP addresses.

Description

A toolkit for manipulating, validating and testing 'IP' addresses and ranges, along with datasets relating to 'IP' addresses. Tools are also provided to map IPv4 blocks to country codes. While it primarily has support for the 'IPv4' address space, more extensive 'IPv6' support is intended.

ip_classify	<i>Identify whether an IP address is IPv4 or IPv6</i>
-------------	---

Description

Identify the form (IPv4 or IPv6) of a vector of IP addresses. This can also be used to validate IPs.

Usage

```
ip_classify(ip_addresses)
```

Arguments

`ip_addresses` a vector of IPv4 or IPv6 IP addresses.

Value

a vector containing the class of each input IP address; either "IPv4", "IPv6" or, for IP addresses that were not valid, "Invalid".

See Also

[is_valid](#) et al for logical checks of IP addresses, [ip_to_hostname](#) for resolving IP addresses to their hostnames, and [ip_to_numeric](#) for converting (IPv4) IP addresses to their numeric representation.

Examples

```
#IPv4
ip_classify("173.194.123.100")
#[1] "IPv4"

#IPv6
ip_classify("2607:f8b0:4006:80b::1004")
#[1] "IPv6"

#Invalid
ip_classify("East Coast Twitter is Best Twitter")
#[1] "Invalid"
```

ip_in_range	<i>check if IP addresses fall within particular IP ranges</i>
-------------	---

Description

ip_in_range checks whether a vector of IP addresses fall within particular IP range(s).

Usage

```
ip_in_range(ip_addresses, ranges)
```

Arguments

ip_addresses	a vector of IP addresses
ranges	either a vector of ranges equal in length to ip_addresses, or a single range. If the former, ip_in_range will compare each IP to the equivalent range. If the latter, each IP will be compared to the single range provided.

Value

a logical vector, where TRUE indicates the relevant IP is in the range, and FALSE indicates that the IP is not in the range, or is an invalid IP address.

See Also

[range_boundaries](#) for identifying the minimum and maximum IPs within a range, and [validate_range](#) for validating that a range exists.

Examples

```
#Is this in the range? Yes!  
ip_in_range("172.18.0.1", "172.18.0.0/28")  
#[1] TRUE
```

ip_random	<i>generate random IPv4 IP addresses</i>
-----------	--

Description

ip_random generates random IP addresses. These currently only follow IPv4 standards, since IPv6 addresses are too large to be stored in R in their numeric form. All IPs generated this way are valid.

Usage

```
ip_random(n)
```

Arguments

n the number of IP addresses to randomly generate.

Value

a character vector of randomly-generated IPv4 addresses, in their dotted-decimal form.

See Also

[ip_to_numeric](#) for converting `random_ips`' output to its numeric form, and [range_generate](#) for generating all IP addresses within a specific range.

Examples

```
ip_random(1)
#[1] "49.20.57.31"
```

ip_to_hostname	<i>Return the hostname associated with particular IP addresses</i>
----------------	--

Description

the opposite, in some ways, of [hostname_to_ip](#), `ip_to_hostname` consumes a vector of IP addresses and provides a list of the hostnames that those IPs resolve to. Compatible with both IPv4 and IPv6 addresses.

Usage

```
ip_to_hostname(ip_addresses)
```

Arguments

ip_addresses a vector of IP addresses.

Value

a list, each entry containing a vector of hostnames for the equivalent input IP address (mostly, this will only be one hostname but not always). If the IP cannot be resolved, the list element will be the string "Invalid IP address".

See Also

[hostname_to_ip](#), for the reverse operation.

Examples

```
## Not run:
ip_to_hostname("162.243.111.4")
[[1]]
[1] "dds.ec"

## End(Not run)
```

ip_to_numeric *convert between numeric and dotted-decimal IPv4 forms.*

Description

ip_to_numeric takes IP addresses stored in their human-readable representation ("192.168.0.1") and converts it to a numeric representation (3232235521). numeric_to_ip performs the same operation, but in reverse. Due to limitations in R's support for colossally big numbers, this currently only works for IPv4 IP addresses.

Usage

```
ip_to_numeric(ip_addresses)

numeric_to_ip(ip_addresses)
```

Arguments

ip_addresses a vector of IP addresses, in their numeric or dotted-decimal form depending on the function.

Value

For ip_to_numeric: a vector containing the numeric representation of ip_addresses. If an IP is invalid (either because it's an Ipv6 address, or isn't an IP address at all) the returned value for that IP will be 0.

For numeric_to_ip: a vector containing the dotted-decimal representation of ip_addresses, as character strings. If a value cannot be resolved to an IPv4 address, it will appear as "0.0.0.0" or an empty string.

Examples

```
#Convert your local, internal IP to its numeric representation.
ip_to_numeric("192.168.0.1")
#[1] 3232235521

#And back
numeric_to_ip(3232235521)
#[1] 192.168.0.1"
```

is_multicast	<i>Logical checks for IP addresses</i>
--------------	--

Description

Check whether an IP address is valid with `is_valid`, IPv4 with `is_ipv4`, IPv6 with `is_ipv6`, or multicast (intended to point to multiple machines) with `is_multicast`

Usage

```
is_multicast(ip_addresses)

is_ipv4(ip_addresses)

is_ipv6(ip_addresses)

is_valid(ip_addresses)
```

Arguments

`ip_addresses` a vector of IP addresses

See Also

[ip_classify](#) for character rather than logical classification.

Examples

```
# This is multicast
is_multicast("224.0.0.2")

# It's also IPv4
is_ipv4("224.0.0.2")

# It's not IPv6
is_ipv6("224.0.0.2")
```

range_boundaries	<i>calculate the maximum and minimum IPs in an IP range</i>
------------------	---

Description

when provided with a vector of IP ranges ("172.18.0.0/28"), `range_boundaries` calculates the maximum and minimum IP addresses in that range.

Usage

```
range_boundaries(ranges)
```

Arguments

`ranges` a vector of IP ranges. Currently only IPv4 ranges work.

Value

a data.frame of four columns, "minimum_ip" (containing the smallest IP in the provided range) and "maximum_ip" (containing the largest). "min_numeric" & "max_numeric" (the min & max numeric versions of "minimum_ip" and "maximum_ip") and the original range string. If the range was invalid, both columns will contain "Invalid" as the value.

See Also

[ip_in_range](#) to calculate if an IP address falls within a particular range, or [ip_to_numeric](#) to convert the dotted-decimal notation of returned IP addresses to their numeric representation.

Examples

```
range_boundaries("172.18.0.0/28")
##   minimum_ip maximum_ip min_numeric max_numeric      range
## 1 172.18.0.0 172.18.0.15 2886860800 2886860815 172.18.0.0/28
```

range_generate	<i>generate all IP addresses within a range</i>
----------------	---

Description

generates a vector containing all IP addresses within a provided range. Currently IPv4 only due to R's support (or lack thereof) for really big numbers.

Usage

```
range_generate(range)
```

Arguments

`range` an IPv4 IP range

Value

a character vector containing each IPv4 IP address within the provided range.

See Also

[ip_random](#) for randomly-generated IPs, or [ip_to_numeric](#) for converting generate_range's output to its numeric form.

Examples

```
range_generate("172.18.0.0/28")
#[1] "172.18.0.0" "172.18.0.1" "172.18.0.2" "172.18.0.3" "172.18.0.4"
#[6] "172.18.0.5" "172.18.0.6" "172.18.0.7" "172.18.0.8" "172.18.0.9"
#[11] "172.18.0.10" "172.18.0.11" "172.18.0.12" "172.18.0.13" "172.18.0.14" "172.18.0.15"
```

validate_range	<i>check whether IPv4 ranges are valid</i>
----------------	--

Description

validate_range checks whether a vector of IPv4 CIDR ranges ("127.0.0.1/32") are valid or not.

Usage

```
validate_range(ranges)
```

Arguments

ranges a vector of IPv4 ranges

Value

a logical vector, where TRUE indicates that the provided entry is valid, and FALSE that it is not (or isn't an IP range at all)

See Also

[ip_classify](#) for classifying (and, incidentally, validating) IPv4 and IPv6 addresses, or [range_boundaries](#) for identifying the minimum and maximum IPs within a range.

Examples

```
validate_range("127.0.0.1/32")
#[1] TRUE
validate_range("127.0.0.1/33")
#[1] FALSE
```

xff_extract	<i>Take vectors of IPs and X-Forwarded-For headers and produce single, normalised IP addresses.</i>
-------------	---

Description

xff_extract takes IP addresses and x_forwarded_for values and, in the event that x_forwarded_for is non-null, attempts to extract the "real" IP closest to the client.

Usage

```
xff_extract(ip_addresses, x_forwarded_for)
```

Arguments

ip_addresses a vector of IP addresses
x_forwarded_for an equally-sized vector of X-Forwarded-For header contents.

Value

a vector of IP addresses, incorporating the XFF header value where appropriate.

Examples

```
xff_extract("192.168.0.1", "193.168.0.1, 230.98.107.1")
```


Index

*Topic **datasets**

- iana_assignments, 5
- iana_ports, 6
- iana_special_assignments, 7

cached_country_cidrs, 2
country_ranges, 2

flush_country_cidrs, 3

get_all_country_ranges, 3

hostname_to_ip, 4, 11

iana_assignments, 5, 8
iana_assignments_refresh, 5, 6
iana_ports, 6
iana_ports_refresh
 (iana_assignments_refresh), 6
iana_special_assignments, 5, 7
iana_special_assignments_refresh, 8
iana_special_assignments_refresh
 (iana_assignments_refresh), 6
ip_classify, 9, 13, 15
ip_in_range, 10, 14
ip_random, 10, 15
ip_to_hostname, 9, 11
ip_to_numeric, 4, 9, 11, 12, 14, 15
iptools, 8
iptools-package (iptools), 8
is_ipv4 (is_multicast), 13
is_ipv6 (is_multicast), 13
is_multicast, 13
is_valid, 9
is_valid (is_multicast), 13

numeric_to_ip (ip_to_numeric), 12

range_boundaries, 10, 13, 15
range_generate, 11, 14

validate_range, 10, 15

xff_extract, 16