

# Package ‘pmhtutorial’

October 7, 2017

**Type** Package

**Title** Minimal Working Examples for Particle Metropolis-Hastings

**Version** 1.2

**Author** Johan Dahlin

**Maintainer** Johan Dahlin <uni@johandahlin.com>

**URL** <https://github.com/com pops/pm h-tutorial-rpkg>

**Description** Routines for state estimate in a linear Gaussian state space model and a simple stochastic volatility model using particle filtering. Parameter inference is also carried out in these models using the particle Metropolis-Hastings algorithm that includes the particle filter to provided an unbiased estimator of the likelihood. This package is a collection of minimal working examples of these algorithms and is only meant for educational use and as a start for learning to them on your own.

**Depends** R (>= 3.2.3)

**License** GPL-2

**Imports** mvtnorm, Quandl, grDevices, graphics, stats

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1.9000

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-10-07 14:34:07 UTC

## R topics documented:

example1_igss . . . . .	2
example2_igss . . . . .	3
example3_sv . . . . .	4
example4_sv . . . . .	6
example5_sv . . . . .	7

generateData . . . . .	9
kalmanFilter . . . . .	10
makePlotsParticleMetropolisHastingsSVModel . . . . .	11
particleFilter . . . . .	12
particleFilterSVmodel . . . . .	13
particleMetropolisHastings . . . . .	14
particleMetropolisHastingsSVmodel . . . . .	16
particleMetropolisHastingsSVmodelReparameterised . . . . .	17

<b>Index</b>	<b>20</b>
--------------	-----------

---

example1_lgss	<i>State estimation in a linear Gaussian state space model</i>
---------------	--

---

## Description

Minimal working example of state estimation in a linear Gaussian state space model using Kalman filtering and a fully-adapted particle filter. The code estimates the bias and mean squared error (compared with the Kalman estimate) while varying the number of particles in the particle filter.

## Usage

```
example1_lgss()
```

## Details

The Kalman filter is a standard implementation without an input. The particle filter is fully adapted (i.e. takes the current observation into account when proposing new particles and computing the weights).

## Value

Returns a plot with the generated observations  $y$  and the difference in the state estimates obtained by the Kalman filter (the optimal solution) and the particle filter (with 20 particles). Furthermore, the function returns plots of the estimated bias and mean squared error of the state estimate obtained using the particle filter (while varying the number of particles) and the Kalman estimates.

The function returns a list with the elements:

- $y$ : The observations generated from the model.
- $x$ : The states generated from the model.
- $kfEstimate$ : The estimate of the state from the Kalman filter.
- $pfEstimate$ : The estimate of the state from the particle filter with 20 particles.

## Note

See Section 3.2 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
example1_lgss()
```

---

example2\_lgss

*Parameter estimation in a linear Gaussian state space model*

---

**Description**

Minimal working example of parameter estimation in a linear Gaussian state space model using the particle Metropolis-Hastings algorithm with a fully-adapted particle filter providing an unbiased estimator of the likelihood. The code estimates the parameter posterior for one parameter using simulated data.

**Usage**

```
example2_lgss(noBurnInIterations = 1000, noIterations = 5000,  
             noParticles = 100, initialPhi = 0.5)
```

**Arguments**

<code>noBurnInIterations</code>	The number of burn-in iterations in the PMH algorithm. This parameter must be smaller than <code>noIterations</code> .
<code>noIterations</code>	The number of iterations in the PMH algorithm. 100 iterations takes about ten seconds on a laptop to execute. 5000 iterations are used in the reference below.
<code>noParticles</code>	The number of particles to use when estimating the likelihood.
<code>initialPhi</code>	The initial guess of the parameter <code>phi</code> .

**Details**

The Particle Metropolis-Hastings (PMH) algorithm makes use of a Gaussian random walk as the proposal for the parameter. The PMH algorithm is run using different step lengths in the proposal. This is done to illustrate the difficulty when tuning the proposal and the impact of a too small/large step length.

**Value**

Returns the estimate of the posterior mean.

**Note**

See Section 4.2 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
example2_lgss(noBurnInIterations=500, noIterations=5000)
```

---

example3\_sv

*Parameter estimation in a simple stochastic volatility model*

---

**Description**

Minimal working example of parameter estimation in a stochastic volatility model using the particle Metropolis-Hastings algorithm with a bootstrap particle filter providing an unbiased estimator of the likelihood. The code estimates the parameter posterior for three parameters using real-world data.

**Usage**

```
example3_sv(noBurnInIterations = 2500, noIterations = 7500,
  noParticles = 500, initialTheta = c(0, 0.9, 0.2),
  stepSize = diag(c(0.1, 0.01, 0.05)^2))
```

**Arguments**

noBurnInIterations	The number of burn-in iterations in the PMH algorithm. Must be smaller than noIterations.
noIterations	The number of iterations in the PMH algorithm. 100 iterations takes about a minute on a laptop to execute.
noParticles	The number of particles to use when estimating the likelihood.
initialTheta	The initial guess of the parameters theta.
stepSize	The step sizes of the random walk proposal. Given as a covariance matrix.

**Details**

The Particle Metropolis-Hastings (PMH) algorithm makes use of a Gaussian random walk as the proposal for the parameters. The data are scaled log-returns from the OMXS30 index during the period from January 2, 2012 to January 2, 2014.

This version of the code makes use of a somewhat well-tuned proposal as a pilot run to estimate the posterior covariance and therefore increase the mixing of the Markov chain.

**Value**

The function returns the estimated marginal parameter posteriors for each parameter, the trace of the Markov chain and the resulting autocorrelation function. The data is also presented with an estimate of the log-volatility.

The function returns a list with the elements:

- `thhat`: The estimate of the mean of the parameter posterior.
- `xhat`: The estimate of the mean of the log-volatility posterior.
- `thhatSD`: The estimate of the standard deviation of the parameter posterior.
- `xhatSD`: The estimate of the standard deviation of the log-volatility posterior.
- `iact`: The estimate of the integrated autocorrelation time for each parameter.
- `estCov`: The estimate of the covariance of the parameter posterior.

**Note**

See Section 5 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
example3_sv(noBurnInIterations=500, noIterations=5000)
```

---

 example4\_sv

*Parameter estimation in a simple stochastic volatility model*


---

### Description

Minimal working example of parameter estimation in a stochastic volatility model using the particle Metropolis-Hastings algorithm with a bootstrap particle filter providing an unbiased estimator of the likelihood. The code estimates the parameter posterior for three parameters using real-world data.

### Usage

```
example4_sv(noBurnInIterations = 2500, noIterations = 7500,
            noParticles = 500, initialTheta = c(0, 0.9, 0.2))
```

### Arguments

noBurnInIterations	The number of burn-in iterations in the PMH algorithm. Must be smaller than noIterations.
noIterations	The number of iterations in the PMH algorithm. 100 iterations takes about a minute on a laptop to execute.
noParticles	The number of particles to use when estimating the likelihood.
initialTheta	The initial guess of the parameters theta.

### Details

The Particle Metropolis-Hastings (PMH) algorithm makes use of a Gaussian random walk as the proposal for the parameters. The data are scaled log-returns from the OMXS30 index during the period from January 2, 2012 to January 2, 2014.

This version of the code makes use of a proposal that is tuned using the pilot run obtained by running the [example3\\_sv](#) and therefore have better mixing properties.

### Value

The function returns the estimated marginal parameter posteriors for each parameter, the trace of the Markov chain and the resulting autocorrelation function. The data is also presented with an estimate of the log-volatility.

The function returns a list with the elements:

- thhat: The estimate of the mean of the parameter posterior.
- xhat: The estimate of the mean of the log-volatility posterior.
- thhatSD: The estimate of the standard deviation of the parameter posterior.
- xhatSD: The estimate of the standard deviation of the log-volatility posterior.
- iact: The estimate of the integrated autocorrelation time for each parameter.
- estCov: The estimate of the covariance of the parameter posterior.

**Note**

See Section 6.3.1 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
example4_sv(noBurnInIterations=500, noIterations=5000)
```

---

example5\_sv

*Parameter estimation in a simple stochastic volatility model*

---

**Description**

Minimal working example of parameter estimation in a stochastic volatility model using the particle Metropolis-Hastings algorithm with a bootstrap particle filter providing an unbiased estimator of the likelihood. The code estimates the parameter posterior for three parameters using real-world data.

**Usage**

```
example5_sv(noBurnInIterations = 2500, noIterations = 7500,  
            noParticles = 500, initialTheta = c(0, 0.9, 0.2))
```

**Arguments**

<code>noBurnInIterations</code>	The number of burn-in iterations in the PMH algorithm. Must be smaller than <code>noIterations</code> .
<code>noIterations</code>	The number of iterations in the PMH algorithm. 100 iterations takes about a minute on a laptop to execute.
<code>noParticles</code>	The number of particles to use when estimating the likelihood.
<code>initialTheta</code>	The initial guess of the parameters theta.

## Details

The Particle Metropolis-Hastings (PMH) algorithm makes use of a Gaussian random walk as the proposal for the parameters. The data are scaled log-returns from the OMXS30 index during the period from January 2, 2012 to January 2, 2014.

This version of the code makes use of a proposal that is tuned using a pilot run. Furthermore the model is reparameterised to enjoy better mixing properties by making the parameters unrestricted to a certain part of the real-line.

## Value

The function returns the estimated marginal parameter posteriors for each parameter, the trace of the Markov chain and the resulting autocorrelation function. The data is also presented with an estimate of the log-volatility.

The function returns a list with the elements:

- `ththat`: The estimate of the mean of the parameter posterior.
- `xhat`: The estimate of the mean of the log-volatility posterior.
- `ththatSD`: The estimate of the standard deviation of the parameter posterior.
- `xhatSD`: The estimate of the standard deviation of the log-volatility posterior.
- `iact`: The estimate of the integrated autocorrelation time for each parameter.
- `estCov`: The estimate of the covariance of the parameter posterior.

## Note

See Section 6.3.2 in the reference for more details.

## Author(s)

Johan Dahlin <uni (at) johandahlin.com.nospam>

## References

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

## Examples

```
example5_sv(noBurnInIterations=500, noIterations=5000)
```



---

generateData	<i>Generates data from a linear Gaussian state space model</i>
--------------	--

---

**Description**

Generates data from a specific linear Gaussian state space model of the form  $x_t = \phi x_{t-1} + \sigma_v v_t$  and  $y_t = x_t + \sigma_e e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ .

**Usage**

```
generateData(theta, noObservations, initialState)
```

**Arguments**

theta	The parameters $\theta = \{\phi, \sigma_v, \sigma_e\}$ of the LGSS model. The parameter $\phi$ that scales the current state in the state dynamics is restricted to $[-1, 1]$ to obtain a stable model. The standard deviations of the state process noise $\sigma_v$ and the observation process noise $\sigma_e$ must be positive.
noObservations	The number of time points to simulate.
initialState	The initial state.

**Value**

The function returns a list with the elements:

- x: The latent state for  $t = 0, \dots, T$ .
- y: The observation for  $t = 0, \dots, T$ .

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

---

 kalmanFilter

*Kalman filter for state estimate in a linear Gaussian state space model*


---

**Description**

Estimates the filtered state and the log-likelihood for a linear Gaussian state space model of the form  $x_t = \phi x_{t-1} + \sigma_v v_t$  and  $y_t = x_t + \sigma_e e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ .

**Usage**

```
kalmanFilter(y, theta, initialState, initialStateCovariance)
```

**Arguments**

y	Observations from the model for $t = 1, \dots, T$ .
theta	The parameters $\theta = \{\phi, \sigma_v, \sigma_e\}$ of the LGSS model. The parameter $\phi$ scales the current state in the state dynamics. The standard deviations of the state process noise and the observation process noise are denoted $\sigma_v$ and $\sigma_e$ , respectively.
initialState	The initial state.
initialStateCovariance	The initial covariance of the state.

**Value**

The function returns a list with the elements:

- xHatFiltered: The estimate of the filtered state at time  $t = 1, \dots, T$ .
- logLikelihood: The estimate of the log-likelihood.

**Note**

See Section 3 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
# Generates 500 observations from a linear state space model with
# (phi, sigma_e, sigma_v) = (0.5, 1.0, 0.1) and zero initial state.
theta <- c(0.5, 1.0, 0.1)
d <- generateData(theta, noObservations=500, initialState=0.0)

# Estimate the filtered state using Kalman filter
kfOutput <- kalmanFilter(d$y, theta,
                        initialState=0.0, initialStateCovariance=0.01)

# Plot the estimate and the true state
par(mfrow=c(3, 1))
plot(d$x, type="l", xlab="time", ylab="true state", bty="n",
     col="#1B9E77")
plot(kfOutput$xHatFiltered, type="l", xlab="time",
     ylab="Kalman filter estimate", bty="n", col="#D95F02")
plot(d$x-kfOutput$xHatFiltered, type="l", xlab="time",
     ylab="difference", bty="n", col="#7570B3")
```

---

```
makePlotsParticleMetropolisHastingsSVModel
      Make plots for tutorial
```

---

**Description**

Creates diagnostic plots from runs of the particle Metropolis-Hastings algorithm.

**Usage**

```
makePlotsParticleMetropolisHastingsSVModel(y, res,
      noBurnInIterations, noIterations, nPlot)
```

**Arguments**

<code>y</code>	Observations from the model for $t = 1, \dots, T$ .
<code>res</code>	The output from a run of <code>particleMetropolisHastings</code> , <code>particleMetropolisHastingsSVmodel</code> or <code>particleMetropolisHastingsSVmodelReparameterised</code> .
<code>noBurnInIterations</code>	The number of burn-in iterations in the PMH algorithm. Must be smaller than <code>noIterations</code> .
<code>noIterations</code>	The number of iterations in the PMH algorithm.
<code>nPlot</code>	Number of steps in the Markov chain to plot.

**Value**

The function returns plots similar to the ones in the reference as well as the estimate of the integrated autocorrelation time for each parameter.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>s

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

---

particleFilter	<i>Fully-adapted particle filter for state estimate in a linear Gaussian state space model</i>
----------------	--

---

**Description**

Estimates the filtered state and the log-likelihood for a linear Gaussian state space model of the form  $x_t = \phi x_{t-1} + \sigma_v v_t$  and  $y_t = x_t + \sigma_e e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ .

**Usage**

```
particleFilter(y, theta, noParticles, initialState)
```

**Arguments**

y	Observations from the model for $t = 1, \dots, T$ .
theta	The parameters $\theta = \{\phi, \sigma_v, \sigma_e\}$ of the LGSS model. The parameter $\phi$ scales the current state in the state dynamics. The standard deviations of the state process noise and the observation process noise are denoted $\sigma_v$ and $\sigma_e$ , respectively.
noParticles	The number of particles to use in the filter.
initialState	The initial state.

**Value**

The function returns a list with the elements:

- xHatFiltered: The estimate of the filtered state at time  $t = 1, \dots, T$ .
- logLikelihood: The estimate of the log-likelihood.
- particles: The particle system at each time point.
- weights: The particle weights at each time point.

**Note**

See Section 3 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

## References

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

## Examples

```
# Generates 500 observations from a linear state space model with
# (phi, sigma_e, sigma_v) = (0.5, 1.0, 0.1) and zero initial state.
theta <- c(0.5, 1.0, 0.1)
d <- generateData(theta, noObservations=100, initialState=0.0)

# Estimate the filtered state using a Particle filter
pfOutput <- particleFilter(d$y, theta, noParticles = 50,
  initialState=0.0)

# Plot the estimate and the true state
par(mfrow=c(3, 1))
plot(d$x[1:100], type="l", xlab="time", ylab="true state", bty="n",
  col="#1B9E77")
plot(pfOutput$xHatFiltered, type="l", xlab="time",
  ylab="particle filter estimate", bty="n", col="#D95F02")
plot(d$x[1:100]-pfOutput$xHatFiltered, type="l", xlab="time",
  ylab="difference", bty="n", col="#7570B3")
```

---

particleFilterSVmodel *Bootstrap particle filter for state estimate in a simple stochastic volatility model*

---

## Description

Estimates the filtered state and the log-likelihood for a stochastic volatility model of the form  $x_t = \mu + \phi(x_{t-1} - \mu) + \sigma_v v_t$  and  $y_t = \exp(x_t/2)e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ .

## Usage

```
particleFilterSVmodel(y, theta, noParticles)
```

## Arguments

y	Observations from the model for $t = 1, \dots, T$ .
theta	The parameters $\theta = \{\mu, \phi, \sigma_v\}$ . The mean of the log-volatility process is denoted $\mu$ . The persistence of the log-volatility process is denoted $\phi$ . The standard deviation of the log-volatility process is denoted $\sigma_v$ .
noParticles	The number of particles to use in the filter.

**Value**

The function returns a list with the elements:

- `xHatFiltered`: The estimate of the filtered state at time  $t = 1, \dots, T$ .
- `logLikelihood`: The estimate of the log-likelihood.

**Note**

See Section 5 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
# Get the data from Quandl
library("Quandl")
d <- Quandl("NASDAQOMX/OMXS30", start_date="2012-01-02",
            end_date="2014-01-02", type="zoo")
y <- as.numeric(100 * diff(log(d$"Index Value"))))

# Estimate the filtered state using a particle filter
theta <- c(-0.10, 0.97, 0.15)
pfOutput <- particleFilterSVmodel(y, theta, noParticles=100)

# Plot the estimate and the true state
par(mfrow=c(2, 1))
plot(y, type="l", xlab="time", ylab="log-returns", bty="n",
     col="#1B9E77")
plot(pfOutput$xHatFiltered, type="l", xlab="time",
     ylab="estimate of log-volatility", bty="n", col="#D95F02")
```

---

particleMetropolisHastings

*Particle Metropolis-Hastings algorithm for a linear Gaussian state space model*

---

**Description**

Estimates the parameter posterior for  $\phi$  a linear Gaussian state space model of the form  $x_t = \phi x_{t-1} + \sigma_v v_t$  and  $y_t = x_t + \sigma_e e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ .

**Usage**

```
particleMetropolisHastings(y, initialPhi, sigmav, sigmae,
  noParticles, initialState, noIterations, stepSize)
```

**Arguments**

<code>y</code>	Observations from the model for $t = 1, \dots, T$ .
<code>initialPhi</code>	The mean of the log-volatility process $\mu$ .
<code>sigmav</code>	The standard deviation of the state process $\sigma_v$ .
<code>sigmae</code>	The standard deviation of the observation process $\sigma_e$ .
<code>noParticles</code>	The number of particles to use in the filter.
<code>initialState</code>	The initial state.
<code>noIterations</code>	The number of iterations in the PMH algorithm.
<code>stepSize</code>	The standard deviation of the Gaussian random walk proposal for $\phi$ .

**Value**

The trace of the Markov chain exploring the marginal posterior for  $\phi$ .

**Note**

See Section 4 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
# Generates 100 observations from a linear state space model with
# (phi, sigma_e, sigma_v) = (0.5, 1.0, 0.1) and zero initial state.
theta <- c(0.5, 1.0, 0.1)
d <- generateData(theta, noObservations=100, initialState=0.0)

# Estimate the marginal posterior for phi
pmhOutput <- particleMetropolisHastings(d$y,
  initialPhi=0.1, sigmav=1.0, sigmae=0.1, noParticles=50,
  initialState=0.0, noIterations=1000, stepSize=0.10)

# Plot the estimate
nbins <- floor(sqrt(1000))
```

```
par(mfrow=c(1, 1))
hist(pmhOutput, breaks=nbins, main="", xlab=expression(phi),
     ylab="marginal posterior", freq=FALSE, col="#7570B3")
```

---

particleMetropolisHastingsSVmodel

*Particle Metropolis-Hastings algorithm for a stochastic volatility model model*

---

### Description

Estimates the parameter posterior for  $\theta = \{\mu, \phi, \sigma_v\}$  in a stochastic volatility model of the form  $x_t = \mu + \phi(x_{t-1} - \mu) + \sigma_v v_t$  and  $y_t = \exp(x_t/2)e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ .

### Usage

```
particleMetropolisHastingsSVmodel(y, initialTheta, noParticles,
                                  noIterations, stepSize)
```

### Arguments

y	Observations from the model for $t = 1, \dots, T$ .
initialTheta	An initial value for the parameters $\theta = \{\mu, \phi, \sigma_v\}$ . The mean of the log-volatility process is denoted $\mu$ . The persistence of the log-volatility process is denoted $\phi$ . The standard deviation of the log-volatility process is denoted $\sigma_v$ .
noParticles	The number of particles to use in the filter.
noIterations	The number of iterations in the PMH algorithm.
stepSize	The standard deviation of the Gaussian random walk proposal for $\theta$ .

### Value

The trace of the Markov chain exploring the posterior of  $\theta$ .

### Note

See Section 5 in the reference for more details.

### Author(s)

Johan Dahlin <uni (at) johandahlin.com.nospam>

### References

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.



**Examples**

```
# Get the data from Quandl
library("Quandl")
d <- Quandl("NASDAQOMX/OMXS30", start_date="2012-01-02",
            end_date="2014-01-02", type="zoo")
y <- as.numeric(100 * diff(log(d$"Index Value")))

# Estimate the marginal posterior for phi
pmhOutput <- particleMetropolisHastingsSVmodel(y,
        initialTheta = c(0, 0.9, 0.2),
        noParticles=500,
        noIterations=1000,
        stepSize=diag(c(0.05, 0.0002, 0.002)))

# Plot the estimate
nbins <- floor(sqrt(1000))
par(mfrow=c(3, 1))
hist(pmhOutput$theta[,1], breaks=nbins, main="", xlab=expression(mu),
     ylab="marginal posterior", freq=FALSE, col="#7570B3")
hist(pmhOutput$theta[,2], breaks=nbins, main="", xlab=expression(phi),
     ylab="marginal posterior", freq=FALSE, col="#E7298A")
hist(pmhOutput$theta[,3], breaks=nbins, main="",
     xlab=expression(sigma[v]), ylab="marginal posterior",
     freq=FALSE, col="#66A61E")
```

---

particleMetropolisHastingsSVmodelReparameterised

*Particle Metropolis-Hastings algorithm for a stochastic volatility  
model model*

---

**Description**

Estimates the parameter posterior for  $\theta = \{\mu, \phi, \sigma_v\}$  in a stochastic volatility model of the form  $x_t = \mu + \phi(x_{t-1} - \mu) + \sigma_v v_t$  and  $y_t = \exp(x_t/2)e_t$ , where  $v_t$  and  $e_t$  denote independent standard Gaussian random variables, i.e.  $N(0, 1)$ . In this version of the PMH, we reparameterise the model and run the Markov chain on the parameters  $\vartheta = \{\mu, \psi, \varsigma\}$ , where  $\phi = \tanh(\psi)$  and  $\sigma_v = \exp(\varsigma)$ .

**Usage**

```
particleMetropolisHastingsSVmodelReparameterised(y, initialTheta,
        noParticles, noIterations, stepSize)
```

**Arguments**

<code>y</code>	Observations from the model for $t = 1, \dots, T$ .
<code>initialTheta</code>	An initial value for the parameters $\theta = \{\mu, \phi, \sigma_v\}$ . The mean of the log-volatility process is denoted $\mu$ . The persistence of the log-volatility process is denoted $\phi$ . The standard deviation of the log-volatility process is denoted $\sigma_v$ .
<code>noParticles</code>	The number of particles to use in the filter.
<code>noIterations</code>	The number of iterations in the PMH algorithm.
<code>stepSize</code>	The standard deviation of the Gaussian random walk proposal for $\theta$ .

**Value**

The trace of the Markov chain exploring the posterior of  $\theta$ .

**Note**

See Section 5 in the reference for more details.

**Author(s)**

Johan Dahlin <uni (at) johandahlin.com.nospam>

**References**

Dahlin, J. & Schön, T. B. "Getting started with particle Metropolis-Hastings for inference in non-linear dynamical models." pre-print, arXiv:1511.01707, 2017.

**Examples**

```
# Get the data from Quandl
library("Quandl")
d <- Quandl("NASDAQOMX/OMXS30", start_date="2012-01-02",
            end_date="2014-01-02", type="zoo")
y <- as.numeric(100 * diff(log(d$"Index Value"))))

# Estimate the marginal posterior for phi
pmhOutput <- particleMetropolisHastingsSVmodelReparameterised(
  y, initialTheta = c(0, 0.9, 0.2), noParticles=500,
  noIterations=1000, stepSize=diag(c(0.05, 0.0002, 0.002)))

# Plot the estimate
nbins <- floor(sqrt(1000))
par(mfrow=c(3, 1))
hist(pmhOutput$theta[,1], breaks=nbins, main="", xlab=expression(mu),
     ylab="marginal posterior", freq=FALSE, col="#7570B3")
hist(pmhOutput$theta[,2], breaks=nbins, main="", xlab=expression(phi),
     ylab="marginal posterior", freq=FALSE, col="#E7298A")
hist(pmhOutput$theta[,3], breaks=nbins, main="",
     xlab=expression(sigma[v]), ylab="marginal posterior",
```

```
freq=FALSE, col="#66A61E")
```

# Index

## \*Topic **datagen**

generateData, 9

## \*Topic **misc**

example1\_lgss, 2

example2\_lgss, 3

example3\_sv, 4

example4\_sv, 6

example5\_sv, 7

## \*Topic **ts**

kalmanFilter, 10

particleFilter, 12

particleFilterSVmodel, 13

particleMetropolisHastings, 14

particleMetropolisHastingsSVmodel,

16

particleMetropolisHastingsSVmodelReparameterised,

17

example1\_lgss, 2

example2\_lgss, 3

example3\_sv, 4, 6

example4\_sv, 6

example5\_sv, 7

generateData, 9

kalmanFilter, 10

makePlotsParticleMetropolisHastingsSVModel,

11

particleFilter, 12

particleFilterSVmodel, 13

particleMetropolisHastings, 14

particleMetropolisHastingsSVmodel, 16

particleMetropolisHastingsSVmodelReparameterised,

17