

# Package ‘rWishart’

November 9, 2017

**Title** Random Wishart Matrix Generation

**Version** 0.1.0

**Maintainer** Ben Barnard <ben\_barnard@outlook.com>

**Description** An expansion of R's 'stats' random wishart matrix generation.

This package allows the user to generate singular, Uhlig and Harald (1994) <doi:10.1214/aos/1176325375>, and pseudo wishart, Diaz-Garcia, et al.(1997) <doi:10.1006/jmva.1997.1689>, matrices. In addition the user can generate wishart matrices with fractional degrees of freedom, Adhikari (2008) <doi:10.1061/(ASCE)0733-9399(2008)134:12(1029)>, commonly used in volatility modeling. Users can also use this package to create random covariance matrices.

**Depends** R (>= 3.3)

**Imports** Matrix, MASS, stats, lazyeval

**License** GPL-2

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1

**Suggests** covr, knitr, rmarkdown, testthat

**URL** <https://rwishart.bearstatistics.com>

**NeedsCompilation** no

**Author** Ben Barnard [aut, cre],  
Dean Young [aut]

**Repository** CRAN

**Date/Publication** 2017-11-09 10:11:36 UTC

## R topics documented:

rFractionalWishart	2
rNonsingularWishart	3
rPsuedoWishart	4
rSingularWishart	5
rWishart	6
wishartTest	7

---

rFractionalWishart	<i>Random Fractional Wishart Matrix</i>
--------------------	---

---

### Description

Generate  $n$  random matrices, distributed according to the Wishart distribution with parameters  $\Sigma$  and  $df$ ,  $W_p(\Sigma, df)$ .

### Usage

```
rFractionalWishart(n, df, Sigma, covariance = FALSE, simplify = "array")
```

### Arguments

<code>n</code>	integer: the number of replications.
<code>df</code>	numeric parameter, “degrees of freedom”.
<code>Sigma</code>	positive definite ( $p \times p$ ) “scale” matrix, the matrix parameter of the distribution.
<code>covariance</code>	logical on whether a covariance matrix should be generated
<code>simplify</code>	logical or character string; should the result be simplified to a vector, matrix or higher dimensional array if possible? For simplify it must be named and not abbreviated. The default value, TRUE, returns a vector or matrix if appropriate, whereas if <code>simplify = "array"</code> the result may be an <a href="#">array</a> of “rank” ( <code>=length(dim(.))</code> ) one higher than the result of <code>FUN(X[[i]])</code> .

### Details

If  $X_1, \dots, X_m$  is a sample of  $m$  independent multivariate Gaussians with mean vector 0, and covariance matrix  $\Sigma$ , the distribution of  $M = X'X$  is  $W_p(\Sigma, m)$ .

### Value

A numeric array of dimension  $p * p * n$ , where each array is a positive semidefinite matrix, a realization of the Wishart distribution  $W_p(\Sigma, df)$

### References

Adhikari, S. (2008). Wishart random matrices in probabilistic structural mechanics. *Journal of engineering mechanics*, 134(12), doi:10.1061/(ASCE)0733-9399(2008)134:12(1029).

### Examples

```
rFractionalWishart(2, 22.5, diag(1, 20))
```

---

rNonsingularWishart     *Random Nonsingular Wishart Matrix*

---

### Description

Generate n random matrices, distributed according to the Wishart distribution with parameters Sigma and df,  $W_p(\text{Sigma}, \text{df})$ .

### Usage

```
rNonsingularWishart(n, df, Sigma, covariance = FALSE, simplify = "array")
```

### Arguments

n	integer: the number of replications.
df	numeric parameter, “degrees of freedom”.
Sigma	positive definite ( $p \times p$ ) “scale” matrix, the matrix parameter of the distribution.
covariance	logical on whether a covariance matrix should be generated
simplify	logical or character string; should the result be simplified to a vector, matrix or higher dimensional array if possible? For simplify it must be named and not abbreviated. The default value, TRUE, returns a vector or matrix if appropriate, whereas if simplify = “array” the result may be an <a href="#">array</a> of “rank” ( $=\text{length}(\text{dim}(.))$ ) one higher than the result of <code>FUN(X[[i]])</code> .

### Details

If  $X_1, \dots, X_m$  is a sample of m independent multivariate Gaussians with mean vector 0, and covariance matrix Sigma, the distribution of  $M = X'X$  is  $W_p(\text{Sigma}, m)$ .

### Value

A numeric array of dimension  $p * p * n$ , where each array is a positive semidefinite matrix, a realization of the Wishart distribution  $W_p(\text{Sigma}, \text{df})$

### Examples

```
rNonsingularWishart(2, 20, diag(1, 5))
```

---

rPseudoWishart      *Random Psuedo Wishart Matrix*

---

### Description

Generate  $n$  random matrices, distributed according to the Wishart distribution with parameters  $\Sigma$  and  $df$ ,  $W_p(\Sigma, df)$ .

### Usage

```
rPseudoWishart(n, df, Sigma, covariance = FALSE, simplify = "array")
```

### Arguments

n	integer: the number of replications.
df	numeric parameter, “degrees of freedom”.
Sigma	positive definite ( $p \times p$ ) “scale” matrix, the matrix parameter of the distribution.
covariance	logical on whether a covariance matrix should be generated
simplify	logical or character string; should the result be simplified to a vector, matrix or higher dimensional array if possible? For simplify it must be named and not abbreviated. The default value, TRUE, returns a vector or matrix if appropriate, whereas if simplify = “array” the result may be an <code>array</code> of “rank” ( $=\text{length}(\text{dim}(.))$ ) one higher than the result of <code>FUN(X[[i]])</code> .

### Details

If  $X_1, \dots, X_m$  is a sample of  $m$  independent multivariate Gaussians with mean vector 0, and covariance matrix  $\Sigma$ , the distribution of  $M = X'X$  is  $W_p(\Sigma, m)$ .

### Value

A numeric array of dimension  $p * p * n$ , where each array is a positive semidefinite matrix, a realization of the Wishart distribution  $W_p(\Sigma, df)$

### References

Diaz-Garcia, Jose A, Ramon Gutierrez Jaimez, and Kanti V Mardia. 1997. “Wishart and Pseudo-Wishart Distributions and Some Applications to Shape Theory.” *Journal of Multivariate Analysis* 63 (1): 73–87. doi:10.1006/jmva.1997.1689.

### Examples

```
rPseudoWishart(2, 5, diag(1, 20))
```

---

rSingularWishart	<i>Random Singular Wishart Matrix</i>
------------------	---------------------------------------

---

**Description**

Generate n random matrices, distributed according to the Wishart distribution with parameters Sigma and df,  $W_p(\text{Sigma}, \text{df})$ .

**Usage**

```
rSingularWishart(n, df, Sigma, covariance = FALSE, simplify = "array")
```

**Arguments**

n	integer: the number of replications.
df	numeric parameter, “degrees of freedom”.
Sigma	positive definite ( $p \times p$ ) “scale” matrix, the matrix parameter of the distribution.
covariance	logical on whether a covariance matrix should be generated
simplify	logical or character string; should the result be simplified to a vector, matrix or higher dimensional array if possible? For simplify it must be named and not abbreviated. The default value, TRUE, returns a vector or matrix if appropriate, whereas if simplify = “array” the result may be an <a href="#">array</a> of “rank” ( $=\text{length}(\text{dim}(.))$ ) one higher than the result of <code>FUN(X[[i]])</code> .

**Details**

If  $X_1, \dots, X_m$  is a sample of m independent multivariate Gaussians with mean vector 0, and covariance matrix Sigma, the distribution of  $M = X'X$  is  $W_p(\text{Sigma}, m)$ .

**Value**

A numeric array of dimension  $p * p * n$ , where each array is a positive semidefinite matrix, a realization of the Wishart distribution  $W_p(\text{Sigma}, \text{df})$

**References**

Uhlig, Harald. 1994. “On Singular Wishart and Singular Multivariate Beta Distributions.” *The Annals of Statistics* 22 (1): 395–405. doi:10.1214/aos/1176325375.

**Examples**

```
rSingularWishart(2, 5, diag(1, 20))
```

## Description

An expansion of R's 'stats' random wishart matrix generation. This package allows the user to generate singular, Uhlig and Harald (1994) <doi:10.1214/aos/1176325375>, and pseudo wishart, Diaz-Garcia, et al.(1997) <doi:10.1006/jmva.1997.1689>, matrices. In addition the user can generate wishart matrices with fractional degrees of freedom, Adhikari (2008) <doi:10.1061/(ASCE)0733-9399(2008)134:12(1029)>, commonly used in volatility modeling. Users can also use this package to create random covariance matrices.

Generate n random matrices, distributed according to the Wishart distribution with parameters Sigma and df,  $W_p(\text{Sigma}, \text{df})$ .

## Usage

```
rWishart(n, df, Sigma, covariance = FALSE, simplify = "array")
```

## Arguments

n	integer: the number of replications.
df	numeric parameter, "degrees of freedom".
Sigma	positive definite ( $p \times p$ ) "scale" matrix, the matrix parameter of the distribution.
covariance	logical on whether a covariance matrix should be generated
simplify	logical or character string; should the result be simplified to a vector, matrix or higher dimensional array if possible? For simplify it must be named and not abbreviated. The default value, TRUE, returns a vector or matrix if appropriate, whereas if simplify = "array" the result may be an <a href="#">array</a> of "rank" ( $=\text{length}(\text{dim}(.))$ ) one higher than the result of $\text{FUN}(X[[i]])$ .

## Details

If  $X_1, \dots, X_m$  is a sample of m independent multivariate Gaussians with mean vector 0, and covariance matrix Sigma, the distribution of  $M = X'X$  is  $W_p(\text{Sigma}, m)$ .

## Value

A numeric array of dimension  $p * p * n$ , where each array is a positive semidefinite matrix, a realization of the Wishart distribution  $W_p(\text{Sigma}, \text{df})$

## Examples

```
rWishart(2, 5, diag(1, 20))
```

---

wishartTest	<i>Test if Matrix is a Wishart Matrix</i>
-------------	---

---

**Description**

Given a random Wishart matrix,  $B$ , from  $W_p(\Sigma, df)$  and independent random vector  $a$ , then  $(a' B a) / (a' \Sigma a)$  is chi-squared with  $df$  degrees of freedom.

**Usage**

```
wishartTest(WishMat, Sigma, vec = NULL)
```

**Arguments**

WishMat	random Wishart Matrix from $W_p(\Sigma, df)$
Sigma	Covariance matrix for $W_p(\Sigma, df)$
vec	independent random vector

**Value**

A chi-squared random variable with  $df$  degrees of freedom.

**Examples**

```
wishartTest(rWishart(1, 5, diag(1, 20), simplify = FALSE)[[1]], diag(1, 20))
```

# Index

array, [2-6](#)

rFractionalWishart, [2](#)

rNonsingularWishart, [3](#)

rPsuedoWishart, [4](#)

rSingularWishart, [5](#)

rWishart, [6](#)

rWishart-package (rWishart), [6](#)

wishartTest, [7](#)