

Package ‘MUS’

November 29, 2017

Encoding UTF-8

Type Package

Title Monetary Unit Sampling and Estimation Methods, Widely Used in Auditing

Version 0.1.5

Date 2017-11-29

Author Henning Prömpers, André Guimarães

Maintainer Henning Prömpers <henning@proempers.net>

Description Sampling and evaluation methods to apply Monetary Unit Sampling (or in older literature Dollar Unit Sampling) during an audit of financial statements.

Depends R (>= 3.3.2), stats

Suggests DescTools, pander

License GPL (>= 2)

NeedsCompilation no

BugReports <https://github.com/alsguimaraes/MUS>

Repository CRAN

Date/Publication 2017-11-29 22:19:57 UTC

RoxygenNote 6.0.1

R topics documented:

MUS-package	2
MUS.binomial.bound	3
MUS.calc.n.conservative	4
MUS.combine	5
MUS.combined.high.error.rate	6
MUS.evaluation	7
MUS.extend	9
MUS.extraction	10
MUS.factor	12

MUS.moment.bound	12
MUS.multinomial.bound	13
MUS.planning	14
print.MUS.evaluation.result	16
print.MUS.extraction.result	17
print.MUS.planning.result	18

Index	19
--------------	-----------

MUS-package	<i>Monetary Unit Sampling and Estimation Methods, Widely Used in Auditing</i>
-------------	---

Description

Sampling and evaluation methods to apply Monetary Unit Sampling (or in older literature Dollar Unit Sampling) during an audit of financial statements.

Details

Monetary Unit Sampling (MUS), also known as Dollar Unit Sampling (DUS) or Probability-Proportional-to-Size Sampling (PPS), is a sampling approach that is widely used in auditing.

This package was written mainly for a research project. However, it should be possible to use the methods for practical auditing, too. Furthermore, the package comes with ABSOLUTELY NO WARRANTY. Use it at your own risk!

You have to walk through four steps: 1. Plan a sample and determine the sample size, use function: `MUS.planning` 2. Extract the sample, use function: `MUS.extract` 3. Audit the extracted sample (e.g. by asking for debtor confirmations). 4. Evaluate the audited sample, use function: `MUS.evaluation`

Author(s)

Henning Prömpers, André Guimarães Maintainer: Henning Prömpers <henning@proempers.net>

See Also

[MUS.planning](#) for planning a sample, [MUS.extraction](#) for extraction of the planned sample and [MUS.evaluation](#) for evaluation of the extracted and audited sample.

Examples

```
## Simple Example
library(MUS)
# Assume 500 invoices, each between 1 and 1000 monetary units
example.data.1 <- data.frame(book.value=round(runif(n=500, min=1,
max=1000)))
# Plan a sample and cache it
plan.results.simple <- MUS.planning(data=example.data.1,
tolerable.error=100000, expected.error=20000)
# Extract a sample and cache it (no high values exist in this example)
```

```
extract.results.simple <- MUS.extraction(plan.results.simple)
# Copy book values into a new column audit values
audited.sample.simple <- extract.results.simple$sample
audited.sample.simple <- cbind(audited.sample.simple,
audit.value=audited.sample.simple$book.value)
# Edit manually (if any audit difference occur)
#audited.sample.simple <- edit(audited.sample.simple)
# Evaluate the sample, cache and print it
evaluation.results.simple <- MUS.evaluation(extract.results.simple,
audited.sample.simple)
print(evaluation.results.simple)
```

MUS.binomial.bound *Calculate a binomial bound for a Monetary Unit Sampling evaluation.*

Description

Calculates a binomial bound for a Monetary Unit Sampling evaluation.
Please treat as experimental.

Usage

```
MUS.binomial.bound(x, scope, as.pct, include.high.values, confidence.level)
```

Arguments

x	A MUS.evaluation.result object (or a tainting vector) used to calculate the binomial bound.
scope	The required scope for the bound ("qty" or "value"). Default is "value".
as.pct	Boolean. Express results as percentage. Default is False.
include.high.values	Boolean. Whether the bound should include high values. Default is "TRUE".
confidence.level	The required confidence level. Default is 95%.

Value

Upper Error Limit calculated using the binomial bound.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

See Also

[MUS.evaluation](#) for evaluation of the audited sample.

Examples

```
# Assume 500 invoices, each between 1 and 1000 monetary units
data <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
# Plan a sample and cache it
plan <- MUS.planning(data=data, tolerable.error=10000, expected.error=2000)
# Extract a sample and cache it (no high values exist in this example)
extract <- MUS.extraction(plan)
# Copy book value into a new column audit values, and inject some error
audited <- extract$sample$book.value*(1-rbinom(nrow(extract$sample), 1, 0.05))
audited <- cbind(extract$sample, audit.value=audited)
# Evaluate the sample, cache and print it
evaluation <- MUS.evaluation(extract, audited)
MUS.binomial.bound(evaluation)
```

MUS.calc.n.conservative

Calculate a conservative sample size.

Description

Calculate a conservative sample size (AICPA, 2012). Based on Technical Notes on the AICPA Audit Guide Audit Sampling, Trevor Stewart, AICPA, 2012.

Usage

```
MUS.calc.n.conservative(confidence.level, tolerable.error, expected.error, book.value)
```

Arguments

confidence.level	
	dito.
tolerable.error	
	Tolerable error in monetary units.
expected.error	Expected error in monetary units.
book.value	Book value in monetary units.

Value

Returns the (conservative) sample size.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

Examples

```
MUS.calc.n.conservative(0.95, 100000, 50000, 10000000)
```

MUS.combine	<i>Combine MUS objects (joining strata into a full set).</i>
-------------	--

Description

Combine a list of MUS objects into a single object. Typical use case is to group multiple strata into a single object. Works with MUS.planning.result, MUS.extraction.result and MUS.evaluation.result objects.

Usage

```
MUS.combine(object.list)
```

Arguments

`object.list` A list of MUS.planning.result, MUS.extraction.result and MUS.evaluation.result objects.

Value

An object of the same type of the first item in the list is returned containing an aggregation of the objects in the list.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

Examples

```
## Simple Example
# Assume 500 invoices, each between 1 and 1000 monetary units
stratum.1 <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
plan.1 <- MUS.planning(data=stratum.1, tolerable.error=100000, expected.error=20000)

stratum.2 <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
plan.2 <- MUS.planning(data=stratum.2, tolerable.error=100000, expected.error=20000)

plan.combined <- MUS.combine(list(plan.1, plan.2))

print(plan.combined)
```

MUS.combined.high.error.rate

Calculate a high error rate bound for a combined Monetary Unit Sampling evaluation.

Description

Calculate a high error rate bound for a combined Monetary Unit Sampling evaluation.

Please treat as experimental.

Usage

```
MUS.combined.high.error.rate(evaluation, interval.type)
```

Arguments

evaluation A MUS.evaluation.result object used to calculate the combined bound.

interval.type Optional. Interval type for high error rate evaluation. Default is "one-sided".

Value

Upper Error Limit calculated using high error rate evaluation for a combined sample.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

See Also

[MUS.evaluation](#) for evaluation of the audited sample. [MUS.combine](#) for combining multiple evaluations.

Examples

```
# Assume 500 invoices, each between 1 and 1000 monetary units
data1 <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
# Plan a sample and cache it
plan1 <- MUS.planning(data=data1, tolerable.error=10000, expected.error=2000)
# Extract a sample and cache it (no high values exist in this example)
extract1 <- MUS.extraction(plan1)
# Copy book value into a new column audit values, and inject some error
audited1 <- extract1$sample$book.value*(1-rbinom(nrow(extract1$sample), 1, 0.05))
audited1 <- cbind(extract1$sample, audit.value=audited1)
# Evaluate the sample, cache and print it
evaluation1 <- MUS.evaluation(extract1, audited1)

# Assume 500 invoices, each between 1 and 1000 monetary units
```

```

data2 <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
# Plan a sample and cache it
plan2 <- MUS.planning(data=data2, tolerable.error=10000, expected.error=2000)
# Extract a sample and cache it (no high values exist in this example)
extract2 <- MUS.extraction(plan2)
# Copy book value into a new column audit values, and inject some error
audited2 <- extract2$sample$book.value*(1-rbinom(nrow(extract2$sample), 1, 0.05))
audited2 <- cbind(extract2$sample, audit.value=audited2)
# Evaluate the sample, cache and print it
evaluation2 <- MUS.evaluation(extract2, audited2)

combined <- MUS.combine(list(evaluation1, evaluation2))
MUS.combined.high.error.rate(combined)

```

MUS.evaluation

Evaluate a sample using Monetary Unit Sampling.

Description

Evaluate a sample using Monetary Unit Sampling. At the end of the evaluation step, you get to know the audit conclusion for the population. To conduct the evaluation step it is required that you audited the sample and high values before. You can use `print()` for a comprehensive output.

Usage

```

MUS.evaluation(extract, filled.sample, filled.high.values,
col.name.audit.values, col.name.riskweights,
interval.type, print.advice, tainting.order,
experimental, combined)

```

Arguments

<code>extract</code>	A <code>MUS.extraction.result</code> object that you got by executing the function <code>MUS.extraction</code> .
<code>filled.sample</code>	A data frame or matrix with the sample from the extraction routine that have an additional column with the audit values.
<code>filled.high.values</code>	A data frame or matrix with the high value items from the extraction routine that have an additional column with the audit values.
<code>col.name.audit.values</code>	Single character with the name of the column containing the audit value in <code>filled.sample</code> respectively <code>filled.high.values</code> . Default is "audit.value".
<code>col.name.riskweights</code>	Single character with the name of the column containing the risk weights in <code>filled.sample</code> respectively <code>filled.high.values</code> . Default is <code>NULL</code> , then no risk weights are included in the calculations (the ordinary MUS case).
<code>interval.type</code>	Interval type for high error rate evaluation. Default is "one-sided".

<code>print.advice</code>	Boolean. Prints recommendations only if TRUE. Default is "TRUE".
<code>tainting.order</code>	Calculates UEL with different tainting orders (increasing, absolute, random). Default is "decreasing".
<code>experimental</code>	Boolean. Calculates other bounds, such as momentum, binomial, multinomial. Not ready for production. Default is "FALSE".
<code>combined</code>	Boolean. Marks the dataset as a combination of multiple strata. Default is "FALSE".

Value

An object `MUS.evaluation.result` is returned which is a list containing the following elements:

<code>MUS.extraction.result</code>	elements All elements that are contained in <code>MUS.extraction.result</code> object. For auditing acceptability and for further steps all inputs are also returned.
<code>filled.sample</code>	ditto.
<code>filled.high.values</code>	ditto.
<code>col.name.audit.values</code>	ditto.
<code>Overstatements.Result.Details</code>	Detail table for overstatements found in the sample.
<code>Understatements.Result.Details</code>	Detail table for understatements found in the sample.
<code>Results.Sample</code>	Comprehensive results of sample evaluation.
<code>Results.High.values</code>	Comprehensive results of individually significant item evaluation.
<code>Results.Total</code>	Comprehensive results of both evaluations (sample and individual significant items).
<code>acceptable</code>	Boolean, if population is acceptable given results, confidence level and materiality.

Author(s)

Henning Prömpers <henning@proempers.net>

Examples

```
## Simple Example
# Assume 500 invoices, each between 1 and 1000 monetary units
example.data.1 <- data.frame(book.value=round(runif(n=500, min=1,
max=1000)))
# Plan a sample and cache it
plan.results.simple <- MUS.planning(data=example.data.1,
tolerable.error=100000, expected.error=20000)
# Extract a sample and cache it (no high values exist in this example)
extract.results.simple <- MUS.extraction(plan.results.simple)
# Copy book value into a new column audit values
```



```

audited.sample.simple <- extract.results.simple$sample
audited.sample.simple <- cbind(audited.sample.simple,
audit.value=audited.sample.simple$book.value)
# Edit manually (if any audit difference occur)
#audited.sample.simple <- edit(audited.sample.simple)
# Evaluate the sample, cache and print it
evaluation.results.simple <- MUS.evaluation(extract.results.simple,
audited.sample.simple)
print(evaluation.results.simple)

## Advanced Example
example.data.2 <- data.frame(own.name.of.book.values=round(runif(n=500,
min=1, max=1000)))
plan.results.advanced <- MUS.planning(data=example.data.2,
col.name.book.values="own.name.of.book.values", confidence.level=.70,
tolerable.error=100000, expected.error=20000, n.min=3)
extract.results.advanced <- MUS.extraction(plan.results.advanced,
start.point=5, seed=1, obey.n.as.min=TRUE)
extract.results.advanced <- MUS.extraction(plan.results.advanced)
audited.sample.advanced <- extract.results.advanced$sample
audited.sample.advanced <- cbind(audited.sample.advanced,
own.name.of.audit.values=audited.sample.advanced$own.name.of.book.values)
#audited.sample.advanced <- edit(audited.sample.advanced)
evaluation.results.advanced <- MUS.evaluation(extract.results.advanced,
audited.sample.advanced,
col.name.audit.values="own.name.of.audit.values")
print(evaluation.results.advanced)

```

MUS.extend

Extend a MUS sample.

Description

Extends a sample that requires further evidence. Works with `MUS.extraction.result`.
Please treat as experimental.

Usage

```
MUS.extend(extract, additional.n)
```

Arguments

`extract` An object of the type `MUS.extraction.result` to be extended.
`additional.n` Extend the sample by `additional.n` items.

Value

Returns an extended `MUS.extraction.result` object.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

Examples

```
## Simple Example
# Assume 500 invoices, each between 1 and 1000 monetary units
example.data.1 <- data.frame(book.value=round(runif(n=500, min=1,
max=1000)))

# Plan a sample and cache it
plan.results.simple <- MUS.planning(data=example.data.1,
tolerable.error=100000, expected.error=20000)

# Extract a sample and cache it
extract1 <- MUS.extraction(plan.results.simple)

# extends the sample by 20 itens
extract2 <- MUS.extend(extract1, 20)
```

MUS.extraction

Extract a sample using Monetary Unit Sampling.

Description

Extract a sample using Monetary Unit Sampling. At the end of the extraction step, you get to know the items that you have to audit.

Usage

```
MUS.extraction(plan, start.point, seed, obey.n.as.min, combined)
```

Arguments

<code>plan</code>	A <code>MUS.planning.result</code> object that you got by executing the function <code>MUS.planning</code> .
<code>start.point</code>	The extraction method uses fixed interval sampling. The monetary unit specified by <code>start.point</code> will be drawn in each interval. Default is <code>NULL</code> , in this case a random number is drawn.
<code>seed</code>	A seed number which will be used to initialise the random number generator. Default is <code>NULL</code> which means that no new random number generator is initialised. This argument is mainly used for simulations or if you want to be able to regenerate the sample on another computer.
<code>obey.n.as.min</code>	Boolean. If set to <code>TRUE</code> , the sample interval will be exactly recalculated and thus the sample size will be exactly the planned sample size. Default is <code>FALSE</code> which is what most commercial statistical software do. In this case the drawn sample size might be slightly smaller than specified.

`combined` Boolean. Marks the dataset as a combination of multiple strata. Default is "FALSE".

Value

An object `MUS.extraction.result` is returned which is a list containing the following elements:

`MUS.planning.result` elements

All elements that are contained in `MUS.planning.result` object. For auditing acceptability and for further steps all inputs are also returned.

`start.point` dito.

`seed` dito.

`obey.n.as.min` dito.

`high.values` The part of the population that is classified as individually significant items. All of them have to be audited.

`sample.population`

The part of the population that is not in the high-values-subpopulation.

`sampling.interval`

The reassessed sampling interval that have to be used for evaluation.

`sample`

The extracted sample. All elements have to be audited.

Author(s)

Henning Prömpers <henning@proempers.net>

See Also

[MUS.planning](#) for planning a sample and [MUS.evaluation](#) for evaluation of the extracted and audited sample.

Examples

```
## Simple Example
# Assume 500 invoices, each between 1 and 1000 monetary units
example.data.1 <- data.frame(book.value=round(runif(n=500, min=1,
max=1000)))
# Plan a sample and cache it
plan.results.simple <- MUS.planning(data=example.data.1,
tolerable.error=100000, expected.error=20000)
# Extract a sample and cache it
extract.results.simple <- MUS.extraction(plan.results.simple)

## Advanced Example
example.data.2 <- data.frame(own.name.of.book.values=round(runif(n=500,
min=1, max=1000)))
plan.results.advanced <- MUS.planning(data=example.data.2,
col.name.book.values="own.name.of.book.values", confidence.level=.70,
tolerable.error=100000, expected.error=20000, n.min=3)
extract.results.advanced <- MUS.extraction(plan.results.advanced,
start.point=5, seed=0, obey.n.as.min=TRUE)
```

MUS.factor	<i>Calculate MUS Factor.</i>
------------	------------------------------

Description

Calculate MUS Factor (AICPA, 2012). Based on Technical Notes on the AICPA Audit Guide Audit Sampling, Trevor Stewart, AICPA, 2012.

Usage

```
MUS.factor(confidence.level, pct.ratio)
```

Arguments

confidence.level	
	dito.
pct.ratio	Expected.error by tolerable.error.

Value

Returns the MUS factor.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

Examples

```
MUS.factor(0.95, 0.5)
```

MUS.moment.bound	<i>Calculate the moment bound for a Monetary Unit Sampling evaluation.</i>
------------------	--

Description

Calculates the moment bound (Dworkin & Grimlund, 1984) for a Monetary Unit Sampling evaluation.

Please treat as experimental.

Usage

```
MUS.moment.bound(x, confidence.level, as.pct, include.high.values)
```

Arguments

`x` A `MUS.evaluation.result` object (or a tainting vector) used to calculate the moment bound.

`confidence.level` The required confidence level. Default is 95%.

`as.pct` Boolean. Express results as percentage. Default is `False`.

`include.high.values` Boolean. Whether the bound should include high values. Default is `"TRUE"`.

Value

Upper Error Limit calculated using the moment bound.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

See Also

[MUS.evaluation](#) for evaluation of the audited sample.

Examples

```
sample = c(rep(0, 96), -.16, .04, .18, .47)
MUS.moment.bound(sample)

# Assume 500 invoices, each between 1 and 1000 monetary units
data <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
# Plan a sample and cache it
plan <- MUS.planning(data=data, tolerable.error=10000, expected.error=2000)
# Extract a sample and cache it (no high values exist in this example)
extract <- MUS.extraction(plan)
# Copy book value into a new column audit values, and inject some error
audited <- extract$sample$book.value*(1-rbinom(nrow(extract$sample), 1, 0.05))
audited <- cbind(extract$sample, audit.value=audited)
# Evaluate the sample, cache and print it
evaluation <- MUS.evaluation(extract, audited)
MUS.moment.bound(evaluation)
```

`MUS.multinomial.bound` *Calculate a multinomial bound for a Monetary Unit Sampling evaluation.*

Description

Calculates a multinomial bound for a Monetary Unit Sampling evaluation.
Please treat as experimental.

Usage

```
MUS.multinomial.bound(x, as.pct, include.high.values)
```

Arguments

`x` A `MUS.evaluation.result` object used to calculate the multinomial bound.

`as.pct` Boolean. Express results as percentage. Default is `False`.

`include.high.values` Boolean. Whether the bound should include high values. Default is `"TRUE"`.

Value

Upper Error Limit calculated using the multinomial bound.

Author(s)

Andre Guimaraes <alsguimaraes@gmail.com>

See Also

[MUS.evaluation](#) for evaluation of the audited sample.

Examples

```
# Assume 500 invoices, each between 1 and 1000 monetary units
data <- data.frame(book.value=round(runif(n=500, min=1, max=1000)))
# Plan a sample and cache it
plan <- MUS.planning(data=data, tolerable.error=10000, expected.error=2000)
# Extract a sample and cache it (no high values exist in this example)
extract <- MUS.extraction(plan)
# Copy book value into a new column audit values, and inject some error
audited <- extract$sample$book.value*(1-rbinom(nrow(extract$sample), 1, 0.05))
audited <- cbind(extract$sample, audit.value=audited)
# Evaluate the sample, cache and print it
evaluation <- MUS.evaluation(extract, audited)
MUS.multinomial.bound(evaluation)
```

MUS.planning

Plan a sample using Monetary Unit Sampling.

Description

Plan a sample for Monetary Unit Sampling. At the end of this planning step, you get to know the sample size.

Be aware that this MUS routines cannot calculate with decimals. Furthermore, you must provide book values etc. as Euro-Cent so that no decimals occur.

Usage

```
MUS.planning(data, col.name.book.values, confidence.level,
tolerable.error, expected.error, n.min, errors.as.pct, conservative, combined)
```

Arguments

<code>data</code>	A data frame or matrix which contains at least one column with the book values.
<code>col.name.book.values</code>	The name of the column that contains the book values. Default is "book.value".
<code>confidence.level</code>	The required confidence level. Default is 95%.
<code>tolerable.error</code>	The tolerable error (materiality) in Monetary Units.
<code>expected.error</code>	The expected error which is contained in the population in Monetary Units.
<code>n.min</code>	Minimum sample size that should be used. Default is 0.
<code>errors.as.pct</code>	Boolean. Tolerable and Expected error informed as percentages. Default is False.
<code>conservative</code>	Boolean. If true, use greater sample size between normal calculation and conservative algorithm (i.e., gamma-based, AICPA compatible).
<code>combined</code>	Boolean. Marks the dataset as a combination of multiple strata. Default is "FALSE".

Value

An object `MUS.planning.result` is returned which is a list containing the following elements:

<code>data</code>	For auditing acceptability and for further steps all inputs are also returned.
<code>col.name.book.values</code>	ditto.
<code>confidence.level</code>	ditto.
<code>tolerable.error</code>	ditto.
<code>expected.error</code>	ditto.
<code>book.value</code>	The calculated gross book value of the population. Negative values are ignored.
<code>n</code>	The calculated sample size based on the input parameters which is greater or equal than the provided minimum sample size.
<code>High.value.threshold</code>	Whenever a book value of an element is above the threshold, the element will be considered individually significant. Individual significant items will be audited completely, no sample extrapolation will be necessary.
<code>tolerable.taintings</code>	The number of taintings in the sample that will be acceptable at maximum.

Author(s)

Henning Prömpers <henning@proempers.net>

See Also

[MUS.extraction](#) for extraction of the planned sample and [MUS.evaluation](#) for evaluation of the extracted and audited sample.

Examples

```
## Simple Example
# Assume 500 invoices, each between 1 and 1000 monetary units
example.data.1 <- data.frame(book.value=round(runif(n=500, min=1,
max=1000)))
# Plan a sample and cache it
plan.results.simple <- MUS.planning(data=example.data.1,
tolerable.error=100000, expected.error=20000)

## Advanced Example
example.data.2 <- data.frame(own.name.of.book.values=round(runif(n=500,
min=1, max=1000)))
plan.results.advanced <- MUS.planning(data=example.data.2,
col.name.book.values="own.name.of.book.values", confidence.level=.70,
tolerable.error=100000, expected.error=20000, n.min=3)
```

```
print.MUS.evaluation.result
```

Pretty and comprehensive printing of MUS evaluation results

Description

Pretty and comprehensive printing of MUS evaluation results that can be used for working papers.

Usage

```
## S3 method for class 'MUS.evaluation.result'
print(x, error.rate, print.misststatements,
      print.planning, print.extraction, print.error.as.pct, print.advice,
      style, use.pander, ...)
```

Arguments

x	A MUS.evaluation.result object that you got by executing the function MUS.evaluation.
error.rate	Selects type of error rate calculation (i.e., "high", "low", "both" or "auto"). Defaults to "auto".
print.misststatements	Boolean. Should misstatements table be printed? Defaults to TRUE.

print.planning Boolean. Should planning parameters be printed? Defaults to FALSE.
 print.extraction Boolean. Should extraction parameters be printed? Defaults to FALSE.
 print.error.as.pct Boolean. Should errors as percentage be printed? Defaults to TRUE.
 print.advice Boolean. Should recommendations be printed? Defaults to TRUE.
 style Two options: "report" or "default". Report uses an alternative layout. Defaults to "default".
 use.pander Boolean. Uses pander to generate rmarkdown report. Defaults to FALSE.
 ... Further arguments, currently ignored.

Author(s)

Henning Prömpers <henning@proempers.net>

See Also

[MUS.evaluation](#) for evaluation of the extracted and audited sample.

print.MUS.extraction.result

Pretty and comprehensive printing of MUS extraction results

Description

Pretty and comprehensive printing of MUS extraction results that can be used for working papers.

Usage

```
## S3 method for class 'MUS.extraction.result'
print(x, print.title,
      print.planning, style, use.pander, ...)
```

Arguments

x A MUS.evaluation.result object that you got by executing the function MUS.evaluation.
 print.title Boolean. Should title be printed? Defaults to TRUE.
 print.planning Boolean. Should planning parameters be printed? Defaults to FALSE.
 style Two options: "report" or "default". Report uses an alternative layout. Defaults to "default".
 use.pander Boolean. Uses pander to generate rmarkdown report. Defaults to FALSE.
 ... Further arguments, currently ignored.

Author(s)

Henning Prömpers <henning@proempers.net>

See Also

[MUS.extraction](#) for extraction of the audit sample.

`print.MUS.planning.result`

Pretty and comprehensive printing of MUS planning results

Description

Pretty and comprehensive printing of MUS planning results that can be used for working papers.

Usage

```
## S3 method for class 'MUS.planning.result'  
print(x, print.title,  
      style, use.pander, ...)
```

Arguments

<code>x</code>	A <code>MUS.evaluation.result</code> object that you got by executing the function <code>MUS.evaluation</code> .
<code>print.title</code>	Boolean. Should title be printed? Defaults to <code>TRUE</code> .
<code>style</code>	Two options: "report" or "default". Report uses an alternative layout. Defaults to "default".
<code>use.pander</code>	Boolean. Uses pander to generate rmarkdown report. Defaults to <code>FALSE</code> .
<code>...</code>	Further arguments, currently ignored.

Author(s)

Henning Prömpers <henning@proempers.net>

See Also

[MUS.planning](#) for planning of the audit sample.

Index

*Topic **MUS**

- MUS-package, 2
- MUS.binomial.bound, 3
- MUS.calc.n.conservative, 4
- MUS.combine, 5
- MUS.combined.high.error.rate, 6
- MUS.evaluation, 7
- MUS.extend, 9
- MUS.extraction, 10
- MUS.factor, 12
- MUS.moment.bound, 12
- MUS.multinomial.bound, 13
- MUS.planning, 14
- print.MUS.evaluation.result, 16
- print.MUS.extraction.result, 17
- print.MUS.planning.result, 18

*Topic **audit**

- MUS-package, 2
- MUS.binomial.bound, 3
- MUS.calc.n.conservative, 4
- MUS.combine, 5
- MUS.combined.high.error.rate, 6
- MUS.evaluation, 7
- MUS.extend, 9
- MUS.extraction, 10
- MUS.factor, 12
- MUS.moment.bound, 12
- MUS.multinomial.bound, 13
- MUS.planning, 14
- print.MUS.evaluation.result, 16
- print.MUS.extraction.result, 17
- print.MUS.planning.result, 18

- MUS (MUS-package), 2
- MUS-package, 2
- MUS.binomial.bound, 3
- MUS.calc.n.conservative, 4
- MUS.combine, 5, 6
- MUS.combined.high.error.rate, 6
- MUS.evaluation, 2, 3, 6, 7, 11, 13, 14, 16, 17

- MUS.extend, 9
- MUS.extraction, 2, 10, 16, 18
- MUS.factor, 12
- MUS.moment.bound, 12
- MUS.multinomial.bound, 13
- MUS.planning, 2, 11, 14, 18
- print.MUS.evaluation.result, 16
- print.MUS.extraction.result, 17
- print.MUS.planning.result, 18