

Package ‘KSPM’

February 1, 2019

Title Kernel Semi-Parametric Models

Version 0.1.1

Description

To fit the kernel semi-parametric model and its extensions. It allows multiple kernels and unlimited interactions in the same model. Coefficients are estimated by maximizing a penalized log-likelihood; penalization terms and hyperparameters are estimated by minimizing leave-one-out error. It includes predictions with confidence/prediction intervals, statistical tests for the significance of each kernel, a procedure for variable selection and graphical tools for diagnostics and interpretation of covariate effects. Currently it is implemented for continuous dependent variables.

Depends R (>= 3.5.0)

License GPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Imports usethis, expm, CompQuadForm, DEoptim

Suggests testthat

NeedsCompilation no

Author Catherine Schramm [aut, cre],
Aurelie Labbe [ctb],
Celia M. T. Greenwood [ctb]

Maintainer Catherine Schramm <cath.schramm@gmail.com>

Repository CRAN

Date/Publication 2019-02-01 17:33:30 UTC

R topics documented:

case.names.kspm	2
coef.kspm	3
confint.kspm	4
cooks.distance.kspm	5
csm	6

derivatives	7
deviance.kspm	8
energy	9
extractAIC.kspm	9
fitted.kspm	11
get.parameters	12
info.kspm	12
Kernel	13
kernel.function	14
kernel.list	16
kernel.matrix	16
kernel.method	17
kspm	18
kspmControl	21
logLik.kspm	22
lossFunction.looe	23
nobs.kspm	24
plot.derivatives	25
plot.kspm	26
predict.kspm	27
print.kspm	28
residuals.kspm	29
rstandard.kspm	30
search.parameters	31
sigma.kspm	31
stepKSPM	32
summary.kspm	33
test.function	35
variable.names.kspm	36

Index 37

case.names.kspm	<i>Case names of fitted models</i>
-----------------	------------------------------------

Description

Simple utility returning names of cases involved in a kernel semi parametric model.

Usage

```
## S3 method for class 'kspm'
case.names(object, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
...	additional optional argument (currently unused).

Value

a character vector.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [nobs.kspm](#), [variable.names.kspm](#).

 coef.kspm

Extract Model Coefficients

Description

Returns linear and kernel coefficients for a model of class "kspm".

Usage

```
## S3 method for class 'kspm'
coef(object, ...)
```

Arguments

object an object of class "kspm", usually, a result of a call to kspm.
 ... additional optional argument (currently unused).

Value

Two matrices of coefficients.

linear A vector of coefficients for linear part. One row is one variable.
 kernel A matrix of coefficients for linear part. One row is one subject, one column is one kernel part.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.

See Also

[kspm](#) for fitting model.

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
coef(fit)
```

confint.kspm

Confidence intervals for linear part of model parameters

Description

Computes confidence intervals for one or more parameters in the linear part of a fitted model of class "kspm".

Usage

```
## S3 method for class 'kspm'
confint(object, parm = NULL, level = 0.95, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
parm	a vector of names specifying which parameters are to be given confidence intervals. If missing, all parameters are considered.
level	the confidence level required. By default 0.95.
...	additional optional argument (currently unused).

Details

For objects of class "kspm", the confidence interval is based on student distribution and effective degree of freedom of the model.

Value

A matrix with column giving lower and upper confidence limits for each parameter. These are labelled as $\frac{1-level}{2}$ and $1 - \frac{1-level}{2}$ in percentage.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [summary.kspm](#).

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
confint(fit)
```

cooks.distance.kspm *Cook's distance for a Kernel Semi Parametric Model Fit*

Description

Computes the Cook's distance method for an object of class "kspm".

Usage

```
## S3 method for class 'kspm'
cooks.distance(model, ...)
```

Arguments

model an model of class "kspm", usually, a result of a call to kspm.
... further arguments passed to or from other methods (currently unused).

Details

Cook's distance values (C_i) are computed as follows: $C_i = \frac{e_i^2 h_{ii}}{\hat{\sigma}^2 \text{tr}(H)(1-h_{ii})^2}$ where e_i is the residual of subject i , h_{ii} is the i th diagonal element of Hat matrix H corresponding to the leverage associated with subject i and $\text{tr}(H)$ is the trace of the Hat matrix H .

Value

A vector containing Cook's distance values.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [residuals.kspm](#), [rstandard.kspm](#), [plot.kspm](#).

csm

Conventional and Social media features of 187 movies.

Description

A dataset containing the ratings and other attributes of 187 movies.

Usage

csm

Format

A data frame with 187 rows and 13 variables:

Year year at which movies were projected on the screens

Ratings ratings

Genre genre of the movie

Gross gross income in USD

Budget budget in USD

Screens number of screens in USA

Sequel sequel

Sentiment sentiment score

Views number of views of movie trailer on Youtube

Likes number of likes of movie trailer on Youtube

Dislikes number of dislikes of movie trailer on Youtube

Comments number of comments of movie trailer on Youtube

Aggregate.Followers aggregate actor followers on Twitter

Source

<https://archive.ics.uci.edu/ml/index.php>

References

AHMED, Mehreen, JAHANGIR, Maham, AFZAL, Hammad, et al. Using Crowd-source based features from social media and Conventional features to predict the movies popularity. In : Smart City/SocialCom/SustainCom (SmartCity), 2015 IEEE International Conference on. IEEE, 2015. p. 273-278.

derivatives	<i>Computing kernel function derivatives</i>
-------------	--

Description

derivatives is a function for "kspm" object computing pointwise partial derivatives of $h(Z)$ according to each Z variable.

Usage

```
derivatives(object)
```

Arguments

object an object of class "kspm", usually, a result of a call to kspm.

Details

derivatives are not computed for interactions. If a variable is included in several kernels, the user may obtain the corresponding pointwise derivatives by summing the pointwise derivatives associated with each kernel.

Value

an object of class 'derivatives'

derivmat a list of $n \times d$ matrix (one for each kernel) where n is the number of subjects and d the number of variables included in the kernel

rawmat a $n \times q$ matrix with all variables included in the kernel part of the model q the number of variables included in the whole kernel part

scalemat scaled version of rawmat

modelmat matrix of correspondance between variable and kernels

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Kim, Choongrak, Byeong U. Park, and Woochul Kim. "Influence diagnostics in semiparametric regression models." *Statistics and probability letters* 60.1 (2002): 49:58.

See Also

[plot.derivatives](#)

`deviance.kspm`*Model deviance*

Description

Returns the deviance of a fitted model object of class "kspm".

Usage

```
## S3 method for class 'kspm'  
deviance(object, ...)
```

Arguments

<code>object</code>	an object of class "kspm", usually, a result of a call to <code>kspm</code> , for which the deviance is desired.
<code>...</code>	additional optional argument (currently unused).

Details

This function extracts deviance of a model fitted using `kspm` function. The returned deviance is the residual sum of square (RSS).

Value

The value of the deviance extracted from the object `object`.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#), [extractAIC.kspm](#)

Examples

```
x <- 1:15  
y <- 3*x + rnorm(15, 0, 2)  
fit <- kspm(y, kernel = ~ Kernel(x, kernel.function = "linear"))  
deviance(fit)
```

energy

Energy consumption measuring hourly during 22 days

Description

A dataset containing the energy consumption and other attributes during 22 days.

Usage

energy

Format

A data frame with 504 rows and 7 variables:

power energy consumption

date date

T temperature

P pression

HR humidity rate

hour hour (categorical)

hour.num hour (numerical)

Source

<https://iles-ponant-edf-sei.opendatasoft.com>, www.infoclimat.fr

extractAIC.kspm

Extract AIC from a Kernel Semi Parametric Model

Description

Computes the Akaike Information Criterion (AIC) for a kspm fit.

Usage

```
## S3 method for class 'kspm'  
extractAIC(fit, scale = NULL, k = 2,  
           correction = FALSE, ...)
```

Arguments

<code>fit</code>	fitted model, usually the result of <code>kspm</code> .
<code>scale</code>	option not available for <code>kspm</code> fit.
<code>k</code>	numeric specifying the 'weight' of the effective degrees of freedom (<code>edf</code>) part in the AIC formula. See details.
<code>correction</code>	boolean indicating if the corrected AIC should be computed instead of standard AIC, may be TRUE only for <code>k=2</code> . See details.
<code>...</code>	additional optional argument (currently unused).

Details

The criterion used is $AIC = n \log(RSS) + k(n - edf)$ where RSS is the residual sum of squares and edf is the effective degree of freedom of the model. `k = 2` corresponds to the traditional AIC, using `k = log(n)` provides Bayesian Information Criterion (BIC) instead. For `k=2`, the corrected Akaike's Information Criterion (AICc) is obtained by $AICc = AIC + \frac{2(n-edf)(n-edf+1)}{(edf-1)}$.

Value

`extractAIC.kspm` returns a numeric value corresponding to AIC. Of note, the AIC obtained here differs from a constant to the AIC obtained with `extractAIC` applied to a `lm` object. If one wants to compare a `kspm` model with a `lm` model, it is preferable to compute again the `lm` model using `kspm` function by specifying `kernel = NULL` and apply `extractAIC` method on this model.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.

See Also

`stepKSPM` for variable selection procedure based on AIC.

Examples

```
x <- 1:15
y <- 3*x + rnorm(15, 0, 2)
fit <- kspm(y, kernel = ~ Kernel(x, kernel.function = "linear"))
extractAIC(fit)
```

fitted.kspm	<i>Extract Model Fitted values</i>
-------------	------------------------------------

Description

Returns fitted values for a model of class "kspm".

Usage

```
## S3 method for class 'kspm'  
fitted(object, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
...	additional optional argument (currently unused).

Value

The vector of fitted values.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.

See Also

[kspm](#) for fitting model, [residuals.kspm](#), [coef.kspm](#), [nobs.kspm](#).

Examples

```
x <- 1:15  
z <- runif(15, 1, 6)  
y <- 3*x + z^2 + rnorm(15, 0, 2)  
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(z,  
kernel.function = "polynomial", d = 2, rho = 1, gamma = 0))  
fitted(fit)
```

get.parameters	<i>compute Kernel Semi Parametric model parameters</i>
----------------	--

Description

internal function to compute model parameters

Usage

```
get.parameters(X = NULL, Y = NULL, kernellist = NULL,
  free.parameters = NULL, n = NULL, not.missing = NULL,
  compute.kernel = NULL)
```

Arguments

X	X matrix
Y	response matrix
kernellist	list of kernels
free.parameters	free parameters
n	number of samples
not.missing	number of non missing samples
compute.kernel	boolean indicating if kernel should be computed

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

info.kspm	<i>Giving information about Kernel Semi parametric Model Fits</i>
-----------	---

Description

gives information about Kernel Semi parametric Model Fits

Usage

```
info.kspm(object, print = TRUE)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
print	logical, if TRUE, table of information are printed.

Value

`info.kspm` returns a table of information whose each row corresponds to a kernel included in the model and columns are:

<code>type</code>	type of object used to define the kernel
<code>dim</code>	dimension of data used in the model
<code>type.predict</code>	type of object the user should provide in predict.kspm function
<code>dim.predict</code>	dimension of object the user should provide in predict.kspm function

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#), [predict.kspm](#)

 Kernel

Create a Kernel Object

Description

Create a kernel object, to use as variable in a model formula.

Usage

```
Kernel(x, kernel.function, scale = TRUE, rho = NULL, gamma = NULL,
       d = NULL)
```

Arguments

<code>x</code>	a formula, a vector or a matrix of variables grouped in the same kernel. It could also be a symmetric matrix representing the Gram matrix, associated to a kernel function, already computed by the user.
<code>kernel.function</code>	type of kernel. Possible values are "gaussian", "linear", "polynomial", "sigmoid", "inverse.quadratic" or "equality". See details below. If <code>x</code> is a Gram matrix, associated to a kernel function, already computed by the user, <code>kernel.function</code> should be equal to "gram.matrix".
<code>scale</code>	boolean indicating if variables should be scaled before computing the kernel.
<code>rho</code> , <code>gamma</code> , <code>d</code>	kernel function hyperparameters. See details below.

Details

To use inside `kspm()` function. Given two p -dimensional vectors x and y ,

- the Gaussian kernel is defined as $k(x, y) = \exp\left(-\frac{\|x-y\|^2}{\rho}\right)$ where $\|x-y\|$ is the Euclidean distance between x and y and $\rho > 0$ is the bandwidth of the kernel,
- the linear kernel is defined as $k(x, y) = x^T y$,
- the polynomial kernel is defined as $k(x, y) = (\rho x^T y + \gamma)^d$ with $\rho > 0$, d is the polynomial order. Of note, a linear kernel is a polynomial kernel with $\rho = d = 1$ and $\gamma = 0$,
- the sigmoid kernel is defined as $k(x, y) = \tanh(\rho x^T y + \gamma)$ which is similar to the sigmoid function in logistic regression,
- the inverse quadratic function defined as $k(x, y) = \frac{1}{\sqrt{\|x-y\|^2 + \gamma}}$ with $\gamma > 0$,
- the equality kernel defined as $k(x, y) = \begin{cases} 1 & \text{if } x = y \\ 0 & \text{otherwise} \end{cases}$.

Of note, Gaussian, inverse quadratic and equality kernels are measures of similarity resulting to a matrix containing 1 along the diagonal.

Value

A Kernel object including all parameters needed in computation of the model

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.

kernel.function	<i>Kernel Functions</i>
-----------------	-------------------------

Description

These functions transform a $n \times p$ matrix into a $n \times n$ kernel matrix.

Usage

```
kernel.gaussian(x, rho = ncol(x))
```

```
kernel.linear(x)
```

```
kernel.polynomial(x, rho = 1, gamma = 0, d = 1)
```

```
kernel.sigmoid(x, rho = 1, gamma = 1)
kernel.inverse.quadratic(x, gamma = 1)
kernel.equality(x)
```

Arguments

`x` a $n \times p$ matrix
`gamma`, `rho`, `d` kernel hyperparameters (see details)

Details

Given two p -dimensional vectors x and y ,

- the Gaussian kernel is defined as $k(x, y) = \exp\left(-\frac{\|x-y\|^2}{\rho}\right)$ where $\|x-y\|$ is the Euclidean distance between x and y and $\rho > 0$ is the bandwidth of the kernel,
- the linear kernel is defined as $k(x, y) = x^T y$,
- the polynomial kernel is defined as $k(x, y) = (\rho x^T y + \gamma)^d$ with $\rho > 0$, d is the polynomial order. Of note, a linear kernel is a polynomial kernel with $\rho = d = 1$ and $\gamma = 0$,
- the sigmoid kernel is defined as $k(x, y) = \tanh(\rho x^T y + \gamma)$ which is similar to the sigmoid function in logistic regression,
- the inverse quadratic function defined as $k(x, y) = \frac{1}{\sqrt{\|x-y\|^2 + \gamma}}$ with $\gamma > 0$,
- the equality kernel defined as $k(x, y) = \begin{cases} 1 & \text{if } x = y \\ 0 & \text{otherwise} \end{cases}$.

Of note, Gaussian, inverse quadratic and equality kernels are measures of similarity resulting to a matrix containing 1 along the diagonal.

Value

A $n \times n$ matrix.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.

kernel.list	<i>List of kernel parts included in the kernel semi parametric model</i>
-------------	--

Description

internal method for listing all kernel parts included in the model

Usage

```
kernel.list(formula, data, names)
```

Arguments

formula	kernel part formula provided in the kspm function.
data	data provided in the kspm function.
names	row names of samples as they are evaluated in kspm function.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

kernel.matrix	<i>Kernel matrix</i>
---------------	----------------------

Description

These functions transform a $n \times p$ matrix into a $n \times n$ kernel matrix.

Usage

```
kernel.matrix(Z, whichkernel, rho = NULL, gamma = NULL, d = NULL)
```

Arguments

Z	a $n \times p$ matrix
whichkernel	kernel function
gamma, rho, d	kernel hyperparameters (see details)

Details

Given a $n \times p$ matrix, this function returns a $n \times n$ matrix where each cell represents the similarity between two samples defined by two p -dimensional vectors x and y ,

- the Gaussian kernel is defined as $k(x, y) = \exp\left(-\frac{\|x-y\|^2}{\rho}\right)$ where $\|x-y\|$ is the Euclidean distance between x and y and $\rho > 0$ is the bandwidth of the kernel,
- the linear kernel is defined as $k(x, y) = x^T y$,
- the polynomial kernel is defined as $k(x, y) = (\rho x^T y + \gamma)^d$ with $\rho > 0$, d is the polynomial order. Of note, a linear kernel is a polynomial kernel with $\rho = d = 1$ and $\gamma = 0$,
- the sigmoid kernel is defined as $k(x, y) = \tanh(\rho x^T y + \gamma)$ which is similar to the sigmoid function in logistic regression,
- the inverse quadratic function defined as $k(x, y) = \frac{1}{\sqrt{\|x-y\|^2 + \gamma}}$ with $\gamma > 0$,
- the equality kernel defined as $k(x, y) = \begin{cases} 1 & \text{if } x = y \\ 0 & \text{otherwise} \end{cases}$.

Value

A $n \times n$ matrix.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kernel.gaussian](#), [kernel.linear](#), [kernel.polynomial](#), [kernel.equality](#), [kernel.sigmoid](#), [kernel.inverse.quadratic](#).

kernel.method	<i>some internal methods in computation of kernel semi parametric model</i>
---------------	---

Description

internal methods

Usage

comb(x, ...)

check.integer(N)

asOneSidedFormula(object)

splitFormula(form, sep = "/")

```
computes.Kernel(x, ind, nameKernel, not.missing = NULL)
computes.Kernel.interaction(x, ind, nameKernel, not.missing = NULL)
computes.KernelALL(kernelList, not.missing = NULL)
renames.Kernel(object, names)
objects.Kernel(formula)
```

Arguments

x	list of objects
...	other arguments
N	numeric value
object	formula provided in the kernel part of kspm function
form	formula
sep	separator
ind	index value
nameKernel	name of kernel
not.missing	non missing values
kernelList	list of kernels
names	name of kernel
formula	formula

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

kspm

Fitting Kernel Semi Parametric model

Description

kspm is used to fit kernel semi parametric models.

Usage

```
kspm(response, linear = NULL, kernel = NULL, data = NULL,
      level = 1, control = kspmControl())
```

Arguments

response	a character with the name of the response variable or a vector containing the outcome or a matrix with outcome in the first column.
linear	an optional object of class "formula": a symbolic description of the linear part of the model to be fitted or a vector or a matrix containing covariates included in the linear part of the model. Default is intercept only. The details of model specification are given under 'Details'.
kernel	an object of class "formula": a symbolic description of the kernel part of the model to be fitted. If missing a linear model is fitted using lm function. The details of model specification are given under 'Details'.
data	an optional data frame containing the variables in the model. If NULL (default), data are taken from the workspace.
level	printed information about the model (0: no information, 1: information about kernels included in the model (default))
control	see kspmControl .

Details

The kernel semi parametric model refers to the following equation $Y_i = X_i\beta + h(Z_i) + e_i$ with $i = 1..n$ where n is the sample size, Y is the univariate response, $X\beta$ is the linear part, $h(Z)$ is the kernel part and e are the residuals. The linear part is defined using the `linear` argument by specifying the covariates X . It could be either a formula, a vector of length n if only one variable is included in the linear part or a $n \times p$ design matrix containing the values of the p covariates included in the linear part (columns), for each individuals (rows). By default, an intercept is included. To remove the intercept term, use formula specification and add the term `-1`, as usual. Kernel part is defined using the `kernel` argument. It should be a formula of Kernel object(s). For a multiple kernel semi parametric model, Kernel objects are separated by the usual signs `"+"`, `"*"` and `":"` to specify addition and interaction between kernels. Specification formats of each Kernel object may be different. See [Kernel](#) for more information about their specification.

Value

`kspm` returns an object of class `kspm`.

An object of class `kspm` is a list containing the following components:

<code>linear.coefficients</code>	matrix of coefficients associated with linear part, the number of coefficients is the number of terms included in linear part
<code>kernel.coefficients</code>	matrix of coefficients associated with kernel part, the number of rows is the sample size included in the analysis and the number of columns is the number of kernels included in the model
<code>lambda</code>	penalization parameter(s)
<code>fitted.values</code>	the fitted mean values
<code>residuals</code>	the residuals, that is response minus the fitted values
<code>sigma</code>	standard deviation of residuals

Y	vector of responses
X	design matrix for linear part
K	kernel matrices computed by the model
n.total	total sample size
n	sample size of the model (model is performed on complete data only)
edf	effective degree of freedom
linear.formula	formula corresponding to the linear part of the model
kernel.info	information about kernels included in the model such as matrices of covariates (Z), kernel function (type), values of hyperparameters (rho, gamma, d). A boolean indicates if covariates were scaled (kernel.scale) and if TRUE, kernel.mean, kernel.sd and Z.scale give information about scaling. kernel.formula indicates the formula of the kernel and free.parameters indicates the hyperparameters that were estimated by the model.
Hat	The hat matrix H such that $\hat{Y} = HY$
L	A matrix corresponding to $I - \sum_{\ell=1}^L K_{\ell} G_{\ell}^{-1} M_{\ell}$ according to our notations
XLX_inv	A matrix corresponding to $(X L X)^{-1}$
GinvM	A list of matrix, each corresponding to a kernel and equaling $G_{\ell}^{-1} M_{\ell}$ according to our notations
control	List of control parameters

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

- Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.
- Kim, Choongrak, Byeong U. Park, and Woochul Kim. "Influence diagnostics in semiparametric regression models." *Statistics and probability letters* 60.1 (2002): 49:58.
- Oualkacha, Karim, et al. "Adjusted sequence kernel association test for rare variants controlling for cryptic and family relatedness." *Genetic epidemiology* 37.4 (2013): 366:376.

See Also

[summary.kspm](#) for summary, [predict.kspm](#) for predictions, [plot.kspm](#) for diagnostics

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
```

```
summary(fit)
```

kspmControl

Control various aspects of the optimisation problem

Description

Allow the user to set some characteristics of the optimisation algorithm

Usage

```
kspmControl(interval.upper = NA, interval.lower = NA, trace = FALSE,
  optimize.tol = .Machine$double.eps^0.25, NP = NA, itermax = 500,
  CR = 0.5, F = 0.8, initialpop = NULL, storepopfrom = itermax + 1,
  storepopfreq = 1, p = 0.2, c = 0,
  reltol = sqrt(.Machine$double.eps), steptol = itermax,
  parallel = FALSE)
```

Arguments

interval.upper	integer or vector of initial maximum value(s) allowed for parameter(s)
interval.lower	integer or vector of initial minimum value(s) allowed for parameter(s)
trace	boolean. If TRUE parameters value at each iteration are displayed.
optimize.tol	if optimize function is used. See optimize
NP	if DEoptim function is used. See DEoptim.control
itermax	if DEoptim function is used. See DEoptim.control
CR	if DEoptim function is used. See DEoptim.control
F	if DEoptim function is used. See DEoptim.control
initialpop	if DEoptim function is used. See DEoptim.control
storepopfrom	if DEoptim function is used. See DEoptim.control
storepopfreq	if DEoptim function is used. See DEoptim.control
p	if DEoptim function is used. See DEoptim.control
c	if DEoptim function is used. See DEoptim.control
reltol	if DEoptim function is used. See DEoptim.control
steptol	if DEoptim function is used. See DEoptim.control
parallel	if DEoptim function is used. See DEoptim.control

Details

When only one hyperparameter should be estimated, the optimisation problem calls the [optimize](#) function from stats basic package. Otherwise, it calls the [DEoptim](#) function from the package DEoptim. In both case, the parameters are chosen among the initial interval defined by interval.lower and interval.upper.

Value

search.parameters is an iterative algorithm estimating model parameters and returns the following components:

lambda	tuning parameters for penalization.
beta	vector of coefficients associated with linear part of the model, the size being the number of variable in linear part (including an intercept term).
alpha	vector of coefficients associated with kernel part of the model, the size being the sample size.
Ginv	a matrix used in several calculations. $Ginv = (\lambda I + K)^{-1}$.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

link get.parameters for computation of parameters at each iteration

logLik.kspm

Log Likelihood of a kspm Object

Description

Returns the Log Likelihood value of the kernel semi parametric model represented by object evaluated at the estimated coefficients.

Usage

```
## S3 method for class 'kspm'
logLik(object, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm .
...	additional optional argument (currently unused).

Details

The function returns the Log Likelihood computed as follow: $logLik = -\frac{1}{2}RSS$ where RSS is the residual sum of squares.

Value

logLik of kspm fit

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.

See Also

[kspm](#), [extractAIC.kspm](#), [deviance.kspm](#)

Examples

```
x <- 1:15
y <- 3*x + rnorm(15, 0, 2)
fit <- kspm(y, kernel = ~ Kernel(x, kernel.function = "linear"))
logLik(fit)
```

lossFunction.looe	<i>Computation of the leave one out error (LOOE) in kernel semi parametric model</i>
-------------------	--

Description

internal function to optimize model for estimating hyperparameters based on LOOE

Usage

```
lossFunction.looe(param. = NULL, Y. = NULL, X. = NULL,
  kernelList. = NULL, n. = NULL, not.missing. = NULL,
  compute.kernel. = NULL, print.lambda. = FALSE)
```

Arguments

param.	initial parameter values.
Y.	response matrix.
X.	X matrix (linear part).
kernelList.	list of kernels (kernel part).
n.	nb of samples.
not.missing.	nb of non missing samples.
compute.kernel.	boolean. If TRUE, the kernel matrix is computed at each iteration. Should be TRUE when hyperparameters of kernel functions should be estimated by the model.
print.lambda.	boolean. If TRUE, values of tuning parameters (lambda) are printed at each iteration.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

nobs.kspm	<i>Extract the number of observations from a Kernel Semi parametric Model Fit</i>
-----------	---

Description

Extract the number of observations use to estimate the model coefficients. This is principally intended to be used in computing BIC (see [extractAIC.kspm](#)).

Usage

```
## S3 method for class 'kspm'  
nobs(object, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
...	additional optional argument (currently unused).

Value

A single number (integer).

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [extractAIC.kspm](#).

Examples

```
x <- 1:15  
y <- 3*x + rnorm(15, 0, 2)  
fit <- kspm(y, kernel = ~ Kernel(x, kernel.function = "linear"))  
nobs(fit)
```

plot.derivatives *Plot derivatives of a kspm object*

Description

Plot of derivatives for kernel part of a kspm model.

Usage

```
## S3 method for class 'derivatives'  
plot(x, subset = NULL, xlab = NULL,  
      ylab = NULL, ...)
```

Arguments

x	an object of class "derivatives", usually, a result of a call to derivatives.
subset	if a subset of the plots is required, specify the names of the variable for which plot of derivatives is required.
xlab	x label
ylab	y label
...	further arguments passed to or from other methods.

Details

X axis represents the raw data used as input in kernel part of the model. Y axis represents the pointwise derivative values i.e. the derivatives of fitted value according to the variable of interest.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Kim, Choongrak, Byeong U. Park, and Woochul Kim. "Influence diagnostics in semiparametric regression models." *Statistics and probability letters* 60.1 (2002): 49:58.

See Also

[derivatives](#)

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
plot(derivatives(fit))
```

plot.kspm

*Plot Diagnostics for a kspm Object***Description**

Five plots (selectable by `which`) are currently available: a plot of residuals against fitted values, a scale Location plot of $\sqrt{|residuals|}$ against fitted values, a Normal Q Q plot for residuals, a plot of Cook's distances versus row labels and a plot of residuals against leverages. By default, the first three and 5 are provided.

Usage

```
## S3 method for class 'kspm'
plot(x, which = c(1:3, 5), cook.levels = c(0.5, 1),
     id.n = 3, labels.id = names(x$residuals), cex.id = 0.75,
     col.id = "blue", ...)
```

Arguments

<code>x</code>	an object of class "kspm", usually, a result of a call to <code>kspm</code> .
<code>which</code>	if a subset of the plots is required, specify a subset of the numbers 1:5.
<code>cook.levels</code>	levels of Cook's distance at which to draw contours.
<code>id.n</code>	number of points to be labelled in each plot, starting with the most extreme.
<code>labels.id</code>	vector of labels, from which the labels for extreme points will be chosen. NULL uses names associated to response specified in <code>kspm</code> .
<code>cex.id</code>	size of point labels.
<code>col.id</code>	color of point labels.
<code>...</code>	further arguments passed to or from other methods.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Kim, Choongrak, Byeong U. Park, and Woochul Kim. "Influence diagnostics in semiparametric regression models." *Statistics and probability letters* 60.1 (2002): 49:58.

See Also

[kspm](#) for fitting the model, [summary.kspm](#) for summary

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
plot(fit)
```

predict.kspm

Predicting Kernel Semi parametric Model Fits

Description

predict method for class "kspm".

Usage

```
## S3 method for class 'kspm'
predict(object, newdata.linear = NULL,
        newdata.kernel = NULL, interval = "none", level = 0.95, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
newdata.linear	should be a data frame or design matrix of variables used in the linear part
newdata.kernel	a list containing data frame or design matrix of variables used in each kernel part depending on the specification format of each kernel. When a kernel has been specified using kernel.function = "gram.matrix" in Kernel function, the user should also provide the Gram matrix associated to the new data points in newdata.kernel. The function info.kspm may help to correctly specify it.
interval	type of interval calculation. If "none" (default), no interval is computed, if "confidence", the confidence interval is computed, if "prediction", the prediction interval is computed.
level	confidence level. Default is level = 0.95 meaning 95% confidence/prediction interval.
...	further arguments passed to or from other methods.

Details

predict.kspm produces predicted values. If a new dataset is not specified, it will return the fitted values from the original data. If predict.kspm is applied to a new dataset, all variables used in the original model should be provided in newdata.linear and newdata.kernel arguments. Setting interval specifies computation of confidence or prediction intervals at the specified level.

Value

predict.kspm returns a vector of predictions or a matrix containing the following components if interval is set:

fit	predictions.
lwr	lower bound of confidence/prediction intervals.
upr	upper bound of confidence/prediction intervals.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#), [summary.kspm](#).

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
predict(fit, interval = "confidence")
```

```
print.kspm
```

Print results from a Kernel Semi parametric Model Fit

Description

print method for class "kspm".

Usage

```
## S3 method for class 'kspm'
print(x, ...)

## S3 method for class 'summary.kspm'
print(x, ...)
```

Arguments

- x an object used to select a method. Usually, a result of a call to `kspm` or a result from `summary.kspm`.
- ... additional optional argument (currently unused).

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [summary.kspm](#)

residuals.kspm

Extract residuals from a Kernel Semi Parametric Model

Description

Returns the vector of residuals for a model fit of class "kspm".

Usage

```
## S3 method for class 'kspm'  
residuals(object, ...)
```

Arguments

- object an object of class "kspm", usually, a result of a call to `kspm`.
- ... additional optional argument (currently unused).

Value

A vector of residuals. The vector length is the number of observations used in model coefficients estimation (see [nobs.kspm](#)).

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [nobs.kspm](#), [rstandard.kspm](#).

Examples

```
x <- 1:15
y <- 3*x + rnorm(15, 0, 2)
fit <- kspm(y, kernel = ~ Kernel(x, kernel.function = "linear"))
residuals(fit)
```

`rstandard.kspm`*Standardized residuals for Kernel Semi parametric Model Fits*

Description

computes standardized residuals for an object of class "kspm".

Usage

```
## S3 method for class 'kspm'
rstandard(model, ...)
```

Arguments

`model` an model of class "kspm", usually, a result of a call to `kspm`.
`...` further arguments passed to or from other methods (currently unused).

Details

Standardized residuals t_i are obtained by $t_i = \frac{e_i}{\hat{\sigma}\sqrt{1-h_{ii}}}$ where e_i is the residual, $\hat{\sigma}$ is the estimated standard deviation of the errors and h_{ii} is the leverage of subject i , i.e. the i th diagonal element of the Hat matrix.

Value

a vector containing the standardized residuals.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [residuals.kspm](#), [cooks.distance.kspm](#), [plot.kspm](#).

search.parameters	<i>Optimisation to compute hyperparameter in Kernel Semi Parametric model</i>
-------------------	---

Description

internal function to optimize model for estimating hyperparameters

Usage

```
search.parameters(Y = NULL, X = NULL, kernelList = NULL, n = NULL,
  not.missing = NULL, compute.kernel = NULL, controlKspm = NULL)
```

Arguments

Y	response matrix
X	X matrix
kernelList	of kernels
n	nb of samples
not.missing	nb of non missing samples
compute.kernel	boolean kernel computation
controlKspm	control parameters

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

sigma.kspm	<i>Extract residuals standard deviation</i>
------------	---

Description

Returns the residuals standard deviation (sigma) for object of class "kspm".

Usage

```
## S3 method for class 'kspm'
sigma(object, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
...	additional optional argument (currently unused).

Details

The value returned by the method is $\sqrt{\frac{RSS}{edf}}$ where RSS is the residual sum of squares and edf is the effective degree of freedom.

Value

typically a number, the estimated standard deviation of the errors ("residual standard deviation")

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#) for fitting model, [summary.kspm](#), [residuals.kspm](#), [nobs.kspm](#), [deviance.kspm](#).

 stepKSPM

Choose a model by AIC or BIC in a Stepwise Algorithm

Description

Performs stepwise model selection for Kernel Semi Parametric Model by AIC or BIC.

Usage

```
stepKSPM(object, data = NULL, linear.lower = NULL,
  linear.upper = NULL, kernel.lower = NULL, kernel.upper = NULL,
  direction = "both", k = 2, kernel.param = "fixed", trace = TRUE)
```

Arguments

<code>object</code>	an object of class "kspm" with only one kernel.
<code>data</code>	data.
<code>linear.lower</code>	one side formula corresponding to the smallest set of variables that should be included in the linear part of the model.
<code>linear.upper</code>	one side formula corresponding to the largest set of variables that may be included in the linear part of the model.
<code>kernel.lower</code>	one side formula corresponding to the smallest set of variables that should be included in the kernel part of the model.
<code>kernel.upper</code>	one side formula corresponding to the largest set of variables that may be included in the kernel part of the model.
<code>direction</code>	the mode of stepwise search, can be one of "both" (default), "backward", or "forward".
<code>k</code>	type of information criteria used for the variable selection. If k=2 AIC is used (default), if k=log(n), BIC is used instead.

kernel.param	define if hyperparameters should be fixed ("fixed") or reestimated at each iteration ("change"). To use the last option, hyperparameter of model provided in object should have been estimated by the model.
trace	integer. If positive, information is printed during the running of step.kspm. Larger values may give more information on the fitting process.

Details

This procedure may be done on kspm object defined with only one kernel part and for which a data frame including all variables was provided. Selection may be done on linear part only, on kernel part only or on both at the same time. To perform selection on linear (resp. kernel) part only, kernel.lower and kernel.upper (resp. linear.lower and linear.upper) should contain all the variables that should stay in the model for kernel (resp. linear) part.

Value

stepKSPM returns the selected model.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[extractAIC.kspm](#)

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 4)
z3 <- rnorm(15, 6, 2)
z4 <- runif(15, -10, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
dfrm <- data.frame(x = x, z1 = z1, z2 = z2, z3 = z3, z4 = z4, y = y)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2 + z3 + z4,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0), data = dfrm)
stepKSPM(fit, k = 2, data = dfrm)
```

Description

summary method for an object of class "kspm"

Usage

```
## S3 method for class 'kspm'
summary(object, kernel.test = "all",
        global.test = FALSE, control.test = 1e-07, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
kernel.test	vector of characters indicating for which kernel a test should be performed. Default is "all". If "none", no test will be performed.
global.test	logical, if TRUE, a global test for kernel part is computed.
control.test	error bound for Davies' method, corresponding to acc parameter in davies function.
...	further arguments passed to or from other methods.

Details

the description of the model, including coefficients for the linear part and if asked for, test(s) of variance components associated with kernel part.

Value

Computes and returns the following summary statistics of the fitted kernel semi parametric model given in object

residuals	residuals
coefficients	a $p \times 4$ matrix with columns for the estimated coefficient, its standard error, t statistic and corresponding (two sided) p value for the linear part of the model.
sigma	the square root of the estimated variance of the random error $\sigma^2 = \frac{RSS}{edf}$ where RSS is the residual sum of squares and edf is the effective degree of freedom.
edf	effective degrees of freedom
r.squared	R^2 , the fraction of variance explained by the model, $1 - \frac{\sum e_i^2}{\sum (y_i - y^*)^2}$ where y^* is the mean of y_i if there is an intercept and zero otherwise.
adj.r.squared	the above R^2 statistics, adjusted, penalizing for higher p .
score.test	a $q \times 3$ matrix with columns for the estimated lambda, tau and p value for the q kernels for which a test should be performed.
global.p.value	p value from the score test for the global model.
sample.size	sample size (all: global sample size, inc: complete data sample size).

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

- Liu, D., Lin, X., and Ghosh, D. (2007). Semiparametric regression of multidimensional genetic pathway data: least squares kernel machines and linear mixed models. *Biometrics*, 63(4), 1079:1088.
- Schweiger, Regev, et al. "RL SKAT: an exact and efficient score test for heritability and set tests." *Genetics* (2017): genetics 300395.
- Li, Shaoyu, and Yuehua Cui. "Gene centric gene gene interaction: A model based kernel machine method." *The Annals of Applied Statistics* 6.3 (2012): 1134:1161.

See Also

[kspm](#) for fitting model, [predict.kspm](#) for predictions, [plot.kspm](#) for diagnostics

Examples

```
x <- 1:15
z1 <- runif(15, 1, 6)
z2 <- rnorm(15, 1, 2)
y <- 3*x + (z1 + z2)^2 + rnorm(15, 0, 2)
fit <- kspm(y, linear = ~ x, kernel = ~ Kernel(~ z1 + z2,
kernel.function = "polynomial", d= 2, rho = 1, gamma = 0))
summary(fit)
```

test.function

Score Tests for kernel part in kernel semi parametric model

Description

Perform score tests for kernel part in kernel semi parametric model

Usage

```
test.l.kernel(object, control.test)

test.global.kernel(object, control.test)

test.k.kernel(object, kernel.name, control.test)
```

Arguments

object	an object of class "kspm"
control.test	the acc argument provided in davies() function
kernel.name	vector of character listing names of kernels for which test should be performed

Value

p values

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

References

Schweiger, Regev, et al. "RL SKAT: an exact and efficient score test for heritability and set tests." *Genetics* (2017): genetics 300395.

Li, Shaoyu, and Yuehua Cui. "Gene centric gene gene interaction: A model based kernel machine method." *The Annals of Applied Statistics* 6.3 (2012): 1134:1161.

Oualkacha, Karim, et al. "Adjusted sequence kernel association test for rare variants controlling for cryptic and family relatedness." *Genetic epidemiology* 37.4 (2013): 366:376.

Ge, Tian, et al. "A kernel machine method for detecting effects of interaction between multidimensional variable sets: An imaging genetics application." *Neuroimage* 109 (2015): 505:514.

variable.names.kspm *Variable names of fitted models*

Description

Simple utility returning names of variables involved in a kernel semi parametric model.

Usage

```
## S3 method for class 'kspm'  
variable.names(object, ...)
```

Arguments

object	an object of class "kspm", usually, a result of a call to kspm.
...	additional optional argument (currently unused).

Value

a list of character vectors. The first element correspond to the names of variables included in the linear part of the model. Then, a vector containing names of variables including in kernel part is provided for each kernel.

Author(s)

Catherine Schramm, Aurelie Labbe, Celia Greenwood

See Also

[kspm](#), [summary.kspm](#), [case.names.kspm](#).

Index

*Topic **datasets**

- csm, [6](#)
- energy, [9](#)
- asOneSidedFormula (kernel.method), [17](#)
- case.names.kspm, [2](#), [36](#)
- check.integer (kernel.method), [17](#)
- coef.kspm, [3](#), [11](#)
- comb (kernel.method), [17](#)
- computes.Kernel (kernel.method), [17](#)
- computes.KernelALL (kernel.method), [17](#)
- confint.kspm, [4](#)
- cooks.distance.kspm, [5](#), [30](#)
- csm, [6](#)
- davies, [34](#)
- DEoptim, [21](#)
- DEoptim.control, [21](#)
- derivatives, [7](#), [25](#)
- deviance.kspm, [8](#), [23](#), [32](#)
- energy, [9](#)
- extractAIC.kspm, [8](#), [9](#), [23](#), [24](#), [33](#)
- fitted.kspm, [11](#)
- get.parameters, [12](#)
- info.kspm, [12](#), [27](#)
- Kernel, [13](#), [19](#)
- kernel.equality, [17](#)
- kernel.equality (kernel.function), [14](#)
- kernel.function, [14](#)
- kernel.gaussian, [17](#)
- kernel.gaussian (kernel.function), [14](#)
- kernel.inverse.quadratic, [17](#)
- kernel.inverse.quadratic (kernel.function), [14](#)
- kernel.linear, [17](#)
- kernel.linear (kernel.function), [14](#)
- kernel.list, [16](#)
- kernel.matrix, [16](#)
- kernel.method, [17](#)
- kernel.polynomial, [17](#)
- kernel.polynomial (kernel.function), [14](#)
- kernel.sigmoid, [17](#)
- kernel.sigmoid (kernel.function), [14](#)
- kspm, [3–5](#), [8](#), [10](#), [11](#), [13](#), [18](#), [22–24](#), [27–30](#), [32](#), [35](#), [36](#)
- kspmControl, [19](#), [21](#)
- lm, [10](#)
- logLik.kspm, [22](#)
- lossFunction.looe, [23](#)
- nobs.kspm, [3](#), [11](#), [24](#), [29](#), [32](#)
- objects.Kernel (kernel.method), [17](#)
- optimize, [21](#)
- plot.derivatives, [7](#), [25](#)
- plot.kspm, [5](#), [20](#), [26](#), [30](#), [35](#)
- predict.kspm, [13](#), [20](#), [27](#), [35](#)
- print.kspm, [28](#)
- print.summary.kspm (print.kspm), [28](#)
- renames.Kernel (kernel.method), [17](#)
- residuals.kspm, [5](#), [11](#), [29](#), [30](#), [32](#)
- rstandard.kspm, [5](#), [29](#), [30](#)
- search.parameters, [31](#)
- sigma.kspm, [31](#)
- splitFormula (kernel.method), [17](#)
- stepKSPM, [10](#), [32](#)
- summary.kspm, [4](#), [20](#), [27–29](#), [32](#), [33](#), [36](#)
- test.1.kernel (test.function), [35](#)
- test.function, [35](#)
- test.global.kernel (test.function), [35](#)
- test.k.kernel (test.function), [35](#)
- variable.names.kspm, [3](#), [36](#)