

Package ‘interp’

March 26, 2018

Type Package

Title Interpolation Methods

Version 1.0-31

Date 2018-03-25

Maintainer Albrecht Gebhardt <albrecht.gebhardt@aau.at>

Description Bivariate data interpolation on regular and irregular grids, either linear or using splines are the main part of this package. It is intended to provide FOSS replacement functions for the ACM licensed `akima::interp` and `tripack::tri.mesh` functions. Currently the piecewise linear interpolation part of `akima::interp` (and also `akima::interp`) is implemented in `interp::interp`, this corresponds to the call `akima::interp(..., linear=TRUE)` which is the default setting and covers most of `akima::interp` use cases in depending packages. A re-implementation of Akimas spline interpolation (`akima::interp(..., linear=FALSE)`) is currently under development and will complete this package in a later version. Estimators for partial derivatives are already available, these are a prerequisite for the spline interpolation. The basic part is currently a GPLed triangulation algorithm (sweep hull algorithm by David Sinclair) providing the starting point for the piecewise linear interpolator. As side effect this algorithm is also used to provide replacements for the basic functions of the `tripack` package which also suffer from the ACM restrictions. All functions are designed to be backward compatible with their `akima` / `tripack` counterparts.

License GPL (>= 2)

Imports Rcpp (>= 0.12.9), deldir

Suggests sp, Deriv

LinkingTo Rcpp, RcppEigen

NeedsCompilation yes

Author Albrecht Gebhardt [aut, cre, cph] (...),
Roger Bivand [aut],
David Sinclair [aut, cph]

Repository CRAN

Date/Publication 2018-03-25 23:09:58 UTC

R topics documented:

interp-package	2
arcs	3
area	4
circles	5
convex.hull	6
franke.data	7
identify.triSht	8
interp	9
interp	12
locpoly	14
nearest.neighbours	17
on	19
on.convex.hull	20
outer.convhull	21
plot.triSht	22
plot.voronoi	23
print.summary.triSht	24
print.summary.voronoi	25
print.triSht	26
print.voronoi	26
summary.triSht	27
summary.voronoi	28
tri.find	28
tri.mesh	29
triangles	31
triSht	32
voronoi	33
voronoi.mosaic	34
Index	37

interp-package	<i>Interpolation of data</i>
----------------	------------------------------

Description

Interpolation of z values given regular or irregular gridded data sets containing coordinates (x_i, y_i) and function values z_i is (will be) available through this package. As this interpolation is (for the irregular gridded data case) based on triangulation of the data locations also triangulation functions are implemented. Moreover the (not yet finished) spline interpolation needs estimators for partial derivatives, these are also made available to the end user for direct use.

Details

The interpolation use can be divided by the used method into piecewise linear (finished in 1_0.27) and spline (not yet finished) interpolation and by input and output settings into gridded and point-wise setups.

Note

This package is a FOSS replacement for the ACM licensed packages `akima` and `tripack`. The function calls are backward compatible.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>
Maintainer: Albrecht Gebhardt <albrecht.gebhardt@aau.at>

See Also

[interp](#), [tri.mesh](#), [voronoi.mosaic](#), [locpoly](#)

`arcs`*Extract a list of arcs from a triangulation object.*

Description

This function extracts a list of arcs from a triangulation object created by `tri.mesh`.

Usage

```
arcs(tri.obj)
```

Arguments

`tri.obj` object of class `triSht`

Details

This function accesses the `arcs` component of a triangulation object returned by `tri.mesh` and extracts the arcs contained in this triangulation. This is e.g. used for plotting.

Value

A matrix with two columns "from" and "to" containing the indices of points connected by the arc with the corresponding row index.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [triangles](#), [area](#)

Examples

```
data(franke)
tr <- tri.mesh(franke$ds3)
arcs(tr)
```

area

Extract a list of triangle areas from a triangulation object.

Description

This function returns a list containing the areas of each triangle of a triangulation object created by `tri.mesh`.

Usage

```
area(tri.obj)
```

Arguments

`tri.obj` object of class `triSht`

Details

This function accesses the `cclist` component of a triangulation object returned by `tri.mesh` and extracts the areas of the triangles contained in this triangulation.

Value

A vector containing the area values.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [triangles](#), [arcs](#)

Examples

```
data(franke)
tr <- tri.mesh(franke$ds3)
area(tr)
```

`circles`*Add circles to a plot*

Description

This function plots circles at given locations with given radii.

Usage

```
circles(x, y, r, ...)
```

Arguments

<code>x</code>	vector of x coordinates
<code>y</code>	vector of y coordinates
<code>r</code>	vector of radii
<code>...</code>	additional graphic parameters will be passed through

Note

This function needs a previous plot where it adds the circles.

This function was earlier used in package `tripack`.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[lines](#), [points](#)

Examples

```
x<-rnorm(10)
y<-rnorm(10)
r<-runif(10,0,0.5)
plot(x,y, xlim=c(-3,3), ylim=c(-3,3), pch="+")
circles(x,y,r)
```

convex.hull	<i>Return the convex hull of a triangulation object</i>
-------------	---

Description

Given a triangulation `tri.obj` of n points in the plane, this subroutine returns two vectors containing the coordinates of the nodes on the boundary of the convex hull.

Usage

```
convex.hull(tri.obj, plot.it=FALSE, add=FALSE,...)
```

Arguments

<code>tri.obj</code>	object of class <code>triSht</code>
<code>plot.it</code>	logical, if TRUE the convex hull of <code>tri.obj</code> will be plotted.
<code>add</code>	logical. if TRUE (and <code>plot.it=TRUE</code>), add to a current plot.
<code>...</code>	additional plot arguments

Value

<code>x</code>	x coordinates of boundary nodes.
<code>y</code>	y coordinates of boundary nodes.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#), [triangles](#).

Examples

```
## random points:
rand.tr<-tri.mesh(runif(10),runif(10))
plot(rand.tr)
rand.ch<-convex.hull(rand.tr, plot.it=TRUE, add=TRUE, col="red")
## use a part of the quakes data set:
data(quakes)
quakes.part<-quakes[(quakes[,1]<=-17 & quakes[,1]>=-19.0 &
                    quakes[,2]<=182.0 & quakes[,2]>=180.0),]
quakes.tri<-tri.mesh(quakes.part$lon, quakes.part$lat, duplicate="remove")
plot(quakes.tri)
convex.hull(quakes.tri, plot.it=TRUE, add=TRUE, col="red")
```

franke.data

Test datasets from Franke for interpolation of scattered data

Description

franke.data generates the test datasets from Franke, 1979, see references.

Usage

```
franke.data(fn = 1, ds = 1, data)
franke.fn(x, y, fn = 1)
```

Arguments

fn	function number, from 1 to 5.
x	'x' value
y	'y' value
ds	data set number, from 1 to 3. Dataset 1 consists of 100 points, dataset 2 of 33 points and dataset 3 of 25 points scattered in the square $[0, 1] \times [0, 1]$. (and partially slightly outside).
data	A list of dataframes with 'x' and 'y' to choose from, dataset franke should be used here.

Details

These datasets are mentioned in Akima, (1996) as a testbed for the irregular scattered data interpolator.

Franke used the five functions:

$$\begin{aligned}
 & 0.75e^{-\frac{(9x-2)^2+(9y-2)^2}{4}} + 0.75e^{-\frac{(9x+1)^2}{49}-\frac{9y+1}{10}} + 0.5e^{-\frac{(9x-7)^2+(9y-3)^2}{4}} - 0.2e^{-((9x-4)^2-(9y-7)^2)} \\
 & \frac{\tanh(9y - 9x) + 1}{9} \\
 & \frac{1.25 + \cos(5.4y)}{6(1 + (3x - 1)^2)} \\
 & e^{-\frac{81((x-0.5)^2 + \frac{(y-0.5)^2}{16})}{3}} \\
 & e^{-\frac{81((x-0.5)^2 + \frac{(y-0.5)^2}{4})}{3}} \\
 & \frac{\sqrt{64 - 81((x - 0.5)^2 + (y - 0.5)^2)}}{9} - 0.5
 \end{aligned}$$

and evaluated them on different more or less dense grids over $[0, 1] \times [0, 1]$.

Value

A data frame with components

x	'x' coordinate
y	'y' coordinate
z	'z' value

Note

The datasets have to be generated via `franke.data` before use, the dataset `franke` only contains a list of 3 dataframes of 'x' and 'y' coordinates for the above mentioned irregular grids. Do not forget to load the `franke` dataset first.

The 'x' and 'y' values have been taken from Akima (1996).

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

References

FRANKE, R., (1979). A critical comparison of some methods for interpolation of scattered data. Tech. Rep. NPS-53-79-003, Dept. of Mathematics, Naval Postgraduate School, Monterey, Calif.

Akima, H. (1996). Algorithm 761: scattered-data surface fitting that has the accuracy of a cubic polynomial. *ACM Transactions on Mathematical Software* **22**, 362–371.

See Also

[interp](#)

Examples

```
## generate Franke's data set for function 2 and dataset 3:
data(franke)
F23 <- franke.data(2,3,franke)
str(F23)
```

identify.triSht

Identify points in a triangulation plot

Description

Identify points in a plot of "x" with its coordinates. The plot of "x" must be generated with `plot.tri`.

Usage

```
## S3 method for class 'triSht'
identify(x,...)
```

Arguments

x object of class `triSht`
... additional parameters for identify

Value

an integer vector containing the indexes of the identified points.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#)

Examples

```
## Not run:  
data(franke)  
tr <- tri.mesh(franke$ds3$x, franke$ds3$y)  
plot(tr)  
identify(tr)  
  
## End(Not run)
```

interp	<i>Interpolation function</i>
--------	-------------------------------

Description

This function currently implements piecewise linear interpolation (=barycentric interpolation).

Usage

```
interp(x, y = NULL, z, xo = seq(min(x), max(x), length = nx),  
      yo = seq(min(y), max(y), length = ny),  
      linear = (method == "linear"), extrap = FALSE,  
      duplicate = "error", dupfun = NULL,  
      nx = 40, ny = 40, input="points", output = "grid",  
      method = "linear", deltri = "shull")
```

Arguments

<code>x</code>	vector of x -coordinates of data points or a <code>SpatialPointsDataFrame</code> object. Missing values are not accepted.
<code>y</code>	vector of y -coordinates of data points. Missing values are not accepted. If left as <code>NULL</code> indicates that <code>x</code> should be a <code>SpatialPointsDataFrame</code> and <code>z</code> names the variable of interest in this dataframe.
<code>z</code>	vector of z -values at data points or a character variable naming the variable of interest in the <code>SpatialPointsDataFrame</code> <code>x</code> . Missing values are not accepted. <code>x</code> , <code>y</code> , and <code>z</code> must be the same length (except if <code>x</code> is a <code>SpatialPointsDataFrame</code>) and may contain no fewer than four points. The points of <code>x</code> and <code>y</code> should not be collinear, i.e, they should not fall on the same line (two vectors <code>x</code> and <code>y</code> such that $y = ax + b$ for some <code>a</code> , <code>b</code> will not produce meaningful results). <code>interp</code> is meant for cases in which you have x , y values scattered over a plane and a z value for each. If, instead, you are trying to evaluate a mathematical function, or get a graphical interpretation of relationships that can be described by a polynomial, try <code>outer</code> .
<code>xo</code>	If <code>output="grid"</code> (default): sequence of x locations for rectangular output grid, defaults to <code>nx</code> points between <code>min(x)</code> and <code>max(x)</code> . If <code>output="points"</code> : vector of x locations for output points.
<code>yo</code>	If <code>output="grid"</code> (default): sequence of y locations for rectangular output grid, defaults to <code>ny</code> points between <code>min(y)</code> and <code>max(y)</code> . If <code>output="points"</code> : vector of y locations for output points. In this case it has to be same length as <code>xo</code> .
<code>input</code>	text, possible values are <code>"grid"</code> (not yet implemented) and <code>"points"</code> (default). This is used to distinguish between regular and irregular gridded data.
<code>output</code>	text, possible values are <code>"grid"</code> (=default) and <code>"points"</code> . If <code>"grid"</code> is chosen then <code>xo</code> and <code>yo</code> are interpreted as vectors spanning a rectangular grid of points $(xo[i], yo[j])$, $i = 1, \dots, nx$, $j = 1, \dots, ny$. This default behaviour matches how <code>akima::interp</code> works. In the case of <code>"points"</code> <code>xo</code> and <code>yo</code> have to be of same length and are taken as possibly irregular spaced output points $(xo[i], yo[i])$, $i = 1, \dots, no$ with <code>no=length(xo)</code> . <code>nx</code> and <code>ny</code> are ignored in this case. This case is meant as replacement for the pointwise interpolation done by <code>akima::interp</code> . If the input <code>x</code> is a <code>SpatialPointsDataFrame</code> and <code>output="points"</code> then <code>xo</code> has to be a <code>SpatialPointsDataFrame</code> , <code>yo</code> will be ignored.
<code>linear</code>	logical, only for backward compatibility with <code>akima::interp</code> , indicates if piecewise linear interpolation or Akima splines should be used. Warning: in this release only <code>linear=TRUE</code> is implemented! Please use the new <code>method</code> argument instead!
<code>method</code>	text, possible methods are (currently only, more is under developement) <code>"linear"</code> (piecewise linear interpolation within the triangles of the Delauney triangulation, also referred to as barycentric interpolation based on barycentric coordinates). This replaces the old <code>linear</code> argument of <code>akima::interp</code> .

extrap	logical, indicates if extrapolation outside the convex hull is intended, will not work for piecewise linear interpolation!
duplicate	character string indicating how to handle duplicate data points. Possible values are "error" produces an error message, "strip" remove duplicate z values, "mean","median","user" calculate mean , median or user defined function (dupfun) of duplicate z values.
dupfun	a function, applied to duplicate points if duplicate= "user".
nx	dimension of output grid in x direction
ny	dimension of output grid in y direction
deltri	triangulation method used, this argument will later be moved into a control set together with others related to the spline interpolation! Possible values are "shull" (default, sweep hull algorithm) and "deldir" (uses packagedeldir).

Value

a list with 3 components:

x,y	If output="grid": vectors of x - and y -coordinates of output grid, the same as the input argument x_0 , or y_0 , if present. Otherwise, their default, a vector 40 points evenly spaced over the range of the input x and y . If output="points": vectors of x - and y -coordinates of output points as given by x_0 and y_0 .
z	If output="grid": matrix of fitted z -values. The value $z[i, j]$ is computed at the point $(x_0[i], y_0[j])$. z has dimensions $\text{length}(x_0)$ times $\text{length}(y_0)$. If output="points": a vector with the calculated z values for the output points as given by x_0 and y_0 . If the input was a <code>SpatialPointsDataFrame</code> a <code>SpatialPixelsDataFrame</code> is returned for output="grid" and a <code>SpatialPointsDataFrame</code> for output="points".

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

References

Moebius, A. F. (1827) Der barymetrische Calcul. Verlag v. Johann Ambrosius Barth, Leipzig, https://books.google.at/books?id=eFPluv_UqFEC&hl=de&pg=PR1#v=onepage&q&f=false

Franke, R., (1979). A critical comparison of some methods for interpolation of scattered data. Tech. Rep. NPS-53-79-003, Dept. of Mathematics, Naval Postgraduate School, Monterey, Calif.

See Also

[interp](#)

Examples

```
### Use all datasets from Franke, 1979:
data(franke)
for(i in 1:5)
  for(j in 1:3){
    FR <- franke.data(i,j,franke)
    IL <- with(FR, interp(x,y,z,method="linear"))
    image(IL)
    contour(IL,add=TRUE)
    with(FR,points(x,y))
  }
```

interpp

Pointwise interpolate irregular gridded data

Description

This function implements bivariate interpolation onto a set of points for irregularly spaced input data.

This function is meant for backward compatibility to package *akima*, please use `interp` with its output argument set to "points" now.

Usage

```
interpp(x, y = NULL, z, xo, yo = NULL, linear = TRUE,
        extrap = FALSE, duplicate = "error", dupfun = NULL,
        deltri = "shull")
```

Arguments

- | | |
|----|---|
| x | vector of x-coordinates of data points or a <code>SpatialPointsDataFrame</code> object. Missing values are not accepted. |
| y | vector of y-coordinates of data points. Missing values are not accepted.
If left as <code>NULL</code> indicates that x should be a <code>SpatialPointsDataFrame</code> and z names the variable of interest in this dataframe. |
| z | vector of z-coordinates of data points or a character variable naming the variable of interest in the <code>SpatialPointsDataFrame</code> x.
Missing values are not accepted.
x, y, and z must be the same length (except if x is a <code>SpatialPointsDataFrame</code>) and may contain no fewer than four points. The points of x and y cannot be collinear, i.e. they cannot fall on the same line (two vectors x and y such that $y = ax + b$ for some a, b will not be accepted). |
| xo | vector of x-coordinates of points at which to evaluate the interpolating function. If x is a <code>SpatialPointsDataFrame</code> this has also to be a <code>SpatialPointsDataFrame</code> . |
| yo | vector of y-coordinates of points at which to evaluate the interpolating function. If operating on <code>SpatialPointsDataFrames</code> this is left as <code>NULL</code> . |

linear	logical – indicating whether linear or spline interpolation should be used.
extrap	logical flag: should extrapolation be used outside of the convex hull determined by the data points? Not possible for linear interpolation.
duplicate	indicates how to handle duplicate data points. Possible values are "error" - produces an error message, "strip" - remove duplicate z values, "mean", "median", "user" - calculate mean, median or user defined function of duplicate z values.
dupfun	this function is applied to duplicate points if duplicate="user"
deltri	triangulation method used, this argument will later be moved into a control set together with others related to the spline interpolation!

Value

a list with 3 components:

x, y	If output="grid": vectors of x - and y -coordinates of output grid, the same as the input argument x_0 , or y_0 , if present. Otherwise, their default, a vector 40 points evenly spaced over the range of the input x and y . If output="points": vectors of x - and y -coordinates of output points as given by x_0 and y_0 .
z	If output="grid": matrix of fitted z -values. The value $z[i, j]$ is computed at the point $(x_0[i], y_0[j])$. z has dimensions $\text{length}(x_0)$ times $\text{length}(y_0)$. If output="points": a vector with the calculated z values for the output points as given by x_0 and y_0 . If the input was a <code>SpatialPointsDataFrame</code> or a <code>SpatialPixelssDataFrame</code> is returned for output="grid" and a <code>SpatialPointsDataFrame</code> for output="points".

Note

This is only a call wrapper meant for backward compatibility, see [interp](#) for more details!

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

References

- Moebius, A. F. (1827) Der barymetrische Calcul. Verlag v. Johann Ambrosius Barth, Leipzig, https://books.google.at/books?id=eFPluv_UqFEC&hl=de&pg=PR1#v=onepage&q&f=false
- Franke, R., (1979). A critical comparison of some methods for interpolation of scattered data. Tech. Rep. NPS-53-79-003, Dept. of Mathematics, Naval Postgraduate School, Monterey, Calif.

See Also

[interp](#)

Examples

```

### Use all datasets from Franke, 1979:
### calculate z at shifted original locations.
data(franke)
for(i in 1:5)
  for(j in 1:3){
    FR <- franke.data(i,j,franke)
    IL <- with(FR, interpp(x,y,z,x+0.1,y+0.1,linear=TRUE))
    str(IL)
  }

```

locpoly

*Local polynomial fit.***Description**

This function performs a local polynomial fit of up to order 3 to bivariate data. It returns estimated values of the regression function as well as estimated partial derivatives up to order 3.

Usage

```

locpoly(x, y, z, xo = seq(min(x), max(x), length = nx), yo = seq(min(y),
  max(y), length = ny), nx = 40, ny = 40, input = "points", output = "grid",
  h = 0, kernel = "uniform", solver = "QR", degree = 3, pd = "")

```

Arguments

x	vector of x -coordinates of data points. Missing values are not accepted.
y	vector of y -coordinates of data points. Missing values are not accepted.
z	vector of z -values at data points. Missing values are not accepted. x , y , and z must be the same length
xo	If output="grid" (default): sequence of x locations for rectangular output grid, defaults to n_x points between $\min(x)$ and $\max(x)$. If output="points": vector of x locations for output points.
yo	If output="grid" (default): sequence of y locations for rectangular output grid, defaults to n_y points between $\min(y)$ and $\max(y)$. If output="points": vector of y locations for output points. In this case it has to be same length as xo .
input	text, possible values are "grid" (not yet implemented) and "points" (default). This is used to distinguish between regular and irregular gridded data.

output	<p>text, possible values are "grid" (=default) and "points".</p> <p>If "grid" is chosen then xo and yo are interpreted as vectors spanning a rectangular grid of points $(xo[i], yo[j])$, $i = 1, \dots, nx$, $j = 1, \dots, ny$. This default behaviour matches how <code>akima::interp</code> works.</p> <p>In the case of "points" xo and yo have to be of same length and are taken as possibly irregular spaced output points $(xo[i], yo[i])$, $i = 1, \dots, no$ with $no = \text{length}(xo)$. nx and ny are ignored in this case.</p>
nx	dimension of output grid in x direction
ny	dimension of output grid in y direction
h	<p>bandwidth parameter, between 0 and 1. If a scalar is given it is interpreted as ratio applied to the dataset size to determine a local search neighbourhood, if set to 0 a minimum useful search neighbourhood is chosen (e.g. 10 points for a cubic trend function to determine all 10 parameters).</p> <p>If a vector of length 2 is given both components are interpreted as ratio of the x- and y-range and taken as global bandwidth.</p>
kernel	Text value, implemented kernels are uniform (default), epanechnikov and gaussian.
solver	<p>Text value, determines used solver in fastLM algorithm used by this code</p> <p>Possible values are LLt, QR (default), SVD, Eigen and CPivQR (compare fastLm).</p>
degree	Integer value, degree of polynomial trend, maximum allowed value is 3.
pd	Text value, determines which partial derivative should be returned, possible values are "" (default, the polynomial itself), "x", "y", "xx", "xy", "yy", "xxx", "xxy", "xyy", "yyy" or "all".

Value

If `pd="all"`:

x	x coordinates
y	y coordinates
z	estimates of z
zx	estimates of dz/dx
zy	estimates of dz/dy
zxx	estimates of d^2z/dx^2
zxy	estimates of $d^2z/dxdy$
zyy	estimates of d^2z/dy^2
zxxx	estimates of d^3z/dx^3
zxyy	estimates of d^3z/dx^2dy
zxyy	estimates of $d^3z/dxdy^2$
zyyy	estimates of d^3z/dy^3

If `pd!="all"` only the elements x , y and the desired derivative will be returned, e.g. `zxy` for `pd="xy"`.

Note

Function `locpoly` of package `KernSmooth` performs a similar task for univariate data.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

References

Douglas Bates, Dirk Eddelbuettel (2013). Fast and Elegant Numerical Linear Algebra Using the `RcppEigen` Package. *Journal of Statistical Software*, 52(5), 1-24. URL <http://www.jstatsoft.org/v52/i05/>.

See Also

`locpoly`, `fastLm`

Examples

```
## choose a kernel
knl <- "gaussian"

## choose global and local bandwidth
bwg <- 0.25 # *100% of x- y-range
bwl <- 0.1 # *100% of data set

## a bivariate polynomial of degree 5:
f <- function(x,y) 0.1+ 0.2*x-0.3*y+0.1*x*y+0.3*x^2*y-0.5*y^2*x+y^3*x^2+0.1*y^5

## degree of model
dg=3

## part 1:
## regular gridded data:
ng<- 21 # x/y size of a square data grid

## build and fill the grid with the theoretical values:

xg<-seq(0,1,length=ng)
yg<-seq(0,1,length=ng)

# xg and yg as matrix matching fg
nx <- length(xg)
ny <- length(yg)
xx <- t(matrix(rep(xg,ny),nx,ny))
yy <- matrix(rep(yg,nx),ny,nx)

fg <- outer(xg,yg,f)

## local polynomial estimate
## global bw:
ttg <- system.time(pdg <- locpoly(xg,yg,fg,
```

```

    input="grid", pd="all", h=c(bwg,bwg), solver="QR", degree=dg, kernel=kn1))
## time used:
ttg

## local bw:
ttl <- system.time(pdl <- locpoly(xg,yg,fg,
  input="grid", pd="all", h=bwl, solver="QR", degree=dg, kernel=kn1))
## time used:
ttl

image(pdg$x, pdg$y, pdg$z)
contour(pdl$x, pdl$y, pdl$zx, add=TRUE, lty="dotted")
contour(pdl$x, pdl$y, pdl$zy, add=TRUE, lty="dashed")
points(xx, yy, pch=".")

## part 2:
## irregular data,
## results will not be as good as with the regular 21*21=231 points.

nd<- 41 # size of data set

## random irregular data
oldseed <- set.seed(42)
x<-runif(ng)
y<-runif(ng)
set.seed(oldseed)

z <- f(x,y)

## global bw:
ttg <- system.time(pdg <- interp::locpoly(x,y,z, xg,yg, pd="all",
  h=c(bwg,bwg), solver="QR", degree=dg, kernel=kn1))

ttg

## local bw:
ttl <- system.time(pdl <- interp::locpoly(x,y,z, xg,yg, pd="all",
  h=bwl, solver="QR", degree=dg, kernel=kn1))

ttl

image(pdg$x, pdg$y, pdg$z)
contour(pdl$x, pdl$y, pdl$zx, add=TRUE, lty="dotted")
contour(pdl$x, pdl$y, pdl$zy, add=TRUE, lty="dashed")
points(x, y, pch=".")

```

Description

This function can be used to generate nearest neighbour information for a set of 2D data points.

Usage

```
nearest.neighbours(x, y)
```

Arguments

x	vector containing x coordinates of points.
y	vector containing y coordinates of points.

Details

The C++ implementation of this function is used inside the [locpoly](#) and [interp](#) functions.

Value

A list with two components

index	A matrix with one row per data point. Each row contains the indices of the nearest neighbours to the point associated with this row, currently the point itself is also listed in the first row, so this matrix is of dimension n times n (will change to n times $n - 1$ later).
dist	A matrix containing the distances according to the neighbours listed in component index.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[convex.hull](#)

Examples

```
data(franke)
## use only a small subset
fd <- franke$ds1[1:5,]
nearest.neighbours(fd$x, fd$y)
```

on *Determines if a point is on or left of the vector described by two other points.*

Description

A simple test function to determine the position of one (or more) points relative to a vector spanned by two points.

Usage

```
on(x1, y1, x2, y2, x0, y0, eps = 1e-16)
left(x1, y1, x2, y2, x0, y0, eps = 1e-16)
```

Arguments

x1	x coordinate of first point determining the vector.
y1	y coordinate of first point determining the vector.
x2	x coordinate of second point determining the vector.
y2	y coordinate of second point determining the vector.
x0	vector of x coordinates to locate relative to the vector $(x_2 - x_1, y_2 - y_1)$.
y0	vector of y coordinates to locate relative to the vector $(x_2 - x_1, y_2 - y_1)$.
eps	tolerance for checking if x_0, y_0 is on or left of $(x_2 - x_1, y_2 - y_1)$, defaults to 10^{-16} .

Value

logical vector with the results of the test.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[in.convex.hull](#), [on.convex.hull](#).

Examples

```
y <- x <- c(0,1)
## should be TRUE
on(x[1],y[1],x[2],y[2],0.5,0.5)
## note the default setting of eps leading to
on(x[1],y[1],x[2],y[2],0.5,0.50000000000000001)
## also be TRUE

## should be TRUE
```

```
left(x[1],y[1],x[2],y[2],0.5,0.6)
## note the default setting of eps leading to
left(x[1],y[1],x[2],y[2],0.5,0.500000000000000001)
## already resulting to FALSE
```

on.convex.hull	<i>Determines if points are on or in the convex hull of a triangulation object</i>
----------------	--

Description

Given a triangulation object `tri.obj` of n points in the plane, this subroutine returns a logical vector indicating if the points (x_i, y_i) lay on or in the convex hull of `tri.obj`.

Usage

```
on.convex.hull(tri.obj, x, y, eps=1E-16)
in.convex.hull(tri.obj, x, y, eps=1E-16)
```

Arguments

<code>tri.obj</code>	object of class <code>triSht</code>
<code>x</code>	vector of x -coordinates of points to locate
<code>y</code>	vector of y -coordinates of points to locate
<code>eps</code>	accuracy for checking the condition

Value

Logical vector.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#), [triangles](#), [convex.hull](#).

Examples

```
# use a part of the quakes data set:
data(quakes)
quakes.part<-quakes[(quakes[,1]<=-10.78 & quakes[,1]>=-19.4 &
                    quakes[,2]<=182.29 & quakes[,2]>=165.77),]
q.tri<-tri.mesh(quakes.part$lon, quakes.part$lat, duplicate="remove")
on.convex.hull(q.tri,quakes.part$lon[1:20],quakes.part$lat[1:20])
in.convex.hull(q.tri,quakes.part$lon[1:20],quakes.part$lat[1:20])
```

outer.convhull *Version of outer which operates only in a convex hull*

Description

This version of outer evaluates FUN only on that part of the grid cx times cy that is enclosed within the convex hull of the points (px, py) .

This can be useful for spatial estimation if no extrapolation is wanted.

Usage

```
outer.convhull(cx,cy,px,py,FUN,duplicate="remove",...)
```

Arguments

cx	x coordinates of grid
cy	y coordinates of grid
px	vector of x coordinates of points
py	vector of y coordinates of points
FUN	function to be evaluated over the grid
duplicate	indicates what to do with duplicate (px_i, py_i) points, default "remove".
...	additional arguments for FUN

Value

Matrix with values of FUN (NAs if outside the convex hull).

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[in.convex.hull](#)

Examples

```
x<-runif(20)
y<-runif(20)
z<-runif(20)
z.lm<-lm(z~x+y)
f.pred<-function(x,y)
  {predict(z.lm,data.frame(x=as.vector(x),y=as.vector(y)))}
xg<-seq(0,1,0.05)
yg<-seq(0,1,0.05)
image(xg,yg,outer.convhull(xg,yg,x,y,f.pred))
points(x,y)
```

`plot.triSht`*Plot a triangulation object*

Description

plots the triangulation object "x"

Usage

```
## S3 method for class 'triSht'  
plot(x, add = FALSE, xlim = range(x$x),  
      ylim = range(x$y), do.points = TRUE, do.labels = FALSE, isometric = TRUE,  
      do.circumcircles = FALSE, segment.lty = "dashed", circle.lty =  
      "dotted", ...)
```

Arguments

<code>x</code>	object of class "triSht"
<code>add</code>	logical, if TRUE, add to a current plot.
<code>do.points</code>	logical, indicates if points should be plotted. (default TRUE)
<code>do.labels</code>	logical, indicates if points should be labelled. (default FALSE)
<code>xlim,ylim</code>	x/y ranges for plot
<code>isometric</code>	generate an isometric plot (default TRUE)
<code>do.circumcircles</code>	logical, indicates if circumcircles should be plotted (default FALSE)
<code>segment.lty</code>	line type for triangulation segments
<code>circle.lty</code>	line type for circumcircles
<code>...</code>	additional plot parameters

Value

None

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [summary.triSht](#)

Examples

```
## random points
plot(tri.mesh(rpois(100,lambda=20),rpois(100,lambda=20),duplicate="remove"))
## use a part of the quakes data set:
data(quakes)
quakes.part<-quakes[(quakes[,1]<=-10.78 & quakes[,1]>=-19.4 &
                    quakes[,2]<=182.29 & quakes[,2]>=165.77),]
quakes.tri<-tri.mesh(quakes.part$lon, quakes.part$lat, duplicate="remove")
plot(quakes.tri)
## use the whole quakes data set
## (will not work with standard memory settings, hence commented out)
## plot(tri.mesh(quakes$lon, quakes$lat, duplicate="remove"), do.points=F)
```

plot.voronoi	<i>Plot a voronoi object</i>
--------------	------------------------------

Description

Plots the mosaic "x". Dashed lines are used for outer tiles of the mosaic.

Usage

```
## S3 method for class 'voronoi'
plot(x,add=FALSE,
      xlim=c(min(x$tri$x)-
             0.1*diff(range(x$tri$x)),
             max(x$tri$x)+
             0.1*diff(range(x$tri$x))),
      ylim=c(min(x$tri$y)-
             0.1*diff(range(x$tri$y)),
             max(x$tri$y)+
             0.1*diff(range(x$tri$y))),
      all=FALSE,
      do.points=TRUE,
      main="Voronoi mosaic",
      sub=deparse(substitute(x)),
      isometric=FALSE,
      ...)
```

Arguments

x	object of class "voronoi"
add	logical, if TRUE, add to a current plot.
xlim	x plot ranges, by default modified to hide dummy points outside of the plot
ylim	y plot ranges, by default modified to hide dummy points outside of the plot
all	show all (including dummy points in the plot)

do.points	logical, indicates if points should be plotted.
main	plot title
sub	plot subtitle
isometric	generate an isometric plot (default FALSE)
...	additional plot parameters

Value

None

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[voronoi](#), [print.voronoi](#), [summary.voronoi](#)

Examples

```
data(franke)
tr <- tri.mesh(franke$ds3)
vr <- voronoi.mosaic(tr)
plot(tr)
plot(vr, add=TRUE)
```

`print.summary.triSht` *Print a summary of a triangulation object*

Description

Prints some information about `tri.obj`

Usage

```
## S3 method for class 'summary.triSht'
print(x, ...)
```

Arguments

x	object of class "summary.triSht", generated by summary.triSht .
...	additional parameters for print

Value

None

Note

This function is meant as replacement for the function of same name in package `tripack`.
The only difference is that no constraints are possible with `triSht` objects of package `interp`.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [tri.mesh](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#).

`print.summary.voronoi` *Print a summary of a voronoi object*

Description

Prints some information about object `x`

Usage

```
## S3 method for class 'summary.voronoi'  
print(x, ...)
```

Arguments

`x` object of class "summary.voronoi", generated by [summary.voronoi](#).
`...` additional parameters for `print`

Value

None

Note

This function is meant as replacement for the function of same name in package `tripack` and should be fully backward compatible.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[voronoi](#), [voronoi.mosaic](#), [print.voronoi](#), [plot.voronoi](#), [summary.voronoi](#).

print.triSht *Print a triangulation object*

Description

prints a adjacency list of "x"

Usage

```
## S3 method for class 'triSht'  
print(x,...)
```

Arguments

x object of class "triSht"
... additional paramters for print

Value

None

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [plot.triSht](#), [summary.triSht](#)

print.voronoi *Print a voronoi object*

Description

prints a summary of "x"

Usage

```
## S3 method for class 'voronoi'  
print(x,...)
```

Arguments

x object of class "voronoi"
... additional paramters for print

Value

None

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[voronoi](#), [plot.voronoi](#), [summary.voronoi](#)

summary.triSht	<i>Return a summary of a triangulation object</i>
----------------	---

Description

Returns some information (number of nodes, triangles, arcs) about object.

Usage

```
## S3 method for class 'triSht'  
summary(object,...)
```

Arguments

object	object of class "triSht"
...	additional paramters for summary

Value

An object of class "summary.triSht", to be printed by [print.summary.triSht](#).

It contains the number of nodes (n), of arcs (na), of boundary nodes (nb) and triangles (nt).

Note

This function is meant as replacement for the function of same name in package tripack.

The only difference is that no constraints are possible with triSht objects of package interp.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [plot.triSht](#), [print.summary.triSht](#).

summary.voronoi	<i>Return a summary of a voronoi object</i>
-----------------	---

Description

Returns some information about object

Usage

```
## S3 method for class 'voronoi'
summary(object,...)
```

Arguments

object	object of class "voronoi"
...	additional parameters for summary

Value

Object of class "summary.voronoi".
It contains the number of nodes (nn) and dummy nodes (nd).

Note

This function is meant as replacement for the function of same name in package tripack and should be fully backward compatible.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[voronoi](#), [voronoi.mosaic](#), [print.voronoi](#), [plot.voronoi](#), [print.summary.voronoi](#).

tri.find	<i>Locate a point in a triangulation</i>
----------	--

Description

This subroutine locates a point $P = (x, y)$ relative to a triangulation created by `tri.mesh`. If P is contained in a triangle, the three vertex indexes are returned. Otherwise, the indexes of the rightmost and leftmost visible boundary nodes are returned.

Usage

```
tri.find(tri.obj,x,y)
```

Arguments

tri.obj	an triangulation object of class triSht
x	x-coordinate of the point
y	y-coordinate of the point

Value

A list with elements $i1, i2, i3$ containing nodal indexes, in counterclockwise order, of the vertices of a triangle containing $P = (x, y)$. bc contains the barycentric coordinates of P w.r.t. the found triangle.

If P is not contained in the convex hull of the nodes this indices are 0 (bc is meaningless then).

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#), [triangles](#), [convex.hull](#)

Examples

```
data(franke)
tr<-tri.mesh(franke$ds3$x, franke$ds3$y)
plot(tr)
pnt<-list(x=0.3,y=0.4)
triangle.with.pnt<-tri.find(tr,pnt$x,pnt$y)
attach(triangle.with.pnt)
lines(franke$ds3$x[c(i1,i2,i3,i1)], franke$ds3$y[c(i1,i2,i3,i1)], col="red")
points(pnt$x,pnt$y)
```

 tri.mesh

Delaunay triangulation

Description

This function generates a Delaunay triangulation of arbitrarily distributed points in the plane. The resulting object can be printed or plotted, some additional functions can extract details from it like the list of triangles, arcs or the convex hull.

Usage

```
tri.mesh(x, y = NULL, duplicate = "error")
```

Arguments

x	vector containing x coordinates of the data. If y is missing x should be a list or dataframe with two components x and y .
y	vector containing y coordinates of the data. Can be omitted if x is a list with two components x and y .
duplicate	flag indicating how to handle duplicate elements. Possible values are: <ul style="list-style-type: none"> • "error" – default, • "strip" – remove all duplicate points, • "remove" – leave one point of the duplicate points.

Details

This function creates a Delaunay triangulation of a set of arbitrarily distributed points in the plane referred to as nodes.

The Delaunay triangulation is defined as a set of triangles with the following five properties:

1. The triangle vertices are nodes.
2. No triangle contains a node other than its vertices.
3. The interiors of the triangles are pairwise disjoint.
4. The union of triangles is the convex hull of the set of nodes (the smallest convex set which contains the nodes).
5. The interior of the circumcircle of each triangle contains no node.

The first four properties define a triangulation, and the last property results in a triangulation which is as close as possible to equiangular in a certain sense and which is uniquely defined unless four or more nodes lie on a common circle. This property makes the triangulation well-suited for solving closest point problems and for triangle-based interpolation.

This triangulation is based on the s-hull algorithm by David Sinclair. It consist of two steps:

1. Create an initial non-overlapping triangulation from the radially sorted nodes (w.r.t to an arbitrary first node). Starting from a first triangle built from the first node and its nearest neighbours this is done by adding triangles from the next node (in the sense of distance to the first node) to the hull of the actual triangulation visible from this node (sweep hull step).
2. Apply triange flipping to each pair of triangles sharing a border until condition 5 holds (Cline-Renka test).

This algorithm has complexity $O(n * \log(n))$.

Value

an object of class "triSht", see [triSht](#).

Note

This function is meant as a replacement for `tri.mesh` from package `tripack`. Please note that the underlying algorithm changed from Renka's method to Sinclair's sweep hull method. Delaunay triangulations are unique if no four or more points exist which share the same circumcircle. Otherwise several solutions are available and different algorithms will give different results. This especially holds for regular grids, where in the case of rectangular gridded points each grid cell can be triangulated in two different ways.

The arguments are backward compatible, but the returned object is not compatible with package `tripack` (it provides a `tri` object type)! But you can apply methods with same names to the object returned in package `interp` which is of type `triSht`, so you can reuse your old code but you cannot reuse your old saved workspace.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

References

B. Delaunay, Sur la sphere vide. A la memoire de Georges Voronoi, Bulletin de l'Academie des Sciences de l'URSS. Classe des sciences mathematiques et na, 1934, no. 6, p. 793–800

D. A. Sinclair, S-Hull: A Fast Radial Sweep-Hull Routine for Delaunay Triangulation. <https://arxiv.org/pdf/1604.01428.pdf>, 2016.

See Also

`triSht`, `print.triSht`, `plot.triSht`, `summary.triSht`, `triangles`, `convex.hull`, `arcs`.

Examples

```
## use Franke datasets:
data(franke)
tr1 <- tri.mesh(franke$ds3$x, franke$ds3$y)
tr1
tr2 <- tri.mesh(franke$ds2)
summary(tr2)
```

`triangles`

Extract a list of triangles from a triangulation object

Description

This function extracts a list of triangles from an triangulation object created by `tri.mesh`.

Usage

```
triangles(tri.obj)
```

Arguments

`tri.obj` object of class `triSht`

Details

The vertices in the returned matrix (let's denote it with `retval`) are ordered counterclockwise. The columns `tr x` and `arc x` , $x = 1, 2, 3$ index the triangle and arc, respectively, which are opposite (not shared by) node `node x` , with `tri x` = 0 if `arc x` indexes a boundary arc. Vertex indexes range from 1 to n , the number of nodes, triangle indexes from 0 to nt , and arc indexes from 1 to $na = nt + n - 1$.

Value

A matrix with columns `node1`, `node2`, `node3`, representing the vertex nodal indexes, `tr1`, `tr2`, `tr3`, representing neighboring triangle indexes and `arc1`, `arc2`, `arc3` representing arc indexes.

Each row represents one triangle.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[triSht](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#), [triangles](#)

Examples

```
# use the smallest Franke data set
data(franke)
fr3.tr<-tri.mesh(franke$ds3$x, franke$ds3$y)
triangles(fr3.tr)
```

`triSht`

A triangulation object

Description

R object that represents the triangulation of a set of 2D points, generated by [tri.mesh](#).

Arguments

<code>n</code>	Number of nodes
<code>x</code>	x coordinates of the triangulation nodes
<code>y</code>	y coordinates of the triangulation nodes
<code>nt</code>	number of triangles

<code>trlist</code>	<p>Matrix of indices which defines the triangulation, each row corresponds to a triangle.</p> <p>Columns <code>i1</code>, <code>i2</code>, <code>i3</code> of the row <code>i</code> contain the node indices defining the ith triangle.</p> <p>Columns <code>j1</code>, <code>j2</code>, <code>j3</code> of the row <code>i</code> contain the indices of neighbour triangles (or 0 if no neighbour available along the convex hull).</p> <p>Columns <code>k1</code>, <code>k2</code>, <code>k3</code> of the row <code>i</code> contain the indices of the arcs of the ith triangle as returned by the <code>arcs</code> function.</p>
<code>cclist</code>	<p>Matrix describing the circumcircles and triangles.</p> <p>Columns <code>x</code> and <code>y</code> contain coordinates of the circumcircle centers, <code>r</code> is the circumcircle radius.</p> <p><code>area</code> is the triangle area and <code>ratio</code> is the ratio of the radius of the inscribed circle to the circumcircle radius. It takes its maximum value 0.5 for an equilateral triangle.</p> <p>The radius of the inscribed circle can be get via $r_i = \frac{r}{ratio}$.</p>
<code>nchull</code>	number of points on the convex hull
<code>chull</code>	A vector containing the indices of nodes forming the convex hull (in counter-clockwise ordering).
<code>narcs</code>	number of arcs forming the triangulation
<code>arcs</code>	A matrix with node indices describing the arcs, contains two columns <code>from</code> and <code>to</code> .
<code>call</code>	<code>call</code> , which generated this object

Note

This object is not backward compatible with `tri` objects generated from package `tripack` but the functions and methods are! So you have to regenerate these objects and then you can continue to use the same calls as before.

The only difference is that no constraints to the triangulation are possible in package `interp`.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[tri.mesh](#), [print.triSht](#), [plot.triSht](#), [summary.triSht](#)

voronoi

Voronoi object

Description

A `voronoi` object is created with `voronoi.mosaic`

Arguments

<code>x,y</code>	x and y coordinates of nodes of the voronoi mosaic. Each node is a circumcircle center of some triangle from the Delaunay triangulation.
<code>node</code>	logical vector, indicating real nodes of the voronoi mosaic. These nodes are the centers of circumcircles of triangles with positive area of the delaunay triangulation. If <code>node[i]=FALSE</code> , <code>(c[i],x[i])</code> belongs to a triangle with area 0.
<code>n1,n2,n3</code>	indices of neighbour nodes. Negative indices indicate dummy points as neighbours.
<code>tri</code>	triangulation object, see triSht .
<code>area</code>	area of triangle <i>i</i> .
<code>ratio</code>	aspect ratio (inscribed radius/circumradius) of triangle <i>i</i> .
<code>radius</code>	circumradius of triangle <i>i</i> .
<code>dummy.x, dummy.y</code>	x and y coordinates of dummy points. They are used for plotting of unbounded tiles.

Note

This version of voronoi object is generated from the [tri.mesh](#) function from package `interp`. That's the only difference to voronoi objects generated with package `tripack`.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

See Also

[voronoi.mosaic,plot.voronoi](#)

voronoi.mosaic

Voronoi mosaic

Description

This function creates a Voronoi mosaic out of a given set of arbitrarily located points in the plane. Each cell of a voronoi mosaic is associated with a data point and contains all points (x, y) closest to this data point.

Usage

```
voronoi.mosaic(x, y = NULL, duplicate = "error")
```

Arguments

- x** vector containing x coordinates of the data. If y is missing x should be a list or dataframe with two components x and y .
 x can also be an object of class `triSht` generated by `tri.mesh`. In this case the internal triangulation step can be skipped.
- y** vector containing y coordinates of the data. Can be omitted if x is a list with two components x and y .
- duplicate** flag indicating how to handle duplicate elements. Possible values are:
- "error" – default,
 - "strip" – remove all duplicate points,
 - "remove" – leave one point of the duplicate points.

Details

The function creates first a Delaunay triangulation (if not already given), extracts the circumcircle centers of these triangles, and then connects these points according to the neighbourhood relations between the triangles.

Value

An object of class `voronoi`.

Note

This function is meant as a replacement for `voronoi.mosaic` from package `tripack`. Please note that the underlying triangulation uses a different algorithm, see `tri.mesh`. Contrary to `tri.mesh` this should not affect the result for non unique triangulations e.g. on regular grids as the voronoi mosaic in this case will still be unique.

The arguments are backward compatible, even the returned object should be compatible with functions from package `tripack`.

Author(s)

Albrecht Gebhardt <albrecht.gebhardt@aau.at>, Roger Bivand <roger.bivand@nhh.no>

References

G. Voronoi, Nouvelles applications des parametres continus a la theorie des formes quadratiques. Deuxieme memoire. Recherches sur les paralleloedres primitifs, Journal fuer die reine und angewandte Mathematik, 1908, vol 134, p. 198-287

See Also

`voronoi`, `voronoi.mosaic`, `print.voronoi`, `plot.voronoi`

Examples

```
data(franke)
fd <- franke$ds3
vr <- voronoi.mosaic(fd$x, fd$y)
summary(vr)
```

Index

- *Topic **aplot**
 - circles, 5
- *Topic **datagen**
 - franke.data, 7
- *Topic **dplot**
 - arcs, 3
 - interp, 9
- *Topic **math**
 - interp, 9
- *Topic **models**
 - locpoly, 14
- *Topic **package**
 - interp-package, 2
- *Topic **regression**
 - locpoly, 14
- *Topic **spatial**
 - arcs, 3
 - area, 4
 - convex.hull, 6
 - identify.triSht, 8
 - interp, 12
 - interpp, 12
 - on.convex.hull, 20
 - outer.convhull, 21
 - plot.triSht, 22
 - plot.voronoi, 23
 - print.summary.triSht, 24
 - print.summary.voronoi, 25
 - print.triSht, 26
 - print.voronoi, 26
 - summary.triSht, 27
 - summary.voronoi, 28
 - tri.find, 28
 - tri.mesh, 29
 - triangles, 31
 - triSht, 32
 - voronoi, 33
 - voronoi.mosaic, 34
- *Topic **utilities**
 - area, 4
 - nearest.neighbours, 17
 - on, 19
- arcs, 3, 4, 31, 33
- area, 4, 4
- circles, 5
- convex.hull, 6, 18, 20, 29, 31
- fastLm, 15, 16
- franke (franke.data), 7
- franke.data, 7
- identify.triSht, 8
- in.convex.hull, 19, 21
- in.convex.hull (on.convex.hull), 20
- interp, 3, 8, 9, 12, 13, 18
- interp-package, 2
- interpp, 11, 12
- left (on), 19
- lines, 5
- locpoly, 3, 14, 16, 18
- nearest.neighbours, 17
- on, 19
- on.convex.hull, 19, 20
- outer, 10
- outer.convhull, 21
- plot.triSht, 6, 9, 20, 22, 25–27, 29, 31–33
- plot.voronoi, 23, 25, 27, 28, 34, 35
- points, 5
- print.summary.triSht, 24, 27
- print.summary.voronoi, 25, 28
- print.triSht, 6, 9, 20, 22, 25, 26, 27, 29, 31–33
- print.voronoi, 24, 25, 26, 28, 35
- summary.triSht, 6, 9, 20, 22, 24–26, 27, 29, 31–33

summary.voronoi, [24](#), [25](#), [27](#), [28](#)

tri, [31](#)

tri.find, [28](#)

tri.mesh, [3](#), [4](#), [25](#), [29](#), [31–35](#)

triangles, [4](#), [6](#), [20](#), [29](#), [31](#), [31](#), [32](#)

triSht, [3](#), [4](#), [6](#), [9](#), [20](#), [22](#), [25–27](#), [29–32](#), [32](#),
[34](#), [35](#)

voronoi, [24](#), [25](#), [27](#), [28](#), [33](#), [35](#)

voronoi.mosaic, [3](#), [25](#), [28](#), [33](#), [34](#), [34](#), [35](#)