

# Package ‘arsenal’

March 25, 2019

**Title** An Arsenal of 'R' Functions for Large-Scale Statistical Summaries

**Version** 3.0.0

**Date** 2019-03-25

**Description** An Arsenal of 'R' functions for large-scale statistical summaries, which are streamlined to work within the latest reporting tools in 'R' and 'RStudio' and which use formulas and versatile summary statistics for summary tables and models. The primary functions include `tableby()`, a Table-1-like summary of multiple variable types 'by' the levels of one or more categorical variables; `paired()`, a Table-1-like summary of multiple variable types paired across two time points; `modelsum()`, which performs simple model fits on one or more endpoints for many variables (univariate or adjusted for covariates); `freqlist()`, a powerful frequency table across many categorical variables; `comparedf()`, a function for comparing data.frames; and `write2()`, a function to output tables to a document.

**Suggests** broom, stringr, magrittr, knitr, rmarkdown, xtable, pander, survival ( $\geq 2.41-3$ ), coin, pROC, MASS, gam, rpart, yaml

**Depends** R ( $\geq 3.2.0$ ), stats ( $\geq 3.2.0$ )

**Imports** testthat, utils ( $\geq 3.2.0$ )

**URL** <https://github.com/eheinzen/arsenal>,  
<https://cran.r-project.org/package=arsenal>

**BugReports** <https://github.com/eheinzen/arsenal/issues>

**VignetteBuilder** knitr

**License** GPL ( $\geq 2$ )

**RoxygenNote** 6.1.1

**LazyData** true

**Encoding** UTF-8

**NeedsCompilation** no

**Author** Ethan Heinzen [aut, cre],  
Jason Sinnwell [aut],

Elizabeth Atkinson [aut],  
 Tina Gunderson [aut],  
 Gregory Dougherty [aut],  
 Patrick Votruba [ctb],  
 Ryan Lennon [ctb],  
 Andrew Hanson [ctb],  
 Krista Goergen [ctb],  
 Emily Lundt [ctb],  
 Brendan Broderick [ctb],  
 Maddie McCullough [art]

**Maintainer** Ethan Heinzen <heinzen.ethan@mayo.edu>

**Repository** CRAN

**Date/Publication** 2019-03-25 21:25:33 UTC

## R topics documented:

arsenal . . . . .	3
arsenal-defunct . . . . .	4
arsenal-deprecated . . . . .	4
arsenal_table . . . . .	5
as.data.frame.freqlist . . . . .	6
as.data.frame.modelsum . . . . .	7
as.data.frame.tableby . . . . .	8
comparedf . . . . .	9
comparedf.control . . . . .	10
comparedf.tolerances . . . . .	12
diffs . . . . .	13
formulize . . . . .	14
freq.control . . . . .	16
freqlist . . . . .	17
freqlist.internal . . . . .	18
internal.functions . . . . .	19
keep.labels . . . . .	20
labels . . . . .	21
mdy.Date . . . . .	22
mockstudy . . . . .	23
modelsum . . . . .	24
modelsum.control . . . . .	25
modelsum.family . . . . .	27
modelsum.internal . . . . .	27
NA.operations . . . . .	28
padjust . . . . .	29
paired . . . . .	29
paired.control . . . . .	31
paired.internal . . . . .	33
summary.compare . . . . .	33
summary.freqlist . . . . .	34

summary.modelsum . . . . .	35
summary.tableby . . . . .	37
tableby . . . . .	38
tableby.control . . . . .	41
tableby.internal . . . . .	43
tableby.stats . . . . .	45
tableby.stats.internal . . . . .	46
write2 . . . . .	47
write2.internal . . . . .	50
write2specific . . . . .	51
yaml . . . . .	52
%nin% . . . . .	53

<b>Index</b>	<b>54</b>
--------------	-----------

---

arsenal *An Arsenal of 'R' Functions for Large-Scale Statistical Summaries*

---

## Description

An Arsenal of 'R' functions for large-scale statistical summaries, which are streamlined to work within the latest reporting tools in 'R' and 'RStudio' and which use formulas and versatile summary statistics for summary tables and models.

## Details

The package download, NEWS, and README are available on CRAN: <https://cran.r-project.org/package=arsenal>

## Functions

Below are listed some of the most widely used functions available in arsenal:

**tableby**: Summary statistics of a set of independent variables by a categorical variable.

**paired**: Summary statistics of a set of independent variables paired across two timepoints.

**modelsum**: Fit models over each of a set of independent variables with a response variable.

**freqlist**: Approximate the output from SAS's PROC FREQ procedure when using the /list option of the TABLE statement.

**comparedf**: Compare two data.frames and report any differences between them, much like SAS's PROC COMPARE procedure.

**write2word**, **write2html**, **write2pdf**: Functions to output tables to a single Word, HTML, or PDF document.

**write2**: Functions to output tables to a single document. (Also the S3 backbone behind the write2\* functions.)

**keep.labels**: Keep the 'label' attribute on an R object when subsetting.

**formulize**: A shortcut to generate one-, two-, or many-sided formulas.

[mdy.Date](#) and [Date.mdy](#): Convert numeric dates for month, day, and year to Date object, and vice versa.

[is.Date](#): Test if an object is a date.

[%nin%](#): Test for "not in".

[allNA](#) and [includeNA](#): some useful functions for dealing with NAs.

## Data

[mockstudy](#): Mock study data for examples.

## Examples

```
library(arsenal)
```

---

arsenal-defunct      *Defunct functions in arsenal*

---

## Description

Details about defunct functions in arsenal

## Details

`length.tableby` was removed in version 2.0.0.

`includeNA.character` and `includeNA.numeric` were removed in version 2.0.0 and replaced with a default method.

`rangeTime` was removed in version 1.5.0.

## See Also

[arsenal-deprecated](#)

---

arsenal-deprecated      *Deprecated functions in arsenal*

---

## Description

Details about deprecated functions in arsenal

## Usage

```
comparison.control(...)
```

```
## S3 method for class 'data.frame'
```

```
compare(x, y, ...)
```

**Arguments**

... Arguments passed to functions that aren't deprecated.  
 x, y See [comparedf](#).

**Details**

comparison.control was renamed to [comparedf.control](#).  
 compare.data.frame was renamed to [comparedf](#).

**See Also**

[arsenal-defunct](#)

---

arsenal_table	arsenal <i>tables with common structure</i>
---------------	---

---

**Description**

arsenal tables with common structure

**Usage**

```
has_strata(x)

## S3 method for class 'arsenal_table'
x[i, j, ...]

## S3 method for class 'arsenal_table'
labels(object, ...)

## S3 replacement method for class 'arsenal_table'
labels(x) <- value

## S3 method for class 'arsenal_table'
print(x, ...)

## S3 method for class 'arsenal_table'
merge(x, y, all = FALSE, all.x = all,
      all.y = all, ...)

## S3 method for class 'freqlist'
merge(x, y, all = TRUE, ...)

## S3 method for class 'summary.arsenal_table'
print(x, ..., format = if
      (!is.null(x$text) && x$text %in% c("html", "latex")) x$text else
      "markdown", escape = x$text %in% c("html", "latex"), width = NULL,
      min.split = NULL)
```

**Arguments**

x, y, object	An object of class "arsenal_table"
i, j	A vector to index x with: either names of variables, a numeric vector, or a logical vector of appropriate length. i indexes the x-variables, and j indexes the by-variables.
...	Other arguments (only used in print.summary.arsenal_table)
value	A list of new labels.
all, all.x, all.y	Logicals, denoting which terms to keep if not all are in common.
format	Passed to <a href="#">kable</a> : the format for the table. The default here is "markdown". To use the default in kable, pass NULL. If x\$text specifies LaTeX or HTML formatting, that format is used in the table.
escape	Passed to <a href="#">kable</a> : should special characters be escaped when printed?
width, min.split	Passed to <a href="#">smart.split</a> for formatting of the "term" column.

**See Also**

[merge, labels](#)

---

as.data.frame.freqlist

*as.data.frame.freqlist*

---

**Description**

Convert [freqlist](#) object to a data.frame.

**Usage**

```
## S3 method for class 'freqlist'
as.data.frame(x, ..., labelTranslations = NULL,
              list.ok = FALSE)
```

**Arguments**

x	An object of class "freqlist".
...	Arguments to pass to <a href="#">freq.control</a>
labelTranslations	A named list (or vector) where the name is the label in the output to be replaced in the pretty rendering by the character string value for the named element of the list, e.g., list(age = "Age(Years)", meansd = "Mean(SD)").
list.ok	If the object has multiple by-variables, is it okay to return a list of data.frames instead of a single data.frame? If FALSE but there are multiple by-variables, a warning is issued.

**Value**

A data.frame corresponding to the freqlist object.

---

as.data.frame.modelsum

*as.data.frame.modelsum*

---

**Description**

Coerce a [modelsum](#) object to a data.frame.

**Usage**

```
## S3 method for class 'modelsum'  
as.data.frame(x, ..., labelTranslations = NULL,  
             list.ok = FALSE)
```

**Arguments**

x	A <a href="#">modelsum</a> object.
...	Arguments to pass to <a href="#">modelsum.control</a> .
labelTranslations	A named list (or vector) where the name is the label in the output to be replaced in the pretty rendering by the character string value for the named element of the list, e.g., <code>list(age = "Age(Years)", meansd = "Mean(SD)")</code> .
list.ok	If the object has multiple by-variables, is it okay to return a list of data.frames instead of a single data.frame? If FALSE but there are multiple by-variables, a warning is issued.

**Value**

A data.frame.

**Author(s)**

Ethan Heinzen, based on code originally by Greg Dougherty

**See Also**

[modelsum](#), [summary.modelsum](#)

as.data.frame.tableby *as.data.frame.tableby*

---

## Description

Coerce a [tableby](#) object to a `data.frame`.

## Usage

```
## S3 method for class 'tableby'  
as.data.frame(x, ..., labelTranslations = NULL,  
              list.ok = FALSE)
```

## Arguments

<code>x</code>	A <a href="#">tableby</a> object.
<code>...</code>	Arguments to pass to <a href="#">tableby.control</a> .
<code>labelTranslations</code>	A named list (or vector) where the name is the label in the output to be replaced in the pretty rendering by the character string value for the named element of the list, e.g., <code>list(age = "Age(Years)", meansd = "Mean(SD)")</code> .
<code>list.ok</code>	If the object has multiple by-variables, is it okay to return a list of <code>data.frames</code> instead of a single <code>data.frame</code> ? If <code>FALSE</code> but there are multiple by-variables, a warning is issued.

## Value

A `data.frame`.

## Author(s)

Ethan Heinzen, based on code originally by Greg Dougherty

## See Also

[tableby](#), [tableby](#)



---

comparedf	<i>Compare two data.frames and report differences</i>
-----------	---

---

## Description

Compare two data.frames and report any differences between them, much like SAS's PROC COMPARE procedure.

## Usage

```
comparedf(x, y, by = NULL, by.x = by, by.y = by, control = NULL,
  ...)

## S3 method for class 'comparedf'
print(x, ...)
```

## Arguments

x, y	A data.frame to compare
by, by.x, by.y	Which variables are IDs to merge the two data.frames? If set to "row.names", merging will occur over the row.names. If set to NULL (default), merging will occur row-by-row.
control	A list of control parameters from <code>comparedf.control</code> .
...	Other arguments, passed to <code>comparedf.control</code> when appropriate.

## Author(s)

Ethan Heinzen, adapted from code from Andrew Hanson

## See Also

[summary.comparedf](#), [comparedf.control](#), [diffs](#), [n.diffs](#), [n.diff.obs](#)

## Examples

```
df1 <- data.frame(id = paste0("person", 1:3), a = c("a", "b", "c"),
  b = c(1, 3, 4), c = c("f", "e", "d"),
  row.names = paste0("rn", 1:3), stringsAsFactors = FALSE)
df2 <- data.frame(id = paste0("person", 3:1), a = c("c", "b", "a"),
  b = c(1, 3, 4), d = paste0("rn", 1:3),
  row.names = paste0("rn", c(1,3,2)), stringsAsFactors = FALSE)
summary(comparedf(df1, df2))
summary(comparedf(df1, df2, by = "id"))
summary(comparedf(df1, df2, by = "row.names"))
```

---

comparedf.control      *Control settings for comparedf function*

---

## Description

Control tolerance definitions for the `comparedf` function.

## Usage

```
comparedf.control(tol.logical = "none", tol.num = c("absolute",
  "percent", "pct"), tol.num.val = sqrt(.Machine$double.eps),
  int.as.num = FALSE, tol.char = c("none", "trim", "case", "both"),
  tol.factor = c("none", "levels", "labels"), factor.as.char = FALSE,
  tol.date = "absolute", tol.date.val = 0, tol.other = "none",
  tol.vars = "none", ...)
```

## Arguments

<code>tol.logical</code> , <code>tol.num</code> , <code>tol.char</code> , <code>tol.factor</code> , <code>tol.date</code> , <code>tol.other</code>	A function or one of the shortcut character strings, denoting the tolerance function to use for a given data type. See "details", below.
<code>tol.num.val</code>	Numeric; maximum value of differences allowed in numerics (fed to the function given in <code>tol.num</code> ).
<code>int.as.num</code>	Logical; should integers be coerced to numeric before comparison? Default FALSE.
<code>factor.as.char</code>	Logical; should factors be coerced to character before comparison? Default FALSE.
<code>tol.date.val</code>	Numeric; maximum value of differences allowed in dates (fed to the function given in <code>tol.date</code> ).
<code>tol.vars</code>	Either "none" (the default), denoting that variable names are to be matched as-is, a named vector manually specifying variable names to compare (where the names correspond to columns of x and the values correspond to columns of y), or a character vector denoting equivalence classes for characters in the variable names. See "details", below.
...	Other arguments (not in use at this time).

## Details

The following character strings are accepted:

- `tol.logical = "none"`: compare logicals exactly as they are.
- `tol.num = "absolute"`: compare absolute differences in numerics.
- `tol.num = "percent"`, `tol.num = "pct"` compare percent differences in numerics.
- `tol.char = "none"`: compare character strings exactly as they are.

- `tol.char = "trim"`: left-justify and trim all trailing white space.
- `tol.char = "case"`: allow differences in upper/lower case.
- `tol.char = "both"`: combine "trim" and "case".
- `tol.factor = "none"`: match both character labels and numeric levels.
- `tol.factor = "levels"`: match only the numeric levels.
- `tol.factor = "labels"`: match only the labels.
- `tol.date = "absolute"`: compare absolute differences in dates.
- `tol.other = "none"`: expect objects of other classes to be exactly identical.

`tol.vars`: If not set to "none" (the default) or a named vector, the `tol.vars` argument is a character vector denoting equivalence classes for the characters in the variable names. A single character in this vector means to replace that character with "". All other strings in this vector are split by character and replaced by the first character in the string.

E.g., a character vector `c("._", "aA", " ")` would denote that the dot and underscore are equivalent (to be translated to a dot), that "a" and "A" are equivalent (to be translated to "a"), and that spaces should be removed.

The special character string "case" in this vector is the same as specifying `paste0(letters, LETTERS)`.

## Value

A list containing the necessary parameters for the `comparedf` function.

## Author(s)

Ethan Heinzen

## See Also

[comparedf](#), [comparedf.tolerances](#), [summary.comparedf](#)

## Examples

```
cnt1 <- comparedf.control(
  tol.num = "pct",      # calculate percent differences
  tol.vars = c("case", # ignore case
               "._",   # set all underscores to dots.
               "e")    # remove all letter e's
)
```

---

`comparedf.tolerances` `comparedf.tolerances`

---

## Description

Internal functions defining tolerances for the `comparedf.control` function. To create your own tolerance definitions, see the vignette.

## Usage

```
tol.NA(x, y, idx)
tol.num.absolute(x, y, tol)
tol.num.percent(x, y, tol)
tol.num.pct(x, y, tol)
tol.factor.none(x, y)
tol.factor.levels(x, y)
tol.factor.labels(x, y)
tol.char.both(x, y)
tol.char.case(x, y)
tol.char.trim(x, y)
tol.char.none(x, y)
tol.date.absolute(x, y, tol)
tol.logical.none(x, y)
tol.other.none(x, y)
```

## Arguments

<code>x, y</code>	vectors of the appropriate lengths and types.
<code>idx</code>	A logical vector of appropriate length.
<code>tol</code>	A numeric tolerance

**Details**

`tol.NA` takes as differences between two vectors any elements which are NA in one but not the other, or which are non-NA in both and TRUE in `idx`. It is useful for handling NAs in custom tolerance functions.

**Value**

A logical vector of length equal to that of `x` and `y`, where TRUE denotes a difference between `x` and `y`, and FALSE denotes no difference between `x` and `y`.

**Author(s)**

Ethan Heinzen

**See Also**

[comparedf.control](#), [comparedf](#)

---

diffs

*Extract differences*

---

**Description**

Extract differences, number of differences, or number of not-shared observations from a `comparedf` object.

**Usage**

```
n.diff.obs(object, ...)

## S3 method for class 'comparedf'
n.diff.obs(object, ...)

## S3 method for class 'summary.comparedf'
n.diff.obs(object, ...)

n.diffs(object, ...)

## S3 method for class 'comparedf'
n.diffs(object, ...)

## S3 method for class 'summary.comparedf'
n.diffs(object, ...)

diffs(object, ...)

## S3 method for class 'comparedf'
```

```
diffs(object, vars = NULL, ..., by.var = FALSE)
```

```
## S3 method for class 'summary.comparedf'
diffs(object, vars = NULL, ...,
      by.var = FALSE)
```

### Arguments

object	An object of class <code>comparedf</code> or <code>summary.comparedf</code> .
...	Other arguments (not in use at this time).
vars	A character vector of variable names to subset the results to.
by.var	Logical: should the number of differences by variable be reported, or should all differences be reported (the default).

### Author(s)

Ethan Heinzen

### See Also

[comparedf](#) [summary.comparedf](#)

---

formulize

*formulize*

---

### Description

A shortcut to generate one-, two-, or many-sided formulas from vectors of variable names.

### Usage

```
formulize(y = "", x = "", ..., data = NULL, collapse = "+",
         collapse.y = collapse)
```

### Arguments

y, x, ...	Character vectors, names, or calls to be collapsed (by "+") and put left-to-right in the formula. If data is supplied, these can also be numeric, denoting which column name to use. See examples.
data	An R object with non-null column names.
collapse	How should terms be collapsed? Default is addition.
collapse.y	How should the y-terms be collapsed? Default is addition. Also accepts the special string "list", which combines them into a multiple-left-hand-side formula, for use in other functions.

**Author(s)**

Ethan Heinzen

**See Also**[reformulate](#)**Examples**

```
## two-sided formula
formulize("y", c("x1", "x2", "x3"))

## one-sided formula
formulize(x = c("x1", "x2", "x3"))

## multi-sided formula
formulize("y", c("x1", "x2", "x3"), c("z1", "z2"), "w1")

## can use numerics for column names
data(mockstudy)
formulize(y = 1, x = 2:4, data = mockstudy)

## mix and match
formulize(1, c("x1", "x2", "x3"), data = mockstudy)

## get an interaction
formulize("y", c("x1*x2", "x3"))

## get only interactions
formulize("y", c("x1", "x2", "x3"), collapse = "*")

## no intercept
formulize("y", "x1 - 1")
formulize("y", c("x1", "x2", "-1"))

## LHS as a list to use in arsenal functions
formulize(c("y1", "y2", "y3"), c("x", "z"), collapse.y = "list")

## use in an lm
form <- formulize(2, 3:4, data = mockstudy)
summary(lm(form, data = mockstudy))

## using non-syntactic names or calls (like reformulate example)
formulize(as.name("+"), c("\`P/E\`", "\`% Growth\`"))

f <- Surv(ft, case) ~ a + b
formulize(f[[2]], f[[3]])
```

---

`freq.control`*Control settings for freqlist function*

---

**Description**

Control test and summary settings for the [freqlist](#) function.

**Usage**

```
freq.control(sparse = FALSE, single = FALSE, dupLabels = FALSE,  
            digits.count = 0L, digits.pct = 2L, ..., digits = NULL)
```

**Arguments**

<code>sparse</code>	a logical value indicating whether to keep rows with counts of zero. The default is FALSE (drop zero-count rows).
<code>single</code>	logical, indicating whether to collapse results created using a strata variable into a single table for printing
<code>dupLabels</code>	logical: should labels which are the same as the row above be printed? The default (FALSE) more closely approximates PROC FREQ output from SAS, where a label carried down from the row above is left blank.
<code>digits.count</code>	Number of decimal places for count values.
<code>digits.pct</code>	Number of decimal places for percents.
<code>...</code>	additional arguments.
<code>digits</code>	A deprecated argument

**Value**

A list with settings to be used within the [freqlist](#) function.

**Author(s)**

Ethan Heinzen

**See Also**

[freqlist](#), [summary.freqlist](#), [freqlist.internal](#)



---

freqlist	<i>freqlist</i>
----------	-----------------

---

## Description

Approximate the output from SAS's PROC FREQ procedure when using the /list option of the TABLE statement.

## Usage

```
freqlist(object, ...)

## S3 method for class 'table'
freqlist(object, na.options = c("include", "showexclude",
  "remove"), strata = NULL, labelTranslations = NULL, control = NULL,
  ...)

## S3 method for class 'formula'
freqlist(formula, data, subset, na.action,
  strata = NULL, labelTranslations = NULL, control = NULL, addNA,
  exclude, drop.unused.levels, ...)
```

## Arguments

object	An R object, usually of class "table" or class "xtabs"
...	additional arguments. In the formula method, these are passed to the table method. These are also passed to <a href="#">freq.control</a>
na.options	a character string indicating how to handling missing values: "include" (include values with NAs in counts and percentages), "showexclude" (show NAs but exclude from cumulative counts and all percentages), "remove" (remove values with NAs); default is "include".
strata	(formerly groupBy) an optional character string specifying a variable(s) to use for grouping when calculating cumulative counts and percentages. <a href="#">summary.freqlist</a> will also separate by grouping variable for printing. Note that this is different from modelsum and tableby, which take bare column names (and only one, at that!)
labelTranslations	an optional character string (or list) of labels to use for variable levels when summarizing. Names will be matched appropriately.
control	control parameters to handle optional settings within freqlist. See <a href="#">freq.control</a>
formula, data, subset, na.action, addNA, exclude, drop.unused.levels	Arguments passed to <a href="#">xtabs</a> . Note that addNA= only works in R >= 3.4.0.

## Value

An object of class c("freqlist", "arsenal\_table")

**Author(s)**

Tina Gunderson, with revisions by Ethan Heinzen

**See Also**

[arsenal\\_table](#), [summary.freqlist](#), [freq.control](#), [freqlist.internal](#), [table](#), [xtabs](#)

**Examples**

```
# load mockstudy data
data(mockstudy)
tab.ex <- table(mockstudy[c("arm", "sex", "mdquality.s")], useNA = "ifany")
noby <- freqlist(tab.ex, na.options = "include")
summary(noby)

# show the top 6 rows' frequencies and percents
head(summary(sort(noby, decreasing = TRUE)[c(1:4, 6)]))

withby <- freqlist(tab.ex, strata = c("arm", "sex"), na.options = "showexclude")
summary(withby)
```

---

freqlist.internal      *Helper functions for freqlist*

---

**Description**

A set of helper functions for [freqlist](#).

**Usage**

```
is.freqlist(x)

is.summary.freqlist(x)

## S3 method for class 'summary.freqlist'
head(x, n = 6L, ...)

## S3 method for class 'summary.freqlist'
tail(x, n = 6L, ...)

## S3 method for class 'freqlist'
sort(x, decreasing = FALSE, ...)
```

**Arguments**

x	A freqlist object.
n	A single integer. See <a href="#">head</a> or <a href="#">tail</a> for more details
...	Other arguments.
decreasing	Should the sort be increasing or decreasing?

**Details**

Note that `sort()` has to recalculate cumulative statistics. Note also that the reordering of rows will also affect which labels are duplicates; you may also want to consider using `dupLabels=TRUE` in `freq.control()`.

**See Also**

[merge.freqlist](#), [arsenal\\_table](#), [sort](#), [freqlist](#), [summary.freqlist](#), [freq.control](#),

---

internal.functions      *Split a string into pieces intelligently*

---

**Description**

Split a string into pieces intelligently

**Usage**

```
smart.split(string, width = Inf, min.split = -Inf)
```

```
replace2(x, list, values)
```

**Arguments**

<code>string</code>	A character vector
<code>width</code>	Either <code>Inf</code> or <code>NULL</code> to specify no splitting, or a positive integer giving the largest allowed string length.
<code>min.split</code>	Either <code>-Inf</code> or <code>NULL</code> to specify no lower bound on the string length, or a positive integer giving the minimum string length.
<code>x</code>	vector
<code>list</code>	an index vector
<code>values</code>	replacement values

**Value**

For `smart.split`, a list of the same length as `string`, with each element being the "intelligently" split string.

For `replace2`, a vector with the proper values replaced.

**See Also**

[replace](#)

---

`keep.labels`*Keep Labels*

---

**Description**

Keep the 'label' attribute on an R object when subsetting. `loosen.labels` allows the 'label' attribute to be lost again.

**Usage**

```
keep.labels(x, ...)  
  
## S3 method for class 'data.frame'  
keep.labels(x, ...)  
  
## Default S3 method:  
keep.labels(x, ...)  
  
## S3 method for class 'keep_labels'  
x[...]  
  
## S3 replacement method for class 'keep_labels'  
x[i] <- value  
  
loosen.labels(x, ...)  
  
## S3 method for class 'data.frame'  
loosen.labels(x, ...)  
  
## Default S3 method:  
loosen.labels(x, ...)
```

**Arguments**

<code>x</code>	An R object
<code>...</code>	Other arguments (not in use at this time).
<code>i, value</code>	See <a href="#">[&lt;-</a> .

**Value**

A copy of `x` with a "keep\_labels" class appended on or removed. Note that for the `data.frame` method, only classes on the columns are changed; the `data.frame` won't have an extra class appended. This is different from previous versions of `arsenal`.

**Author(s)**

Ethan Heinzen

**See Also**[labels](#)

---

labels	<i>Labels</i>
--------	---------------

---

**Description**

Assign and extract the 'label' attribute on an R object. `set_labels` is the same as `labels(x) <- value` but returns `x` for use in a pipe chain. `set_attr` is the same as `attr(x, which) <- value` but returns `x` for use in a pipe chain.

**Usage**

```
## S3 method for class 'data.frame'
labels(object, ...)

## S3 method for class 'keep_labels'
labels(object, ...)

labels(x) <- value

## S3 replacement method for class 'keep_labels'
labels(x) <- value

## Default S3 replacement method:
labels(x) <- value

## S3 replacement method for class 'data.frame'
labels(x) <- value

set_labels(x, value)

set_attr(x, which, value)
```

**Arguments**

<code>...</code>	Other arguments (not in use at this time).
<code>x</code> , <code>object</code>	An R object.
<code>value</code>	A vector or list containing labels to assign. Labels are assigned based on names, if available; otherwise, they're assigned in order. Can pass <code>NULL</code> to remove all labels.
<code>which</code>	See <a href="#">attr&lt;-</a>

**Details**

The `data.frame` methods put labels on and extract labels from the *columns* of object.

**Value**

The labels of object, or object with new labels.

**Author(s)**

Ethan Heinzen

**See Also**

[keep.labels](#)

---

mdy.Date

*Convert numeric dates to Date object, and vice versa*

---

**Description**

Convert numeric dates for month, day, and year to Date object, and vice versa.

**Usage**

```
mdy.Date(month, day, year, yearcut = 120)
```

```
Date.mdy(date)
```

```
is.Date(x)
```

**Arguments**

month	integer, month (1-12).
day	integer, day of the month (1-31, depending on the month).
year	integer, either 2- or 4-digit year. If two-digit number, will add 1900 onto it, depending on range.
yearcut	cutoff for method to know if to convert to 4-digit year.
date	A date value.
x	An object.

**Details**

Test if an object is a date.

More work may need to be done with yearcut and 2-digit years. Best to give a full 4-digit year.

**Value**

mdy.Date returns a Date object, and Date.mdy returns a list with integer values for month, day, and year. is.Date returns a single logical value.

**See Also**

[Date](#), [DateTimeClasses](#)

**Examples**

```
mdy.Date(9, 2, 2013)

tmp <- mdy.Date(9, 2, 2013)
Date.mdy(tmp)

is.Date(tmp)
```

---

mockstudy

*Mock study data for examples*

---

**Description**

Mock clinical study data for examples to test data manipulation and statistical functions. The function `muck_up_mockstudy()` is used in examples for [comparedf](#).

**Usage**

```
mockstudy

muck_up_mockstudy()
```

**Format**

A data frame with 1499 observations on the following 15 variables:

```
case a numeric identifier-patient ID
age age in years
arm treatment arm divided into 3 groups, character string
sex a factor with levels Male Female
race self-reported race/ethnicity, character string
fu.time survival or censoring time in years
fu.stat censoring status; 1=censor, 2=death
ps integer, ECOG performance score
hgb numeric, hemoglobin count
bmi numeric, body mass index, kg/m^2
alk.phos numeric, alkaline phosphatase
ast numeric, aspartate transaminase
mdquality.s integer, LASA QOL 0=Clinically Deficient, 1=Not Clinically Deficient
age.ord an ordered factor split of age, with levels 10-19 < 20-29 < 30-39 < 40-49 < 50-59 <
60-69 < 70-79 < 80-89
```

**Examples**

```
data(mockstudy)
str(mockstudy)
```

---

modelsum	<i>Fit models over each of a set of independent variables with a response variable</i>
----------	--

---

**Description**

Fit and summarize models for each independent (x) variable with a response variable (y), with options to adjust by variables for each model.

**Usage**

```
modelsum(formula, family = "gaussian", data, adjust = NULL,
  na.action = NULL, subset = NULL, weights = NULL, strata,
  control = NULL, ...)
```

**Arguments**

formula	an object of class <a href="#">formula</a> ; a symbolic description of the variables to be modeled. See "Details" for more information.
family	similar mechanism to <a href="#">glm</a> , where the model to be fit is driven by the family. Options include: binomial, gaussian, survival, poisson, negbin, and ordinal. These can be passed as a string, as a function, or as a list resulting from a call to one of the functions. See <a href="#">modelsum.family</a> for details on survival and ordinal families.
data	an optional data.frame, list or environment (or object coercible by <a href="#">as.data.frame</a> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>modelsum</code> is called.
adjust	an object of class <a href="#">formula</a> , listing variables to adjust by in all models. Specify as a one-sided formula, like: <code>~Age+ Sex</code> .
na.action	a function which indicates what should happen when the data contain NAs. The default (NULL) is to use the defaults of <a href="#">lm</a> , <a href="#">glm</a> , or <a href="#">coxph</a> , depending on the family specifications.
subset	an optional vector specifying a subset of observations (rows of data) to be used in the results. If <code>strata</code> is missing, this works as vector of logicals or an index; otherwise, it should be a logical vector.
weights	an optional vector specifying the weights to apply to each data observation (rows of data)
strata	a vector of strata to separate model summaries by an additional group.



`control` control parameters to handle optional settings within `modelsum`. Arguments for `modelsum.control` can be passed to `modelsum` via the `...` argument, but if a control object and `...` arguments are both supplied, the latter are used. See [modelsum.control](#) for other details.

`...` additional arguments to be passed to internal `modelsum` functions.

### Value

An object with class `c("modelsum", "arsenal_table")`

### Author(s)

Jason Sinnwell, Patrick Votruba, Beth Atkinson, Gregory Dougherty, and Ethan Heinzen, adapted from SAS Macro of the same name

### See Also

[arsenal\\_table](#), [modelsum.control](#), [summary.modelsum](#), [modelsum.internal](#), [formulize](#)

### Examples

```
data(mockstudy)

tab1 <- modelsum(bmi ~ sex + age, data = mockstudy)
summary(tab1, text = TRUE)

tab2 <- modelsum(alk.phos ~ arm + ps + hgb, adjust = ~ age + sex,
               family = "gaussian", data = mockstudy)
summary(tab2, text = TRUE)

summary(tab2, show.intercept = FALSE, text = TRUE)

tab2.df <- as.data.frame(tab2)

tab2.df[1:5,]
```

---

modelsum.control

*Control settings for modelsum function*

---

### Description

Control test and summary settings for `modelsum` function.

**Usage**

```
modelsum.control(digits = 3L, digits.ratio = 3L, digits.p = 3L,
  format.p = TRUE, show.adjust = TRUE, show.intercept = TRUE,
  conf.level = 0.95, ordinal.stats = c("OR", "CI.lower.OR",
  "CI.upper.OR", "p.value", "Nmiss"), binomial.stats = c("OR",
  "CI.lower.OR", "CI.upper.OR", "p.value", "concordance", "Nmiss"),
  gaussian.stats = c("estimate", "std.error", "p.value", "adj.r.squared",
  "Nmiss"), poisson.stats = c("RR", "CI.lower.RR", "CI.upper.RR",
  "p.value", "Nmiss"), negbin.stats = c("RR", "CI.lower.RR",
  "CI.upper.RR", "p.value", "Nmiss"), survival.stats = c("HR",
  "CI.lower.HR", "CI.upper.HR", "p.value", "concordance", "Nmiss"),
  stat.labels = list(), ...)
```

**Arguments**

<code>digits</code>	Numeric, denoting the number of digits after the decimal point for beta coefficients and standard errors.
<code>digits.ratio</code>	Numeric, denoting the number of digits after the decimal point for ratios, e.g. OR, RR, HR.
<code>digits.p</code>	Numeric, denoting the number of digits for p-values. See "Details", below.
<code>format.p</code>	Logical, denoting whether to format p-values. See "Details", below.
<code>show.adjust</code>	Logical, denoting whether to show adjustment terms.
<code>show.intercept</code>	Logical, denoting whether to show intercept terms.
<code>conf.level</code>	Numeric, giving the confidence level.
<code>ordinal.stats</code> , <code>binomial.stats</code> , <code>survival.stats</code> , <code>gaussian.stats</code> , <code>poisson.stats</code> , <code>negbin.stats</code>	Character vectors denoting which stats to show for the various model types.
<code>stat.labels</code>	A named list of labels for all the stats used above.
<code>...</code>	Other arguments (not in use at this time).

**Details**

If `format.p` is `FALSE`, `digits.p` denotes the number of significant digits shown. The p-values will be in exponential notation if necessary. If `format.p` is `TRUE`, `digits.p` will determine the number of digits after the decimal point to show. If the p-value is less than the resulting number of places, it will be formatted to show so.

**Value**

A list with settings to be used within the `modelsum` function.

**See Also**

[modelsum](#), [summary.modelsum](#), [modelsum.internal](#)

---

modelsum.family      *Family functions for modelsum*

---

**Description**

A set of family functions for [modelsum](#).

**Usage**

```
survival()

ordinal(method = c("logistic", "probit", "loglog", "cloglog", "cauchit"))

negbin(link = c("log", "identity", "sqrt"))
```

**Arguments**

method	See <a href="#">MASS::polr</a> .
link	See <a href="#">MASS::glm.nb</a> .

**Value**

A list, in particular with element family.

**See Also**

[family](#), [coxph](#), [polr](#)

---

modelsum.internal      *Helper functions for modelsum*

---

**Description**

A set of helper functions for [modelsum](#).

**Usage**

```
is.modelsum(x)

is.summary.modelsum(x)

na.modelsum(object, ...)
```

**Arguments**

x                    A modelsum object.  
 object              A data.frame resulting from evaluating a modelsum formula.  
 ...                  Other arguments, or a vector of indices for extracting.

**Value**

na.modelsum returns a subsetting version of object (with attributes).

**See Also**

[arsenal\\_table](#)

---

NA.operations	<i>Some functions to handle NAs</i>
---------------	-------------------------------------

---

**Description**

allNA tests if all elements are NA, and includeNA sets the NAs in a character vector or factor to an explicit label.

**Usage**

```
allNA(x)

includeNA(x, label, ...)

## S3 method for class 'factor'
includeNA(x, label = "(Missing)", first = FALSE, ...)

## Default S3 method:
includeNA(x, label = "(Missing)", ...)
```

**Arguments**

x                    An object  
 label                A character string denoting the label to set NAs to.  
 ...                  Other arguments (not in use at this time).  
 first                Logical; should the new label be the first level?

**Author(s)**

Ethan Heinzen

**See Also**

[is.na](#), [anyNA](#)

---

padjust *Adjust P-values for Multiple Comparisons*

---

### Description

Adjust P-values for Multiple Comparisons

### Usage

```
padjust(p, method, n, ...)
```

```
## Default S3 method:
padjust(p, method, n, ...)
```

```
## S3 method for class 'tableby'
padjust(p, method, n,
        suffix = " (adjusted for multiple comparisons)", ...)
```

```
## S3 method for class 'summary.tableby'
padjust(p, method, n,
        suffix = " (adjusted for multiple comparisons)", ...)
```

### Arguments

p	An object.
method	correction method. Can be abbreviated.
n	number of comparisons, must be at least length(p); only set this (to non-default) when you know what you are doing!
...	Other arguments.
suffix	A suffix to add to the footnotes indicating that the tests were adjusted.

### See Also

[p.adjust](#), [modpval.tableby](#), [tests.tableby](#)

---

paired *Summary Statistics of a Set of Independent Variables Paired Across Two Timepoints*

---

### Description

Summarize one or more variables (x) by a paired time variable (y). Variables on the right side of the formula, i.e. independent variables, are summarized by the two time points on the left of the formula. Optionally, an appropriate test is performed to test the distribution of the independent variables across the time points.

**Usage**

```
paired(formula, data, id, na.action, subset = NULL, strata,
       control = NULL, ...)
```

**Arguments**

formula	an object of class <a href="#">formula</a> of the form <code>time ~ var1 + ...</code> . See "Details" for more information.
data	an optional data frame, list or environment (or object coercible by <a href="#">as.data.frame</a> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which the function is called.
id	The vector giving IDs to match up data for the same subject across two time-points.
na.action	a function which indicates what should happen when the data contain NAs. The default is <code>na.paired("in.both")</code> . See <a href="#">na.paired</a> for more details
subset	an optional vector specifying a subset of observations (rows of data) to be used in the results. Works as vector of logicals or an index.
strata	a vector of strata to separate summaries by an additional group.
control	control parameters to handle optional settings within <code>paired</code> . Two aspects of <code>paired</code> are controlled with these: test options of RHS variables and x variable summaries. Arguments for <code>paired.control</code> can be passed to <code>paired</code> via the <code>...</code> argument, but if a control object and <code>...</code> arguments are both supplied, the latter are used. See <a href="#">paired.control</a> for more details.
...	additional arguments to be passed to internal <code>paired</code> functions or <a href="#">paired.control</a> .

**Details**

Do note that this function piggybacks off of [tableby](#) quite heavily, so there is no `summary.paired` function (for instance).

These tests are accepted:

- `paired.t`: a paired [t-test](#).
- `mcnemar`: [McNemar's test](#).
- `signed.rank`: a [signed rank test](#).
- `sign.test`: a sign test.
- `notest`: no test is performed.

**Value**

An object with class `c("paired", "tableby", "arsenal_table")`

**Author(s)**

Jason Sinnwell, Beth Atkinson, Ryan Lennon, and Ethan Heinzen

**See Also**

[arsenal\\_table](#), [paired.control](#), [tableby](#), [formulize](#)

---

paired.control	<i>Control settings for paired function</i>
----------------	---

---

**Description**

Control test and summary settings for the [paired](#) function.

**Usage**

```
paired.control(test = TRUE, diff = TRUE, test.pname = NULL,
  numeric.test = "paired.t", cat.test = "mcnemar",
  ordered.test = "signed.rank", date.test = "paired.t",
  numeric.stats = c("Nmiss", "meansd", "range"), cat.stats = c("Nmiss",
    "countpct"), ordered.stats = c("Nmiss", "countpct"),
  date.stats = c("Nmiss", "median", "range"), stats.labels = list(Nmiss
    = "N-Miss", Nmiss2 = "N-Miss", meansd = "Mean (SD)", medianq1q3 =
    "Median (Q1, Q3)", q1q3 = "Q1, Q3", range = "Range", countpct =
    "Count (Pct)"), digits = 3L, digits.count = 0L, digits.p = 3L,
  format.p = TRUE, conf.level = 0.95, mcnemar.correct = TRUE,
  signed.rank.exact = NULL, signed.rank.correct = TRUE, ...)
```

**Arguments**

test	logical, telling paired whether to perform tests of x variables across time points.
diff	logical, telling paired whether to calculate a column of differences between time points.
test.pname	character string denoting the p-value column name in <a href="#">summary.tableby</a> . Modifiable also with <a href="#">modpval.tableby</a> .
numeric.test	name of test for numeric RHS variables in paired: paired.t, signed.rank, sign.test
cat.test	name of test for categorical variables: mcnemar
ordered.test	name of test for ordered variables: signed.rank, sign.test
date.test	name of test to perform for date variables: paired.t, signed.rank, sign.test
numeric.stats	summary statistics to include for numeric RHS variables within the levels of the group LHS variable. Options are N, Nmiss, Nmiss2, mean, meansd, median, q1q3, medianq1q3, iqr, range, medianrange, or other R built-in or user-written functions.
cat.stats	summary statistics to include for categorical RHS variables within the levels of the group LHS variable. Options are N, Nmiss, Nmiss2, count, countpct, countrowpct, countcellpct, or other R built-in or user-written functions.
ordered.stats	summary statistics to include for categorical RHS variables within the levels of the group LHS variable. Options are N, Nmiss, count, countpct, or other R built-in or user-written functions.

<code>date.stats</code>	stats functions to perform for Date variables: <code>Nmiss</code> , <code>median</code> , <code>range</code> , <code>median-range</code> , <code>q1q3</code> , <code>medianq1q3</code> , or other R built-in or user-written functions.
<code>stats.labels</code>	A named list of labels for all the statistics function names, where the function name is the named element in the list and the value that goes with it is a string containing the formal name that will be printed in all printed renderings of the output, e.g., <code>list(countpct="Count (Pct)")</code> .
<code>digits</code>	Number of decimal places for numeric values.
<code>digits.count</code>	Number of decimal places for count values.
<code>digits.p</code>	Number of decimal places for p-values.
<code>format.p</code>	Logical, denoting whether to format p-values. See "Details", below.
<code>conf.level</code>	Numeric, denoting what confidence level to use for confidence intervals. (See, e.g., <a href="#">binomCI</a> )
<code>mcnemar.correct</code> , <code>signed.rank.exact</code> , <code>signed.rank.correct</code>	Options for statistical tests. See <a href="#">wilcox.test</a> and <a href="#">mcnemar.test</a> for details.
<code>...</code>	additional arguments.

### Details

All tests can be turned off by setting `test` to `FALSE`. Otherwise, tests are set to default settings in this list, or set explicitly in the formula of `tableby`.

If `format.p` is `FALSE`, `digits.p` denotes the number of significant digits shown. The p-values will be in exponential notation if necessary. If `format.p` is `TRUE`, `digits.p` will determine the number of digits after the decimal point to show. If the p-value is less than the resulting number of places, it will be formatted to show so.

### Value

A list with settings to be used within the `paired` function.

### Author(s)

Ethan Heinzen

### See Also

[paired](#), [tableby](#), [tableby.control](#), [summary.tableby](#)



---

paired.internal      *Helper functions for paired*

---

### Description

A set of helper functions for [paired](#).

### Usage

```
na.paired(missings = c("in.both", "fill", "asis"))
```

### Arguments

`missings`      A character string denoting which action to take. See "Details", below.  
 ...              Other arguments, or a vector of indices for extracting.

### Details

All methods subset out any NA time points or IDs. "in.both" (the default) subsets the data.frame to individuals who appear at both time points. "fill" adds explicit missings for the people missing second time points. "asis" does nothing to add or remove missings.

### Value

na.paired returns a function used to subset data.frames in [paired](#).

### See Also

[tableby.internal](#)

---

summary.compare      *The summary method for a comparedf object*

---

### Description

Print a more detailed output of the [comparedf](#) object.

### Usage

```
## S3 method for class 'comparedf'
summary(object, ..., show.attrs = FALSE,
  max.print.vars = NA, max.print.obs = NA, max.print.diff = 10,
  max.print.attrs = NA)
```

```
## S3 method for class 'summary.comparedf'
print(x, ..., format = "pandoc")
```

**Arguments**

object	An object of class "comparedf", as made by the <code>comparedf</code> S3 method.
...	Other arguments. In print, these are passed to <code>kable</code> .
show.attrs	Logical, denoting whether to show the actual attributes which are different. For (e.g.) factors with lots of levels, this can make the tables quite wide, so this feature is FALSE by default.
max.print.vars, max.print.obs, max.print.diff, max.print.attrs	Integers denoting the maximum number of differences to report for each of the three tables. Passing NA will print all differences.
x	An object returned by the <code>summary.comparedf</code> function.
format	Passed to <code>kable</code> : the format for the table. The default here is "pandoc". To use the default in <code>kable</code> , pass NULL.

**Value**

An object of class "summary.comparedf" is returned.

**See Also**

[comparedf](#), [comparedf.control](#)

---

summary.freqlist	<i>summary.freqlist</i>
------------------	-------------------------

---

**Description**

Summarize the `freqlist` object.

**Usage**

```
## S3 method for class 'freqlist'
summary(object, ..., labelTranslations = NULL,
         title = NULL)
```

```
## S3 method for class 'summary.freqlist'
as.data.frame(x, ..., list.ok = FALSE)
```

**Arguments**

object	an object of class <code>freqlist</code>
...	For <code>summary.freqlist</code> , these are passed to <code>as.data.frame.freqlist</code> (and hence to <code>freq.control</code> ). For the print method, these are additional arguments passed to the <code>kable</code> function.

labelTranslations	A named list (or vector) where the name is the label in the output to be replaced in the pretty rendering by the character string value for the named element of the list, e.g., <code>list(age = "Age(Years)", meansd = "Mean(SD)")</code> .
title	Title for the table, defaulting to NULL (no title)
x	An object of class <code>summary.freqlist</code> .
list.ok	If the object has multiple by-variables, is it okay to return a list of data.frames instead of a single data.frame? If FALSE but there are multiple by-variables, a warning is issued.

**Value**

An object of class `"summary.freqlist"` (invisibly for the print method).

**Author(s)**

Tina Gunderson, with major revisions by Ethan Heinzen

**See Also**

[freqlist](#), [table](#), [xtabs](#), [kable](#), [freq.control](#), [freqlist.internal](#)

**Examples**

```
# load mockstudy data
data(mockstudy)
tab.ex <- table(mockstudy[c("arm", "sex", "mdquality.s")], useNA = "ifany")
noby <- freqlist(tab.ex, na.options = "include")
summary(noby)
withby <- freqlist(tab.ex, strata = c("arm", "sex"), na.options = "showexclude")
summary(withby)
summary(withby, dupLabels = TRUE)
```

---

summary.modelsum	<i>Summarize a modelsum object.</i>
------------------	-------------------------------------

---

**Description**

Format the information in object as a table using Pandoc coding or plain text, and cat it to stdout.

**Usage**

```
## S3 method for class 'modelsum'
summary(object, ..., labelTranslations = NULL,
         text = FALSE, title = NULL, term.name = "")

## S3 method for class 'summary.modelsum'
as.data.frame(x, ..., text = x$text,
              term.name = x$term.name, width = NULL, min.split = NULL,
              list.ok = FALSE)
```

**Arguments**

object	A <code>modelsum</code> object.
...	For <code>summary.modelsum</code> , other arguments passed to <code>as.data.frame.modelsum</code> . For <code>as.data.frame.summary.modelsum</code> , "width" and "min.split" are passed to <code>smart.split</code> . For printing the summary object, these are passed to both <code>as.data.frame.summary.modelsum</code> and <code>kable</code> .
labelTranslations	A named list (or vector) where the name is the label in the output to be replaced in the pretty rendering by the character string value for the named element of the list, e.g., <code>list(age = "Age(Years)", meansd = "Mean(SD)")</code> .
text	An argument denoting how to print the summary to the screen. Default is FALSE (show markdown output). TRUE and NULL output a text-only version, with the latter avoiding all formatting. "html" uses the HTML tag <code>&lt;strong&gt;</code> instead of the markdown formatting, and "latex" uses the LaTeX command <code>\textbf</code> .
title	Title for the table, defaulting to NULL (no title)
term.name	A character vector denoting the column name for the "terms" column. It should be the same length as the number of tables or less (it will get recycled if needed). The special value TRUE will use the y-variable's label for each table.
x	An object of class "summary.modelsum".
width	Passed to <code>smart.split</code> for formatting of the "term" column.
min.split	Passed to <code>smart.split</code> for formatting of the "term" column.
list.ok	If the object has multiple by-variables, is it okay to return a list of data.frames instead of a single data.frame? If FALSE but there are multiple by-variables, a warning is issued.

**Value**

An object of class "summary.modelsum"

**Author(s)**

Ethan Heinzen, based on code originally by Greg Dougherty

**See Also**

`modelsum`, `as.data.frame.modelsum`

---

summary.tableby	<i>The summary method for a tableby object</i>
-----------------	--

---

## Description

The summary method for a [tableby](#) object, which is a pretty rendering of a [tableby](#) object into a publication-quality results table in R Markdown, and can render well in text-only.

## Usage

```
## S3 method for class 'tableby'
summary(object, ..., labelTranslations = NULL,
        text = FALSE, title = NULL, pfootnote = FALSE, term.name = "")

## S3 method for class 'summary.tableby'
as.data.frame(x, ..., text = x$text,
              pfootnote = x$pfootnote, term.name = x$term.name, width = NULL,
              min.split = NULL, list.ok = FALSE)
```

## Arguments

object	An object of class "tableby", made by the <a href="#">tableby</a> function.
...	For <code>summary.tableby</code> , other arguments passed to <a href="#">as.data.frame.tableby</a> . For printing the summary object, these are passed to both <code>as.data.frame.summary.tableby</code> and <a href="#">kable</a> .
labelTranslations	A named list (or vector) where the name is the label in the output to be replaced in the pretty rendering by the character string value for the named element of the list, e.g., <code>list(age = "Age(Years)", meansd = "Mean(SD)")</code> .
text	An argument denoting how to print the summary to the screen. Default is FALSE (show markdown output). TRUE and NULL output a text-only version, with the latter avoiding all formatting. "html" uses the HTML tag <code>&lt;strong&gt;</code> instead of the markdown formatting, and "latex" uses the LaTeX command <code>\textbf</code> .
title	Title for the table, defaulting to NULL (no title)
pfootnote	Logical, denoting whether to put footnotes describing the tests used to generate the p-values.
term.name	A character vector denoting the column name for the "terms" column. It should be the same length as the number of tables or less (it will get recycled if needed). The special value TRUE will use the y-variable's label for each table.
x	An object of class "summary.tableby".
width	Passed to <a href="#">smart.split</a> for formatting of the "term" column.
min.split	Passed to <a href="#">smart.split</a> for formatting of the "term" column.
list.ok	If the object has multiple by-variables, is it okay to return a list of data.frames instead of a single data.frame? If FALSE but there are multiple by-variables, a warning is issued.

**Value**

An object of class `summary.tableby`

**Author(s)**

Ethan Heinzen, based on code by Gregory Dougherty, Jason Sinnwell, Beth Atkinson, adapted from SAS Macros written by Paul Novotny and Ryan Lennon

**See Also**

[tableby.control](#), [tableby](#)

**Examples**

```
set.seed(100)
## make 3+ categories for response
nsubj <- 90
mdat <- data.frame(Response=sample(c(1,2,3),nsubj, replace=TRUE),
                    Sex=sample(c("Male", "Female"), nsubj,replace=TRUE),
                    Age=round(rnorm(nsubj,mean=40, sd=5)),
                    HtIn=round(rnorm(nsubj,mean=65,sd=5)))

## allow default summaries on RHS variables
out <- tableby(Response ~ Sex + Age + HtIn, data=mdat)
summary(out, text=TRUE)
labels(out)
labels(out) <- c(Age="Age (years)", HtIn="Height (inches)")
summary(out, stats.labels=c(meansd="Mean-SD", q1q3 = "Q1-Q3"), text=TRUE)
```

---

tableby	<i>Summary Statistics of a Set of Independent Variables by a Categorical Variable</i>
---------	---

---

**Description**

Summarize one or more variables (x) by a categorical variable (y). Variables on the right side of the formula, i.e. independent variables, are summarized by the levels of a categorical variable on the left of the formula. Optionally, an appropriate test is performed to test the distribution of the independent variables across the levels of the categorical variable.

**Usage**

```
tableby(formula, data, na.action, subset = NULL, weights = NULL,
        strata, control = NULL, ...)
```

**Arguments**

formula	an object of class <code>formula</code> ; a symbolic description of the variables to be summarized by the group, or categorical variable, of interest. See "Details" for more information. To only view overall summary statistics, a one-sided formula can be used.
data	an optional data frame, list or environment (or object coercible by <code>as.data.frame</code> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which the function is called.
na.action	a function which indicates what should happen when the data contain NAs. The default is <code>na.tableby(TRUE)</code> if there is a by-variable, and <code>na.tableby(FALSE)</code> if there is not. This schema thus includes observations with NAs in x variables, but removes those with NA in the categorical group variable and strata (if used).
subset	an optional vector specifying a subset of observations (rows of data) to be used in the results. Works as vector of logicals or an index.
weights	a vector of weights. Using weights will disable statistical tests.
strata	a vector of strata to separate summaries by an additional group.
control	control parameters to handle optional settings within <code>tableby</code> . Two aspects of <code>tableby</code> are controlled with these: test options of RHS variables across levels of the categorical grouping variable, and x variable summaries within the grouping variable. Arguments for <code>tableby.control</code> can be passed to <code>tableby</code> via the <code>...</code> argument, but if a control object and <code>...</code> arguments are both supplied, the latter are used. See <code>tableby.control</code> for more details.
...	additional arguments to be passed to internal <code>tableby</code> functions or <code>tableby.control</code> .

**Details**

The group variable (if any) is categorical, which could be an integer, character, factor, or ordered factor. `tableby` makes a simple summary of the counts within the k-levels of the independent variables on the right side of the formula. Note that unused levels are dropped.

The data argument allows data.frames with label attributes for the columns, and those labels will be used in the summary methods for the `tableby` class.

The independent variables are a mixture of types: categorical (discrete), numeric (continuous), and time to event (survival). These variables are split by the levels of the group variable (if any), then summarized within those levels, specific to the variable type. A statistical test is performed to compare the distribution of the independent variables across the levels of the grouping variable.

The tests differ by the independent variable type, but can be specified explicitly in the formula statement or in the control function. These tests are accepted:

- `anova`: analysis of variance test; the default test for continuous variables. When LHS variable has two levels, equivalent to two-sample t-test.
- `kwt`: Kruskal-Wallis Rank Test, optional test for continuous variables. When LHS variable has two levels, equivalent to Wilcoxon test.
- `chisq`: chi-square goodness of fit test for equal counts of a categorical variable across categories; the default for categorical or factor variables

- fe: Fisher's exact test for categorical variables
- trend: trend test for equal distribution of an ordered variable across a categorical variable; the default for ordered factor variables
- logrank: log-rank, the default for time-to-event variables
- notest: no test is performed.

To perform a mixture of asymptotic and rank-based tests on two different continuous variables, an example formula is: `formula = group ~ anova(age) + kwt(height)`. The test settings in `tableby.control` apply to all independent variables of a given type.

The summary statistics reported for each independent variable within the group variable can be set in [tableby.control](#).

Finally, multiple by-variables can be set using `list()`. See the examples for more details.

### Value

An object with class `c("tableby", "arsenal_table")`

### Author(s)

Jason Sinnwell, Beth Atkinson, Gregory Dougherty, and Ethan Heinzen, adapted from SAS Macros written by Paul Novotny and Ryan Lennon

### See Also

[arsenal\\_table](#), [anova](#), [chisq.test](#), [tableby.control](#), [summary.tableby](#), [tableby.internal](#), [formulize](#)

### Examples

```
data(mockstudy)
tab1 <- tableby(arm ~ sex + age, data=mockstudy)
summary(tab1, text=TRUE)

mylabels <- list(sex = "SEX", age = "Age, yrs")
summary(tab1, labelTranslations = mylabels, text=TRUE)

tab3 <- tableby(arm ~ sex + age, data=mockstudy, test=FALSE, total=FALSE,
               numeric.stats=c("median", "q1q3"), numeric.test="kwt")
summary(tab3, text=TRUE)

# multiple LHS
summary(tableby(list(arm, sex) ~ age, data = mockstudy, strata = ps), text = TRUE)

tab.test <- tableby(arm ~ kwt(age) + anova(bmi) + kwt(ast), data=mockstudy)
tests(tab.test)
```



---

tableby.control	<i>Control settings for tableby function</i>
-----------------	--

---

## Description

Control test and summary settings for the `tableby` function.

## Usage

```
tableby.control(test = TRUE, total = TRUE, test.pname = NULL,
  cat.simplify = FALSE, numeric.simplify = FALSE,
  numeric.test = "anova", cat.test = "chisq", ordered.test = "trend",
  surv.test = "logrank", date.test = "kwt",
  numeric.stats = c("Nmiss", "meansd", "range"), cat.stats = c("Nmiss",
  "countpct"), ordered.stats = c("Nmiss", "countpct"),
  surv.stats = c("Nevents", "medSurv"), date.stats = c("Nmiss",
  "median", "range"), stats.labels = list(Nmiss = "N-Miss", Nmiss2 =
  "N-Miss", meansd = "Mean (SD)", medianrange = "Median (Range)", median =
  "Median", medianq1q3 = "Median (Q1, Q3)", q1q3 = "Q1, Q3", iqr = "IQR",
  range = "Range", countpct = "Count (Pct)", Nevents = "Events", medSurv =
  "Median Survival", medTime = "Median Follow-Up"), digits = 3L,
  digits.count = 0L, digits.pct = 1L, digits.p = 3L,
  format.p = TRUE, conf.level = 0.95, chisq.correct = FALSE,
  simulate.p.value = FALSE, B = 2000, ...)
```

## Arguments

<code>test</code>	logical, telling tableby whether to perform tests of x variables across levels of the group variable.
<code>total</code>	logical, telling tableby whether to calculate a column of totals across group variable.
<code>test.pname</code>	character string denoting the p-value column name in <code>summary.tableby</code> . Modifiable also with <code>modpval.tableby</code> .
<code>cat.simplify</code>	logical, tell tableby whether to remove the first level of the categorical variable if binary. If TRUE, only the summary stats of the second level are reported. NOTE: this only simplifies to one line if <code>cat.stats</code> is only one statistic, such as <code>countpct</code> . In particular, if <code>cat.stats</code> also includes <code>Nmiss</code> and there are missings, then <code>cat.simplify</code> is ignored.
<code>numeric.simplify</code>	logical, tell tableby whether to condense numeric output to a single line. NOTE: this only simplifies to one line if <code>numeric.stats</code> is only one statistic, such as <code>meansd</code> . In particular, if <code>numeric.stats</code> also includes <code>Nmiss</code> and there are missings, then <code>numeric.simplify</code> is ignored.
<code>numeric.test</code>	name of test for numeric RHS variables in tableby: <code>anova</code> , <code>kwt</code> (Kruskal-Wallis). If no LHS variable exists, then a mean is required for a univariate test.

<code>cat.test</code>	name of test for categorical variables: <code>chisq</code> , <code>fe</code> (Fisher's Exact)
<code>ordered.test</code>	name of test for ordered variables: <code>trend</code>
<code>surv.test</code>	name of test for survival variables: <code>logrank</code>
<code>date.test</code>	name of test for date variables: <code>kwt</code>
<code>numeric.stats</code>	summary statistics to include for numeric RHS variables within the levels of the group LHS variable. Options are <code>N</code> , <code>Nmiss</code> , <code>Nmiss2</code> , <code>mean</code> , <code>meansd</code> , <code>median</code> , <code>q1q3</code> , <code>medianq1q3</code> , <code>iqr</code> , <code>range</code> , <code>medianrange</code> , or other R built-in or user-written functions.
<code>cat.stats</code>	summary statistics to include for categorical RHS variables within the levels of the group LHS variable. Options are <code>N</code> , <code>Nmiss</code> , <code>Nmiss2</code> , <code>count</code> , <code>countpct</code> , <code>countrowpct</code> , <code>countcellpct</code> , or other R built-in or user-written functions.
<code>ordered.stats</code>	summary statistics to include for categorical RHS variables within the levels of the group LHS variable. Options are <code>N</code> , <code>Nmiss</code> , <code>count</code> , <code>countpct</code> , or other R built-in or user-written functions.
<code>surv.stats</code>	summary statistics to include for time-to-event (survival) RHS variables within the levels of the group LHS variable. Options are <code>Nevents</code> , <code>medsurv</code> , <code>NeventsSurv</code> , <code>NriskSurv</code> , <code>medTime</code> , <code>rangeTime</code> .
<code>date.stats</code>	stats functions to perform for Date variables: <code>Nmiss</code> , <code>median</code> , <code>range</code> , <code>medianrange</code> , <code>q1q3</code> , <code>medianq1q3</code> , or other R built-in or user-written functions.
<code>stats.labels</code>	A named list of labels for all the statistics function names, where the function name is the named element in the list and the value that goes with it is a string containing the formal name that will be printed in all printed renderings of the output, e.g., <code>list(countpct="Count (Pct)")</code> .
<code>digits</code>	Number of decimal places for numeric values.
<code>digits.count</code>	Number of decimal places for count values.
<code>digits.pct</code>	Number of decimal places for percents.
<code>digits.p</code>	Number of decimal places for p-values.
<code>format.p</code>	Logical, denoting whether to format p-values. See "Details", below.
<code>conf.level</code>	Numeric, denoting what confidence level to use for confidence intervals. (See, e.g., <code>binomCI</code> )
<code>chisq.correct</code>	logical, correction factor for <code>chisq.test</code>
<code>simulate.p.value</code>	logical, simulate p-value for categorical tests ( <code>fe</code> and <code>chisq</code> )
<code>B</code>	number of simulations to perform for simulation-based p-value
<code>...</code>	additional arguments.

### Details

All tests can be turned off by setting `test` to `FALSE`. Otherwise, tests are set to default settings in this list, or set explicitly in the formula of `tableby`.

If `format.p` is `FALSE`, `digits.p` denotes the number of significant digits shown. The p-values will be in exponential notation if necessary. If `format.p` is `TRUE`, `digits.p` will determine the number of digits after the decimal point to show. If the p-value is less than the resulting number of places, it will be formatted to show so.

**Value**

A list with settings to be used within the tableby function.

**Author(s)**

Jason Sinnwell, Beth Atkinson, Ethan Heinzen, Terry Therneau, adapted from SAS Macros written by Paul Novotny and Ryan Lennon

**See Also**

[anova](#), [chisq.test](#), [tableby](#), [summary.tableby](#), [tableby.stats](#).

**Examples**

```
set.seed(100)
## make 3+ categories for Response
mdat <- data.frame(Response=c(0,0,0,0,0,1,1,1,1,1),
                   Sex=sample(c("Male", "Female"), 10,replace=TRUE),
                   Age=round(rnorm(10,mean=40, sd=5)),
                   HtIn=round(rnorm(10,mean=65, sd=5)))

## allow default summaries in RHS variables, and pass control args to
## main function, to be picked up with ... when calling tableby.control
outResp <- tableby(Response ~ Sex + Age + HtIn, data=mdat, total=FALSE, test=TRUE)
outCtl <- tableby(Response ~ Sex + Age + HtIn, data=mdat,
                  control=tableby.control(total=TRUE, cat.simplify=TRUE,
                  cat.stats=c("Nmiss", "countpct"), digits=1))
summary(outResp, text=TRUE)
summary(outCtl, text=TRUE)
```

---

tableby.internal      *Helper functions for tableby*

---

**Description**

A set of helper functions for [tableby](#).

**Usage**

```
is.tableby(x)

is.summary.tableby(x)

modpval.tableby(x, pdata, use.pname = FALSE)

tests(x)

## S3 method for class 'tableby'
```

```

tests(x)

na.tableby(lhs = TRUE)

## S3 method for class 'tableby'
xtfrm(x)

## S3 method for class 'tableby'
sort(x, ...)

## S3 method for class 'tableby'
Ops(e1, e2)

## S3 method for class 'tableby'
head(x, n = 6L, ...)

## S3 method for class 'tableby'
tail(x, n = 6L, ...)

```

### Arguments

<code>x</code>	A tableby object.
<code>pdata</code>	A named data.frame where the first column is the by-variable names, the (optional) second is the strata value, the next is the x variable names, the next is p-values (or some test stat), and the (optional) next column is the method name.
<code>use.pname</code>	Logical, denoting whether the column name in pdata corresponding to the p-values should be used in the output of the object.
<code>lhs</code>	Logical, denoting whether to remove NAs from the first column of the data.frame (the "left-hand side")
<code>...</code>	Other arguments.
<code>e1, e2</code>	<a href="#">tableby</a> objects, or numbers to compare them to.
<code>n</code>	A single integer. See <a href="#">head</a> or <a href="#">tail</a> for more details

### Details

Logical comparisons are implemented for `Ops.tableby`.

### Value

`na.tableby` returns a subsetted version of object (with attributes). `Ops.tableby` returns a logical vector. `xtfrm.tableby` returns the p-values (which are ordered by [order](#) to [sort](#)).

### See Also

[arsenal\\_table](#), [sort](#), [head](#), [tail](#), [tableby](#), [summary.tableby](#), [tableby.control](#)

**Description**

A collection of functions that will report summary statistics. To create a custom function, consider using a function with all three arguments and `...`. See the [tableby](#) vignette for an example.

**Usage**

```
meansd(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
medianrange(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
median(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
range(x, na.rm = TRUE, ...)
```

```
Nevents(x, na.rm = TRUE, weights = rep(1, nrow(x)), ...)
```

```
medSurv(x, na.rm = TRUE, weights = rep(1, nrow(x)), ...)
```

```
NeventsSurv(x, na.rm = TRUE, weights = rep(1, nrow(x)), times = 1:5,  
...)
```

```
NriskSurv(x, na.rm = TRUE, weights = rep(1, nrow(x)), times = 1:5,  
...)
```

```
medTime(x, na.rm = TRUE, weights = rep(1, nrow(x)), ...)
```

```
q1q3(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
medianq1q3(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
iqr(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
Nmiss(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
Nmiss2(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
N(x, na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
count(x, levels = NULL, na.rm = TRUE, weights = rep(1, length(x)),  
...)
```

```
countpct(x, levels = NULL, na.rm = TRUE, weights = rep(1, length(x)),  
...)
```

```
countrowpct(x, levels = NULL, by, by.levels = sort(unique(by)),
  na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
countcellpct(x, levels = NULL, by, by.levels = sort(unique(by)),
  na.rm = TRUE, weights = rep(1, length(x)), ...)
```

```
binomCI(x, levels = NULL, na.rm = TRUE, weights = rep(1, length(x)),
  conf.level = 0.95, ...)
```

```
rowbinomCI(x, levels = NULL, by, by.levels = sort(unique(by)),
  na.rm = TRUE, weights = rep(1, length(x)), conf.level = 0.95, ...)
```

### Arguments

x	Usually a vector.
na.rm	Should NAs be removed?
weights	A vector of weights.
...	Other arguments.
times	A vector of times to use for survival summaries.
levels	A vector of levels that character xs should have.
by	a vector of the by-values.
by.levels	a vector of the levels of by.
conf.level	Numeric, denoting what confidence level to use for confidence intervals.

### Details

Not all these functions are exported, in order to avoid conflicting NAMESPACES.

### Value

Usually a vector of the appropriate numbers.

### See Also

[includeNA](#), [tableby.control](#)

---

tableby.stats.internal

*Internal tableby functions*

---

### Description

A collection of functions that may help users create custom functions that are formatted correctly.

**Usage**

```
as.tbstat(x, oldClass = NULL, sep = NULL, parens = NULL,
          sep2 = NULL, pct = NULL)
```

```
as.countpct(x, ...)
```

```
as.tbstat_multirow(x)
```

**Arguments**

x	Usually a vector.
oldClass	class(es) to add to the resulting object.
sep	The separator between x[1] and the rest of the vector.
parens	A length-2 vector denoting parentheses to use around x[2] and x[3].
sep2	The separator between x[2] and x[3].
pct	The symbol to use after percents.
...	arguments to pass to as.tbstat.

**Details**

as.tbstat defines a tableby statistic with its appropriate formatting.

as.countpct adds another class to as.tbstat to use different "digits" arguments. See [tableby.control](#).

as.tbstat\_multirow marks an object (usually a list) for multiple-row printing.

---

write2

*write2*

---

**Description**

Functions to output tables to a single document. (Also the S3 backbone behind the write2\* functions.)

**Usage**

```
write2(object, file, ..., output_format)

## S3 method for class 'arsenal_table'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'summary.arsenal_table'
write2(object, file, ...,
       output_format = NULL)

## S3 method for class 'comparedf'
```

```

write2(object, file, ..., output_format = NULL)

## S3 method for class 'summary.comparedf'
write2(object, file, ...,
       output_format = NULL)

## S3 method for class 'verbatim'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'yaml'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'code.chunk'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'knitr_kable'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'xtable'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'character'
write2(object, file, ..., output_format = NULL)

## S3 method for class 'list'
write2(object, file, ..., append. = FALSE,
       render. = TRUE, keep.rmd = !render., output_format = NULL)

## Default S3 method:
write2(object, file, FUN = NULL, ...,
       append. = FALSE, render. = TRUE, keep.rmd = !render.,
       output_format = NULL)

```

## Arguments

object	An object.
file	A single character string denoting the filename for the output document.
...	Additional arguments to be passed to FUN, rmarkdown::render, etc. One popular option is to use quiet = TRUE to suppress the command line output.
output_format	One of the following: <ol style="list-style-type: none"> <li>1. An output format object, e.g. rmarkdown::html_document(...).</li> <li>2. A character string denoting such a format function, e.g. "html_document". In this case, the "..." are NOT passed.</li> <li>3. The format function itself, e.g. rmarkdown::html_document. In this case, the "..." arguments are passed.</li> <li>4. One of "html", "pdf", and "word", shortcuts implemented here. In this case, the "..." arguments are passed.</li> </ol>



	5. NULL, in which the output is HTML by default. See <code>rmarkdown::render</code> for details.
<code>append</code> .	Logical, denoting whether (if a temporary <code>.Rmd</code> file of the same name already exists) to append on. Used mostly for <code>write2.list</code> .
<code>render</code> .	Logical, denoting whether to render the temporary <code>.Rmd</code> file. Used mostly for <code>write2.list</code> .
<code>keep.rmd</code>	Logical, denoting whether to keep the intermediate <code>.Rmd</code> file. Used mostly for <code>write2.list</code> .
<code>FUN</code>	The summary-like or print-like function to use to generate the markdown content. Can be passed as a function or a character string. It's expected that <code>FUN(object, ...)</code> looks "good" when put directly in a <code>.Rmd</code> file.

### Details

`write2` is an S3 method. The default prints the object (using `print`) inside a section surrounded by three back ticks. See `verbatim` for details.

There are methods implemented for `tableby`, `modelsum`, and `freqlist`, all of which use the summary function. There are also methods compatible with `kable`, `xtable`, and `pander_return`. Another option is to coerce an object using `verbatim()` to print out the results monospaced (as if they were in the terminal). To output multiple tables into a document, simply make a list of them and call the same function as before. Finally, to output code chunks to be evaluated, use `code.chunk`.

For more information, see `vignette("write2")`.

### Value

object is returned invisibly, and file is written.

### Author(s)

Ethan Heinzen, adapted from code from Krista Goergen

### See Also

`write2word`, `write2pdf`, `write2html`, `render`, `word_document`, `html_document`, `pdf_document`, `rtf_document`, `md_document`, `odt_document`

### Examples

```
## Not run:
data(mockstudy)
# tableby example
tab1 <- tableby(arm ~ sex + age, data=mockstudy)
write2(tab1, tempfile(fileext = ".rtf"),
  toc = TRUE, # passed to rmarkdown::rtf_document, though in this case it's not practical
  quiet = TRUE, # passed to rmarkdown::render
  title = "My cool new title", # passed to summary.tableby
  output_format = rmarkdown::rtf_document)
```

```
## End(Not run)

write2html(list(
  "# Header 1", # a header
  code.chunk(a <- 1, b <- 2, a + b), # a code chunk
  verbatim("hi there") # verbatim output
),
  tempfile(fileext = ".html"),
  quiet = TRUE)
```

---

write2.internal      *Helper functions for write2*

---

## Description

Helper functions for [write2](#).

## Usage

```
## S3 method for class 'verbatim'
print(x, ...)

verbatim(x)

code.chunk(..., chunk.opts = "r")

## S3 method for class 'code.chunk'
print(x, ...)
```

## Arguments

<code>x</code>	An R object to coerce to class "verbatim" or such an object to print.
<code>...</code>	For <code>print.verbatim</code> , other arguments passed to <code>print</code> . For <code>code.chunk</code> , either expressions or single character strings to paste into the code chunk. Not used for <code>print.code.chunk</code> .
<code>chunk.opts</code>	A single character string giving the code chunk options. Make sure to specify the engine!

## Details

The "verbatim" class is to tell [write2](#) to print the object inside a section surrounded by three back ticks. The results will look like it would in the terminal (monospaced).

`code.chunk()` is to write explicit code chunks in the `.Rmd` file; it captures the call and writes it to the file, to execute upon knitting.

---

write2specific      *write2word, write2html, write2pdf*

---

## Description

Functions to output tables to a single Word, HTML, or PDF document.

## Usage

```
write2word(object, file, ...)
```

```
write2pdf(object, file, ...)
```

```
write2html(object, file, ...)
```

## Arguments

<code>object</code>	An object.
<code>file</code>	A single character string denoting the filename for the output document.
<code>...</code>	Additional arguments to be passed to FUN, <code>rmarkdown::render</code> , etc. One popular option is to use <code>quiet = TRUE</code> to suppress the command line output.

## Details

To generate the appropriate file type, the `write2*` functions use one of `rmarkdown::word_document`, `rmarkdown::html_document`, and `rmarkdown::pdf_document` to get the job done. "... " arguments are passed to these functions, too.

## Value

`object` is returned invisibly, and `file` is written.

## Author(s)

Ethan Heinzen, adapted from code from Krista Goergen

## See Also

[write2](#)

## Examples

```
## Not run:  
data(mockstudy)  
# tableby example  
tab1 <- tableby(arm ~ sex + age, data=mockstudy)  
write2html(tab1, "~/trash.html")
```

```

# freqlist example
tab.ex <- table(mockstudy[, c("arm", "sex", "mdquality.s")], useNA = "ifany")
noby <- freqlist(tab.ex, na.options = "include")
write2pdf(noby, "~/trash2.pdf")

# A more complicated example
write2word(tab1, "~/trash.doc",
  keep.md = TRUE,
  reference_docx = mystyles.docx, # passed to rmarkdown::word_document
  quiet = TRUE, # passed to rmarkdown::render
  title = "My cool new title") # passed to summary.tableby

## End(Not run)

```

---

yaml

*Include a YAML header in write2*

---

## Description

Include a YAML header in write2

## Usage

```

yaml(...)

## S3 method for class 'yaml'
print(x, ...)

## S3 method for class 'yaml'
c(..., recursive = FALSE)

is.yaml(x)

```

## Arguments

...	For <code>yaml()</code> , arguments to be bundled into a list and passed to <code>as.yaml</code> . For <code>print.yaml()</code> , extra arguments. For <code>c.yaml()</code> , "yaml" objects to be concatenated.
x	An object of class "yaml".
recursive	Not in use at this time.

## Value

A text string of class "yaml".

## Author(s)

Ethan Heinzen, adapted from an idea by Brendan Broderick

**See Also**

[as.yaml](#), [write2](#)

**Examples**

```
x <- yaml(title = "My cool title", author = "Ethan P Heinzen")
x
y <- yaml("header-includes" = list("\\usepackage[labelformat=empty]{caption}"))
y
c(x, y)
```

---

`%nin%`                      *Not in*

---

**Description**

The not-in operator for R.

**Usage**

```
x %nin% table
```

**Arguments**

x                      vector or NULL: the values to be matched. [Long vectors](#) are supported.  
table                  vector or NULL: the values to be matched against. [Long vectors](#) are not supported.

**Value**

The negation of [%nin%](#).

**Author(s)**

Raymond Moore

**See Also**

[%in%](#)

**Examples**

```
1 %nin% 2:10
c("a", "b") %nin% c("a", "c", "d")
```

# Index

## \*Topic **datasets**

- mockstudy, [23](#)
- `[.arsenal_table` (`arsenal_table`), [5](#)
- `[.keep_labels` (`keep_labels`), [20](#)
- `[<-.keep_labels` (`keep_labels`), [20](#)
- `%in%`, [53](#)
- `%nin%`, [4](#), [53](#), [53](#)
  
- `allNA`, [4](#)
- `allNA` (`NA.operations`), [28](#)
- `anova`, [40](#), [43](#)
- `anyNA`, [28](#)
- `arsenal`, [3](#)
- `arsenal-defunct`, [4](#)
- `arsenal-deprecated`, [4](#)
- `arsenal-package` (`arsenal`), [3](#)
- `arsenal_table`, [5](#), [18](#), [19](#), [25](#), [28](#), [31](#), [40](#), [44](#)
- `as.countpct` (`tableby.stats.internal`), [46](#)
- `as.data.frame`, [24](#), [30](#), [39](#)
- `as.data.frame.freqlist`, [6](#), [34](#)
- `as.data.frame.modelsum`, [7](#), [36](#)
- `as.data.frame.summary.freqlist`  
    (`summary.freqlist`), [34](#)
- `as.data.frame.summary.modelsum`  
    (`summary.modelsum`), [35](#)
- `as.data.frame.summary.tableby`  
    (`summary.tableby`), [37](#)
- `as.data.frame.tableby`, [8](#), [37](#)
- `as.tbstat` (`tableby.stats.internal`), [46](#)
- `as.tbstat_multirow`  
    (`tableby.stats.internal`), [46](#)
- `as.yaml`, [52](#), [53](#)
  
- `binomCI`, [32](#), [42](#)
- `binomCI` (`tableby.stats`), [45](#)
  
- `c.yaml` (`yaml`), [52](#)
- `chisq.test`, [40](#), [43](#)
- `code.chunk`, [49](#)
- `code.chunk` (`write2.internal`), [50](#)
  
- `compare.data.frame`  
    (`arsenal-deprecated`), [4](#)
- `comparedf`, [3](#), [5](#), [9](#), [10](#), [11](#), [13](#), [14](#), [23](#), [33](#), [34](#)
- `comparedf.control`, [5](#), [9](#), [10](#), [12](#), [13](#), [34](#)
- `comparedf.tolerances`, [11](#), [12](#)
- `comparison.control`  
    (`arsenal-deprecated`), [4](#)
- `count` (`tableby.stats`), [45](#)
- `countcellpct` (`tableby.stats`), [45](#)
- `countpct` (`tableby.stats`), [45](#)
- `countrowpct` (`tableby.stats`), [45](#)
- `coxph`, [24](#), [27](#)
  
- `data.frame`, [21](#)
- `Date`, [23](#)
- `Date.mdy`, [4](#)
- `Date.mdy` (`mdy.Date`), [22](#)
- `DateTimeClasses`, [23](#)
- `diffs`, [9](#), [13](#)
  
- `family`, [27](#)
- `formula`, [24](#), [30](#), [39](#)
- `formulize`, [3](#), [14](#), [25](#), [31](#), [40](#)
- `freq.control`, [6](#), [16](#), [17–19](#), [34](#), [35](#)
- `freqlist`, [3](#), [6](#), [16](#), [17](#), [18](#), [19](#), [34](#), [35](#), [49](#)
- `freqlist.internal`, [16](#), [18](#), [18](#), [35](#)
  
- `glm`, [24](#)
- `glm.nb`, [27](#)
  
- `has_strata` (`arsenal_table`), [5](#)
- `head`, [18](#), [44](#)
- `head.summary.freqlist`  
    (`freqlist.internal`), [18](#)
- `head.tableby` (`tableby.internal`), [43](#)
- `html_document`, [48](#), [49](#)
  
- `includeNA`, [4](#), [46](#)
- `includeNA` (`NA.operations`), [28](#)
- `internal.functions`, [19](#)
- `iqr` (`tableby.stats`), [45](#)

- is.Date, [4](#)
- is.Date (mdy.Date), [22](#)
- is.freqlist (freqlist.internal), [18](#)
- is.modelsum (modelsum.internal), [27](#)
- is.na, [28](#)
- is.summary.freqlist (freqlist.internal), [18](#)
- is.summary.modelsum (modelsum.internal), [27](#)
- is.summary.tableby (tableby.internal), [43](#)
- is.tableby (tableby.internal), [43](#)
- is.yaml (yaml), [52](#)
- kable, [6](#), [34–37](#), [49](#)
- keep.labels, [3](#), [20](#), [22](#)
- labels, [6](#), [21](#), [21](#)
- labels.arsenal\_table (arsenal\_table), [5](#)
- labels<- (labels), [21](#)
- labels<- .arsenal\_table (arsenal\_table), [5](#)
- lm, [24](#)
- Long vectors, [53](#)
- loosen.labels (keep.labels), [20](#)
- McNemar’s test, [30](#)
- mcnemar.test, [32](#)
- md\_document, [49](#)
- mdy.Date, [4](#), [22](#)
- meansd (tableby.stats), [45](#)
- median (tableby.stats), [45](#)
- medianq1q3 (tableby.stats), [45](#)
- medianrange (tableby.stats), [45](#)
- medSurv (tableby.stats), [45](#)
- medTime (tableby.stats), [45](#)
- merge, [6](#)
- merge.arsenal\_table (arsenal\_table), [5](#)
- merge.freqlist, [19](#)
- merge.freqlist (arsenal\_table), [5](#)
- mockstudy, [4](#), [23](#)
- modelsum, [3](#), [7](#), [24](#), [25–27](#), [36](#), [49](#)
- modelsum.control, [7](#), [25](#), [25](#)
- modelsum.family, [24](#), [27](#)
- modelsum.internal, [25](#), [26](#), [27](#)
- modpval.tableby, [29](#), [31](#), [41](#)
- modpval.tableby (tableby.internal), [43](#)
- muck\_up\_mockstudy (mockstudy), [23](#)
- N (tableby.stats), [45](#)
- n.diff.obs, [9](#)
- n.diff.obs (diffs), [13](#)
- n.diffs, [9](#)
- n.diffs (diffs), [13](#)
- na.modelsum (modelsum.internal), [27](#)
- NA.operations, [28](#)
- na.paired, [30](#)
- na.paired (paired.internal), [33](#)
- na.tableby (tableby.internal), [43](#)
- negbin (modelsum.family), [27](#)
- Nevents (tableby.stats), [45](#)
- NeventsSurv (tableby.stats), [45](#)
- nin (%nin%), [53](#)
- Nmiss (tableby.stats), [45](#)
- Nmiss2 (tableby.stats), [45](#)
- NriskSurv (tableby.stats), [45](#)
- odt\_document, [49](#)
- Ops.tableby (tableby.internal), [43](#)
- order, [44](#)
- ordinal (modelsum.family), [27](#)
- p.adjust, [29](#)
- padjust, [29](#)
- paired, [3](#), [29](#), [31–33](#)
- paired.control, [30](#), [31](#), [31](#)
- paired.internal, [33](#)
- pander\_return, [49](#)
- pdf\_document, [49](#)
- polr, [27](#)
- print, [49](#)
- print.arsenal\_table (arsenal\_table), [5](#)
- print.code.chunk (write2.internal), [50](#)
- print.comparedf (comparedf), [9](#)
- print.summary.arsenal\_table (arsenal\_table), [5](#)
- print.summary.comparedf (summary.compare), [33](#)
- print.verbatim (write2.internal), [50](#)
- print.yaml (yaml), [52](#)
- q1q3 (tableby.stats), [45](#)
- range (tableby.stats), [45](#)
- reformulate, [15](#)
- render, [49](#)
- replace, [19](#)
- replace2 (internal.functions), [19](#)
- rowbinomCI (tableby.stats), [45](#)

- rtf\_document, [49](#)
- set\_attr(labels), [21](#)
- set\_labels(labels), [21](#)
- signed rank test, [30](#)
- smart.split, [6](#), [36](#), [37](#)
- smart.split(internal.functions), [19](#)
- sort, [19](#), [44](#)
- sort.freqlist(freqlist.internal), [18](#)
- sort.tableby(tableby.internal), [43](#)
- summary.compare, [33](#)
- summary.comparedf, [9](#), [11](#), [14](#)
- summary.comparedf(summary.compare), [33](#)
- summary.freqlist, [16–19](#), [34](#)
- summary.modelsum, [7](#), [25](#), [26](#), [35](#)
- summary.tableby, [31](#), [32](#), [37](#), [40](#), [41](#), [43](#), [44](#)
- survival(modelsum.family), [27](#)
- table, [18](#), [35](#)
- tableby, [3](#), [8](#), [30–32](#), [37](#), [38](#), [38](#), [41](#), [43–45](#), [49](#)
- tableby.control, [8](#), [32](#), [38–40](#), [41](#), [44](#), [46](#), [47](#)
- tableby.internal, [33](#), [40](#), [43](#)
- tableby.stats, [43](#), [45](#)
- tableby.stats.internal, [46](#)
- tail, [18](#), [44](#)
- tail.summary.freqlist  
(freqlist.internal), [18](#)
- tail.tableby(tableby.internal), [43](#)
- tests(tableby.internal), [43](#)
- tests.tableby, [29](#)
- tol.char.both(comparedf.tolerances), [12](#)
- tol.char.case(comparedf.tolerances), [12](#)
- tol.char.none(comparedf.tolerances), [12](#)
- tol.char.trim(comparedf.tolerances), [12](#)
- tol.date.absolute  
(comparedf.tolerances), [12](#)
- tol.factor.labels  
(comparedf.tolerances), [12](#)
- tol.factor.levels  
(comparedf.tolerances), [12](#)
- tol.factor.none(comparedf.tolerances),  
[12](#)
- tol.logical.none  
(comparedf.tolerances), [12](#)
- tol.NA(comparedf.tolerances), [12](#)
- tol.num.absolute  
(comparedf.tolerances), [12](#)
- tol.num.pct(comparedf.tolerances), [12](#)
- tol.num.percent(comparedf.tolerances),  
[12](#)
- tol.other.none(comparedf.tolerances),  
[12](#)
- verbatim, [49](#)
- verbatim(write2.internal), [50](#)
- wilcox.test, [32](#)
- word\_document, [49](#)
- write2, [3](#), [47](#), [50](#), [51](#), [53](#)
- write2.internal, [50](#)
- write2html, [3](#), [49](#)
- write2html(write2specific), [51](#)
- write2pdf, [3](#), [49](#)
- write2pdf(write2specific), [51](#)
- write2specific, [51](#)
- write2word, [3](#), [49](#)
- write2word(write2specific), [51](#)
- xtable, [49](#)
- xtabs, [17](#), [18](#), [35](#)
- xtfrm.tableby(tableby.internal), [43](#)
- yaml, [52](#)