

Package ‘multinet’

March 21, 2019

Type Package

Title Analysis and Mining of Multilayer Social Networks

Version 3.0.1

Date 2019-03-19

Author Matteo Magnani, Davide Vega, Mikael Dubik (glouvain). The package uses functions from eclat (www.borgelt.net/eclat.html), for association rule mining, Eigen (eigen.tuxfamily.org) and spectra (<https://spectralib.org>), for matrix manipulation, Infomap (www.mapequation.org), for the Infomap community detection method, and Howard Hinnant's date and time library (<https://github.com/HowardHinnant/date>). The code from this libraries has been included in our source package.

Maintainer Matteo Magnani <matteo.magnani@it.uu.se>

Description Functions for the creation/generation and analysis of multilayer social networks.

License GPL

Depends igraph (>= 1.0.1), Rcpp (>= 1.0.1), methods, RColorBrewer

LinkingTo Rcpp

RcppModules multinet

SystemRequirements A C++14 compiler

NeedsCompilation yes

Repository CRAN

Date/Publication 2019-03-20 23:30:21 UTC

R topics documented:

multinet-package	2
Classes	3
Conversion	3
Deprecated functions	4
Getting networks: generation	6
Getting networks: IO	7
Getting networks: predefined	10
Layout	11

Measures: basic	12
Measures: distance-based	13
Measures: layer comparison	14
Mining: communities	16
Navigation	18
Network management: attributes	19
Network management: edge directionality	21
Network management: properties	22
Network management: updates	24
Plotting	26
Transformation	28

Index	30
--------------	-----------

multinet-package	<i>Multilayer social network analysis and mining</i>
------------------	--

Description

This package defines a class to store multilayer networks and functions to pre-process, analyze and mine them.

With *multilayer social network* we indicate a network where nodes (V) are organized into multiple layers (L) and each node corresponds to an actor (A), where the same actor can be mapped to nodes in different layers. Formally, a multilayer social network as implemented in this package is a graph $G = (V, E)$ where V is a subset of $A \times L$.

In this manual, [Getting networks: IO](#) describes functions to read and write multilayer networks from/to file and the file format. To quickly test some features of the library, some existing multilayer networks are also included ([Getting networks: predefined](#)). A synthetic multilayer network can be generated using the growing models described in [Getting networks: generation](#).

Updating and getting information about the basic components of a multilayer network (layers, actors, nodes and edges) can be done using the methods described in [Network management: properties](#), [Network management: updates](#) and [Network management: edge directionality](#). [Navigation](#) shows how to retrieve the neighbors of a node. Attribute values can also be attached to the basic components of a multilayer network (actors, layers, nodes and edges). Attribute management is described in [Network management: attributes](#).

Each individual layer as well as combination of layers obtained using the data pre-processing (flattening) functions described in [Transformation](#) can be analyzed as a single-layer network using the iGraph package, by converting them as shown in [Conversion](#). We can also visualize small networks using the method described in [Plotting](#).

Multilayer network analysis measures are described in [Measures: basic](#) (for single-actor, degree-based measures), [Measures: distance-based](#) (for measures based on geodesic distances) and [Measures: layer comparison](#) (to compare different layers).

Communities can be extracted using various clustering algorithms, described in [Mining: communities](#).

Most of the methods provided by this package are described in the book "Multilayer Social Networks". These methods have been proposed by many different authors: extensive references are

available in the book, and in the documentation of each function we indicate the main reference we have followed for the implementation. For a few methods developed after the book was published we give specific references to the corresponding literature.

Author(s)

Matteo Magnani <matteo.magnani@it.uu.se>

References

Dickison, Magnani, and Rossi, 2016. Multilayer Social Networks. Cambridge University Press. ISBN: 978-1107438750

Classes	<i>Classes defined by the package</i>
---------	---------------------------------------

Description

The multinet package defines two classes to represent multilayer networks (RMLNetwork) and evolutionary models for the generation of networks (REvolutionModel). Objects of these types are used as input or returned as output of the functions provided by the package, as detailed in the description of each function.

Conversion	<i>Conversion to a simple or multi graph</i>
------------	--

Description

Constructs a single graph resulting from merging one or more layers of the network and converts it into an iGraph object.

Usage

```
## S3 method for class 'Rcpp_RMLNetwork'
as.igraph(x, layers = NULL, merge.actors=TRUE, all.actors=FALSE, ...)
```

Arguments

x	A multilayer network.
layers	A vector of names of layers. If NULL, all layers are included in the result.
merge.actors	Whether the vertices corresponding to each actor should be merged into a single vertex (true) or kept separated (false).
all.actors	Whether all actors in the multilayer network should be included in the result (true) or only those present in at least one of the input layers (false).
...	Additional arguments. None currently.

Value

An object of class iGraph.

Examples

```
net <- ml_aucs()
# using the default merge.actors=TRUE we create a multigraph,
# where each actor corresponds to a vertex in the result
multigraph <- as.igraph(net)
# this is a simple graph corresponding to the facebook layer
facebook1 <- as.igraph(net, "facebook")
# this includes also the actors without a facebook account
facebook2 <- as.igraph(net, "facebook", all.actors=TRUE)
# two layers are converted to an igraph object, where two
# vertices are used for each actor: one corresponding to the
# vertex on facebook, one to the vertex on lunch
f_l_net <- as.igraph(net, c("facebook","lunch"),
  merge.actors=FALSE)
```

Deprecated functions *Deprecated functions*

Description

These functions are deprecated and will be removed at the next major version upgrade.

Usage

```
add.attributes.ml(...)
attributes.ml(...)
get.values.ml(...)
set.values.ml(...)
new.attributes.ml(...)
list.attributes.ml(...)
abacus.ml(...)
clique.percolation.ml(...)
glouvain.ml(...)
infomap.ml(...)
get.community.list.ml(...)
set.directed.ml(...)
is.directed.ml(...)
distance.ml(...)
grow.ml(...)
evolution.pa.ml(...)
evolution.er.ml(...)
read.ml(...)
write.ml(...)
read.ml(...)
```

```
layer.summary.ml(...)  
layer.comparison.ml(...)  
layout.multiforce.ml(...)  
layout.circular.ml(...)  
add.layers.ml(...)  
add.actors.ml(...)  
add.vertices.ml(...)  
add.edges.ml(...)  
add.igraph.layer.ml(...)  
delete.layers.ml(...)  
delete.actors.ml(...)  
delete.vertices.ml(...)  
delete.edges.ml(...)  
neighbors.ml(...)  
xneighbors.ml(...)  
degree.ml(...)  
degree.deviation.ml(...)  
neighborhood.ml(...)  
xneighborhood.ml(...)  
connective.redundancy.ml(...)  
relevance.ml(...)  
xrelevance.ml(...)  
ml.empty(...)  
ml.aucs(...)  
ml.bankwiring(...)  
ml.florentine(...)  
ml.monastery(...)  
ml.tailorshop(...)  
ml.toy(...)  
layers.ml(...)  
actors.ml(...)  
vertices.ml(...)  
edges.ml(...)  
edges.idx.ml(...)  
num.layers.ml(...)  
num.actors.ml(...)  
num.vertices.ml(...)  
num.edges.ml(...)  
flatten.ml(...)  
add.nodes.ml(...)  
delete.nodes.ml(...)  
nodes.ml(...)  
num.nodes.ml(...)
```

Arguments

... deprecated

 Getting networks: generation

Generation of multilayer networks

Description

The `grow_ml` function generates a multilayer network by letting it grow for a number of steps, where for each step three events can happen: (1) evolution according to internal dynamics (in which case a specific internal evolution model is used), (2) evolution importing edges from another layer, and (3) no action.

The functions `evolution_pa_ml` and `evolution_er_ml` define, respectively, an evolutionary model based on preferential attachment and an evolutionary model where edges are created by choosing random end points, as in the ER random graph model.

Usage

```
grow_ml(num.actors, num.steps, models, pr.internal, pr.external, dependency)
evolution_pa_ml(m0,m)
evolution_er_ml(n)
```

Arguments

<code>num.actors</code>	The number of actors from which new nodes are selected during the generation process.
<code>num.steps</code>	Number of timestamps.
<code>models</code>	A vector containing one evolutionary model for each layer to be generated. Evolutionary models are defined using the <code>evolution_*_ml</code> functions.
<code>pr.internal</code>	A vector with (for each layer) the probability that at each step the layer evolves according to the internal evolutionary model.
<code>pr.external</code>	A vector with (for each layer) the probability that at each step the layer evolves importing edges from another layer.
<code>dependency</code>	A matrix $L \times L$ where element (i,j) indicates the probability that layer i will import an edge from layer j in case an external event is triggered.
<code>m0</code>	Initial number of nodes.
<code>m</code>	Number of edges created for each new node joining the network.
<code>n</code>	Number of nodes (created at the beginning, before starting adding edges).

Value

`grow_ml` returns a multilayer network. `evolution_*_ml` return evolutionary models that are used by `grow_ml` to decide how each layer should grow.

References

Magnani, Matteo, and Luca Rossi. 2013. Formation of Multiple Networks. In *Social Computing, Behavioral-Cultural Modeling and Prediction*, 257-264. Springer Berlin Heidelberg.

See Also

[Getting networks: predefined](#), [Getting networks: IO](#)

Examples

```
# we generate a network with two layers, one growing according
# to the Preferential Attachment model and one growing by selecting
# new edges uniformly at random.
models <- c(evolution_pa_ml(3,1), evolution_er_ml(50))
# all the probability vectors must have the same number of
# fields, one for each layer: two in this example
# by defining pr.internal and pr.external, we are also implicitly defining
# pr.no.action (1 minus the other probabilities, for each field/layer).
pr_external <- c(.5,0)
pr_internal <- c(.5,.5)
# each layer will import edges from the other if needed
# (not the second layer in this example: it has 0 probability of external events)
dependency <- matrix(c(0,1,1,0),2,2)
# 100 steps of network growing, adding actors from a pool of 100
grow_ml(100, 100, models, pr_internal, pr_external, dependency)
```

Getting networks: IO *Reading and writing multilayer networks from/to file*

Description

These functions are used to store a multilayer network to a file or load it from a file.

The format used by the package is the following:

```
-- comment lines start with two dashes (--)
#TYPE multiplex
-- or: "#TYPE multilayer", if there are inter-layer edges
#ACTOR ATTRIBUTES
AttributeName1,STRING
AttributeName2,NUMERIC
-- etc.
#NODE ATTRIBUTES
LayerName1,AttributeName1,STRING
LayerName1,AttributeName2,NUMERIC
LayerName2,AttributeName3,STRING
-- etc.
#EDGE ATTRIBUTES
-- if type is multiplex (default), edge attributes are indicated as follows:
LayerName1,AttributeName,STRING
LayerName2,AttributeName,NUMERIC
-- etc.
-- if type is multilayer, edge attributes are indicated as follows:
-- LayerName1,LayerName1,AttributeName,STRING
```

```

-- LayerName1,LayerName2,AttributeName,NUMERIC
-- etc.
#LAYERS
-- if type is multiplex (default), layers are indicated as follows:
LayerName1,UNDIRECTED,AttributeValueList...
LayerName2,DIRECTED,AttributeValueList...
-- etc.
-- if type is multilayer, layers are indicated as follows:
-- LayerName1,LayerName1,UNDIRECTED,AttributeValueList...
-- LayerName2,LayerName2,DIRECTED,AttributeValueList...
-- LayerName1,LayerName2,DIRECTED
-- etc. and all intra-layer directionalities should be listed before inter-layer directionalities
#ACTORS
ActorName1,AttributeValueList...
ActorName2,AttributeValueList...
-- etc.
#NODES
ActorName1,LayerName1,AttributeValueList...
ActorName1,LayerName2,AttributeValueList...
-- etc.
#EDGES
-- if TYPE is multiplex (default), edges are indicated as follows:
ActorName1,ActorName2,LayerName1,AttributeValueList...
-- etc.
-- if TYPE is multilayer, edges are instead indicated as follows:
-- ActorName1,LayerName1,ActorName2,LayerName2,AttributeValueList...
-- etc.
-----

```

If the #LAYERS section is empty, undirected layers are created as mentioned in the #EDGES section.

If the #LAYER ATTRIBUTES, #ACTOR ATTRIBUTES, #NODE ATTRIBUTES or #EDGE ATTRIBUTES sections are empty, no attributes are created.

The #LAYERS #ACTORS and #NODES sections are useful only if attributes are present, or if there are actors not present in any layer, or if there are isolated nodes, otherwise they can be omitted.

If no section is specified, #EDGES is the default.

Therefore, a minimalistic undirected multiplex network file would look like this:

```

-----
Matteo,Luca,Facebook
Matteo,Mark,Facebook
Luca,Mark,Twitter
-----

```

Usage

```

read_ml(file, name="unnamed", sep=',', aligned=FALSE)
write_ml(mlnetwork, file, format="multilayer", layers=character(0),

```



```
sep=',', merge.actors=TRUE, all.actors=FALSE)
```

Arguments

file	The path of the file storing the multilayer network.
name	The name of the multilayer network.
mlnetwork	A multilayer network.
layers	If specific layers are passed to the function, only those layers are saved to file.
format	Either "multilayer", to use the package's internal format, or "graphml".
sep	The character used in the file to separate text fields.
aligned	If true, all actors are added to all layers.
merge.actors	Whether the nodes corresponding to each single actor should be merged into a single node (true) or kept separated (false), when format="graphml" is used.
all.actors	Whether all actors in the multilayer network should be included in the output file (true) or only those present in at least one of the input layers (false), when format="graphml" and merge.actors=TRUE are used.

Value

read_ml returns a multilayer network. write_ml does not return any value.

See Also

[Getting networks: predefined](#), [Getting networks: generation](#)

Examples

```
# writing a network to file...
file <- tempfile("aucs.mpx")
net <- ml_auc()
write_ml(net,file)
# ...and reading it back into a variable
net <- read_ml(file,"AUCS")
net
# the following network has more nodes, because all
# actors are replicated to all graphs
net_aligned <- read_ml(file,"AUCS",aligned=TRUE)
net_aligned
```

Getting networks: predefined

Loading predefined multilayer networks

Description

Creates predefined multilayer networks from the literature.

- `ml_empty` returns an empty multilayer network, not containing any actor, layer, node or edge.
- `ml_auc`s returns the AUCS multiplex network described in *Rossi and Magnani, 2015. "Towards effective visual analytics on multiplex networks". Chaos, Solitons and Fractals. Elsevier.*
- `ml_bankwiring` returns Padgett's Florentine Families multiplex network.
- `ml_florentine` returns Padgett's Florentine Families multiplex network.
- `ml_monastery` returns Sampson's monastery multiplex network.
- `ml_tailorshop` returns Kapferer's' tailorshop multiplex network.
- `ml_toy` returns the toy network used as a running example in *Dickison, Magnani and Rossi. "Multilayer Social Networks". Cambridge University Press.*

Usage

```
ml_empty(name="unnamed")
ml_auc()
ml_bankwiring()
ml_florentine()
ml_monastery()
ml_tailorshop()
ml_toy()
```

Arguments

`name` The name of the new multilayer network.

Value

All these functions return a multilayer network.

References

Rossi, Luca, and Magnani, Matteo (2015). Towards effective visual analytics on multiplex and multilayer networks. *Chaos, Solitons and Fractals*, 72, 68-76. (for `ml_auc()`). Padgett, John F., and McLean, Paul D. (2006). Organizational Invention and Elite Transformation: The Birth of Partnership Systems in Renaissance Florence. *American Journal of Sociology*, 111(5), 1463-1568. (for `ml_florentine()`). Breiger, R. and Boorman, S. and Arabic, P. (1975). An algorithm for clustering relational data with applications to social network analysis and comparison with multidimensional scaling. *Journal of Mathematical Psychology*, 12 (for `ml_monastery()` and `ml_bankwiring()`) - these

authors prepared the datasets, see multilayer.it.uu.se/datasets.html for references to the data collectors). Kapferer, Bruce (1972). *Strategy and Transaction in an African Factory: African Workers and Indian Management in a Zambian Town*. Manchester University Press (for `ml_tailorshop()`).

See Also

[Getting networks: IO](#), [Getting networks: generation](#)

Examples

```
empty <- ml_empty("new network")
aucs <- ml_aucs()
bankwiring <- ml_bankwiring()
florentine <- ml_florentine()
monastery <- ml_monastery()
tailorshop <- ml_tailorshop()
```

Layout

Layouts

Description

These functions compute xyz coordinates for each node in the network.

Usage

```
layout_multiforce_ml(mlnetwork, w_in=1, w_inter=1, gravity=0, iterations=100)
layout_circular_ml(mlnetwork)
```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>w_in</code>	An array with weights for intralayer forces, or a single number if weights are the same for all layers.
<code>w_inter</code>	An array with weights for interlayer forces, or a single number if weights are the same for all layers.
<code>gravity</code>	An array with weights for gravity forces, or a single number if weights are the same for all layers.
<code>iterations</code>	Number of iterations.

References

Fatemi, Zahra, Salehi, Mostafa, & Magnani, Matteo (2018). A generalised force-based layout for multiplex sociograms. *Social Informatics*

See Also

[Plotting](#)

Examples

```
net <- ml_florentine()
layout_multiforce_ml(net)
l <- layout_circular_ml(net)
## Not run:
plot(net,layout=l)
## End(Not run)
```

Measures: basic *Network analysis measures*

Description

These functions compute network analysis measures providing a basic description of the actors in the network.

Usage

```
degree_ml(mlnetwork,actors=character(0),layers=character(0),mode="all")
degree_deviation_ml(mlnetwork,actors=character(0),
  layers=character(0),mode="all")
neighborhood_ml(mlnetwork,actors=character(0),layers=character(0),mode="all")
xneighborhood_ml(mlnetwork,actors=character(0),layers=character(0),mode="all")
connective_redundancy_ml(mlnetwork,actors=character(0),
  layers=character(0),mode="all")
relevance_ml(mlnetwork,actors=character(0),layers=character(0),mode="all")
xrelevance_ml(mlnetwork,actors=character(0),layers=character(0),mode="all")
```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>actors</code>	An array of names of actors.
<code>layers</code>	An array of names of layers.
<code>mode</code>	This argument can take values "in", "out" or "all" to count respectively incoming edges, outgoing edges or both.

Value

`degree_ml` returns the number of edges adjacent to the input actor restricted to the specified layers. `degree_deviation_ml` returns the standard deviation of the degree of an actor on the input layers. An actor with the same degree on all layers will have deviation 0, while an actor with a lot of neighbors on one layer and only a few on another will have a high degree deviation, showing an uneven usage of the layers (or layers with different densities).

`neighborhood_ml` returns the number of actors adjacent to the input actor restricted to the specified layers. `xneighborhood_ml` returns the number of actors adjacent to the input actor restricted to the specified layers and not present in the other layers.

`connective_redundancy_ml` returns 1 minus neighborhood divided by degree_
`relevance_ml` returns the percentage of neighbors present on the specified layers. `xrelevance_ml`
returns the percentage of neighbors present on the specified layers and not on others.

References

Berlingerio, Michele, Michele Coscia, Fosca Giannotti, Anna Monreale, and Dino Pedreschi. 2011. "Foundations of Multidimensional Network Analysis." In International Conference on Social Network Analysis and Mining (ASONAM), 485-89. IEEE Computer Society.

Magnani, Matteo, and Luca Rossi. 2011. "The ML-Model for Multi-Layer Social Networks." In International conference on Social Network Analysis and Mining (ASONAM), 5-12. IEEE Computer Society.

Examples

```
net <- ml_aucs()
# degrees of all actors, considering edges on all layers
degree_ml(net)
# degree of actors U54 and U3, only considering layers work and coauthor
degree_ml(net,c("U54","U3"),c("work","coauthor"),"in")
# an indication of whether U54 and U3 are selectively active only on some layers
degree_deviation_ml(net,c("U54","U3"))
# co-workers of U3
neighborhood_ml(net,"U3","work")
# co-workers of U3 who are not connected to U3 on other layers
xneighborhood_ml(net,"U3","work")
# percentage of neighbors of U3 who are also co-workers
relevance_ml(net,"U3","work")
# redundancy between work and lunch
connective_redundancy_ml(net,"U3",c("work","lunch"))
# percentage of neighbors of U3 who would no longer
# be neighbors by removing this layer
xrelevance_ml(net,"U3","work")
```

Measures: distance-based

Network analysis measures: distance based

Description

This function is based on the concept of multilayer distance. This concept generalizes single-layer distance to a vector with the distance traveled on each layer (in the "multiplex" case). Therefore, non-dominated path lengths are returned instead of shortest path length, where one path length dominates another if it is not longer on all layers, and shorter on at least one. A non-dominated path length is also known as a Pareto distance. Finding all multilayer distances can be very time-consuming for large networks.

Usage

```
distance_ml(mlnetwork, from, to=character(0), method="multiplex")
```

Arguments

mlnetwork	A multilayer network.
from	The actor from which the distance is computed.
to	The actor(s) to which the distance is computed. If not specified, all actors are considered.
method	This argument can take values "simple", "multiplex", "full". Only "multiplex" is currently implemented.

Value

A data frame with one row for each non-dominated distance, specifying the number of steps in each layer.

References

Magnani, Matteo, and Rossi, Luca (2013). Pareto Distance for Multi-layer Network Analysis. In *Social Computing, Behavioral-Cultural Modeling and Prediction* (Vol. 7812, pp. 249-256). Springer Berlin Heidelberg.

Examples

```
net <- ml_aucs()
distance_ml(net, "U54", "U3")
```

Measures: layer comparison

Network analysis measures

Description

These functions can be used to compare different layers.

Usage

```
layer_summary_ml(mlnetwork, layer, method="entropy.degree", mode="all")
layer_comparison_ml(mlnetwork, layers=character(0), method="jaccard.edges", mode="all", K=0)
```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>layer</code>	The name of a layer.
<code>layers</code>	Names of the layers to be compared. If not specified, all layers are used.
<code>method</code>	This argument can take several values. For layer summary: "min.degree", "max.degree", "sum.degree", "mean.degree", "sd.degree", "skewness.degree", "kurtosis.degree", "entropy.degree", "CV.degree", "jarque.bera.degree". For layer comparison: <ul style="list-style-type: none"> • Overlapping: "jaccard.actors", "jaccard.edges", "jaccard.triangles", "coverage.actors", "coverage.edges", "coverage.triangle", "sm.actors", "sm.edges", "sm.triangles", "rr.actors", "rr.edges", "rr.triangles", "kulczynski2.actors", "kulczynski2.edges", "kulczynski2.triangles", "hamann.actors", "hamann.edges", "hamann.triangles". The first part of the value indicates the type of comparison function (Jaccard, Coverage, Simple Matching, Russell Rao, Kulczynski, Hamann), the second part indicates the configurations to which the comparison function is applied. • Distribution dissimilarity: "dissimilarity.degree", "KL.degree", "jeffrey.degree". Notice that these are dissimilarity functions: 0 means highest similarity • Correlation: "pearson.degree" and "rho.degree"
<code>mode</code>	This argument is used for distribution dissimilarities and correlations (that is, those methods based on node degree) and can take values "in", "out" or "all" to consider respectively incoming edges, outgoing edges or both.
<code>K</code>	This argument is used for distribution dissimilarity measures and indicates the number of histogram bars used to compute the divergence. If 0 is specified, then a "typical" value is used, close to the logarithm of the number of actors.

Value

A data frame with layer-by-layer comparisons. For each pair of layers, the data frame contains a value between 0 and 1 (for overlapping and distribution dissimilarity) or -1 and 1 (for correlation).

References

Brodka, P., Chmiel, A., Magnani, M., and Ragozini, G. (2018). Quantifying layer similarity in multiplex networks: a systematic study. *Royal Society Open Science* 5(8)

Examples

```
net <- ml_aucs()

# computing similarity between layer summaries
s1 = layer_summary_ml(net, "facebook", method="entropy.degree")
s2 = layer_summary_ml(net, "lunch", method="entropy.degree")
relative.difference=abs(s1-s2)*2/(abs(s1)+abs(s2))
# other layer summaries
layer_summary_ml(net, "facebook", method="min.degree")
layer_summary_ml(net, "facebook", method="max.degree")
layer_summary_ml(net, "facebook", method="sum.degree")
```

```

layer_summary_ml(net,"facebook",method="mean.degree")
layer_summary_ml(net,"facebook",method="sd.degree")
layer_summary_ml(net,"facebook",method="skewness.degree")
layer_summary_ml(net,"facebook",method="kurtosis.degree")
layer_summary_ml(net,"facebook",method="entropy.degree")
layer_summary_ml(net,"facebook",method="CV.degree")
layer_summary_ml(net,"facebook",method="jarque.bera.degree")

# returning the number of common edges divided by the union of all
# edges for all pairs of layers (jaccard.edges)
layer_comparison_ml(net)
# returning the number of common edges divided by the union of all
# edges only for "lunch" and "facebook" (jaccard.edges)
layer_comparison_ml(net,layers=c("lunch","facebook"))
# returning the percentage of actors in the lunch layer that are
# also present in the facebook layer
layer_comparison_ml(net,method="coverage.actors")
# all overlapping-based measures:
layer_comparison_ml(net,method="jaccard.actors")
layer_comparison_ml(net,method="jaccard.edges")
layer_comparison_ml(net,method="jaccard.triangles")
layer_comparison_ml(net,method="coverage.actors")
layer_comparison_ml(net,method="coverage.edges")
layer_comparison_ml(net,method="coverage.triangles")
layer_comparison_ml(net,method="sm.actors")
layer_comparison_ml(net,method="sm.edges")
layer_comparison_ml(net,method="sm.triangles")
layer_comparison_ml(net,method="rr.actors")
layer_comparison_ml(net,method="rr.edges")
layer_comparison_ml(net,method="rr.triangles")
layer_comparison_ml(net,method="kulczynski2.actors")
layer_comparison_ml(net,method="kulczynski2.edges")
layer_comparison_ml(net,method="kulczynski2.triangles")
layer_comparison_ml(net,method="hamann.actors")
layer_comparison_ml(net,method="hamann.edges")
layer_comparison_ml(net,method="hamann.triangles")

# comparison of degree distributions (divergences)
layer_comparison_ml(net,method="dissimilarity.degree")
layer_comparison_ml(net,method="KL.degree")
layer_comparison_ml(net,method="jeffrey.degree")

# statistical degree correlation
layer_comparison_ml(net,method="pearson.degree")
layer_comparison_ml(net,method="rho.degree")

```


Description

Various algorithms to compute communities in multiplex networks, based on frequent itemset mining (abacus), adjacent cliques (clique percolation), modularity optimization (generalized louvain) and random walks (lart). `get_community_list_ml` is a commodity function translating the result of these algorithms into a list of node identifiers, and is internally used by the plotting function.

Usage

```
abacus_ml(mlnetwork, min.actors=3, min.layers=1)
clique_percolation_ml(mlnetwork, k=3, m=1)
glouvain_ml(mlnetwork, gamma=1, omega=1, limit=0)
infomap_ml(mlnetwork, overlapping=FALSE, directed=FALSE, self.links=TRUE)

get_community_list_ml(comm.struct, mlnetwork)
```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>min.actors</code>	Minimum number of actors to form a community.
<code>min.layers</code>	Minimum number of times two actors must be in the same single-layer community to be considered in the same multi-layer community.
<code>k</code>	Minimum number of actors in a clique_ Must be at least 3.
<code>m</code>	Minimum number of common layers in a clique_
<code>gamma</code>	Resolution parameter for modularity in the generalized louvain and lart methods.
<code>omega</code>	Inter-layer weight parameter in the generalized louvain method.
<code>limit</code>	Limit parameter in the generalized louvain method: if the number of nodes exceeds this limit, then the modularity is computed on the fly without keeping the full data in memory.
<code>overlapping</code>	Specifies if overlapping clusters can be returned.
<code>directed</code>	Specifies whether the edges should be considered as directed.
<code>self.links</code>	Specifies whether self links should be considered or not.
<code>comm.struct</code>	The result of a community detection method.

Value

All community detection algorithms return a data frame where each row contains actor name, layer name and community identifier.

`get_community_list_ml` transforms the output of a community detection function into a list by grouping all the nodes having the same community identifier and the same layer.

References

Berlingerio, Michele, Pinelli, Fabio, and Calabrese, Francesco (2013). ABACUS: frequent pAttern mining-BAsed Community discovery in mUltidimensional networkS. *Data Mining and Knowledge Discovery*, 27(3), 294-320. (for abacus_ml()) Afsarmanesh, Nazanin, and Magnani, Matteo (2018). Partial and overlapping community detection in multiplex social networks. *Social informatics* (for clique_percolation_ml()) Mucha, Peter J., Richardson, Thomas, Macon, Kevin, Porter, Mason A., and Onnela, Jukka-Pekka (2010). Community structure in time-dependent, multiscale, and multiplex networks. *Science* (New York, N.Y.), 328(5980), 876-8. *Data Analysis, Statistics and Probability; Physics and Society*. (for glouvain_ml()) De Domenico, M., Lancichinetti, A., Arenas, A., and Rosvall, M. (2015) Identifying Modular Flows on Multilayer Networks Reveals Highly Overlapping Organization in Interconnected Systems. *PHYSICAL REVIEW X* 5, 011027 (for infomap_ml())

See Also

[Plotting](#)

Examples

```
net <- ml_florentine()
abacus_ml(net)
clique_percolation_ml(net)
glouvain_ml(net)
infomap_ml(net)
```

Navigation

Functions to extract neighbors of nodes, to navigate the network

Description

These functions return actors who are connected to the input actor through an edge. They can be used to navigate the graph, following paths inside it.

Usage

```
neighbors_ml(mlnetwork, actor, layers=character(0), mode="all")
xneighbors_ml(mlnetwork, actor, layers=character(0), mode="all")
```

Arguments

mlnetwork	A multilayer network.
actor	An actor name present in the network, whose neighbors are extracted.
layers	An array of layers belonging to the network. Only the nodes in these layers are returned. If the array is empty, all the nodes in the network are returned.
mode	This argument can take values "in", "out" or "all" to indicate respectively neighbors reachable via incoming edges, via outgoing edges or both.

Value

`neighbors_ml` returns the actors who are connected to the input actor on at least one of the specified layers. `xneighbors_ml` (eXclusive neighbors) returns the actors who are connected to the input actor on at least one of the specified layers, and on none of the other layers. Exclusive neighbors are those neighbors that would be lost by removing the input layers.

References

Berlingerio, Michele, Michele Coscia, Fosca Giannotti, Anna Monreale, and Dino Pedreschi. 2011. "Foundations of Multidimensional Network Analysis." In International Conference on Social Network Analysis and Mining (ASONAM), 485-89. IEEE Computer Society.

See Also

[Network management: properties](#)

Examples

```
net <- ml_aucs()
# out-neighbors of U54, that is, all A such that there is an edge ("U54",A)
neigh <- neighbors_ml(net, "U54", mode="out")
# all in-neighbors of U54 on the "work" layer who are not in-neighbors
# in any other layer
xneigh <- xneighbors_ml(net, "U54", "work", mode="in")
# all neighbors (in- and out-) of U54 on the "work" and "lunch" layers
# who are not neighbors in any other layer
xneigh <- xneighbors_ml(net, "U54", c("work", "lunch"))
```

Network management: attributes

Managing attributes

Description

These functions are used to add values to the network components and retrieve them.

Usage

```
add_attributes_ml(mlnetwork, attributes, type="string", target="actor",
layer="", layer1="", layer2="")
attributes_ml(mlnetwork, target="actor")
get_values_ml(mlnetwork, attribute, actors=character(0),
vertices =character(0), edges=character(0))
set_values_ml(mlnetwork, attribute, actors=character(0),
vertices=character(0), edges=character(0), values)
```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>attributes</code>	Name(s) of the attributes to be created.
<code>target</code>	Can be "actor" (attributes attached to actors), "vertex" (attributes attached to vertices) or "edge" (attributes attached to edges). Layer attributes are not available in this version.
<code>type</code>	Can be "string" or "numeric".
<code>layer</code>	This can be specified only for targets "vertex" (so that the attribute exists only for the vertices in that layer) or "edge" (in which case the attribute applies to intra-layer edges in that layer).
<code>layer1</code>	This can be specified only for target "edge", together with <code>layer2</code> , so that the attribute applies to inter-layer edges from <code>layer1</code> to <code>layer2</code> . If <code>layer1</code> and <code>layer2</code> are specified, <code>layer</code> should not.
<code>layer2</code>	See <code>layer1</code> .
<code>attribute</code>	The name of the attribute to be updated.
<code>actors</code>	A vector of actor names. If this is specified, layers, vertices and edges should not.
<code>vertices</code>	A dataframe of vertices to be updated. The first column specifies actor names, the second layer names. If this is specified, actors, layers and edges should not.
<code>edges</code>	A dataframe containing the vertices to be connected. The four columns must contain, in this order: actor1 name, layer1 name, actor2 name, layer2 name. If this is specified, actors, layers and vertices should not.
<code>values</code>	A vector of values to be set for the corresponding actors, layers, vertices or edges.

Value

`attributes_ml` returns a data frame with columns: "name", and "type". If vertex attributes are listed, an additional "layer" column is used. If edge attributes are listed, two columns "layer1" and "layer2" are included. `get_values_ml` returns a data frame with the values for the requested objects.

Examples

```
net <- ml_aucs()
attributes_ml(net)
# actor attributes, of string type (default)
add_attributes_ml(net,c("name","surname"))
# a numeric attribute associated to the layers (not available in this version)
# add_attributes_ml(net,"num vertices",type="numeric",target="layer")
# attributes for vertices on the facebook layer
add_attributes_ml(net,"username",type="string",target="vertex",layer="facebook")
# attributes for edges on the work layer
add_attributes_ml(net,"strength",type="numeric",target="edge",layer="work")
# listing the attributes
attributes_ml(net)
```

```

# attributes_ml(net,"layer") # not available in this version
attributes_ml(net,"vertex")
attributes_ml(net,"edge")
# setting some values for the newly created attributes
set_values_ml(net,"name",actors=c("U54","U139"),values=c("John","Johanna"))
e <- data.frame(
  c("U139","U139"),
  c("work","work"),
  c("U71","U97"),
  c("work","work"))
set_values_ml(net,"strength",edges=e,values=.47)
# getting the values back
get_values_ml(net,"name",actors=c("U139"))
get_values_ml(net,"strength",edges=e)
# setting attributes based on network properties: create a "degree"
# attribute and set its value to the degree of each actor
actors_ml(net) -> a
layers_ml(net) -> l
degree_ml(net,actors=a,layers=l,mode="all") -> d
add_attributes_ml(net,target="actor",type="numeric",attributes="degree")
set_values_ml(net,attribute="degree",actors=a,values=d)
get_values_ml(net,attribute="degree",actors="U54")
# select actors based on attribute values (e.g., with degree greater than 40)
get_values_ml(net,attribute="degree",actors=a) -> degrees
a[degrees>40]
# list all the attributes again
attributes_ml(net)

```

Network management: edge directionality
Controlling edge directionality

Description

Functions to get and set the edge directionality of one or more pairs of layers (that is, the directionality of edges connecting nodes in those layers).

Usage

```

set_directed_ml(mlnetwork, directionalities)
is_directed_ml(mlnetwork, layers1=character(0), layers2=character(0))

```

Arguments

mlnetwork A multilayer network.

directionalities A dataframe with three columns where each row contains a pair of layers (l1,l2) and 0 or 1 (indicating resp. undirected and directed edges). Directionality is automatically set for both (l1,l2) and (l2,l1).

layers1	The layer(s) from where the edges start. If layers1 is not provided, all layers are considered.
layers2	The layer(s) where the edges end. If an empty list of layers is passed (default), the ending layers are set as equal to those in parameter layers1.

Value

`is_directed_ml` returns a data frame where each row contains the name of two layers and the corresponding type of edges (directed/undirected).

Examples

```
net <- ml_empty()
# Adding some layers, one directed and one undirected
add_layers_ml(net,c("l1","l2"),c(TRUE,FALSE))
# Setting the directionality of inter-layer edges
layers = c("l1","l2")
dir <- data.frame(layers,layers,c(0,1))
set_directed_ml(net,dir)
# retrieving all directionalities
dir <- is_directed_ml(net)
# copying directionalities to a new network
net2 <- ml_empty()
add_layers_ml(net2,c("l1","l2"))
set_directed_ml(net2,dir)
```

Network management: properties

Listing network properties

Description

These functions are used to list basic information about the components of a multilayer network (actors, layers, vertices and edges).

The functions `nodes_ml` and `num_nodes_ml` are deprecated in the current version of the library. Vertex/vertices are now preferentially used over node/nodes.

Usage

```
layers_ml(mlnetwork)
actors_ml(mlnetwork, layers=character(0))
vertices_ml(mlnetwork, layers=character(0))
edges_ml(mlnetwork, layers1=character(0), layers2=character(0))
edges_idx_ml(mlnetwork)

num_layers_ml(mlnetwork)
num_actors_ml(mlnetwork, layers=character(0))
num_vertices_ml(mlnetwork, layers=character(0))
num_edges_ml(mlnetwork, layers1=character(0), layers2=character(0))
```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>layers</code>	An array of names of layers belonging to the network. Only the actors/vertices in these layers are returned. If the array is empty, all the vertices in the network are returned. Notice that this may not correspond to the list of actors: there can be actors that are not present in any layer. These would be returned only using the <code>actors_ml</code> function.
<code>layers1</code>	The layer(s) from where the edges to be extracted start. If an empty list of layers is passed (default), all the layers are considered.
<code>layers2</code>	The layer(s) where the edges to be extracted end. If an empty list of layers is passed (default), the ending layers are set as equal to those in parameter <code>layer1</code> .

Value

`actors_ml` and `layers_ml` return an array of respectively actor and layer names. `vertices_ml` returns a data frame where each row contains the name of the actor corresponding to that vertex and the layer of the vertex. `edges_ml` returns a data frame where each row contains two actor names (i.e., an edge), the name of the two layers connected by the edge (which can be the same layer if it is an intra-layer edge) and the type of edge (directed/undirected).

`edges_idx_ml` returns the index of the vertex as returned by the `vertices_ml` function instead of its name - this is used internally by the plotting function.

The functions `num_*` compute the number of components of the requested type. If the number of actors is requested without specifying any layer, the total number of actors is returned, including those not present in any layer.

See Also

[Network management: updates](#), [Network management: edge directionality](#)

Examples

```
net <- ml_aucs()
actors_ml(net)
layers_ml(net)
vertices_ml(net)
# only vertices in the "facebook" layer
vertices_ml(net, "facebook")
# all edges
edges_ml(net)
# Only edges inside the "lunch" layer
edges_ml(net, "lunch", "lunch")
# Does the same as in the previous line
edges_ml(net, "lunch")
# Returns an empty data frame, because there are no edges from the
# "lunch" layer to the "facebook" layer
edges_ml(net, "lunch", "facebook")

num_actors_ml(net)
```

```

num_layers_ml(net)
num_vertices_ml(net)
# Only vertices in the "facebook" layer are counted
num_vertices_ml(net,"facebook")
num_edges_ml(net)
# Only edges inside the "lunch" layer are counted
num_edges_ml(net,"lunch","lunch")
# Does the same as in the previous line
num_edges_ml(net,"lunch")
# Returns 0, because there are no edges from the "lunch" layer to
# the "facebook" layer
num_edges_ml(net,"lunch","facebook")

```

Network management: updates

Manipulation of multilayer networks

Description

Functions to add or remove components of a multilayer network.

The functions `add_vertices_ml` and `delete_vertices_ml` add/remove the input actors to/from the input layers, but do not add/remove the actors from the multilayer network.

A layer can also be added from an `igraph` object, where the vertex attribute name represents the actor name, using the `add_igraph_layer_ml` function. `add_vertices_ml` and `delete_vertices_ml` add/remove the input actors to/from the input layers, but do not add/remove the actors from the multilayer network.

The functions `add_nodes_ml` and `delete_nodes_ml` are deprecated in the current version of the library. `Vertex/vertices` are now preferentially used over `node/nodes`.

Usage

```

add_layers_ml(mlnetwork, layers, directed=FALSE)
add_actors_ml(mlnetwork, actors)
add_vertices_ml(mlnetwork, vertices)
add_edges_ml(mlnetwork, edges)

```

```

add_igraph_layer_ml(mlnetwork, g, name)

```

```

delete_layers_ml(mlnetwork, layers)
delete_actors_ml(mlnetwork, actors)
delete_vertices_ml(mlnetwork, vertices)
delete_edges_ml(mlnetwork, edges)

```

Arguments

<code>mlnetwork</code>	A multilayer network.
<code>layers</code>	An array of names of layers.

actors	An array of names of actors.
g	An igraph object with simple edges and a vertex attribute called name storing the actor name corresponding to the vertex.
name	Name of the new layer.
directed	Determines if the layer(s) is (are) directed or undirected. If multiple layers are specified, directed should be either a single value or an array with as many values as the number of layers.
vertices	A dataframe of vertices to be updated. The first column specifies actor names, the second layer names.
edges	A dataframe containing the vertices to be connected. The four columns must contain, in this order: actor1 name, layer1 name, actor2 name, layer2 name. The directionality of the edge (directed/undirected) is pre-defined depending on the layer(s).

See Also

[Network management: properties](#), [Network management: edge directionality](#)

Examples

```
net <- ml_empty()
# Adding some layers
add_layers_ml(net, "l1")
add_layers_ml(net, c("l2", "l3"), c(TRUE, FALSE))
layers_ml(net)
# Adding actors A1, A2, A3
add_actors_ml(net, "A1")
add_actors_ml(net, c("A2", "A3"))
# Verifying that the actors have been added correctly
num_actors_ml(net)
actors_ml(net)
# Adding some vertices (actor A3 is not present in layer l3: no corresponding vertex there)
vertices <- data.frame(
  c("A1", "A2", "A3", "A1", "A2", "A3"),
  c("l1", "l1", "l1", "l2", "l2", "l2"))
add_vertices_ml(net, vertices)
vertices <- data.frame(
  c("A1", "A2"),
  c("l3", "l3"))
add_vertices_ml(net, vertices)
vertices_ml(net)
# We create a data frame specifying two edges:
# A2,l2 -- A3,l1
# A2,l2 -- A3,l2
edges <- data.frame(
  c("A2", "A2"),
  c("l2", "l2"),
  c("A3", "A3"),
  c("l1", "l2"))
add_edges_ml(net, edges)
```

```
edges_ml(net)

# The following deletes layer 1, and also deletes
# all vertices from "l1" and the edge with an end-point in "l1"
delete_layers_ml(net,"l1")
# The following also deletes the vertices associated to
# "A1" in layers "l2" and "l3"
delete_actors_ml(net,"A1")
# deleting vertex A2,l3 and edge A2,l2 -- A3,l2
delete_vertices_ml(net,data.frame("A2","l3"))
edges <- data.frame("A2","l2","A3","l2")
delete_edges_ml(net,edges)
net
```

Plotting

Drawing a multilayer network

Description

This function draws a multilayer network.

Usage

```
## S3 method for class 'Rcpp_RMLNetwork'
plot(x,
      layout=NULL, grid=NULL, mai=.1,
      vertex.shape=16, vertex.cex=1, vertex.size=vertex.cex, vertex.color=NULL,
      vertex.labels=NULL, vertex.labels.pos=3, vertex.labels.offset=.5, vertex.labels.cex=1,
      edge.type=1, edge.width=1, edge.color=1,
      edge.arrow.length=0.1, edge.arrow.angle=20,
      legend.x = NULL, legend.y = NULL,
      legend.pch = 20, legend.cex = 0.5,
      legend.inset = c(0, 0),
      com=NULL, com.cex=1, ...)
```

Arguments

<code>x</code>	A multilayer network.
<code>layout</code>	A data frame indicating the position of nodes. If <code>NULL</code> , the function <code>layout.multiforce.ml</code> is used to compute it.
<code>grid</code>	A vector of size 2 indicating the number of rows and columns where to draw the layers.
<code>mai</code>	Percentage of each frame reserved as internal margin. This only concerns nodes: text labels can be printed inside the margin or even outside the frame depending on their offset.
<code>vertex.shape</code>	Symbol to use for nodes, corresponding to the parameter <code>pch</code> of the R <code>points</code> function. This can either be a single character or an integer code for one of a set of graphics symbols. See <code>?points</code> for more details.

<code>vertex.size</code>	synonym of <code>vertex.cex</code> .
<code>vertex.cex</code>	Numeric <i>*c*</i> character <i>*ex*</i> pansion factor; multiplied by <code>par("cex")</code> yields the final node size.
<code>vertex.color</code>	Color of the vertexes. If NULL, all vertexes in the same layer are plotted using the same color.
<code>vertex.labels</code>	A character vector or expression specifying the text to be written besides each node. It corresponds to the parameter <code>labels</code> of the R <code>text</code> function.
<code>vertex.labels.pos</code>	A position specifier for the text. Values of '1', '2', '3' and '4', respectively indicate positions below, to the left of, above and to the right of the specified coordinates. It corresponds to the parameter <code>pos</code> of the R <code>text</code> function.
<code>vertex.labels.offset</code>	When <code>vertex.labels.pos</code> is specified, this value gives the offset of the label from the specified coordinate in fractions of a character width. It corresponds to the parameter <code>offset</code> of the R <code>text</code> function.
<code>vertex.labels.cex</code>	Numeric <i>*c*</i> character <i>*ex*</i> pansion factor; multiplied by <code>'par("cex")'</code> yields the final character size. 'NULL' and 'NA' are equivalent to '1.0'. It corresponds to the parameter <code>cex</code> of the R <code>text</code> function.
<code>edge.type</code>	Edge line type, corresponding to the <code>'lty'</code> parameter of the R <code>par</code> function. Line types can either be specified as an integer (0=blank, 1=solid (default), 2=dashed, 3=dotted, 4=dotdash, 5=longdash, 6=twodash) or as one of the character strings <code>'"blank"'</code> , <code>'"solid"'</code> , <code>'"dashed"'</code> , <code>'"dotted"'</code> , <code>'"dotdash"'</code> , <code>'"longdash"'</code> , or <code>'"twodash"'</code> , where <code>'"blank"'</code> uses 'invisible lines' (i.e., does not draw them). See <code>?par</code> for more details. It accepts a vector of values which are recycled.
<code>edge.width</code>	Edge line width, corresponding to the <code>'lwd'</code> parameter of the R <code>'par'</code> function. See <code>?par</code> for more details. It accepts a vector of values which are recycled.
<code>edge.color</code>	Color of the edges.
<code>edge.arrow.length</code>	Length of the edges of the arrow head (in inches) - corresponding to the parameter of the R <code>arrows</code> function with the same name.
<code>edge.arrow.angle</code>	Angle from the shaft of the arrow to the edge of the arrow head - corresponding to the parameter of the R <code>arrows</code> function with the same name.
<code>legend.x</code> , <code>legend.y</code>	the x and y co-ordinates to be used to position the legend. They can be specified by keyword or in any way which is accepted by xy.coords .
<code>legend.pch</code>	the plotting symbols appearing in the legend, as numeric vector or a vector of 1-character strings
<code>legend.cex</code>	character expansion factor relative to current <code>par("cex")</code> . Used for text.
<code>legend.inset</code>	inset distance(s) from the margins as a fraction of the plot region when legend is placed by keyword.
<code>com</code>	The result of a community detection algorithm. When this parameter is set, a colored area is added behind each community.

com.cex	Increases (>1) or decreases (<1) the margin around the nodes when the colored areas are drawn around the communities.
...	Other graphical parameters.

See Also

[Mining: communities](#)

Examples

```
net <- ml_florentine()
## Not run:
plot(net)
c <- clique.percolation.ml(net)
plot(net,vertex.labels.cex=.5,com=c)

## End(Not run)
net <- ml_auc()
## Not run:
plot(net,vertex.labels=NA)
title("AUCS network")

## End(Not run)
```

Transformation

Functions to merge multiple layers into one: flattening

Description

These functions merge multiple layers into one. The new layer is added to the network. If the input layers are no longer necessary, they must be explicitly erased.

`flatten_ml` adds a new layer with the actors in the input layers and an edge between A and B if they are connected in any of the merged layers.

Usage

```
flatten_ml(mlnetwork, new.layer="flattening", layers=character(0),
  method="weighted", force.directed=FALSE, all.actors=FALSE)
```

Arguments

mlnetwork	A multilayer network.
new.layer	Name of the new layer.
layers	An array of layers belonging to the network.
method	This argument can take values "weighted" or "or". "weighted" adds an attribute to the new edges with the number of layers where the two actors are connected

- `force.directed` The new layer is set as directed. If this is false, the new layer is set as directed if at least one of the merged layers is directed.
- `all.actors` If TRUE, then all the actors are included in the new layer, even if they are not present in any of the merged layers.

Examples

```
net <- ml_aucS()  
# A new layer is added to the network, with a flattening of all the other layers  
flatten_ml(net, layers=layers_ml(net))
```

Index

*Topic **multilayer network social analysis mining**

multinet-package, 2

abacus.ml (Deprecated functions), 4

abacus_ml (Mining: communities), 16

actors.ml (Deprecated functions), 4

actors_ml (Network management: properties), 22

add.actors.ml (Deprecated functions), 4

add.attributes.ml (Deprecated functions), 4

add.edges.ml (Deprecated functions), 4

add.igraph.layer.ml (Deprecated functions), 4

add.layers.ml (Deprecated functions), 4

add.nodes.ml (Deprecated functions), 4

add.vertices.ml (Deprecated functions), 4

add_actors_ml (Network management: updates), 24

add_attributes_ml (Network management: attributes), 19

add_edges_ml (Network management: updates), 24

add_igraph_layer_ml (Network management: updates), 24

add_layers_ml (Network management: updates), 24

add_nodes_ml (Network management: updates), 24

add_vertices_ml (Network management: updates), 24

as.igraph.Rcpp_RMLNetwork (Conversion), 3

attributes.ml (Deprecated functions), 4

attributes_ml (Network management: attributes), 19

Classes, 3

clique.percolation.ml (Deprecated functions), 4

clique_percolation_ml (Mining: communities), 16

connective.redundancy.ml (Deprecated functions), 4

connective_redundancy_ml (Measures: basic), 12

Conversion, 2, 3

degree.deviation.ml (Deprecated functions), 4

degree.ml (Deprecated functions), 4

degree_deviation_ml (Measures: basic), 12

degree_ml (Measures: basic), 12

delete.actors.ml (Deprecated functions), 4

delete.edges.ml (Deprecated functions), 4

delete.layers.ml (Deprecated functions), 4

delete.nodes.ml (Deprecated functions), 4

delete.vertices.ml (Deprecated functions), 4

delete_actors_ml (Network management: updates), 24

delete_edges_ml (Network management: updates), 24

delete_layers_ml (Network management: updates), 24

delete_nodes_ml (Network management: updates), 24

delete_vertices_ml (Network management: updates), 24

Deprecated functions, 4

distance.ml (Deprecated functions), 4

distance_ml (Measures: distance-based), 13

- edges.idx.ml (Deprecated functions), 4
- edges.ml (Deprecated functions), 4
- edges_idx_ml (Network management: properties), 22
- edges_ml (Network management: properties), 22
- evolution.er.ml (Deprecated functions), 4
- evolution.pa.ml (Deprecated functions), 4
- evolution_er_ml (Getting networks: generation), 6
- evolution_pa_ml (Getting networks: generation), 6

- flatten.ml (Deprecated functions), 4
- flatten_ml (Transformation), 28

- get.community.list.ml (Deprecated functions), 4
- get.values.ml (Deprecated functions), 4
- get_community_list_ml (Mining: communities), 16
- get_values_ml (Network management: attributes), 19
- Getting networks: generation, 2, 6, 9, 11
- Getting networks: IO, 2, 7, 7, 11
- Getting networks: predefined, 2, 7, 9, 10
- glouvain.ml (Deprecated functions), 4
- glouvain_ml (Mining: communities), 16
- grow.ml (Deprecated functions), 4
- grow_ml (Getting networks: generation), 6

- infomap.ml (Deprecated functions), 4
- infomap_ml (Mining: communities), 16
- is.directed.ml (Deprecated functions), 4
- is_directed_ml (Network management: edge directionality), 21

- layer.comparison.ml (Deprecated functions), 4
- layer.summary.ml (Deprecated functions), 4
- layer_comparison_ml (Measures: layer comparison), 14
- layer_summary_ml (Measures: layer comparison), 14
- layers.ml (Deprecated functions), 4
- layers_ml (Network management: properties), 22
- Layout, 11
- layout.circular.ml (Deprecated functions), 4
- layout.multiforce.ml (Deprecated functions), 4
- layout_circular_ml (Layout), 11
- layout_multiforce_ml (Layout), 11
- list.attributes.ml (Deprecated functions), 4

- Measures: basic, 2, 12
- Measures: distance-based, 2, 13
- Measures: layer comparison, 2, 14
- Mining: communities, 2, 16, 28
- ml.aucs (Deprecated functions), 4
- ml.bankwiring (Deprecated functions), 4
- ml.empty (Deprecated functions), 4
- ml.florentine (Deprecated functions), 4
- ml.monastery (Deprecated functions), 4
- ml.tailorshop (Deprecated functions), 4
- ml.toy (Deprecated functions), 4
- ml_aucs (Getting networks: predefined), 10
- ml_bankwiring (Getting networks: predefined), 10
- ml_empty (Getting networks: predefined), 10
- ml_florentine (Getting networks: predefined), 10
- ml_monastery (Getting networks: predefined), 10
- ml_tailorshop (Getting networks: predefined), 10
- ml_toy (Getting networks: predefined), 10
- multinet (multinet-package), 2
- multinet-package, 2

- Navigation, 2, 18
- neighborhood.ml (Deprecated functions), 4
- neighborhood_ml (Measures: basic), 12
- neighbors.ml (Deprecated functions), 4
- neighbors_ml (Navigation), 18
- Network management: attributes, 2, 19
- Network management: edge directionality, 2, 21, 23, 25

- Network management: properties, [2](#), [19](#), [22](#), [25](#)
- Network management: updates, [2](#), [23](#), [24](#)
- new.attributes.ml (Deprecated functions), [4](#)
- nodes.ml (Deprecated functions), [4](#)
- nodes_ml (Network management: properties), [22](#)
- num.actors.ml (Deprecated functions), [4](#)
- num.edges.ml (Deprecated functions), [4](#)
- num.layers.ml (Deprecated functions), [4](#)
- num.nodes.ml (Deprecated functions), [4](#)
- num.vertices.ml (Deprecated functions), [4](#)
- num_actors_ml (Network management: properties), [22](#)
- num_edges_ml (Network management: properties), [22](#)
- num_layers_ml (Network management: properties), [22](#)
- num_nodes_ml (Network management: properties), [22](#)
- num_vertices_ml (Network management: properties), [22](#)

- plot.ml (Plotting), [26](#)
- plot.multinet (Plotting), [26](#)
- plot.Rcpp_RMLNetwork (Plotting), [26](#)
- Plotting, [2](#), [11](#), [18](#), [26](#)

- Rcpp_REvolutionModel-class (Classes), [3](#)
- read.ml (Deprecated functions), [4](#)
- read_ml (Getting networks: IO), [7](#)
- relevance.ml (Deprecated functions), [4](#)
- relevance_ml (Measures: basic), [12](#)
- REvolutionModel (Classes), [3](#)
- RMLNetwork-class (Classes), [3](#)

- set.directed.ml (Deprecated functions), [4](#)
- set.values.ml (Deprecated functions), [4](#)
- set_directed_ml (Network management: edge directionality), [21](#)
- set_values_ml (Network management: attributes), [19](#)

- Transformation, [2](#), [28](#)

- vertices.ml (Deprecated functions), [4](#)
- vertices_ml (Network management: properties), [22](#)
- write.ml (Deprecated functions), [4](#)
- write_ml (Getting networks: IO), [7](#)

- xneighborhood.ml (Deprecated functions), [4](#)
- xneighborhood_ml (Measures: basic), [12](#)
- xneighbors.ml (Deprecated functions), [4](#)
- xneighbors_ml (Navigation), [18](#)
- xrelevance.ml (Deprecated functions), [4](#)
- xrelevance_ml (Measures: basic), [12](#)
- xy.coords, [27](#)