

# Package ‘webp’

March 4, 2019

**Type** Package

**Title** A New Format for Lossless and Lossy Image Compression

**Version** 1.0

**Author** Jeroen Ooms

**Maintainer** Jeroen Ooms <jeroen@berkeley.edu>

**Description** Lossless webp images are 26% smaller in size compared to PNG. Lossy webp images are 25-34% smaller in size compared to JPEG. This package reads and writes webp images into a 3 (rgb) or 4 (rgba) channel bitmap array using conventions from the 'jpeg' and 'png' packages.

**License** MIT + file LICENSE

**URL** <https://github.com/jeroen/webp#readme>  
<https://developers.google.com/speed/webp>

**BugReports** <https://github.com/jeroen/webp/issues>

**SystemRequirements** libwebp

**LazyData** TRUE

**Encoding** UTF-8

**Suggests** jpeg, png

**RoxygenNote** 6.1.1

**Language** en-GB

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2019-03-04 14:10:04 UTC

## R topics documented:

read_webp . . . . .	2
<b>Index</b>	<b>3</b>

---

read_webp	<i>Webp image format</i>
-----------	--------------------------

---

### Description

Read and write webp images into a bitmap array. The bitmap array uses the same conventions as the png and jpeg package.

### Usage

```
read_webp(source, numeric = TRUE)

write_webp(image, target = NULL, quality = 80)
```

### Arguments

source	raw vector or path to webp file
numeric	convert the image to 0-1 real numbers to be compatible with images from the jpeg or png package.
image	array of 3 dimensions (width * height * channel) with real numbers between 0 and 1.
target	path to a file or NULL to return the image as a raw vector
quality	value between 0 and 100

### Examples

```
# Convert to webp
library(png)
img <- readPNG(system.file("img", "Rlogo.png", package="png"))
out <- file.path(tempdir(), "rlogo.webp")
write_webp(img, out)
# browseURL(out)

# Convert from webp
library(jpeg)
img <- read_webp(out)
jpeg <- file.path(tempdir(), "rlogo.jpeg")
writeJPEG(img, jpeg)
# browseURL(jpeg)
```

# Index

`read_webp`, 2

`webp (read_webp)`, 2

`write_webp (read_webp)`, 2