

Package ‘zscorer’

November 26, 2018

Type Package

Title Child Anthropometry z-Score Calculator

Version 0.2.0

Description A tool for calculating z-scores and centiles for weight-for-age, length/height-for-age, weight-for-length/height, BMI-for-age, head circumference-for-age, age circumference-for-age, subscapular skinfold-for-age, triceps skinfold-for-age based on the WHO Child Growth Standards.

Depends R (>= 2.10)

Imports tidy

Suggests testthat, knitr, rmarkdown, shiny, shinythemes, covr

License AGPL-3

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

URL <https://github.com/nutriverse/zscorer>

BugReports <https://github.com/nutriverse/zscorer/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Mark Myatt [aut],
Ernest Guevarra [aut, cre] (<<https://orcid.org/0000-0002-4887-4415>>)

Maintainer Ernest Guevarra <ernestgmd@gmail.com>

Repository CRAN

Date/Publication 2018-11-26 13:10:02 UTC

R topics documented:

addWGSR	2
anthro1	4

anthro2	5
anthro3	5
getAllWGS	6
getCohortWGS	8
getWGS	9
getWGSR	11
run_zscorer	13
wgsData	13
wgsrData	14
zscorer	15

Index	16
--------------	-----------

addWGSR	<i>addWGSR</i>
---------	----------------

Description

Function to add the WHO Growth Reference z-scores to a data frame

Usage

```
addWGSR(data, sex, firstPart, secondPart, thirdPart = NA, index = NA,
         standing = NULL, output = paste(index, "z", sep = ""), digits = 2)
```

Arguments

<code>data</code>	A survey dataset as a data.frame object
<code>sex</code>	Name of variable specifying the sex of the subject. This must be coded as 1 = male; 2 = female. Give a quoted variable name as in (e.g.) "sex".
<code>firstPart</code>	Name of variable specifying: <ul style="list-style-type: none"> • Weight (kg) for BMI/A, W/A, W/H, or W/L • Head circumference (cm) for HC/A • Height (cm) for BMI/A for H/A • Length (cm) for L/A • MUAC (cm) for MUAC/A • Sub-scapular skinfold (mm) for SSF/A • Triceps skinfold (mm) for TSF/A Give a quoted variable name as in (e.g.) "weight". Be careful with units (weight in kg; height, length, head circumference, and MUAC in cm, skinfolds in mm).
<code>secondPart</code>	Name of variable specifying: <ul style="list-style-type: none"> • Age (days) for H/A, HC/A, L/A, MUAC/A, SSF/A, or TSF/A • Height (cm) BMI/A or W/H

	<ul style="list-style-type: none"> • Length (cm) for W/L
	Give a quoted variable name as in (e.g.) "age". Be careful with units (age in days; height and length in cm).
thirdPart	Name of variable specifying age (in days) for BMI/A Give a quoted variable name as in (e.g.) "age". Be careful with units (age in days).
index	The index to be calculated and added to data. One of: bfa BMI for age hca Head circumference for age hfa Height for age lfa Length for age mfa MUAC for age ssa Sub-scapular skinfold for age tsa Triceps skinfold for age wfa Weight for age wfh Weight for height wfl Weight for length Give a quoted index name as in (e.g.) "wfh".
standing	Variable specifying how stature was measured. If NULL then age (for "hfa" or "lfa") or height rules (for "wfh" or "wfl") will be applied. This must be coded as 1 = Standing; 2 = Supine; 3 = Unknown. All other values will be recoded to 3 = Unknown. Give a quoted variable name as in (e.g.) "measured" or a single value (e.g. "measured = 1"). If no value (or NULL) is specified then height and age rules will be applied.
output	The name of the column containing the specified index to be added to the dataset. This is an optional parameter. If you do not specify a value for output then the added column will take the name of the specified index with a "z" appended.
digits	The number of decimal places for output. Defaults to 2 d.p.

Value

A data.frame of the survey dataset with the calculated z-scores added.

Examples

```
# Calculate weight-for-height (wfh) for the anthro3 dataset
addWGSR(data = anthro3,
         sex = "sex",
         firstPart = "weight",
         secondPart = "height",
         index = "wfh")

# Calculate weight-for-age (wfa) for the anthro3 dataset
addWGSR(data = anthro3,
```

```
sex = "sex",
firstPart = "weight",
secondPart = "age",
index = "wfa")

# Calculate height-for-age (hfa) for the anthro3 dataset
addWGSR(data = anthro3,
sex = "sex",
firstPart = "height",
secondPart = "age",
index = "hfa")
```

anthro1

anthro1

Description

Anthropometric data from a SMART survey in Kabul, Afghanistan.

Usage

anthro1

Format

A data frame with 873 observations and 11 variables

psu Primary sampling unit

age Age of child (months)

sex Gender of child

weight Weight of child (kgs)

height Height of child (cm)

muac Mid-upper arm circumference (mm)

oedema Presence or absence of oedema

haz Height-for-age z-score

waz Weight-for-age z-score

whz Weight-for-height z-score

flag Data quality flag

anthro2

anthro2

Description

Anthropometric data from a single state from a Demographic and Health Survey (DHS) of a West African country.

Usage

anthro2

Format

A data frame with 796 observations and 6 variables

psu Primary sampling unit

age Age (months)

sex Gender

wt Weight (kg)

ht height (cm)

oedema Presence or absence of oedema

anthro3

anthro3

Description

Anthropometric data from a Rapid Assessment Method (RAM) survey from Burundi.

Usage

anthro3

Format

A data frame with 221 observations and 7 variables

psu Primary sampling unit

age Age (months)

sex Gender

weight Weight (kg)

height Height (cm)

muac Mid-upper arm circumference (cm)

oedema Presence or absence of oedema

 getAllWGS

getAllWGS

Description

Calculate z-scores for WHZ, HAZ, WAZ using the WHO Growth Reference (2006) for a single child data.

Usage

```
getAllWGS(data = NULL, sex, weight, height, age, index)
```

Arguments

data	Data frame containing corresponding data on sex, weight, height, and age of children. Default is NULL. If specified, parameters for sex, weight, height and age should be provided as character values of the names of variables in data corresponding to the parameters required.
sex	Either numeric values (1 = male; 2 = female) indicating sex of child (default) or character value (if data is specified) indicating variable name in data containing information on sex of child/children (1 = male; 2 = female).
weight	Either numeric values for weight in kg with at least 1 decimal place (default) or character value (if data is specified) indicating variable name in data containing information on weight of child/children.
height	Either numeric values for height in cm with at least 1 decimal place (default) or character value (if data is specified) indicating variable name in data containing information on height of child/children.
age	Either numeric values for age in whole months (default) or character value (if data is specified) indicating variable name in data containing information on age of child/children.
index	One of "wfh", "hfa", "wfa" (specifies the required index) or "all" to calculate all three indices

Value

Either a single numeric value for z-score of the anthropometric index selected if data is for single child or a data frame of numeric values for z-scores of each anthropometric index if data is for multiple children and more than one anthropometric index selected.

The function fails messily when secondPart is outside of the range given in the WGS reference (i.e. 45 to 120 cm for height and 0 to 60 months for age). It is up to you to check the ranges of your data.

The reference data for W/H assumes supine length is used for children with a standing height below 85cm

Heights should be specified in cm to the nearest mm (i.e. to 1 d.p.)

Ages should be specified in whole months

Weights should be specified in kg to available precision

The function requires reference data wgsData included in this package

Examples

```
# apply \code{getAllWGS()} to a make believe 52 month old male child with weight of  
# 14.6 kg and height of 98.0 cm
```

```
waz <- getAllWGS(sex = 1,          # 1 = Male / 2 = Female  
                 weight = 14.6,   # Weight in kilograms  
                 height = 98,     # Height in centimetres  
                 age = 52,        # Age in whole months  
                 index = "wfa")   # Anthropometric index (weight-for-age)  
waz
```

```
haz <- getAllWGS(sex = 1,  
                 weight = 14.6,  
                 height = 98,     # Height in centimetres  
                 age = 52,  
                 index = "hfa")   # Anthropometric index (height-for-age)  
haz
```

```
whz <- getAllWGS(sex = 1,  
                 weight = 14.6,  
                 height = 98,  
                 age = 52,  
                 index = "wfh")   # Anthropometric index (weight-for-height)  
whz
```

```
# apply \code{getAllWGS()} to \code{anthro1} dataset
```

```
waz <- getAllWGS(data = anthro1,  
                 sex = "sex",  
                 weight = "weight",  
                 height = "height",  
                 age = "age",  
                 index = "wfa")  
waz
```

```
haz <- getAllWGS(sex = anthro1$sex,  
                 weight = anthro1$weight,  
                 height = anthro1$height,  
                 age = anthro1$age,  
                 index = "hfa")  
haz
```

```
all <- getAllWGS(data = anthro1,  
                 sex = "sex",  
                 weight = "weight",  
                 height = "height",  
                 age = "age",  
                 index = "all")  
all
```

getCohortWGS	<i>getCohortWGS</i>
--------------	---------------------

Description

Calculate z-scores for WHZ, HAZ, WAZ using the WHO Growth Reference (2006) for a cohort or sample of children.

Usage

```
getCohortWGS(data, FUN = getWGS, sexObserved, firstPart, secondPart,
              index)
```

Arguments

<code>data</code>	Data frame containing the variables needed for calculation
<code>FUN</code>	Function to apply; default to <code>getWGS()</code>
<code>sexObserved</code>	Sex of child (1 = Male; 2 = Female)
<code>firstPart</code>	Weight (kg; for WHZ and WAZ) or height (cm; for HAZ)
<code>secondPart</code>	Age (months; for HAZ and WAZ) or height (cm; for WHZ)
<code>index</code>	One of "wfh", "hfa", "wfa" (specifies the required index)

Value

Numeric vector of z-scores of the anthropometric index selected

The function fails messily when `secondPart` is outside of the range given in the WGS reference (i.e. 45 to 120 cm for height and 0 to 60 months for age). It is up to you to check the ranges of your data.

The reference data for W/H assumes supine length is used for children with a standing height below 85cm

Heights should be specified in cm to the nearest mm (i.e. to 1 d.p.)

Ages should be specified in whole months

Weights should be specified in kg to available precision

The function requires reference data `wgsData` included in this package

Examples

```
# apply getWGS to first child in sample data anthro1
wazAll <- getCohortWGS(data = anthro1,
  sexObserved = "sex",
  firstPart = "weight",
  secondPart = "age",
  index = "wfa")

wazAll

hazAll <- getCohortWGS(data = anthro1,
  sexObserved = "sex",
  firstPart = "height",
  secondPart = "age",
  index = "hfa")

hazAll

whzAll <- getCohortWGS(data = anthro1,
  sexObserved = "sex",
  firstPart = "weight",
  secondPart = "height",
  index = "wfh")

whzAll
```

getWGS

getCohortWGS

Description

Calculate z-scores for WHZ, HAZ, WAZ using the WHO Growth Reference (2006) for a single child data.

Usage

```
getWGS(sexObserved, firstPart, secondPart, index)
```

Arguments

sexObserved	Sex of child (1 = Male; 2 = Female)
firstPart	Weight (in kg for WHZ and WAZ) or height (in cm for HAZ)
secondPart	Age (in months for HAZ and WAZ) or height (in cm for WHZ)
index	One of "wfh", "hfa", "wfa" (specifies the required index)

Value

z-score of the anthropometric index selected

Warning

The function fails messily when `secondPart` is outside of the range given in the WGS reference (i.e. 45 to 120 cm for height and 0 to 60 months for age). It is up to you to check the ranges of your data.

Reminders

The reference data for W/H assumes supine length is used for children with a standing height below 85cm

Heights should be specified in cm to the nearest mm (i.e. to 1 d.p.)

Ages should be specified in whole months

Weights should be specified in kg to available precision

The function requires reference data `wgsData` included in this package

Note

This is a legacy function from the first CRAN release of `zscorer` which focused mainly on the calculation of z-scores for weight-for-age, weight-for-height and height-for-age. This function has been kept in the package to ensure that existing analysis workflows implemented using the function continue to work.

Examples

```
# apply \code{getWGS()} to a make believe 52 month old male child with weight of
# 14.6 kg and height of 98.0 cm
waz <- getWGS(sexObserved = 1,      # 1 = Male / 2 = Female
              firstPart = 14.6,    # Weight in kilograms
              secondPart = 52,     # Age in whole months
              index = "wfa")       # Anthropometric index (weight-for-age)
waz

haz <- getWGS(sexObserved = 1,
              firstPart = 98,      # Height in centimetres
              secondPart = 52,
              index = "hfa")       # Anthropometric index (height-for-age)
haz

whz <- getWGS(sexObserved = 1,
              firstPart = 14.6,
              secondPart = 98,
              index = "wfh")       # Anthropometric index (weight-for-height)
whz
```

 getWGSR

 getWGSR

Description

Function to calculate z-scores. Usually called by the addWGSR() function but could be used as a stand-alone command-line calculator if required.

Usage

```
getWGSR(sex, firstPart, secondPart, index = NA, standing,
         thirdPart = NA)
```

Arguments

sex	Sex of the subject. This must be coded as 1 = male; 2 = female.
firstPart	Name of variable specifying: <ul style="list-style-type: none"> • Weight (kg) for BMI/A, W/A, W/H, or W/L • Head circumference (cm) for HC/A • Height (cm) for BMI/A for H/A • Length (cm) for L/A • MUAC (cm) for MUAC/A • Sub-scapular skinfold (mm) for SSF/A • Triceps skinfold (mm) for TSF/A Give a quoted variable name as in (e.g.) "weight". Be careful with units (weight in kg; height, length, head circumference, and MUAC in cm, skinfolds in mm).
secondPart	Name of variable specifying: <ul style="list-style-type: none"> • Age (days) for H/A, HC/A, L/A, MUAC/A, SSF/A, or TSF/A • Height (cm) BMI/A or W/H • Length (cm) for W/L Give a quoted variable name as in (e.g.) "age". Be careful with units (age in days; height and length in cm).
index	The index to be calculated and added to data. One of: <ul style="list-style-type: none"> bfa BMI for age hca Head circumference for age hfa Height for age lfa Length for age mfa MUAC for age ssa Sub-scapular skinfold for age tfa Triceps skinfold for age

	wfa Weight for age
	wfh Weight for height
	wfl Weight for length
	Give a quoted index name as in (e.g.) "wfh".
standing	Variable specifying how stature was measured. If NULL then age (for "hfa" or "lfa") or height rules (for "wfh" or "wfl") will be applied. This must be coded as 1 = Standing; 2 = Supine; 3 = Unknown. All other values will be recoded to 3 = Unknown. Give a quoted variable name as in (e.g.) "measured" or a single value (e.g. "measured = 1"). If no value (or NULL) is specified then height and age rules will be applied.
thirdPart	Name of variable specifying age (in days) for BMI/A Give a quoted variable name as in (e.g.) "age". Be careful with units (age in days).

Value

A numeric value or vector of z-scores for the specified index.

Examples

```
# Given a male child 10 months old with a weight of 5.7 kgs, height of 64.2
# cms, and MUAC of 125 mm:
#
# Calculate weight-for-height
getWGSR(sex = 1,
        firstPart = 5.7,
        secondPart = 64.2,
        index = "wfh",
        standing = 3)

# calculate weight-for-age
getWGSR(sex = 1,
        firstPart = 5.7,
        secondPart = 10,
        index = "wfa",
        standing = 3)

# calculate height-for-age
getWGSR(sex = 1,
        firstPart = 64.2,
        secondPart = 10,
        index = "hfa",
        standing = 3)
```

run_zscorer	<i>run_zscorer</i>
-------------	--------------------

Description

run_zscorer

Usage

run_zscorer()

Examples

#

wgsData	<i>wgsData</i>
---------	----------------

Description

World Health Organization (WHO) Growth Reference (2006) data

Usage

wgsData

Format

A data frame with 6 columns and 2338 rows.

indicator One of weight-for-age (waz), height-for-age (haz), or weight-for-height (whz) anthropometric indicators

sex Sex of child (1 = Male; 2 = Female)

given Variable to which standardisation is to be made. For waz and haz, given is age in months. For whz, given is height in cm

l L component of the LMS method for normalising growth centile standards. L is the trend in the optimal power to obtain normality

m M component of the LMS method for normalising growth centile standards. M is the trend in the mean

s S component of the LMS method for normalising growth centile standards. S is the trend in the coefficient of variation

Source

World Health Organization. *WHO Child Growth Standards: Length/Height-for-age, Weight-for-age, Weight-for-length, Weight-for-height, and Body Mass Index-for age: Methods and Development. 1st ed.* World Health Organization; 2006.

wgsrData

wgsrData

Description

This is an expanded version of the wgsData which includes additional anthropometric indices found in the World Health Organization (WHO) Growth Reference (2006) data

Usage

wgsrData

Format

A data frame with 6 columns and 28654 rows.

index One of BMI-for-age (bfa), head circumference for-age (hca), height-for-age (hfa); length-for-age (lfa), MUAC-for-age (mfa), subscapular skinfold-for-age (ssa), triceps skinfold-for-age (tsa), weight-for-age (wfa), weight-for-length (wfl) or weight-for-height (wfh) anthropometric indicators

sex Sex of child (1 = Male; 2 = Female)

given Variable to which standardisation is to be made. For wfa, hfa, bfa, hca, lfa, mfa, ssa and tsa, given is age in months. For wfl, wfh, given is height or length in cm

l L component of the LMS method for normalising growth centile standards. L is the trend in the optimal power to obtain normality

m M component of the LMS method for normalising growth centile standards. M is the trend in the mean

s S component of the LMS method for normalising growth centile standards. S is the trend in the coefficient of variation

Source

World Health Organization. *WHO Child Growth Standards: Length/Height-for-age, Weight-for-age, Weight-for-length, Weight-for-height, and Body Mass Index-for age: Methods and Development. 1st ed.* World Health Organization; 2006.

zscorer

zscorer

Description

Tool for calculating z-scores for WHZ, HAZ, WAZ using the WHO Growth Reference (2006) using data and methods from:

Details

World Health Organization. WHO Child Growth Standards: Length/Height-for-age, Weight-for-age, Weight-for-length, Weight-for-height, and Body Mass Index-for age: Methods and Development. 1st ed. World Health Organization; 2006. ISBN ISBN 92 4 154693 X

Index

*Topic **datasets**

- anthro1, [4](#)
- anthro2, [5](#)
- anthro3, [5](#)
- wgsData, [13](#)
- wgsrData, [14](#)

- addWGSr, [2](#)
- anthro1, [4](#)
- anthro2, [5](#)
- anthro3, [5](#)

- getAllWGS, [6](#)
- getCohortWGS, [8](#)
- getWGS, [9](#)
- getWGSr, [11](#)

- run_zscorer, [13](#)

- wgsData, [13](#)
- wgsrData, [14](#)

- zscorer, [15](#)
- zscorer-package (zscorer), [15](#)