

Package ‘genius’

March 6, 2019

Title Easily Access Song Lyrics from Genius

Version 0.0.1.0

Description Easily retrieve song lyrics from Genius <<https://genius.com>> as tibbles.

URL <https://github.com/josiahparry/genius>

BugReports <https://github.com/josiahparry/genius/issues>

Depends R (>= 3.1.2)

Imports dplyr (>= 0.7.0), rvest, stringr, tidyr, purrr, readr, tibble

License GPL-2

Encoding UTF-8

LazyData true

RoxygenNote 6.1.1

Suggests knitr, rmarkdown, testthat

VignetteBuilder knitr

NeedsCompilation no

Author Josiah Parry [aut, cre],
Nathan Barr [ctb]

Maintainer Josiah Parry <josiah.parry@gmail.com>

Repository CRAN

Date/Publication 2019-03-06 12:40:14 UTC

R topics documented:

add_genius	2
cleaning	3
genius_album	3
genius_lyrics	4
genius_tracklist	4
genius_url	5
gen_album_url	5

gen_song_url	6
possible_album	6
possible_lyrics	7
prep_info	7

Index	8
--------------	----------

add_genius	<i>Add lyrics to a data frame</i>
------------	-----------------------------------

Description

This function is to be used to build on a data frame with artist and album/track information. Ideal via the spotifyr package.

Usage

```
add_genius(data, artist, type_group, type = "album")
```

Arguments

data	This is a dataframe with one column for the artist name, and the other column being either the track title or the album title.
artist	This is the column which has artist title information
type_group	This is the column that has either album titles or track titles.
type	This is a single value character string of either "album" or "lyrics". This tells the function what kind of lyrics to pull. This needs to be in line with 'type_group'

Examples

```
artist_albums <- tribble(
  ~artist, ~album,
  "J. Cole", "KOD",
  "Sampha", "Process"
)

artist_albums %>%
  add_genius(artist, album)

artist_songs <- tribble(
  ~artist, ~track,
  "J. Cole", "Motiv8",
  "Andrew Bird", "Anonanimal"
)

artist_songs %>%
```

```
add_genius(artist, track, type = "lyrics")
```

cleaning	<i>Function which produces a vector to be used in string cleaning from scraping there are a lot of hard coded values in here and will need to be adapted for the weird nuances.</i>
----------	---

Description

Function which produces a vector to be used in string cleaning from scraping there are a lot of hard coded values in here and will need to be adapted for the weird nuances.

Usage

```
cleaning()
```

genius_album	<i>Retrieve song lyrics for an album</i>
--------------	--

Description

Obtain the lyrics to an album in a tidy format.

Usage

```
genius_album(artist = NULL, album = NULL, info = "simple")
```

Arguments

artist	The quoted name of the artist. Spelling matters, capitalization does not.
album	The quoted name of the album Spelling matters, capitalization does not.
info	Return extra information about each song. Default "simple" returns 'title', 'track_n', and 'text'. Set 'info = "artist"' for artist and track title. See args to 'genius_lyrics()'.

Examples

```
## Not run:
genius_album(artist = "Petal", album = "Comfort EP")
genius_album(artist = "Fit For A King", album = "Deathgrip")

## End(Not run)
```

genius_lyrics *Retrieve song lyrics from Genius.com*

Description

Retrieve the lyrics of a song with supplied artist and song name.

Usage

```
genius_lyrics(artist = NULL, song = NULL, info = "title")
```

Arguments

artist	The quoted name of the artist. Spelling matters, capitalization does not.
song	The quoted name of the song. Spelling matters, capitalization does not.
info	Default "title", returns the track title. Set to "simple" for only lyrics, "artist" for the lyrics and artist, "features" for song element and the artist of that element, "all" to return artist, track, line, lyric, element, and element artist.

Examples

```
genius_lyrics(artist = "Margaret Glaspy", song = "Memory Street")
genius_lyrics(artist = "Kendrick Lamar", song = "Money Trees")
genius_lyrics("JMSN", "Drinkin'")
```

genius_tracklist *Create a tracklist of an album*

Description

Creates a 'tibble' containing all track titles for a given artist and album. This function is used internally in 'genius_album()'.

Usage

```
genius_tracklist(artist = NULL, album = NULL)
```

Arguments

artist	The quoted name of the artist. Spelling matters, capitalization does not.
album	The quoted name of the album Spelling matters, capitalization does not.

Examples

```
genius_tracklist(artist = "Andrew Bird", album = "Noble Beast")
```

genius_url	<i>Use Genius url to retrieve lyrics</i>
------------	--

Description

This function is used inside of the ‘genius_lyrics()’ function. Given a url to a song on Genius, this function returns a tibble where each row is one line. Pair this function with ‘gen_song_url()’ for easier access to song lyrics.

Usage

```
genius_url(url, info = "title")
```

Arguments

url	The url of song lyrics on Genius
info	Default "title", returns the track title. Set to "simple" for only lyrics, "artist" for the lyrics and artist, "features" for song element and the artist of that element, "all" to return artist, track, line, lyric, element, and element artist.

Examples

```
url <- gen_song_url(artist = "Kendrick Lamar", song = "HUMBLE")
genius_url(url)

genius_url("https://genius.com/Head-north-in-the-water-lyrics", info = "all")
```

gen_album_url	<i>Create Genius Album url</i>
---------------	--------------------------------

Description

Creates a string containing the url to an album tracklist on Genius.com. The function is used internally to ‘genius_tracklist()’.

Usage

```
gen_album_url(artist = NULL, album = NULL)
```

Arguments

artist	The quoted name of the artist. Spelling matters, capitalization does not.
album	The quoted name of the album Spelling matters, capitalization does not.

Examples

```
gen_album_url(artist = "Pinegrove", album = "Cardinal")
```

gen_song_url	<i>Create Genius url</i>
--------------	--------------------------

Description

Generates the url for a song given an artist and a song title. This function is used internally within the 'genius_lyrics()' function.

Usage

```
gen_song_url(artist = NULL, song = NULL)
```

Arguments

artist	The quoted name of the artist. Spelling matters, capitalization does not.
song	The quoted name of the song. Spelling matters, capitalization does not.

Examples

```
gen_song_url(artist = "Kendrick Lamar", song = "HUMBLE")  
gen_song_url("Margaret Glaspy", "Memory Street")
```

possible_album	<i>Form of genius_album that can handle errors</i>
----------------	--

Description

Form of genius_album that can handle errors

Usage

```
possible_album(...)
```

Arguments

... arguments that would be passed to 'genius_album()'

possible_lyrics *Form of genius_lyrics that can handle errors*

Description

Form of genius_lyrics that can handle errors

Usage

```
possible_lyrics(...)
```

Arguments

... arguments that would be passed to 'genius_lyrics()'

prep_info *Prepares input strings for 'gen_song_url()'*

Description

Applies a number of regular expressions to prepare the input to match Genius url format

Usage

```
prep_info(input)
```

Arguments

input Either artist, song, or album, function input.

Index

`add_genius`, 2

`cleaning`, 3

`gen_album_url`, 5

`gen_song_url`, 6

`genius_album`, 3

`genius_lyrics`, 4

`genius_tracklist`, 4

`genius_url`, 5

`possible_album`, 6

`possible_lyrics`, 7

`prep_info`, 7