

Package ‘calcWOI’

April 4, 2019

Type Package

Title Calculates the Wavelet-Based Organization Index

Version 1.0.2

Date 2019-04-04

Author Sebastian Brune, Sebastian Buschow, Florian Kapp, Petra Friederichs

Maintainer Sebastian Brune <sbrune@uni-bonn.de>

Depends R (>= 3.5.0), wavethresh (>= 4.5), LS2W (>= 1.3.4)

Description Calculates the wavelet-based organization index following Brune et al (2018) (<doi:10.1002/qj.3409>), the modified wavelet-based organization index and the local wavelet-based organization index of an arbitrary 2D array using Wavelet Transforms of the LS2W package by Eckley et al (2010) (<doi:10.1111/j.1467-9876.2009.00721.x>) and Eckley and Nason (2011) (<doi:10.18637/jss.v043.i03>).

License GPL-3

LazyData true

NeedsCompilation yes

Repository CRAN

Date/Publication 2019-04-04 12:40:08 UTC

R topics documented:

calcWOI-package	2
AICEN	3
blowup	4
buildperiodic	4
flatten	5
shiftmat	6
wavtra	6
WOI	7

Index	10
--------------	-----------

calcWOI-package

Calculates the Wavelet-Based Organization Index

Description

Calculates the original wavelet-based organization index, the modified wavelet-based organization index and the local wavelet-based organization index of an arbitrary 2D array.

Details

This package provides all functions and tools to calculate the wavelet-based organization index (Brune et al., 2018). The central function within the calcWOI package is WOI. This function calculates the original WOI, the modified WOI and the local WOI. All these indexes based on wavelet transforms (DaubExPhase4) done with the function wavtra, where we use parts of the cddews function within the package LS2W to create the function wavtra and constant data like the inverse correction matrix AI and the centre of mass matrix.

Other functions in calcWOI like flatten, blowup and buildperiodic are used to ensure that the incoming field is quadratic and periodic.

Author(s)

Sebastian Brune, Sebastian Buschow, Florian Kapp, Petra Friederichs. Maintainer: Sebastian Brune <sbrune@uni-bonn.de>

References

Eckley, I.A., Nason, G.P. and Treloar, R.L. (2010) Locally stationary wavelet fields with application to the modelling and analysis of image texture. *Journal of the Royal Statistical Society (Series C)*, 59, 595-616.

Eckley, I.A. and Nason, G.P. (2011). LS2W: Implementing the Locally Stationary 2D Wavelet Process Approach in R, *Journal of Statistical Software*, 43(3), 1-23.

Brune, S., Kapp, F., & Friederichs, P. (2018). A wavelet-based analysis of convective organization in ICON large-eddy simulations. *Quarterly Journal of the Royal Meteorological Society*, 144(717), 2812-2829.

See Also

[LS2W](#)

Examples

```
# Calculate WOI for a random precipitation
# field using an 350x300 array with
# random positive numbers
x <- array(5 + rnorm(350*300), dim = c (250,300))
s <- c(1,2)
l <- c(3,4)
```

```

thres <- 0.1
flat <- 25
WOIres <- WOI (x = x, s = s, l = 1, thres = thres, flat = flat,
verbose = TRUE)
# original WOI (Brune et al., 2018)
WOIorig <- WOIres$WOIorig
print(paste("Original WOI:", WOIorig))
# modified WOI
WOI <- WOIres$WOI
print(paste("Modified WOI:", WOI))
# local WOI
LWOI <- WOIres$LWOI
image(LWOI)

```

AICEN

File with Inverse A matrix and centre of mass matrix

Description

This file includes the lists AI_x and CEN_x for $x = 16, 32, 64, 128, 256, 512, 1024, 2048$ or 4096 . AI_x is the inverse matrix calculated by Eckley et al. (2010). CEN_x includes the centre of mass for DaubExPhase4, calculated with help of the LS2W package by Eckley and Nason (2011).

Usage

```
data(AICEN)
```

Format

List of 18 elements (9 AI_x and 9 CEN_x). CEN_x include lists for x and y direction.

Author(s)

Sebastian Buschow, Sebastian Brune

References

Eckley, I.A., Nason, G.P. and Treloar, R.L. (2010) Locally stationary wavelet fields with application to the modelling and analysis of image texture. *Journal of the Royal Statistical Society (Series C)*, 59, 595-616.

Eckley, I.A. and Nason, G.P. (2011). LS2W: Implementing the Locally Stationary 2D Wavelet Process Approach in R, *Journal of Statistical Software*, 43(3), 1-23.

Examples

```

data(AICEN)
image(AICEN$AI256)
str(AICEN)

```

blowup	<i>Adds zeros around 2D array</i>
--------	-----------------------------------

Description

This function adds zeros around a 2D array to get a $M \times M$ field.

Usage

```
blowup(x, M, number = 0)
```

Arguments

x	2D array, which should be blown up to a $M \times M$ array.
M	Dimension of new array including zeros at boundaries. M should be larger than $\max(\dim(x))$.
number	Number, that should be added to the incoming array. Default is 0.

Value

Returns the $M \times M$ array with the original field in the centre.

Author(s)

Florian Kapp

Examples

```
# Add zeros around a 3x3 matrix to generate a 8x8 matrix.  
x <- matrix(1:9, nrow = 3)  
new <- blowup(x = x, M = 8, number = 0)  
new
```

buildperiodic	<i>Builds periodic array by mirroring at side and top</i>
---------------	---

Description

This function generates periodic boundaries by mirroring at side and top. The resulting array is four times larger than the incoming array.

Usage

```
buildperiodic(x)
```

Arguments

x 2D quadratic array.

Value

Returns a 2D array, which is four times larger than the incoming array.

Author(s)

Sebastian Brune

Examples

```
x <- matrix(1:12, nrow = 4)
out <- buildperiodic(x = x)
out
```

flatten	<i>Reduces the boundary gradients</i>
---------	---------------------------------------

Description

This function smoothes the boundaries with a linear filter.

Usage

```
flatten(x, filter)
```

Arguments

x 2D array, which boundaries should be smoothed.
 filter The smoothing vector with increasing elements from 0...1. The length of the vector corresponds to the number of smoothed points at each side.

Value

Returns the incoming field with smoothed boundaries.

Author(s)

Florian Kapp

Examples

```
# Smooth outer 25 grid points
x <- array(10, dim = c(100, 200))
xflat <- flatten(x = x, filter = seq(0, 1, , 25))
par(mfrow = c(1, 2))
image(x, main = "Original")
image(xflat, main = "Smoothed Bound")
```

shiftmat *Shifts the elements of a matrix*

Description

This function shifts the elements of an array to the right and the top.

Usage

```
shiftmat(x, dx = 0, dy = 0)
```

Arguments

x	2D array.
dx	Integer number. Number of grid points to shift the array to the north. Should be smaller than dim(x). Default is 0.
dy	Integer number. Number of grid points to shift the array to the west. Should be smaller than dim(x). Default is 0.

Value

Returns an array with shifted elements.

Author(s)

Sebastian Brune

Examples

```
# shift the matrix dx = 1 and dy = 2 grid points
x <- array(1:48, dim = c(6, 8))
xshift <- shiftmat(x = x, dx = 1, dy = 2)
```

wavtra *Performs the wavelet transform*

Description

This function uses parts the wavelet transform of Eckely et al. (2010). We use the DaubExPhase4 wavelet for all calculations. The inverse A matrix is loaded from constants.rda. The resulting value of each transform is written to the centre of mass of the spectrum, which is also saved in constants.rda due to computation time.

Usage

```
wavtra(x)
```

Arguments

`x` 2D array of dimension $2^n \times 2^n$ with $n = 4, 5, \dots$ or 12. Periodic boundaries are assumed.

Value

Returns a 3D array with $2^n \times 2^n \times 3 \cdot n$ wavelet coefficients. The third dimension includes the wavelet coefficients of North-South scales 1-n, East-West scales 1-n and Diagonal scales 1-n.

Author(s)

Sebastian Brune, Sebastian Buschow

References

Eckley, I.A., Nason, G.P. and Treloar, R.L. (2010) Locally stationary wavelet fields with application to the modelling and analysis of image texture. *Journal of the Royal Statistical Society (Series C)*, 59, 595-616.

Eckley, I.A. and Nason, G.P. (2011). LS2W: Implementing the Locally Stationary 2D Wavelet Process Approach in R, *Journal of Statistical Software*, 43(3), 1-23.

Examples

```
x <- array(1:(2^12), dim = c(2^6, 2^6))
print(dim(x))
```

 WOI

Calculates WOI, modified WOI and LWOI

Description

This function calculates the wavelet-based organization index (WOI) as defined in Brune et al. (2018), a modified version of WOI and the local WOI using DaubExPhase4 wavelet.

Usage

```
WOI(x = x, s = c(1, 3), l = c(4, 7), thres = 0.1, flat = 25,
    verbose = FALSE, periodic = FALSE)
```

Arguments

`x` 2D numeric array with dimensions larger than 16 x 16. `dim(x)[1]` has not to be equal to `dim(x)[2]`, but NA and/or NaN are not allowed.

`s` Vector (length 2) of smallest small convective scale and largest small convective scale. Default: `s = c(1, 3)`.

`l` Vector (length 2) of smallest large convective scale and largest large convective scale. Default: `l = c(4, 7)`.

thres	0 or a positive number. Threshold for rain rate. Default is 0.1 mm/h, because we calculate LWOI only for grid points, where rain rate is ≥ 0.1 mm/h.
flat	The number of grid points at each side, which should be smoothed linearly. Default is 25. For quadratic arrays with dimension $2^n \times 2^n$ boundaries are not smoothed and flat is a dummy variable.
verbose	If TRUE, the function prints progress statements and calculation time. Default is FALSE.
periodic	If TRUE, the field x is already of size $2^n \times 2^n$ and has periodic boundaries. Default is FALSE.

Value

This function returns a list with following elements:

WOI1orig	Original WOI1 (but calculated with DaubExPhase4).
WOI2orig	Original WOI2 (but calculated with DaubExPhase4).
WOI3orig	Original WOI3 (but calculated with DaubExPhase4).
WOIorig	Original WOI (but calculated with DaubExPhase4).
WOI1	Modified WOI1.
WOI2	Modified WOI2.
WOI3	Modified WOI3.
WOI	Modified WOI.
LWOI1	2D array of LWOI1.
LWOI2	2D array of LWOI2.
LWOI3	2D array of LWOI3.
LWOI	2D array of LWOI.
s	Smallest and largest small convective scale.
l	Smallest and largest large convective scale.
flat	The number of grid points at each side, which are smoothed.
quad	TRUE or FALSE, if the ingoing array is quadratic and $2^n \times 2^n$.
thres	Threshold of LWOI calculation.
RR	Ingoing array.
ts	Computation time in seconds.

Warning

This function calculates WOI/LWOI only for arrays up to 2048 x 2048. Minimum size is 16 x 16.

Note

This function preprocesses the ingoing array. If x is quadratic with dimension 2^n , the function generates periodic boundaries by mirroring. If x is not $2^n \times 2^n$, the boundaries are smoothed regarding flat and 0 are added. In this case, the dimensions of the LWOI arrays are 2^{*n} smaller than $\dim(x)$.

Author(s)

Sebastian Brune

References

Brune, S., Kapp, F., & Friederichs, P. (2018). A wavelet-based analysis of convective organization in ICON large-eddy simulations. *Quarterly Journal of the Royal Meteorological Society*, 144(717), 2812-2829.

Examples

```
# Random array of dim 350 x 300
x <- array((rnorm(350*300)), dim = c (350, 300))
s <- c(1, 2)
l <- c(3, 4)
thres <- 0.1
flat <- 25
WOIres <- WOI(x = x, s = s, l = l, thres = thres, flat = flat,
  verbose = TRUE)
# original WOI (Brune et al., 2018)
WOIorig <- WOIres$WOIorig
print(paste("Original WOI:", WOIorig))
# modified WOI
WOI <- WOIres$WOI
print(paste("Modified WOI:", WOI))
# local WOI
LWOI <- WOIres$LWOI
par(mfrow = c(1, 2))
image(WOIres$RR, main = "Rain")
image(LWOI, main = "LWOI")
```

Index

*Topic **datasets**

AICEN, [3](#)

AICEN, [3](#)

blowup, [4](#)

buildperiodic, [4](#)

calcWOI (calcWOI-package), [2](#)

calcWOI-package, [2](#)

flatten, [5](#)

LS2W, [2](#)

shiftmat, [6](#)

wavtra, [6](#)

WOI, [7](#)