

Package ‘GENEAclassify’

May 14, 2019

Type Package

Title Segmentation and Classification of Accelerometer Data

Version 1.4.17

Date 2019-05-14

Author Chris Campbell [aut],
Aimee Gott [aut],
Joss Langford [aut],
Charles Sweetland [aut, cre],
Activinsights Ltd [cph]

Description Segmentation and classification procedures for data from the 'Activinsights GENEActiv' <<https://www.activinsights.com/products/geneactiv/>> accelerometer that provides the user with a model to guess behaviour from test data where behaviour is missing. Includes a step counting algorithm, a function to create segmented data with custom features and a function to use recursive partitioning provided in the function `rpart()` of the 'rpart' package to create classification models.

License GPL

LazyData true

Depends R (>= 2.14.0), methods, utils, grDevices, MASS, GENEAREad, changepoint, signal, rpart

Suggests waveslim, knitr, rmarkdown

RoxygenNote 6.1.1

VignetteBuilder knitr

NeedsCompilation yes

Maintainer Charles Sweetland <charles@sweetland-solutions.co.uk>

Repository CRAN

Date/Publication 2019-05-14 14:30:03 UTC

R topics documented:

GENEAclassify-package	2
classifyGENEA	2

createGENEAmodel	5
dataImport	7
find_peaks	8
getGENEAsegments	8
segmentation	12
stepCounter	17
stepCounter2	18
TrainingData	20
trainingFit	20

Index	22
--------------	-----------

GENEAclassify-package *Classification of accelerometer data*

Description

This package provides tools to perform the segmentation and classification of GENEActiv accelerometer data. The high frequency time series data is split into segments based on activity changepoints. An **rpart** fit is trained against known activities at each segment. This fit can then be used to guess behaviours from test data when activity at each time point has not been reported. This allows detailed behaviour profiles to be created for the wearer.

classifyGENEA *Classify Data into Categories defined in an rpart GENEActiv fit*

Description

Perform classification on segmented GENEActiv bin data using an rpart GENEActiv training fit.

Usage

```
classifyGENEA(testfile, start = NULL, end = NULL,
  Use.Timestamps = FALSE, mmap.load = (.Machine$sizeof.pointer >= 8),
  trainingfit = trainingFit, newdata, outputname = "_classified",
  outputdir = "GENEAclassification", verbose = FALSE,
  allprobs = FALSE, setinf = 100, datacols = "default",
  peaks = FALSE, AxesMethod = c("X", "Y", "Z", "XZ", "XY", "YZ",
  "XYZ"), ma.smooth = TRUE, Peak_Threshold = 3, Step_Threshold = 0.5,
  sd_Threshold = 150, magsa_Threshold = 0.15, samplefreq = 100,
  stepmethod = c("Chebyfilter", "Butterfilter", "longrun", "none"),
  changepoint = c("UpDownDegrees", "TempFreq", "UpDownFreq",
  "UpDownMean", "UpDownVar", "UpDownMeanVar", "DegreesMean", "DegreesVar",
  "DegreesMeanVar", "UpDownMeanVarDegreesMeanVar",
  "UpDownMeanVarMagMeanVar"), smlen = 100L, filterorder = 4L,
  threshold = 0.001, boundaries = c(0.15, 1), Rp = 0.5,
```

```

plot.it = FALSE, plot.seg = FALSE,
plot.seg.outputfile = "Changepoint", Centre = TRUE, STFT = FALSE,
win = 10, penalty = "Manual", pen.value1 = 40, pen.value2 = 400,
intervalseconds = 30, mininterval = 5, ...)

```

Arguments

testfile	character string stating path to a GENEActiv bin file, or a folder containing GENEActiv bin files.
start	Where to start reading observations.
end	Where to end reading observations.
Use.Timestamps	To use timestamps as the start and end time values this has to be set to TRUE. (Default FALSE)
mmap.load	Default is (.Machine\$sizeof.pointer >= 8). see mmap for more details
trainingfit	a GENE rpart object created by createGENEAmodel that gives the decision tree that was fitted from the training data. These are the parameters used to predict the new data.
newdata	a new data frame that is to be classified (provide instead of testfile). The data must contain the features named in the trainingfit.
outputname	file name root (excluding extension) for saving the classification output (default "classified").
outputdir	absolute or relative path to directory in which artifacts (plot and changes files) should be created or NULL (default "GENEAclassification").
verbose	single logical should additional progress reporting be printed at the console (default TRUE).
allprobs	single logical should all estimated probabilities be reported rather than probability of selected class (default FALSE).
setinf	single numeric an arbitrary value to replace Inf in calculated columns or NA to ignore Inf values. (default 100). -setinf is used to replace -Inf. Alternatively, use setinf NULL to leave Inf as is.
datacols	a vector constructed 'column.summary' or 'default'. See segmentation for details.
peaks	single logical to indicate which step counter to use. If TRUE stepCounter2 will be used, if FALSE stepCounter will be used. (default TRUE).
AxesMethod	Select which axes to count the steps. <ol style="list-style-type: none"> 1. 'X' 2. 'Y' (default) 3. 'Z' 4. 'XY' 5. 'XZ' 6. 'YZ' 7. 'XYZ'
ma.smooth	Should a moving average filter be applied to the data.

Peak_Threshold	Number of values either side of the peak/valley that are higher/lower for the value to qualify as a peak/valley
Step_Threshold	The difference between a peak, valley then peak or valley, peak then valley to constitute a step.
sd_Threshold	A Threshold used to determine when to calculate steps based on the standard deviation between potential steps. If the standard deviation is above this threshold then the algorithm does not calculate steps.
magsa_Threshold	A Threshold used to determine when to calculate steps based on the mean magnitude of acceleration of a segmentd. If the mean magnitude of the segment is below this threshold then the algorithm does not calculate steps.
samplefreq	The sampling frequency of the data, in hertz, when calculating the step number. (default 100)
stepmethod	defines the method used by the step counting algoirthm, see stepCounter for details.
changePOINT	defines the change point analysis to use. UpDownDegrees performs the change point analysis on the variance of arm elevation and wrist rotation. TempFreq performs a change point on the variance in the temeprature and Frequency (Typically better for sleep behaviours)
smLen	defines the window length used within the step counting algorithM.
filterorder	The order of the filter applied with respect to the butter of cheby options.
threshold	Threshold for the step counter to register a step.
boundaries	to passed to the filter in the step counting algorithm.
Rp	the decibel level that the cheby filter takes. see cheby1
plot.it	(logical) Creates a plot showing the zero crossings counted by the step counting algorithm#' @param Centre Centres the xz signal about 0 when set to True.
plot.seg	(logical) Creates a plot displaying the changepoint locations
plot.seg.outputfile	The name of the png file created that shows the change points on a positionals plots.
Centre	Centres the xz signal about 0 when set to True.
STFT	If STFT is TRUE then the Step Counter uses the STFT function to find the length of the window for each segment.
win	The window length at which to compute the STFT for the changepoint analysis. See stft
penalty	single characgter, the penalty to use for changepoint detection. default ("SIC")
pen.value1	Value of the type 1 error required when penalty is "Asymptotic".
pen.value2	Default set as NULL and so equals pen.value1 if no input.
intervalseconds	An integer number of seconds between 5 and 30 during which at most one changepoint may occur.
mininterval	single numeric that defines the smallest changepoint initially found. Passed to cpt.var as the variable minseglen
...	other arguments to be passed to dataImport , segmentation and other functions

Details

This function will apply the rules determined by the rpart GENEa decision tree passed to argument trainingfit to the columns of newdata to classify into classes (view using "levels").

Value

The function will return the data frame that was provided as newdata with additional columns.

1. Class, a factor indicating that the predicted category of the segment
2. p.Class, estimated probability that the prediction is correct

Alternatively, by setting argument allprobs to TRUE, a column constructed 'p.level' containing the estimated probability of each possible class will be returned instead.

Examples

```
## segData <- read.csv(system.file(package = "GENEaclassify",
##      "data", "trainingData9.csv"))
## The training fit can be created by provided the file path to the training data
## in the function getTrainingData - see the help file for more details
## Uses the fitted decision tree to predict the segmented data
## class9 <- classifyGENEA(newdata = segData, outputname = NULL)
## head(class9)
## table(class9$Class)
```

createGENEAmodel

Create training data decision tree model

Description

From data frame create a decision tree that can be used for classifying data into specified categories. The data frame may optionally contain a reserved column Source, specifying the provenance of the record. The data frame must contain a column, by default named Activity, specifying the classes into which the model fit should be classified.

Usage

```
createGENEAmodel(data, outputtree = NULL,
  features = c("Segment.Duration", "Principal.Frequency.mad",
  "UpDown.sd", "Degrees.sd"), category = "Activity", plot = TRUE,
  verbose = TRUE, ...)
```

Arguments

data	data frame containing segmented GENEActiv bin data.
outputtree	name of the png file that shows the classification tree plot.
features	character vector naming independent variables to use in classification. Alternatively, a numeric vector specifying the variables to pass to the classification or NULL, in which case all variables are used in the order of the supplied training dataset. Note that including large numbers of variables (>7) may result in long run times.
category	single character naming the dependent variable to use (default 'Activity').
plot	a logical value indicating whether a plot of the classification tree should be plotted. The default is TRUE.
verbose	single logical should additional progress reporting be printed at the console? (default TRUE)
...	other arguments for rpart

Details

The function will create an rpart classification tree for the training data based upon the parameters passed to features. The model created, an GENEActiv rpart object can be used within the function `"classifyGENEActiv"` to classify GENEActiv bin files.

Value

A GENEActiv rpart fit.

See Also

The returned object can be interrogated with `features`, the variables used in defining the model, and `"levels"`, the response categories predicted by the model.

Examples

```
## dataPath <- file.path(system.file(package = "GENEActivclassify"),
##   "testdata", "trainingData2.csv")
## t1 <- read.csv(file = dataPath)
## f1 <- createGENEActivmodel (data = t1,
##   features = c("Magnitude.mean", "Degrees.var", "UpDown.mad"))
## class(f1)
## levels(f1)
## features(f1)
## plot(f1)
## text(f1)
```

dataImport	<i>Data import function</i>
------------	-----------------------------

Description

Loads the data into R and creates format required for segmentation.

Usage

```
dataImport(bindata, downsample = 100, start = NULL, end = NULL,
  Use.Timestamps = FALSE, mmap.load = (.Machine$sizeof.pointer >= 8),
  ...)
```

Arguments

bindata	File path to binary data to be segmented.
downsample	Rate to downsample the data, defaults to every 100th observation. For no down-sampling set NULL.
start	Where to start reading observations.
end	Where to end reading observations.
Use.Timestamps	To use timestamps as the start and end time values this has to be set to TRUE. (Default FALSE)
mmap.load	Default is (.Machine\$sizeof.pointer >= 8). see mmap for more details
...	additional arguments passed through.

Details

Reads in the binary data file and extracts the information required for the segmentation procedure.

Value

Returns a list containing a matrix of the data including the x, y and z axis data, vectors of the up down (elevation) and degrees (rotation), a vector of time stamps, a vector of vector magnitudes and the serial number of the device.

Examples

```
## segData <- dataImport(bindata = list.files("RunWalk.bin", full = TRUE)[1])
## names(segData)
```

find_peaks	<i>Find_Peaks</i>
------------	-------------------

Description

Peak detector function

Usage

```
find_peaks(x, m = 3)
```

Arguments

x	timeseries signal
m	The number of points either side of the peak to required to be a peak.

Details

Finds the peaks and valleys within the signal passed to the function.

getGENEsegments	<i>import and segment one or more bin files.</i>
-----------------	--

Description

Import and summarize GENEActiv bin data for manual classification.

Usage

```
getGENEsegments(testfile, start = NULL, end = NULL,
  Use.Timestamps = FALSE, mmap.load = (.Machine$sizeof.pointer >= 8),
  outputtoken = "_segmented", outputdir = "GENEAclassification",
  datacols = "default", decimalplaces = "default",
  filterWave = FALSE, filtername = "haar", j = 8,
  changepoint = c("UpDownDegrees", "TempFreq", "UpDownFreq",
  "UpDownMean", "UpDownVar", "UpDownMeanVar", "DegreesMean", "DegreesVar",
  "DegreesMeanVar", "UpDownMeanVarDegreesMeanVar",
  "UpDownMeanVarMagMeanVar"), penalty = "Manual", pen.value1 = 40,
  pen.value2 = 400, intervalseconds = 30, mininterval = 5,
  peaks = TRUE, AxesMethod = c("X", "Y", "Z", "XZ", "XY", "YZ", "XYZ"),
  ma.smooth = TRUE, Peak_Threshold = 3, Step_Threshold = 0.5,
  sd_Threshold = 150, magsa_Threshold = 0.15,
  stepmethod = c("Chebyfilter", "Butterfilter", "longrun", "none"),
  boundaries = c(0.15, 1), samplefreq = 100, smlen = 100L,
  threshold = 0.001, filterorder = 4L, Rp = 0.5, plot.it = FALSE,
  plot.seg = FALSE, plot.seg.outputfile = "Changepoint",
  Centre = TRUE, STFT = FALSE, win = 10, verbose = FALSE, ...)
```

Arguments

testfile	character vector stating path to a GENEActiv bin file, or a folder containing GENEActiv bin files.
start	Where to start reading observations.
end	Where to end reading observations.
Use.Timestamps	To use timestamps as the start and end time values this has to be set to TRUE. (Default FALSE)
mmap.load	Default is (.Machine\$sizeof.pointer >= 8). see mmap for more details
outputtoken	single character string to be appended to the file name for saving the segmentation output (default '_segmentated').
outputdir	The absolute or relative path to directory in which artifacts (plot and changes files) should be created, or NULL (default "GENEAclassification").
datacols	a vector constructed 'column.summary' or 'default'. See segmentation for details.
decimalplaces	named numeric vector of decimal places with which to round summary columns. NULL returns unrounded values. The length 1 character vector 'default' applies default roundings: <ul style="list-style-type: none"> • Start.Time = 0, • Degrees.mean = 3, • Degrees.median = 3, • Degrees.var = 3, • Degrees.sd = 3, • Degrees.mad = 3, • Magnitude.mean = 3, • UpDown.mean = 3, • UpDown.median = 3, • UpDown.var = 3 • UpDown.sd = 3, • UpDown.mad = 3, • Principal.Frequency.median = 3, • Principal.Frequency.mad = 3, • Principal.Frequency.ratio = 3, • Principal.Frequency.sumdiff = 3, • Principal.Frequency.meandiff = 3, • Principal.Frequency.abssumdiff = 3, • Principal.Frequency.sddiff = 3, • Light.mean = 0, • Light.max = 0, • Temp.mean = 1, • Temp.sumdiff = 3 • Temp.meandiff = 3

- Temp.abssumdiff = 3
- Temp.sddiff = 3
- Step.count = 0
- Step.sd = 1
- Step.mean = 0
- Step.GENEAamplitude = 3
- Step.GENEAwavelength = 3
- Step.GENEAdistance = 3

This can be changed by using a named list. e.g decimalplaces = c(Start.Time = 2, Degrees.mean = 4).

filterWave	single logical, should a smoothing filter from wave.filter be applied? (default FALSE).
filtername	single character, the name of the wavelet to use for smoothing when filter is TRUE. (default "haar") Passed to <code>link[waveslim]{wave.filter}</code> .
j	single numeric, the level to which to smooth. Passed to <code>link[waveslim]{wave.filter}</code> (default 8).
changepoint	defines the change point analysis to use. UpDownDegrees performs the change point analysis on the variance of arm elevation and wrist rotation. TempFreq performs a change point on the variance in the temperature and frequency (Typically better for sleep behaviours).
penalty	single character, the penalty to use for changepoint detection. default ("SIC").
pen.value1	Value of the type 1 error required when penalty is "Asymptotic".
pen.value2	Default set as NULL and so equals pen.value1 if no input.
intervalseconds	An integer number of seconds between 5 and 30 during which at most one changepoint may occur.
mininterval	single numeric that defines the smallest changepoint initially found. Passed to <code>cpt.var</code> as the variable minseglen
peaks	single logical to indicate which step counter to use. If TRUE <code>stepCounter2</code> will be used, if FALSE <code>stepCounter</code> will be used. (default TRUE).
AxesMethod	Select which axes to count the steps. <ol style="list-style-type: none"> 1. 'X' 2. 'Y' (default) 3. 'Z' 4. 'XY' 5. 'XZ' 6. 'YZ' 7. 'XYZ'
ma.smooth	Should a moving average filter be applied to the data.
Peak_Threshold	Number of values either side of the peak/valley that are higher/lower for the value to qualify as a peak/valley

Step_Threshold	The difference between a peak, valley then peak or valley, peak then valley to constitute a step.
sd_Threshold	A Threshold used to determine when to calculate steps based on the standard deviation between potential steps. If the standard deviation is above this threshold then the algorithm does not calculate steps.
magsa_Threshold	A Threshold used to determine when to calculate steps based on the mean magnitude of acceleration of a segmentd. If the mean magnitude of the segment is below this threshold then the algorithm does not calculate steps.
stepmethod	defines the method used by the step counting algoirthm, see stepCounter for details.
boundaries	to pass to the filter in the step counting algorithm.
samplefreq	The sampling frequency of the data, in hertz, when calculating the step number. (default 100).
smlen	defines the window length used within the step counting algorithim.
threshold	Threshold for the step counter to register a step.
filterorder	The order of the filter applied with respect to the butter or cheby options. See cheby1 or butter .
Rp	the decibel level that the cheby filter takes. See cheby1 .
plot.it	single logical, Creates a plot showing the zero crossings counted by the step counting algorithm#' @param Centre Centres the xz signal about 0 when set to True.
plot.seg	single logical, Creates a plot displaying the changepoint locations.
plot.seg.outputfile	The name of the png file created that shows the change points on a positionals plots.
Centre	single logical, Centres the xz signal about 0 (default TRUE) when counting the zero crossings within the step counting algorithm.
STFT	If STFT is TRUE then the Step Counter uses the STFT function to find the length of the window for each segment.
win	The window length at which to compute the STFT for the changepoint analysis. See stft .
verbose	single logical should additional progress reporting be printed at the console? (default TRUE).
...	other arguments to be passed to dataImport , segmentation and other functions with these functions.

Value

segmented data are returned

See Also

The returned object can be interrogated with [head](#).

Examples

```
## segData <- getGENEAsgments(
##   testfile = "subj02_left_wrist_2013-01-03_17-21-06_Being_Driven3.bin",
##   outputdir = file.path(tempdir(), "GENEAclassification"),
##   filter = TRUE, j = 5)
## head(segData)
## list.files(file.path(tempdir(), "GENEAclassification"))
```

segmentation

Perform Segmentation on GENEActiv Accelerometer Data

Description

Perform segmentation of Activinsights accelerometer data. Data are smoothed by the second, or by 10 data points, whichever number of records is greater.

Filtering is performed by tools from **waveslim**. Options are passed to [wavelet.filter](#).

Usage

```
segmentation(data, outputfile = "detectedChanges",
  outputdir = "GENEAclassification", datacols = "default",
  decimalplaces = "default", filterWave = FALSE, filtername = "haar",
  j = 8, changepoint = c("UpDownDegrees", "TempFreq", "UpDownFreq",
    "UpDownMean", "UpDownVar", "UpDownMeanVar", "DegreesMean", "DegreesVar",
    "DegreesMeanVar", "UpDownMeanVarDegreesMeanVar",
    "UpDownMeanVarMagMeanVar"), penalty = "Manual", pen.value1 = 40,
  pen.value2 = 400, intervalseconds = 30, mininterval = 5,
  peaks = TRUE, AxesMethod = c("X", "Y", "Z", "XZ", "XY", "YZ", "XYZ"),
  ma.smooth = TRUE, Peak_Threshold = 3, Step_Threshold = 0.5,
  sd_Threshold = 150, magsa_Threshold = 0.15,
  stepmethod = c("Chebyfilter", "Butterfilter", "longrun", "none"),
  boundaries = c(0.15, 1), samplefreq = 100, smlen = 100L,
  threshold = 0.001, filterorder = 4L, Rp = 0.5, plot.it = FALSE,
  Centre = TRUE, STFT = FALSE, win = 10, verbose = FALSE, ...)
```

Arguments

data	the GENEActiv bin object to be segmented which should be the output of the dataImport function.
outputfile	single character, file name for saving the segmentation output as CSV (and if plot.it is TRUE, corresponding plot PNG). If NULL, create no files.
outputdir	single character, the absolute or relative path to directory in which plot and changes files) should be created, or NULL (default "GENEAclassification"). Ignored if outputfile is NULL.

`datacols` character vector constructed 'column.summary'. This object specifies the data and summary to output for the classification. The first part of each element must name column in the GENEAbin datasets specified by `filePath`. Derived columns may also be selected:

- Step (zero-crossing step counter method),
- Principal.Frequency.

The second should be the name of a function that evaluates to length one. The functions must contain only alphabetical characters (no numbers, underscores or punctuation). The default matrix, specified using the length 1 character vector 'default' is:

- UpDown.mean
- UpDown.sd
- UpDown.mad
- Degrees.mean
- Degrees.var
- Degrees.sd
- Light.mean
- Light.max
- Temp.mean
- Temp.sumdiff
- Temp.meandiff
- Temp.abssumdiff
- Temp.sddiff
- Magnitude.mean
- Step.GENEACount
- Step.sd
- Step.mean
- Step.GENEAamplitude
- Step.GENEAwavelength
- Principal.Frequency.median
- Principal.Frequency.mad
- Principal.Frequency.ratio
- Principal.Frequency.sumdiff
- Principal.Frequency.meandiff
- Principal.Frequency.abssumdiff
- Principal.Frequency.sddiff

`decimalplaces` named numeric vector of decimal places with which to round summary columns. NULL returns unrounded values. The length 1 character vector 'default' applies default roundings:

- Start.Time = 0,
- Degrees.mean = 3,
- Degrees.median = 3,

- Degrees.var = 3,
- Degrees.sd = 3,
- Degrees.mad = 3,
- Magnitude.mean = 3,
- UpDown.mean = 3,
- UpDown.median = 3,
- UpDown.var = 3
- UpDown.sd = 3,
- UpDown.mad = 3,
- Principal.Frequency.median = 3,
- Principal.Frequency.mad = 3,
- Principal.Frequency.ratio = 3,
- Principal.Frequency.sumdiff = 3,
- Principal.Frequency.meandiff = 3,
- Principal.Frequency.abssumdiff = 3,
- Principal.Frequency.sddiff = 3,
- Light.mean = 0,
- Light.max = 0,
- Temp.mean = 1,
- Temp.sumdiff = 3
- Temp.meandiff = 3
- Temp.abssumdiff = 3
- Temp.sddiff = 3
- Step.GENEAcount = 0
- Step.sd = 1
- Step.mean = 0
- Step.GENEAamplitude = 3
- Step.GENEAwavelength = 3
- Step.GENEAdistance = 3

filterWave	single logical, should a smoothing filter from <code>wave.filter</code> be applied? (default FALSE).
filtername	single character, the name of the wavelet to use for smoothing when filter is TRUE. (default "haar") Passed to <code>link[waveslim]{wave.filter}</code> .
j	single numeric, the level to which to smooth. Passed to <code>link[waveslim]{wave.filter}</code> (default 8).
changepoint	defines the change point analysis to use. UpDownDegrees performs the change point analysis on the variance of arm elevation and wrist rotation. TempFreq performs a change point on the variance in the temeprature and frequency (Typically better for sleep behaviours).
penalty	single characgter, the penalty to use for changepoint detection. default ("SIC").
pen.value1	Value of the type 1 error required when penalty is "Asymptotic".
pen.value2	Default set as NULL and so equals pen.value1 if no input.

intervalseconds	An integer number of seconds between 5 and 30 during which at most one changepoint may occur.
mininterval	single numeric that defines the smallest changepoint initially found. Passed to <code>cpt.var</code> as the variable <code>minseglen</code>
peaks	single logical to indicate which step counter to use. If TRUE <code>stepCounter2</code> will be used, if FALSE <code>stepCounter</code> will be used. (default TRUE).
AxesMethod	Select which axes to count the steps. <ol style="list-style-type: none"> 1. 'X' 2. 'Y' (default) 3. 'Z' 4. 'XY' 5. 'XZ' 6. 'YZ' 7. 'XYZ'
ma.smooth	Should a moving average filter be applied to the data.
Peak_Threshold	Number of values either side of the peak/valley that are higher/lower for the value to qualify as a peak/valley
Step_Threshold	The difference between a peak, valley then peak or valley, peak then valley to constitute a step.
sd_Threshold	A Threshold used to determine when to calculate steps based on the standard deviation between potential steps. If the standard deviation is above this threshold then the algorithm does not calculate steps.
magsa_Threshold	A Threshold used to determine when to calculate steps based on the mean magnitude of acceleration of a segment. If the mean magnitude of the segment is below this threshold then the algorithm does not calculate steps.
stepmethod	defines the method used by the step counting algorithm, see <code>stepCounter</code> for details.
boundaries	to pass to the filter in the step counting algorithm.
samplefreq	The sampling frequency of the data, in hertz, when calculating the step number. (default 100).
smlen	defines the window length used within the step counting algorithm.
threshold	Threshold for the step counter to register a step.
filterorder	The order of the filter applied with respect to the <code>butter</code> or <code>cheby</code> options if <code>stepCounter</code> is used. The order of the moving average filter if <code>stepCounter 2</code> is used. See <code>cheby1</code> or <code>butter</code> .
Rp	the decibel level that the <code>cheby</code> filter takes. See <code>cheby1</code> .
plot.it	single logical, Creates a plot showing the zero crossings counted by the step counting algorithm# @param Centre Centres the xz signal about 0 when set to True.
Centre	single logical, Centres the xz signal about 0 (default TRUE) when counting the zero crossings within the step counting algorithm.

STFT	If STFT is TRUE then the Step Counter uses the STFT function to find the length of the window for each segment.
win	The window length at which to compute the STFT for the changepoint analysis. See stft .
verbose	single logical should additional progress reporting be printed at the console? (default TRUE).
...	other arguments to be passed to dataImport , segmentation and other functions with these functions.

Details

Performs the segmentation procedure on the provided elevation data. Optionally a wavelet filter is first applied to smooth the data. The number of changes occurring in a given number of seconds may be controlled using the `intervalseconds` argument. Changes will be removed based on which segments are the closest match in terms of variance. A series of features for each of the segments will then be calculated and returned as a csv file.

Value

The segment data are returned invisibly. This data frame has columns:

- `Serial.Number`
- `Start.Time`
- `Segment.Start.Time`
- `Segment.Duration`
- `UpDown.median`
- `UpDown.var`
- `Degrees.median`
- `Degrees.mad`

In addition, the requested columns are included. Optionally, as a side effect a csv file is returned listing all of the segments found in the data along with a variety of features for that segment. Optionally a png file plotting the data and the detected changes can also be produced.

Examples

```
### Load the data to segment keeping only the first quarter of the data
## library(GENEAread)
## segData <- dataImport(bindata = "001_w_19_12_12.bin",
##   downsample = 100, start = 0, end = 0.25)
## head(segData)
### Run loaded data through segmentation function
## segment <- segmentation(data = segData, outputfile = NULL)
## head(segment)
## segment2 <- segmentation(data = segData, outputfile = NULL,
##   datacols = "Degrees.skew")
## head(segment2)
```

stepCounter

Step Counter

Description

Function to calculate the number and variance of the steps in the data.

Usage

```
stepCounter(data, samplefreq = 100, smlen = 20L, AxesMethod = c("X",
  "Y", "Z", "XZ", "XY", "YZ", "XYZ"), filterorder = 4L,
  threshold = 0.01, boundaries = c(0.15, 1),
  stepmethod = c("Chebyfilter", "Butterfilter", "longrun", "none"),
  Rp = 0.5, plot.it = FALSE, Centre = TRUE, STFT = FALSE,
  verbose = FALSE, fun = c("GENEAcount", "mean", "GENEAamplitude",
  "sd", "mad", "GENEAwavelength"))
```

Arguments

data	The data to use for calculating the steps. This should be a matrix with columns time, x, y, z.
samplefreq	The sampling frequency of the data, in hertz, when calculating the step number (default 100).
smlen	single integer number of data points used as a window when counting zero crossing events
AxesMethod	Select which axes to count the steps. <ol style="list-style-type: none"> 1. 'X' 2. 'Y' (default) 3. 'Z' 4. 'XY' 5. 'XZ' 6. 'YZ' 7. 'XYZ'
filterorder	single integer, order of the Butterworth bandpass filter, passed to argument n of butter .
threshold	A threshold that acts as a proxy for magnitude on the filtered xz signal for calculating steps.
boundaries	length 2 numeric vector specifying lower and upper bounds of Butterworth or Chebychev filter (default c(0.04, 1)), passed to argument W of butter or cheby1 .
stepmethod	select method to use: <ol style="list-style-type: none"> 1. 'Chebyfilter' (default) 2. 'Butterfilter'

	3. 'longrun'
	4. 'none'
Rp	the decibel level that the cheby filter takes, see cheby1 .
plot.it	single logical create plot of data and zero crossing points (default FALSE).
Centre	If Centre set to true (default) then the step counter zeros the xz series before filtering.
STFT	If STFT is TRUE then the Step Counter uses the STFT function to find the length of the window for each segment.
verbose	single logical should additional progress reporting be printed at the console? (default FALSE).
fun	character vector naming functions by which to summarize steps. "count" is an internally implemented summarizing function that returns step count.

Value

Returns a vector with length fun.

Examples

```
d1 <- matrix(c(100, 101, -0.79, -0.86,
              -0.17, -0.14, 0.53, 0.46),
            nrow = 2, ncol = 4)
stepCounter(data = d1, stepmethod = "longrun")
```

stepCounter2

Step Counter 2

Description

Second Step counting method that uses the Peak and Valley detector after a moving average has been applied to the data.

Usage

```
stepCounter2(data, samplefreq = 100, smlen = 20L, AxesMethod = c("X",
  "Y", "Z", "XZ", "XY", "YZ", "XYZ"), ma.smooth = TRUE,
  filterorder = 4L, Peak_Threshold = 5, Step_Threshold = 0.5,
  sd_Threshold = 150, magsa_Threshold = 0.15, plot.it = FALSE,
  Centre = TRUE, verbose = FALSE, fun = c("GENEAcount",
  "GENEAamplitude", "GENEAwavelength", "mean", "sd", "mad"))
```

Arguments

data	The data to use for calculating the steps. This should be a matrix with columns time, x, y, z.
samplefreq	The sampling frequency of the data, in hertz, when calculating the step number (default 100).
smLen	single integer number of data points used as a window when counting zero crossing events
AxesMethod	Select which axes to count the steps. <ol style="list-style-type: none"> 1. 'X' 2. 'Y' (default) 3. 'Z' 4. 'XY' 5. 'XZ' 6. 'YZ' 7. 'XYZ'
ma.smooth	Should a moving average filter be applied to the data.
filterorder	Order of the moving average filter to apply to the data. This variable will be passed to <code>ma</code>
Peak_Threshold	Number of values either side of the peak/valley that are higher/lower for the value to qualify as a peak/valley
Step_Threshold	The difference between a peak, valley then peak or valley, peak then valley to constitute a step.
sd_Threshold	A Threshold used to determine when to calculate steps based on the standard deviation between potential steps. If the standard deviation is above this threshold then the algorithm does not calculate steps.
magsa_Threshold	A Threshold used to determine when to calculate steps based on the mean magnitude of acceleration of a segment. If the mean magnitude of the segment is below this threshold then the algorithm does not calculate steps.
plot.it	single logical create plot of data and peak/valley detection points (default FALSE).
Centre	If Centre set to true (default) then the step counter zeros the xz series before filtering.
verbose	single logical should additional progress reporting be printed at the console? (default FALSE).
fun	character vector naming functions by which to summarize steps. "count" is an internally implemented summarizing function that returns step count.

Value

Returns a vector with length fun.

Examples

```
d1 <- matrix(c(100, 101, -0.79, -0.86,
              -0.17, -0.14, 0.53, 0.46),
            nrow = 2, ncol = 4)
stepCounter(data = d1, stepmethod = "longrun")
```

TrainingData

Example Training Data set

Description

A manually classified training data set provided with the package.

Format

Manually classified segmented data that can be used to build a classification model.

Source

Manually classified by Actvinsights.

See Also

["levels" features](#)

Examples

```
data(TrainingData)
class(TrainingData)
```

trainingFit

Example classification tree

Description

rpart object declaring the decision tree for the classification of GENEActiv bin data into typical groups.

Format

An rpart object with class GENE containing the decision tree information required for prediction.

Source

Output of createGENEAmode1 on experimental training data.

See Also

["levels" features](#)

Examples

```
data(trainingFit)
class(trainingFit)
levels(trainingFit)
features(trainingFit)
plot(trainingFit)
text(trainingFit, cex = 0.5)
```

Index

*Topic **Internal**

find_peaks, 8

*Topic **datasets**

TrainingData, 20

trainingFit, 20

*Topic **package**

GENEAcclassify-package, 2

butter, [11](#), [15](#), [17](#)

cheby1, [4](#), [11](#), [15](#), [17](#), [18](#)

classifyGENEA, [2](#), [6](#)

cpt.var, [4](#), [10](#), [15](#)

createGENEAmodel, [3](#), [5](#)

dataImport, [4](#), [7](#), [11](#), [12](#), [16](#)

features, [3](#), [20](#), [21](#)

find_peaks, 8

GENEAcclassify (GENEAcclassify-package), 2

GENEAcclassify-package, 2

getGENEAsegments, 8

head, [11](#)

levels, [5](#), [6](#), [20](#), [21](#)

ma, [19](#)

mmap, [3](#), [9](#)

segmentation, [3](#), [4](#), [9](#), [11](#), [12](#), [16](#)

stepCounter, [3](#), [4](#), [10](#), [11](#), [15](#), [17](#)

stepCounter2, [3](#), [10](#), [15](#), [18](#)

stft, [4](#), [11](#), [16](#)

TrainingData, 20

trainingFit, 20

wave.filter, [10](#), [14](#)

wavelet.filter, [12](#)