

Package ‘SelectBoost’

May 27, 2019

Type Package

Title A General Algorithm to Enhance the Performance of Variable Selection Methods in Correlated Datasets

Version 1.4.0

Date 2019-05-04

Depends R (>= 2.10)

Imports lars, glmnet, igraph, parallel, msgps, Rfast, methods, Cascade, graphics, grDevices

Suggests knitr, rmarkdown, mixOmics, CascadeData

Author Frederic Bertrand [cre, aut] (<<https://orcid.org/0000-0002-0837-8281>>),
Myriam Maumy-Bertrand [aut] (<<https://orcid.org/0000-0002-4615-1512>>),
Ismail Aouadi [ctb],
Nicolas Jung [ctb]

Maintainer Frederic Bertrand <frederic.bertrand@math.unistra.fr>

Description An implementation of the selectboost algorithm (Aouadi et al. 2018, <[arXiv:1810.01670](https://arxiv.org/abs/1810.01670)>), which is a general algorithm that improves the precision of any existing variable selection method. This algorithm is based on highly intensive simulations and takes into account the correlation structure of the data. It can either produce a confidence index for variable selection or it can be used in an experimental design planning perspective.

License GPL-3

Encoding UTF-8

Classification/MSC 62H11, 62J12, 62J99

VignetteBuilder knitr

RoxygenNote 6.1.1

URL <https://github.com/fbertran/SelectBoost>,
<http://www-irma.u-strasbg.fr/~fbertran/>

BugReports <https://github.com/fbertran/SelectBoost/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2019-05-27 09:20:03 UTC

R topics documented:

AICc_BIC_glmnetB	2
auto.analyze	4
autoboost	5
autoboost.res.x	7
autoboost.res.x.adapt	8
autoboost.res.x2	8
autoboost.res.x2.adapt	8
boost	9
fastboost	11
fastboost.res.x	13
fastboost.res.x.adapt	14
fastboost.res.x2	14
fastboost.res.x2.adapt	14
group_func_1	15
group_func_2	16
M	17
miscplot	17
network.confidence-class	18
net_confidence	19
plot.selectboost	19
plot.summary.selectboost	21
plot_selectboost_cascade	22
results_simuls_reverse_engineering_v3	23
SelectBoost	26
selectboost_cascade	27
simulation	29
summary.selectboost	31
trajC0	33
var_select	34
Index	39

AICc_BIC_glmnetB

*AICc and BIC for glmnet logistic models***Description**

Compute AICc and BIC for glmnet logistic models.

Usage

```
rerr(v1, v2)
```

```
ridge_logistic(X, Y, lambda, beta0, beta, maxiter = 1000, tol = 1e-10)
```

```
BIC_glmnetB(Z, Y, glmnet.model, alpha, modelSet, reducer = "median")
```

```
AICc_glmnetB(Z, Y, glmnet.model, alpha, modelSet, reducer = "median")
```

Arguments

v1	A numeric vector.
v2	A numeric vector.
X	A numeric matrix
Y	A numeric 0/1 vector.
lambda	A numeric value.
beta0	A numeric value Initial intercept value.
beta	A numeric vector. Initial coefficient values.
maxiter	A numeric value. Maximum number of iterations.
tol	A numeric value. Tolerance value.
Z	A numeric matrix
glmnet.model	A fitted glmnet model.
alpha	A numeric value.
modelSet	Modelset to consider.
reducer	A character value. Reducer function. Either 'median' or 'mean'.

Details

Calculate AICc and BIC for glmnet logistic models from the glmnetB function of the package rLogistic <https://github.com/echi/rLogistic> and adapted to deal with non finite exponential values in AICc and BIC computations

Value

A list relevant to model selection.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

Robust Parametric Classification and Variable Selection by a Minimum Distance Criterion, Chi and Scott, Journal of Computational and Graphical Statistics, **23**(1), 2014, p111–128, <https://doi.org/10.1080/10618600.2012.737296>.

See Also

[var_select](#)

Examples

```

set.seed(314)
xran=matrix(rnorm(150),30,5)
ybin=sample(0:1,30,replace=TRUE)
glmnet.fit <- glmnet.fit <- glmnet::glmnet(xran,ybin,family="binomial",standardize=FALSE)
set.seed(314)
rerr(1:10,10:1)

set.seed(314)
ridge_logistic(xran,ybin,lambda=.5,beta0=rnorm(5),beta=rnorm(5,1))

set.seed(314)
if(is.factor(ybin)){ynum=unclass(ybin)-1} else {ynum=ybin}
subSample <- 1:min(ncol(xran),100)
BIC_glmnetB(xran,ynum,glmnet.fit,alpha=1,subSample, reducer='median')

set.seed(314)
if(is.factor(ybin)){ynum=unclass(ybin)-1} else {ynum=ybin}
subSample <- 1:min(ncol(xran),100)
AICc_glmnetB(xran,ynum,glmnet.fit,alpha=1,subSample, reducer='median')

```

auto.analyze

Find limits for selectboost analysis

Description

Find limits for selectboost analysis.

Usage

```

auto.analyze(x, ...)

## S3 method for class 'selectboost'
auto.analyze(x, ...)

```

Arguments

x Numerical matrix. Selectboost object.
... . Passed to the summary.selectboost function.

Details

plot.summary.selectboost returns an invisible list and creates four graphics. Two plots the proportion of selection with respect to c_0 (by step or according to real scale). On the third graph, no bar means a proportion of selection less than prop.level. Confidence intervals are computed at the conf.int.level level. Barplot of the confidence index ($1 - \min(c_0, \text{such that proportion}c_0 > \text{conf.threshold})$).

Value

list of results.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[fastboost](#) and [autoboost](#)

Other Selectboost analyze functions: [plot.summary.selectboost](#), [trajC0](#)

Examples

```
data(autoboost.res.x)
auto.analyze(autoboost.res.x)

data(autoboost.res.x2)
auto.analyze(autoboost.res.x2)
```

autoboost

Autoboost

Description

All in one use of selectboost that avoids redondant fitting of distributions and saves some memory.

Usage

```
autoboost(X, Y, ncores = 4, group = group_func_1,
  func = lasso_msgps_AICc, corrfunc = "cor", use.parallel = FALSE,
  B = 100, step.num = 0.1, step.limit = "none", risk = 0.05,
  verbose = FALSE, step.scale = "quantile", normalize = TRUE,
  steps.seq = NULL, debug = FALSE, version = "lars", ...)
```

Arguments

X	Numerical matrix. Matrix of the variables.
Y	Numerical vector or factor. Response vector.
ncores	Numerical value. Number of cores for parallel computing. Defaults to 4.
group	Function. The grouping function. Defaults to <code>group_func_1</code> .
func	Function. The variable selection function. Defaults to <code>lasso_msgps_AICc</code> .
corrfunc	Character value or function. Used to compute associations between the variables. Defaults to <code>"cor"</code> .
use.parallel	Boolean. To use parallel computing (doMC) download the extended package from Github. Set to FALSE.
B	Numerical value. Number of resampled fits of the model. Defaults to 100.
step.num	Numerical value. Step value for the <code>c0</code> sequence. Defaults to 0.1.
step.limit	Character value. If "Pearson", truncates the <code>c0</code> sequence using a Pearson based p-value. Defaults to <code>"none"</code> .
risk	Numerical value. Risk level when finding limits based on <code>c0=0</code> values. Defaults to 0.05.
verbose	Boolean. Defaults to FALSE.
step.scale	Character value. How to compute the <code>c0</code> sequence if not user-provided: either "quantile" or "linear". Defaults to <code>"quantile"</code> .
normalize	Boolean. Shall the X matrix be centered and scaled? Defaults to TRUE.
steps.seq	Numeric vector. User provided sequence of <code>c0</code> values to use. Defaults to NULL.
debug	Boolean value. If more results are required. Defaults to FALSE.
version	Character value. Passed to the <code>boost.select</code> function. Defaults to <code>lars</code>
...	. Arguments passed to the variable selection function used in <code>boost.apply</code> .

Details

autoboost returns a numeric matrix. For each of the variable (column) and each of the `c0` (row), the entry is proportion of times that the variable was selected among the B resampled fits of the model. Fitting to the same group of variables is only performed once (even if it occurred for another value of `c0`), which greatly speeds up the algorithm.

Value

A numeric matrix with attributes.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[boost](#), [fastboost](#), [plot.selectboost](#)

Other Selectboost functions: [boost](#), [fastboost](#), [plot_selectboost_cascade](#), [selectboost_cascade](#)

Examples

```
set.seed(314)
xran=matrix(rnorm(75),15,5)
ybin=sample(0:1,15,replace=TRUE)
yran=rnorm(15)
set.seed(314)
#For quick test purpose, not meaningful, should be run with greater value of B
#and disabling parallel computing as well
res.autoboost <- autoboost(xran,yran,B=3,use.parallel=FALSE)

autoboost(xran,yran)
#Customize resampling levels
autoboost(xran,yran,steps.seq=c(.99,.95,.9))

#Binary logistic regression
autoboost(xran,ybin,func=lasso_cv_glmnet_bin_min)
```

autoboost.res.x

Autoboost lasso diabetes first order.

Description

Result of autoboost analysis of diabetes data from *lars* package with lasso and first order model

Usage

```
autoboost.res.x
```

Format

A numerical matrix frame with 13 rows and 10 variables with attributes.

autoboost.res.x.adapt *Autoboost adaptative lasso diabetes first order.*

Description

Result of autoboost analysis of diabetes data from *lars* package with adaptative lasso and first order model

Usage

autoboost.res.x.adapt

Format

A numerical matrix frame with 13 rows and 10 variables with attributes.

autoboost.res.x2 *Autoboost lasso diabetes second order.*

Description

Result of autoboost analysis of diabetes data from *lars* package with lasso and second order model

Usage

autoboost.res.x2

Format

A numerical matrix frame with 13 rows and 64 variables with attributes.

autoboost.res.x2.adapt

Autoboost adaptative lasso diabetes second order.

Description

Result of autoboost analysis of diabetes data from *lars* package with adaptative lasso and second order model

Usage

autoboost.res.x2.adapt

Format

A numerical matrix frame with 13 rows and 64 variables with attributes.

boost *Boost step by step functions*

Description

Step by step functions to apply the selectboost algorithm.

Usage

```
boost.normalize(X, eps = 1e-08)

boost.compcorrs(Xnorm, corrfunc = "cor", verbose = FALSE,
  testvarindic = rep(TRUE, ncol(Xnorm)))

boost.correlation_sign(Correlation_matrice, verbose = FALSE)

boost.findgroups(Correlation_matrice, group, corr = 1, verbose = FALSE)

boost.Xpass(nrowX, ncolX)

boost.adjust(X, groups, Correlation_sign, Xpass = boost.Xpass(nrowX,
  ncolX), verbose = FALSE, use.parallel = FALSE, ncores = 4)

boost.random(X, Xpass, vmf.params, verbose = FALSE, B = 100,
  use.parallel = FALSE, ncores = 4)

boost.apply(X, cols.simul, Y, func, verbose = FALSE,
  use.parallel = FALSE, ncores = 4, ...)

boost.select(Boost.coeffs, eps = 10^(-4), version = "lars",
  verbose = FALSE)
```

Arguments

X	Numerical matrix. Matrix of the variables.
eps	Numerical value. Response vector.
Xnorm	Numerical matrix. Needs to be centered and l2 normalized.
corrfunc	Character value or function. The function to compute associations between the variables.
verbose	Boolean. Defaults to FALSE.
testvarindic	Boolean vector. Compute associations for a subset of variables. By default, the scope of the computation is the whole dataset, i.e. rep(TRUE, ncol(Xnorm)).
Correlation_matrice	Numerical matrix.
group	Character value or function. The grouping function.

<code>corr</code>	Numerical value. Thresholding value. Defaults to 1.
<code>nrowX</code>	Numerical value
<code>ncolX</code>	Numerical value.
<code>groups</code>	List. List of groups or communities (compact form).
<code>Correlation_sign</code>	Numerical -1/1 matrix.
<code>Xpass</code>	Numerical value. Transformation matrix. Defaults to <code>boost.Xpass(nrowX, ncolX)</code> , with <code>nrowX=nrow(X)</code> and <code>ncolX=ncol(X)</code> .
<code>use.parallel</code>	Boolean. Defaults to FALSE.
<code>ncores</code>	Numerical value. Number of cores to use. Defaults to 4.
<code>vmf.params</code>	List. List of the parameters of the fitted von-Mises distributions.
<code>B</code>	Integer value. Number of resampling.
<code>cols.simul</code>	Numerical value. Transformation matrix.
<code>Y</code>	Numerical vector or factor. Response.
<code>func</code>	Function. Variable selection function.
<code>...</code>	. Additionnal parameters passed to the <code>func</code> function.
<code>Boost.coeffs</code>	Numerical matrix. l2 normed matrix of predictors.
<code>version</code>	Character value. "lars" (no intercept value) or "glmnet" (first coefficient is the intercept value).

Details

`boost.normalize` returns a numeric matrix whose colun are centered and l2 normalized.

`boost.compcorrs` returns a correlation like matrix computed using the `corrfunc` function.

`boost.Xpass` returns the transformation matrix.

`boost.findgroups` returns a list of groups or communities found using the `group` function.

`boost.Xpass` returns the transformation matrix.

`boost.adjust` returns the list of the parameters of the fitted von-Mises distributions.

`boost.random` returns an array with the resampled datasets.

`boost.apply` returns a matrix with the coefficients estimated using the resampled datasets.

`boost.select` returns a vector with the proportion of times each variable was selected.

Value

Various types depending on the function.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[fastboost](#), [autoboost](#)

Other Selectboost functions: [autoboost](#), [fastboost](#), [plot_selectboost_cascade](#), [selectboost_cascade](#)

Examples

```
set.seed(314)
xran=matrix(rnorm(200),20,10)
yran=rnorm(20)
xran_norm <- boost.normalize(xran)

xran_corr<- boost.compcorrs(xran_norm)

xran_corr_sign <- boost.correlation_sign(xran_corr)

xran_groups <- boost.findgroups(xran_corr, group=group_func_1, .3)
xran_groups_2 <- boost.findgroups(xran_corr, group=group_func_2, .3)

xran_Xpass <- boost.Xpass(nrow(xran_norm),ncol(xran_norm))

xran_adjust <- boost.adjust(xran_norm, xran_groups$groups, xran_corr_sign)

#Not meaningful, should be run with B>=100
xran_random <- boost.random(xran_norm, xran_Xpass, xran_adjust$vmf.params, B=5)

xran_random <- boost.random(xran_norm, xran_Xpass, xran_adjust$vmf.params, B=100)

xran_apply <- boost.apply(xran_norm, xran_random, yran, lasso_msgps_AICc)

xran_select <- boost.select(xran_apply)
```

fastboost

Fastboost

Description

All in one use of selectboost that avoids redondant fitting of distributions and saves some memory.

Usage

```
fastboost(X, Y, ncores = 4, group = group_func_1,
  func = lasso_msgps_AICc, corrfunc = "cor", use.parallel = FALSE,
  B = 100, step.num = 0.1, step.limit = "none", verbose = FALSE,
  step.scale = "quantile", normalize = TRUE, steps.seq = NULL,
  debug = FALSE, version = "lars", c0lim = TRUE, ...)
```

Arguments

X	Numerical matrix. Matrix of the variables.
Y	Numerical vector or factor. Response vector.
ncores	Numerical value. Number of cores for parallel computing. Defaults to 4.
group	Function. The grouping function. Defaults to group_func_1.
func	Function. The variable selection function. Defaults to lasso_msgps_AICc.
corrfunc	Character value or function. Used to compute associations between the variables. Defaults to "cor".
use.parallel	Boolean. To use parallel computing (doMC) download the extended package from Github. Set to FALSE.
B	Numerical value. Number of resampled fits of the model. Defaults to 100.
step.num	Numerical value. Step value for the c0 sequence. Defaults to 0.1.
step.limit	Defaults to "none".
verbose	Boolean. Defaults to FALSE.
step.scale	Character value. How to compute the c0 sequence if not user-provided: either "quantile" or "linear". Defaults to "quantile".
normalize	Boolean. Shall the X matrix be centered and scaled? Defaults to TRUE.
steps.seq	Numeric vector. User provided sequence of c0 values to use. Defaults to NULL.
debug	Boolean value. If more results are required. Defaults to FALSE.
version	Character value. Passed to the boost.select function. Defaults to lars
c0lim	Boolean. Shall the c0=0 and c0=1 values be used? Defaults to TRUE
...	. Arguments passed to the variable selection function used in boost.apply.

Details

fastboost returns a numeric matrix. For each of the variable (column) and each of the c0 (row), the entry is proportion of times that the variable was selected among the B resampled fits of the model. Fitting to the same group of variables is only performed once (even if it occurred for another value of c0), which greatly speeds up the algorithm. In order to limit memory usage, fastboost uses a compact way to save the group memberships, which is especially useful with community grouping function and fairly big datasets.

Value

A numeric matrix with attributes.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[boost](#), [autoboost](#), [plot.selectboost](#)

Other Selectboost functions: [autoboost](#), [boost](#), [plot_selectboost_cascade](#), [selectboost_cascade](#)

Examples

```
set.seed(314)
xran=matrix(rnorm(75),15,5)
ybin=sample(0:1,15,replace=TRUE)
yran=rnorm(15)
set.seed(314)
#For quick test purpose, not meaningful, should be run with greater value of B
#and disabling parallel computing as well
res.fastboost <- fastboost(xran,yran,B=3,use.parallel=FALSE)

fastboost(xran,yran)
#Customize resampling levels
fastboost(xran,yran,steps.seq=c(.99,.95,.9),c0lim=FALSE)

#Binary logistic regression
fastboost(xran,ybin,func=lasso_cv_glmnet_bin_min)
```

fastboost.res.x

Fastboost lasso diabetes first order.

Description

Result of fastboost analysis of diabetes data from *lars* package with lasso and first order model

Usage

```
fastboost.res.x
```

Format

A numerical matrix frame with 13 rows and 10 variables with attributes.

fastboost.res.x.adapt *Fastboost adaptative lasso diabetes first order.*

Description

Result of fastboost analysis of diabetes data from *lars* package with adaptative lasso and first order model

Usage

fastboost.res.x.adapt

Format

A numerical matrix frame with 13 rows and 10 variables with attributes.

fastboost.res.x2 *Fastboost lasso diabetes second order.*

Description

Result of fastboost analysis of diabetes data from *lars* package with lasso and second order model

Usage

fastboost.res.x2

Format

A numerical matrix frame with 13 rows and 64 variables with attributes.

fastboost.res.x2.adapt

Fastboost adaptative lasso diabetes second order.

Description

Result of fastboost analysis of diabetes data from *lars* package with adaptative lasso and second order model

Usage

fastboost.res.x2.adapt

Format

A numerical matrix frame with 13 rows and 64 variables with attributes.

group_func_1	<i>Generate groups by thresholding.</i>
--------------	---

Description

group_func_1 creates groups of variables based on thresholding the input matrix.

Usage

```
group_func_1(absXcor, c0)
```

Arguments

absXcor	A numeric matrix. The absolute value of a correlation or distance matrix.
c0	A numeric scalar. The thresholding

Details

This is a function used to create a list of groups using an input matrix and a thresholding value c0. A group is made, for every column in the input matrix.

Value

A list with one entry: the list of groups. Attributes:

- "type": "normal"
- "length.groups" the length of each groups.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[group_func_2](#) and [boost.findgroups](#)

Examples

```
set.seed(314)
group_func_1(cor(matrix(rnorm(50),10,5)),.4)
```

group_func_2 *Generate groups using community analysis.*

Description

group_func_2 creates groups of variables based on community analysis.

Usage

```
group_func_2(absXcor, c0)
```

Arguments

absXcor A numeric matrix. The absolute value of a correlation or distance matrix.
c0 A numeric scalar. The thresholding

Details

This is a function used to create a list of groups using an input matrix and a thresholding value c0. A group is made, for every column in the input matrix. It uses the `infomap.community` function of the `igraph` package.

Value

A list with one entry: the list of groups. Attributes:

- "type": "normal"
- "length.groups" the length of each groups.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[group_func_2](#) [boost.findgroups](#), [infomap.community](#) and [igraph](#).

Examples

```
set.seed(314)
group_func_2(cor(matrix(rnorm(100),10,10)),.5)
```

M	<i>Simulated Cascade network and inference</i>
---	--

Description

Result for the reverse engineering of a simulated Cascade network

Usage

M

Net

Net_inf_C

Format

Three objects :

M Simulated microarray

Net Simulated network

Net_inf_C Inferred network

miscplot	<i>Miscellaneous plot functions</i>
----------	-------------------------------------

Description

Define some additional plot functions to be used in the demos of the package.

Usage

```
## S3 method for class 'matrix'  
plot(x, ...)
```

Arguments

x A numeric matrix. A matrix to be plotted.
... . Additional arguments passed to the plot function.

Details

matrixplot plots a numeric matrix x.

Value

matrixplot returns 1.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr> with contributions from Nicolas Jung.

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

Examples

```
set.seed(3141)
randmat=matrix(rnorm(360),60,60)
plot(randmat)
```

network.confidence-class

Network confidence class.

Description

Some details about this class and my plans for it in the body.

Details

network.confidence Matrix of confidence indices.

name Vector.

array F array

time_pt Vector

cv.subjects Logical. Was crossvalidation carried out subjectwise?

net_confidence	<i>Confidence indices</i>
----------------	---------------------------

Description

Result for confidence indices derivation using the Cascade package

Usage

```
net_confidence
net_confidence_.5
net_confidence_thr
```

Format

A network.confidence object with four slots :

network.confidence The confidence matrix

name Names of the variables (genes)

F F array, see Cascade for more details

time_pt Repeated measurements

cv.subjects Logical. Was crossvalidation carried out subjectwise?

plot.selectboost	<i>Plot selectboost object</i>
------------------	--------------------------------

Description

Plot a selectboost object.

Usage

```
## S3 method for class 'selectboost'
plot(x, verbose = FALSE, prop.level = 0.95,
     conf.int.level = 0.95, conf.threshold = 0.95, ...)
```

Arguments

x	Numerical matrix. Result of selectboost (autoboost, fastboost, ...).
verbose	Boolean. Defaults to FALSE.
prop.level	Numeric value. Used to compute the proportion of selection is greater than prop.level. Defaults to .95.
conf.int.level	Numeric value. Confidence level for confidence intervals on estimated proportions of selection. Defaults to .95.
conf.threshold	Numeric value. Used to compute the number of steps (c0) for which the proportion of selection remains greater than conf.threshold. Defaults to .95.
...	. Passed to the plotting functions.

Details

plot.selectboost returns an invisible list and creates four graphics. Two plots the proportion of selection with respect to c0 (by step or according to real scale). On the third graph, no bar means a proportion of selection less than prop.level. Confidence intervals are computed at the conf.int.level level. Barplot of the confidence index (1-min(c0, such that proportionlc0>conf.threshold)).

Value

An invisible list.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[fastboost](#), [autoboost](#)

Other Selectboost analyse functions: [summary.selectboost](#)

Examples

```
set.seed(314)
xran=matrix(rnorm(75),15,5)
ybin=sample(0:1,15,replace=TRUE)
yran=rnorm(15)
layout(matrix(1:4,2,2))

data(autoboost.res.x)
plot(autoboost.res.x)
```

```
data(autoboost.res.x2)
plot(autoboost.res.x2)
```

```
plot.summary.selectboost
```

Plot a summary of selectboost results

Description

Plot a summary of selectboost results.

Usage

```
## S3 method for class 'summary.selectboost'
plot(x, ...)
```

Arguments

x	Numerical matrix. Summary of selectboost object.
...	. Passed to the plotting functions.

Details

plot.summary.selectboost returns an invisible list and creates four graphics. Two plots the proportion of selection with respect to c_0 (by step or according to real scale). On the third graph, no bar means a proportion of selection less than prop.level. Confidence intervals are computed at the conf.int.level level. Barplot of the confidence index ($1 - \min(c_0, \text{such that proportion} < c_0 > \text{conf.threshold})$).

Value

An invisible list.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[fastboost](#), [autoboost](#) and [summary.selectboost](#)

Other Selectboost analyze functions: [auto.analyze](#), [trajC0](#)

Examples

```
data(autoboost.res.x)
plot(summary(autoboost.res.x))

data(autoboost.res.x2)
plot(summary(autoboost.res.x2))
```

```
plot_selectboost_cascade
      plot_Selectboost_cascade
```

Description

Plot result of Selectboost for Cascade inference.

Usage

```
## S4 method for signature 'network.confidence,ANY'
plot(x, col = gray((1:99)/100, alpha =
  NULL), ...)
```

Arguments

x	A network.confidence object to be plotted.
col	Colors for the plot.
...	Additional arguments passed to the heatmap function.

Details

Extending results from the Cascade package: providing confidence indices for the reverse engineered links.

Reference for the Cascade modelling Vallat, L., Kemper, C. a., Jung, N., Maumy-Bertrand, M., Bertrand, F., Meyer, N., Pocheville, A., Fisher, J. W., Gribben, J. G. et Bahram, S. (2013). Reverse-engineering the genetic circuitry of a cancer cell with predicted intervention in chronic lymphocytic leukemia. Proceedings of the National Academy of Sciences of the United States of America, 110(2), 459-64.

Reference for the Cascade package Jung, N., Bertrand, F., Bahram, S., Vallat, L. et Maumy-Bertrand, M. (2014). Cascade : A R package to study, predict and simulate the diffusion of a signal through a temporal gene network. Bioinformatics. ISSN 13674803..

Value

Nothing.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[boost](#), [fastboost](#), [selectboost](#), [inference](#)

Other Selectboost functions: [autoboost](#), [boost](#), [fastboost](#), [selectboost_cascade](#)

Examples

```
data(net_confidences)
plot(net_confidence)
plot(net_confidence_.5)
plot(net_confidence_thr)
```

results_simuls_reverse_engineering_v3

Simulations for reverse-engineering

Description

Result of fastboost analysis applied to biological network reverse engineering

Usage

test.seq_C

test.seq_PL

test.seq_PL2

test.seq_PL2_W

test.seq_PL2_tW

test.seq_PSel

test.seq_PSel.5

test.seq_PSel.e2

test.seq_PSel.5.e2
test.seq_PSel_W
test.seq_robust
test.seq_PB
test.seq_PB_095_075
test.seq_PB_075_075
test.seq_PB_W
sensitivity_C
sensitivity_PL
sensitivity_PL2
sensitivity_PL2_W
sensitivity_PL2_tW
sensitivity_PSel
sensitivity_PSel.5
sensitivity_PSel.e2
sensitivity_PSel.5.e2
sensitivity_PSel_W
sensitivity_robust
sensitivity_PB
sensitivity_PB_095_075
sensitivity_PB_075_075
sensitivity_PB_W
predictive_positive_value_C
predictive_positive_value_PL

predictive_positive_value_PL2
predictive_positive_value_PL2_W
predictive_positive_value_PL2_tW
predictive_positive_value_PSel
predictive_positive_value_PSel.5
predictive_positive_value_PSel.e2
predictive_positive_value_PSel.5.e2
predictive_positive_value_PSel_W
predictive_positive_value_robust
predictive_positive_value_PB
predictive_positive_value_PB_095_075
predictive_positive_value_PB_075_075
predictive_positive_value_PB_W
F_score_C
F_score_PL
F_score_PL2
F_score_PL2_W
F_score_PL2_tW
F_score_PSel
F_score_PSel.5
F_score_PSel.e2
F_score_PSel.5.e2
F_score_PSel_W
F_score_robust

F_score_PB
F_score_PB_095_075
F_score_PB_075_075
F_score_PB_W
nv_C
nv_PL
nv_PL2
nv_PL2_W
nv_PL2_tW
nv_PSel
nv_PSel.5
nv_PSel.e2
nv_PSel.5.e2
nv_PSel_W
nv_robust
nv_PB
nv_PB_095_075
nv_PB_075_075
nv_PB_W

Format

A numerical matrix frame with 100 rows and 200 variables or a numerical vector of length 100.

SelectBoost

SelectBoost

Description

Motivation: With the growth of big data, variable selection has become one of the major challenges in statistics. Although many methods have been proposed in the literature their performance in terms of recall and precision are limited in a context where the number of variables by far exceeds the number of observations or in a high correlated setting. Results: This package implements a new general algorithm which improves the precision of any existing variable selection method. This algorithm is based on highly intensive simulations and takes into account the correlation structure of the data. Our algorithm can either produce a confidence index for variable selection or it can be used in an experimental design planning perspective.

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

Examples

```
set.seed(314)
xran=matrix(rnorm(75),15,5)
ybin=sample(0:1,15,replace=TRUE)
yran=rnorm(15)

#For quick test purpose, not meaningful, should be run with greater value of B
#(disabling parallel computing as well)
res.fastboost <- fastboost(xran,yran,B=3,use.parallel=FALSE)

fastboost(xran,yran)
#Customize resampling levels
fastboost(xran,yran,steps.seq=c(.99,.95,.9),c0lim=FALSE)

#Binary logistic regression
fastboost(xran,ybin,func=lasso_cv_glmnet_bin_min)
```

```
selectboost_cascade  Selectboost_cascade
```

Description

Selectboost for Cascade inference.

Usage

```
selectboost(M, ...)
```

S4 method for signature 'micro_array'

```
selectboost(M, Fabhat, K = 5, eps = 10^-5,
  cv.subjects = TRUE, ncores = 4, use.parallel = FALSE,
  verbose = FALSE, group = group_func_2, c0value = 0.95)
```

Arguments

M	Microarray class from the Cascade package.
...	Additional arguments. Not used.
Fabhat	F matrix inferred using the inference function from the Cascade package.
K	Number of crossvalidation folds.
eps	Threshold for assigning a zero value to an inferred parameter. Defaults to 10^{-5} .
cv.subjects	Crossvalidation is made subjectwise using leave one out. Discards the K option.
ncores	Numerical value. Number of cores for parallel computing. Defaults to 4.
use.parallel	Boolean. To use parallel computing (doMC) download the extended package from Github. Set to FALSE.
verbose	Boolean. Defaults to FALSE.
group	Function. The grouping function. Defaults to group_func_2.
c0value	Numeric. c0 value to use for confidence computation. Defaults to TRUE

Details

Extending results from the Cascade package: providing confidence indices for the reverse engineered links.

Reference for the Cascade modelling Vallat, L., Kemper, C. a., Jung, N., Maumy-Bertrand, M., Bertrand, F., Meyer, N., Pocheville, A., Fisher, J. W., Gribben, J. G. et Bahram, S. (2013). Reverse-engineering the genetic circuitry of a cancer cell with predicted intervention in chronic lymphocytic leukemia. *Proceedings of the National Academy of Sciences of the United States of America*, 110(2), 459-64.

Reference for the Cascade package Jung, N., Bertrand, F., Bahram, S., Vallat, L. et Maumy-Bertrand, M. (2014). Cascade : A R package to study, predict and simulate the diffusion of a signal through a temporal gene network. *Bioinformatics*. ISSN 13674803..

Value

A network.confidence object.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[boost](#), [fastboost](#), [plot.selectboost](#), [inference](#)

Other Selectboost functions: [autoboost](#), [boost](#), [fastboost](#), [plot_selectboost_cascade](#)

Examples

```
set.seed(314)
set.seed(314)

data(Cascade_example)
Fab_inf_C <- Net_inf_C@F
#By default community grouping of variables
set.seed(1)
net_confidence <- selectboost(M, Fab_inf_C)
net_confidence_.5 <- selectboost(M, Fab_inf_C, c@value = .5)
#With group_func_1, variables are grouped by thresholding the correlation matrix
net_confidence_thr <- selectboost(M, Fab_inf_C, group = group_func_1)
```

simulation

Miscellaneous simulation functions

Description

Define several simulation functions to be used in the demos of the package.

Usage

```
simulation_cor(group, cor_group, v = 1)

simulation_X(N, Cor)

simulation_DATA(X, supp, minB, maxB, stn)

compsim(x, ...)

## S3 method for class 'simuls'
compsim(x, result.boost, level = 1, ...)
```

Arguments

group	A numeric vector. Group membership of each of the variables.
cor_group	A numeric vector. Intra-group Pearson correlation.
v	A numeric value. The diagonal value of the generated matrix.
N	A numeric value. The number of observations.

Cor	A numeric matrix. A correlation matrix to be used for random sampling.
X	A numeric matrix. Observations*variables.
supp	A numeric vector. The true predictors.
minB	A numeric value. Minimum absolute value for a beta coefficient.
maxB	A numeric value. Maximum absolute value for a beta coefficient.
stn	A numeric value. A scaling factor for the noise in the response. The higher, the smaller the noise.
x	List. Simulated dataset.
...	For compatibility issues.
result.boost	Row matrix of numerical value. Result of selecboost for a given c0.
level	List. Threshold for proportions of selected variables.

Details

simulation_cor returns a numeric symmetric matrix c whose order is the number of variables. An entry $c_{i,j}$ is equal to

- $i = j$, entries on the diagonal are equal to the v value
- $i <> j$, 0 if the variable i and j do not belong to the same group
- $i <> j$, cor_group[k] if the variable i and j belong to the group k

simulation_X returns a numeric matrix of replicates (by row) of random samples generated according to the Cor matrix.

simulation_DATA returns a list with the X matrix, the response vector Y, the true predictors, the beta coefficients, the scaling factor and the standard deviation.

comsim.simuls computes sensitivity (precision), specificity (recall), and several Fscores (non-weighted Fscore, F1/2 and F2 weighted Fscores).

Value

simulation_cor returns a numeric matrix.

simulation_X returns a numeric matrix.

simulation_DATA returns a list.

comsim.simuls returns a numerical vector.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr> with contributions from Nicolas Jung.

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[glmnet](#), [cv.glmnet](#), [AICc_BIC_glmnetB](#), [lars](#), [cv.lars](#), [msgps](#)

Examples

```

N<-10
group<-c(rep(1:2,5))
cor_group<-c(.8,.4)
supp<-c(1,1,1,0,0,0,0,0,0,0)
minB<-1
maxB<-2
stn<-5
C<-simulation_cor(group,cor_group)

set.seed(314)
X<-simulation_X(10,C)
G<-abs(cor(X))
hist(G[lower.tri(G)])

set.seed(314)
DATA_exemple<-simulation_DATA(X,supp,1,2,stn)

set.seed(314)
result.boost = fastboost(DATA_exemple$X, DATA_exemple$Y, steps.seq = .7, c0lim = FALSE,
use.parallel = FALSE, B=10)
compsim(DATA_exemple, result.boost, level=.7)

```

summary.selectboost *Summarize a selectboost analysis*

Description

Summarize a selectboost analysis.

Usage

```

## S3 method for class 'selectboost'
summary(object, crit.func = mean,
  crit.int = "mean", custom.values.lim = NULL, index.lim = NULL,
  alpha.conf.level = 0.99, force.dec = TRUE, ...)

```

Arguments

object	Numerical matrix. Result of selectboost (autoboost, fastboost, ...).
crit.func	Function . Defaults to the mean function.
crit.int	Character value. Mean or median based confidence intervals. Defaults to "mean" based confidence intervals.

```
custom.values.lim      Vector of numeric values. Defaults to NULL.
index.lim              Vector of numeric values. Defaults to NULL.
alpha.conf.level       Numeric value. Defaults to 0.99.
force.dec              Boolean. Force trajectories to be non-increasing.
...                   Additional arguments. Passed to the crit.func function.
```

Details

summary.selectboost returns a list with the results.

Value

A list with the results.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[fastboost](#), [autoboost](#)

Other Selectboost analyse functions: [plot.selectboost](#)

Examples

```
data(autoboost.res.x)
summary(autoboost.res.x)
summary(autoboost.res.x, force.dec=FALSE)

data(autoboost.res.x.adapt)
summary(autoboost.res.x.adapt)

data(autoboost.res.x2)
summary(autoboost.res.x2)
summary(autoboost.res.x2, force.dec=FALSE)

data(autoboost.res.x2.adapt)
summary(autoboost.res.x2.adapt)

data(fastboost.res.x)
summary(fastboost.res.x)
summary(fastboost.res.x, force.dec=FALSE)
```



```

data(fastboost.res.x.adapt)
summary(fastboost.res.x.adapt)

data(fastboost.res.x2)
summary(fastboost.res.x2)
summary(fastboost.res.x2, force.dec=FALSE)

data(fastboost.res.x2.adapt)
summary(fastboost.res.x2.adapt)

```

trajC0

Plot trajectories

Description

Plot trajectories.

Usage

```

trajC0(x, ...)

## S3 method for class 'selectboost'
trajC0(x, summary.selectboost.res, lasso.coef.path,
       type.x.axis = "noscale", type.graph = "boost",
       threshold.level = NULL, ...)

```

Arguments

x	Numerical matrix. Selectboost object.
...	. Passed to the plotting functions.
summary.selectboost.res	List. Summary of selectboost object.
lasso.coef.path	List. Result of predict.lars.
type.x.axis	Character value. "scale" or "noscale" for the X axis.
type.graph	Character value. Type of graphs: "bars", "lasso" and "boost".
threshold.level	Numeric value. Threshold for the graphs.

Details

trajC0 returns an invisible list and creates four graphics.

Value

An invisible list.
invisible list.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[fastboost](#), [autoboost](#) and [summary.selectboost](#)

Other Selectboost analyze functions: [auto.analyze](#), [plot.summary.selectboost](#)

Examples

```
data(autoboost.res.x)
data(diabetes, package="lars")

### With lasso trajectories
m.x<-lars::lars(diabetes$x,diabetes$y)
plot(m.x)
mm.x<-predict(m.x,type="coef",mode="lambda")
autoboost.res.x.mean = summary(autoboost.res.x)

par(mfrow=c(2,2),mar=c(4,4,1,1))
trajC0(autoboost.res.x,autoboost.res.x.mean,lasso.coef.path=mm.x,type.graph="lasso")
trajC0(autoboost.res.x,autoboost.res.x.mean)
trajC0(autoboost.res.x,autoboost.res.x.mean,type.graph="bars")
trajC0(autoboost.res.x,autoboost.res.x.mean,type.x.axis ="scale")
```

var_select

Variable selection functions

Description

Compute coefficient vector after variable selection.

Usage

```
lasso_cv_glmnet_bin_min(X, Y)
```

```
lasso_cv_glmnet_bin_1se(X, Y)
```

```
lasso_glmnet_bin_AICc(X, Y)
```

```

lasso_glmnet_bin_BIC(X, Y)
lasso_cv_lars_min(X, Y)
lasso_cv_lars_1se(X, Y)
lasso_cv_glmnet_min(X, Y)
lasso_cv_glmnet_min_weighted(X, Y, priors)
lasso_cv_glmnet_1se(X, Y)
lasso_cv_glmnet_1se_weighted(X, Y, priors)
lasso_msgps_Cp(X, Y, penalty = "enet")
lasso_msgps_AICc(X, Y, penalty = "enet")
lasso_msgps_GCV(X, Y, penalty = "enet")
lasso_msgps_BIC(X, Y, penalty = "enet")
enetf_msgps_Cp(X, Y, penalty = "enet", alpha = 0.5)
enetf_msgps_AICc(X, Y, penalty = "enet", alpha = 0.5)
enetf_msgps_GCV(X, Y, penalty = "enet", alpha = 0.5)
enetf_msgps_BIC(X, Y, penalty = "enet", alpha = 0.5)
lasso_cascade(M, Y, K, eps = 10^-5, cv.fun)

```

Arguments

X	A numeric matrix. The predictors matrix.
Y	A binary factor. The 0/1 classification response.
priors	A numeric vector. Weighting vector for the variable selection. When used with the <code>glmnet</code> estimation function, the weights share the following meanings: <ul style="list-style-type: none"> • 0: the variable is always included in the model • 1: neutral weight • Inf: variable is always excluded from the model
penalty	A character value to select the penalty term in <code>msgps</code> (Model Selection Criteria via Generalized Path Seeking). Defaults to "enet". "genet" is the generalized elastic net and "lasso" is the adaptive lasso, which is a weighted version of the lasso.
alpha	A numeric value to set the value of α on "enet" and "genet" penalty in <code>msgps</code> (Model Selection Criteria via Generalized Path Seeking).

M	A numeric matrix. The transposed predictors matrix.
K	A numeric value. Number of folds to use.
eps	A numeric value. Threshold to set to 0 the inferred value of a parameter.
cv.fun	A function. Fonction used to create folds. Used to perform corss-validation subkectwise.

Details

`lasso_cv_glmnet_bin_min` returns the vector of coefficients for a binary logistic model estimated by the lasso using the `lambda.min` value computed by 10 fold cross validation. It uses the `glmnet` function of the `glmnet` package.

`lasso_cv_glmnet_bin_1se` returns the vector of coefficients for a binary logistic model estimated by the lasso using the `lambda.1se` (`lambda.min+1se`) value computed by 10 fold cross validation. It uses the `glmnet` function of the `glmnet` package.

`lasso_glmnet_bin_AICc` returns the vector of coefficients for a binary logistic model estimated by the lasso and selected according to the bias-corrected AIC (AICC) criterion. It uses the `glmnet`

`lasso_glmnet_bin_BIC` returns the vector of coefficients for a binary logistic model estimated by the lasso and selected according to the BIC criterion. It uses the `glmnet`

`lasso_cv_lars_min` returns the vector of coefficients for a linear model estimated by the lasso using the `lambda.min` value computed by 5 fold cross validation. It uses the `lars` function of the `lars` package.

`lasso_cv_lars_1se` returns the vector of coefficients for a linear model estimated by the lasso using the `lambda.1se` (`lambda.min+1se`) value computed by 5 fold cross validation. It uses the `lars` function of the `lars` package.

`lasso_cv_glmnet_min` returns the vector of coefficients for a linear model estimated by the lasso using the `lambda.min` value computed by 10 fold cross validation. It uses the `glmnet` function of the `glmnet` package.

`lasso_cv_glmnet_min_weighted` returns the vector of coefficients for a linear model estimated by the weighted lasso using the `lambda.min` value computed by 10 fold cross validation. It uses the `glmnet` function of the `glmnet` package.

`lasso_cv_glmnet_1se` returns the vector of coefficients for a linear model estimated by the lasso using the `lambda.1se` (`lambda.min+1se`) value computed by 10 fold cross validation. It uses the `glmnet` function of the `glmnet` package.

`lasso_cv_glmnet_1se_weighted` returns the vector of coefficients for a linear model estimated by the weighted lasso using the `lambda.1se` (`lambda.min+1se`) value computed by 10 fold cross validation. It uses the `glmnet` function of the `glmnet` package.

`lasso_msgps_Cp` returns the vector of coefficients for a linear model estimated by the lasso selectd using Mallows' C_p . It uses the `msgps` function of the `msgps` package.

`lasso_msgps_AICc` returns the vector of coefficients for a linear model estimated by the lasso selected according to the bias-corrected AIC (AICC) criterion. It uses the `msgps` function of the `msgps` package.

`lasso_msgps_GCV` returns the vector of coefficients for a linear model estimated by the lasso selected according to the generalized cross validation criterion. It uses the `msgps` function of the `msgps` package.

lasso_msgps_BIC returns the vector of coefficients for a linear model estimated by the lasso selected according to the BIC criterion. It uses the msgps function of the msgps package.

enetf_msgps_Cp returns the vector of coefficients for a linear model estimated by the elastic net selected using Mallows' Cp. It uses the msgps function of the msgps package.

enetf_msgps_AICc returns the vector of coefficients for a linear model estimated by the elastic net selected according to the bias-corrected AIC (AICc) criterion. It uses the msgps function of the msgps package.

enetf_msgps_GCV returns the vector of coefficients for a linear model estimated by the elastic net selected according to the generalized cross validation criterion. It uses the msgps function of the msgps package.

enetf_msgps_BIC returns the vector of coefficients for a linear model estimated by the elastic net selected according to the BIC criterion. It uses the msgps function of the msgps package.

lasso_cascade returns the vector of coefficients for a linear model estimated by the lasso. It uses the lars function of the lars package.

Value

A vector of coefficients.

Author(s)

Frederic Bertrand, <frederic.bertrand@math.unistra.fr>

References

selectBoost: a general algorithm to enhance the performance of variable selection methods in correlated datasets, Ismaïl Aouadi, Nicolas Jung, Raphael Carapito, Laurent Vallat, Seiamak Bahram, Myriam Maumy-Bertrand, Frédéric Bertrand, <https://arxiv.org/abs/1810.01670>

See Also

[glmnet](#), [cv.glmnet](#), [AICc_BIC_glmnetB](#), [lars](#), [cv.lars](#), [msgps](#)

Examples

```
set.seed(314)
xran=matrix(rnorm(150),30,5)
ybin=sample(0:1,30,replace=TRUE)
yran=rnorm(30)
set.seed(314)
lasso_cv_glmnet_bin_min(xran,ybin)

set.seed(314)
lasso_cv_glmnet_bin_1se(xran,ybin)

set.seed(314)
lasso_glmnet_bin_AICc(xran,ybin)

set.seed(314)
```

```
lasso_glmnet_bin_BIC(xran,ybin)

set.seed(314)
lasso_cv_lars_min(xran,yran)

set.seed(314)
lasso_cv_lars_1se(xran,yran)

set.seed(314)
lasso_cv_glmnet_min(xran,yran)

set.seed(314)
lasso_cv_glmnet_min_weighted(xran,yran,c(1000,0,0,1,1))

set.seed(314)
lasso_cv_glmnet_1se(xran,yran)

set.seed(314)
lasso_cv_glmnet_1se_weighted(xran,yran,c(1000,0,0,1,1))

set.seed(314)
lasso_msgps_Cp(xran,yran)

set.seed(314)
lasso_msgps_AICc(xran,yran)

set.seed(314)
lasso_msgps_GCV(xran,yran)

set.seed(314)
lasso_msgps_BIC(xran,yran)

set.seed(314)
enetf_msgps_Cp(xran,yran)

set.seed(314)
enetf_msgps_AICc(xran,yran)

set.seed(314)
enetf_msgps_GCV(xran,yran)

set.seed(314)
enetf_msgps_BIC(xran,yran)

set.seed(314)
lasso_cascade(t(xran),yran,5,cv.fun=lars::cv.folds)
```

Index

*Topic **datasets**

- autoboost.res.x, [7](#)
- autoboost.res.x.adapt, [8](#)
- autoboost.res.x2, [8](#)
- autoboost.res.x2.adapt, [8](#)
- fastboost.res.x, [13](#)
- fastboost.res.x.adapt, [14](#)
- fastboost.res.x2, [14](#)
- fastboost.res.x2.adapt, [14](#)
- M, [17](#)
- net_confidence, [19](#)
- results_simuls_reverse_engineering_v3, [23](#)

- AICc_BIC_glmnetB, [2](#), [31](#), [37](#)
- AICc_glmnetB (AICc_BIC_glmnetB), [2](#)
- auto.analyze, [4](#), [21](#), [34](#)
- autoboost, [5](#), [5](#), [11](#), [13](#), [20](#), [21](#), [23](#), [29](#), [32](#), [34](#)
- autoboost.res.x, [7](#)
- autoboost.res.x.adapt, [8](#)
- autoboost.res.x2, [8](#)
- autoboost.res.x2.adapt, [8](#)

- BIC_glmnetB (AICc_BIC_glmnetB), [2](#)
- boost, [7](#), [9](#), [13](#), [23](#), [29](#)
- boost.findgroups, [15](#), [16](#)

- compsim (simulation), [29](#)
- cv.glmnet, [31](#), [37](#)
- cv.lars, [31](#), [37](#)

- enetf_msgps_AICc (var_select), [34](#)
- enetf_msgps_BIC (var_select), [34](#)
- enetf_msgps_Cp (var_select), [34](#)
- enetf_msgps_GCV (var_select), [34](#)

- F_score_C
(results_simuls_reverse_engineering_v3), [23](#)

- F_score_PB
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PB_075_075
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PB_095_075
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PB_W
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PL
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PL2
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PL2_tW
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PL2_W
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PSel
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_PSel_W
(results_simuls_reverse_engineering_v3), [23](#)
- F_score_robust
(results_simuls_reverse_engineering_v3), [23](#)
- fastboost, [5](#), [7](#), [11](#), [11](#), [20](#), [21](#), [23](#), [29](#), [32](#), [34](#)
- fastboost.res.x, [13](#)
- fastboost.res.x.adapt, [14](#)
- fastboost.res.x2, [14](#)
- fastboost.res.x2.adapt, [14](#)
- glmnet, [31](#), [37](#)

- group_func_1, 15
- group_func_2, 15, 16, 16
- igraph, 16
- inference, 23, 29
- infomap.community, 16
- lars, 31, 37
- lasso_cascade (var_select), 34
- lasso_cv_glmnet_1se (var_select), 34
- lasso_cv_glmnet_1se_weighted (var_select), 34
- lasso_cv_glmnet_bin_1se (var_select), 34
- lasso_cv_glmnet_bin_min (var_select), 34
- lasso_cv_glmnet_min (var_select), 34
- lasso_cv_glmnet_min_weighted (var_select), 34
- lasso_cv_lars_1se (var_select), 34
- lasso_cv_lars_min (var_select), 34
- lasso_glmnet_bin_AICc (var_select), 34
- lasso_glmnet_bin_BIC (var_select), 34
- lasso_msgps_AICc (var_select), 34
- lasso_msgps_BIC (var_select), 34
- lasso_msgps_Cp (var_select), 34
- lasso_msgps_GCV (var_select), 34
- M, 17
- miscplot, 17
- msgps, 31, 37
- Net (M), 17
- net_confidence, 19
- net_confidence_.5 (net_confidence), 19
- net_confidence_thr (net_confidence), 19
- Net_inf_C (M), 17
- network.confidence-class, 18
- nv_C (results_simuls_reverse_engineering_v3), 23
- nv_PB (results_simuls_reverse_engineering_v3), 23
- nv_PB_075_075 (results_simuls_reverse_engineering_v3), 23
- nv_PB_095_075 (results_simuls_reverse_engineering_v3), 23
- nv_PB_W (results_simuls_reverse_engineering_v3), 23
- nv_PL (results_simuls_reverse_engineering_v3), 23
- nv_PL2 (results_simuls_reverse_engineering_v3), 23
- nv_PL2_tW (results_simuls_reverse_engineering_v3), 23
- nv_PL2_W (results_simuls_reverse_engineering_v3), 23
- nv_PSel (results_simuls_reverse_engineering_v3), 23
- nv_PSel_W (results_simuls_reverse_engineering_v3), 23
- nv_robust (results_simuls_reverse_engineering_v3), 23
- plot.network.confidence, ANY-method (plot_selectboost_cascade), 22
- plot.network.confidence, network.confidence-method (plot_selectboost_cascade), 22
- plot.matrix (miscplot), 17
- plot.selectboost, 7, 13, 19, 29, 32
- plot.summary.selectboost, 5, 21, 34
- plot_selectboost_cascade, 7, 11, 13, 22, 29
- predictive_positive_value_C (results_simuls_reverse_engineering_v3), 23
- predictive_positive_value_PB (results_simuls_reverse_engineering_v3), 23
- predictive_positive_value_PB_075_075 (results_simuls_reverse_engineering_v3), 23
- predictive_positive_value_PB_095_075 (results_simuls_reverse_engineering_v3), 23
- predictive_positive_value_PB_W (results_simuls_reverse_engineering_v3), 23

predictive_positive_value_PL
 (results_simuls_reverse_engineering_v3),
 23
 predictive_positive_value_PL2
 (results_simuls_reverse_engineering_v3),
 23
 predictive_positive_value_PL2_tW
 (results_simuls_reverse_engineering_v3),
 23
 predictive_positive_value_PL2_W
 (results_simuls_reverse_engineering_v3),
 23
 predictive_positive_value_PSel
 (results_simuls_reverse_engineering_v3),
 23
 predictive_positive_value_PSel_W
 (results_simuls_reverse_engineering_v3),
 23
 predictive_positive_value_robust
 (results_simuls_reverse_engineering_v3),
 23
 rerr (AICc_BIC_glmnetB), 2
 results_simuls_reverse_engineering_v3,
 23
 ridge_logistic (AICc_BIC_glmnetB), 2
 SelectBoost, 26
 selectboost, 23
 selectboost (selectboost_cascade), 27
 selectboost,micro_array,micro_array-method
 (selectboost_cascade), 27
 selectboost,micro_array-method
 (selectboost_cascade), 27
 SelectBoost-package (SelectBoost), 26
 selectboost_cascade, 7, 11, 13, 23, 27
 sensitivity_C
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PB
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PB_075_075
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PB_095_075
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PB_W
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PL
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PL2
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PL2_tW
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PL2_W
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PSel
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_PSel_W
 (results_simuls_reverse_engineering_v3),
 23
 sensitivity_robust
 (results_simuls_reverse_engineering_v3),
 23
 simulation, 29
 simulation_cor (simulation), 29
 simulation_DATA (simulation), 29
 simulation_X (simulation), 29
 summary.selectboost, 20, 21, 31, 34
 test.seq_C
 (results_simuls_reverse_engineering_v3),
 23
 test.seq_PB
 (results_simuls_reverse_engineering_v3),
 23
 test.seq_PB_075_075
 (results_simuls_reverse_engineering_v3),
 23
 test.seq_PB_095_075
 (results_simuls_reverse_engineering_v3),
 23
 test.seq_PB_W
 (results_simuls_reverse_engineering_v3),
 23
 test.seq_PL
 (results_simuls_reverse_engineering_v3),
 23
 test.seq_PL2
 (results_simuls_reverse_engineering_v3),
 23

(results_simuls_reverse_engineering_v3),
23

test.seq_PL2_tW
(results_simuls_reverse_engineering_v3),
23

test.seq_PL2_W
(results_simuls_reverse_engineering_v3),
23

test.seq_PSel
(results_simuls_reverse_engineering_v3),
23

test.seq_PSel_W
(results_simuls_reverse_engineering_v3),
23

test.seq_robust
(results_simuls_reverse_engineering_v3),
23

trajC0, 5, 21, 33

var_select, 3, 34