

# Package ‘requireR’

January 5, 2017

**Title** R Source Code Modularizer

**Version** 1.0.0.1

**Description** Modularizes source code. Keeps the global environment clean, explicifies interdependencies. Inspired by 'RequireJS' <<http://requirejs.org/>>.

**Depends** R (>= 3.3.1)

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 5.0.1

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Peter van den Berg [aut, cre]

**Maintainer** Peter van den Berg <[peter\\_v\\_d\\_berg@hotmail.com](mailto:peter_v_d_berg@hotmail.com)>

**Repository** CRAN

**Date/Publication** 2017-01-05 11:29:52

## R topics documented:

|                    |          |
|--------------------|----------|
| requireR . . . . . | 1        |
| <b>Index</b>       | <b>3</b> |

---

|          |   |
|----------|---|
| requireR | <i>Loads given files and modularizes the given function</i> |
|----------|---|

---

## Description

Loads given files and modularizes the given function

**Usage**

```
requireR(...)
```

**Arguments**

...                   A set of filenames, and/or ending with the modularizable function.

**Examples**

```
## Not run:
#hello.R
requireR(function() {
  "hello"
})

#world.R
requireR(function() {
  "world"
})

requireR(
  "hello.R",
  "world.R",
  function(hello, world) {
    paste(hello, world)
  })

## End(Not run)
```

# Index

requireR, 1