

Package ‘geoBayes’

February 28, 2019

Type Package

Title Analysis of Geostatistical Data using Bayes and Empirical Bayes Methods

Description Functions to fit geostatistical data. The data can be continuous, binary or count data and the models implemented are flexible. Conjugate priors are assumed on some parameters while inference on the other parameters can be done through a full Bayesian analysis of by empirical Bayes methods.

Version 0.6.2

Date 2019-02-28

Author Evangelos Evangelou <e.evangelou@maths.bath.ac.uk>, Vivekananda Roy <vroyst@iastate.edu>

Maintainer Evangelos Evangelou <e.evangelou@maths.bath.ac.uk>

Imports coda, graphics, sp, stats, optimr

Depends R (>= 3.0.0)

Suggests geoR

LazyData true

Encoding UTF-8

License GPL (>= 2)

Classification/ACM 86A32, 62M30, 62F15

RoxygenNote 6.1.0

NeedsCompilation yes

Repository CRAN

Date/Publication 2019-02-28 13:40:03 UTC

R topics documented:

alik_cutoff	2
alik_inla	3
alik_optim	4

bf1skel	6
bf2new	8
bf2optim	9
bf2se	11
bmbfse	12
geoBayes	13
geoBayes_correlation	14
geoBayes_models	14
linkfcn	15
mcmcmake	16
mcsghmm	18
mctrnga	21
mkpredgrid2d	24
plotbf2	26
revlogreg	27
rhizoctonia	28
rsglmm	29
spcovariance	30
sploglik	31
sploglik_cross	32
stackdata	33
subset.geomcmc	34

Index 35

alík_cutoff	<i>Approximate log-likelihood calculation</i>
-------------	---

Description

Calculate the likelihood approximation at different parameter values. This function is useful for choosing the skeleton set.

Plot likelihood approximation.

Usage

```
alík_cutoff(likopt, par_vals, likthreshold)
```

```
alík_plot(alíkobj)
```

Arguments

likopt	Output from the function alík_optim .
par_vals	A named list with some of the components "linkp", "phi", "omg", "kappa".
likthreshold	A threshold value proportion to calculate the cutoff. The cutoff will be calculated as that proportion relative to the maximum value of the log-likelihood.
alíkobj	Output from alík_cutoff .

Details

The input `par_vals` is meant to contain vector of parameter values for each parameter. For each element in `par_vals`, the other parameters are set equal to the maximisers given in `likopt` and the approximate likelihood is computed. The cutoff is calculated using linear interpolation provided by [approx](#).

The plot can be used to visualise the Laplace approximation to the likelihood provided by the function [alík_cutoff](#).

Value

A list with the log-likelihood approximation and cutoff values.

Draws a plot.

<code>alík_inla</code>	<i>Log-likelihood approximation</i>
------------------------	-------------------------------------

Description

Log-likelihood approximation.

Usage

```
alík_inla(par_vals, formula, family = "gaussian", data, weights, subset,
  atsample, corrfcn = "matern", np, betm0, betQ0, ssqdf, ssqsc, tsqdf,
  tsqsc, dispersion = 1, longlat = FALSE)
```

Arguments

<code>par_vals</code>	A data frame with the components "linkp", "phi", "omg", "kappa". The approximation will be computed at each row of the data frame.
<code>formula</code>	A representation of the model in the form <code>response ~ terms</code> .
<code>family</code>	The distribution of the response. Can be one of the options in .geoBayes_models or "transformed.gaussian".
<code>data</code>	An optional data frame containing the variables in the model.
<code>weights</code>	An optional vector of weights. Number of replicated samples for Gaussian and gamma, number of trials for binomial, time length for Poisson.
<code>subset</code>	An optional vector specifying a subset of observations to be used in the fitting process.
<code>atsample</code>	A formula in the form <code>~ x1 + x2 + ... + xd</code> with the coordinates of the sampled locations.
<code>corrfcn</code>	Spatial correlation function. Can be one of the choices in .geoBayes_corrfcn .
<code>np</code>	The number of integration points for the spatial variance parameter σ^2 . The total number of points will be $2*np + 1$.

betm0	Prior mean for beta (a vector or scalar).
betQ0	Prior standardised precision (inverse variance) matrix. Can be a scalar, vector or matrix. The first two imply a diagonal with those elements. Set this to 0 to indicate a flat improper prior.
ssqdf	Degrees of freedom for the scaled inverse chi-square prior for the partial sill parameter.
ssqsc	Scale for the scaled inverse chi-square prior for the partial sill parameter.
tsqdf	Degrees of freedom for the scaled inverse chi-square prior for the measurement error parameter.
tsqsc	Scale for the scaled inverse chi-square prior for the measurement error parameter.
dispersion	The fixed dispersion parameter.
longlat	How to compute the distance between locations. If FALSE, Euclidean distance, if TRUE Great Circle distance. See spDists .

Details

Computes and approximation to the log-likelihood for the given parameters using integrated nested Laplace approximations.

Value

A list with components

- `par_vals` A data frame of the parameter values.
- `aloglik` The approximate log-likelihood at those parameter values.

alike_optim

Log-likelihood maximisation

Description

Approximate log-likelihood maximisation

Usage

```
alike_optim(paroptim, formula, family = "gaussian", data, weights, subset,
  atsample, corrfcn = "matern", np, betm0, betQ0, ssqdf, ssqsc,
  dispersion = 1, longlat = FALSE, control = list())
```

Arguments

paroptim	A named list with the components "linkp", "phi", "omg", "kappa". Each component must be numeric with length 1, 2, or 3 with elements in increasing order. If the component's length is 1, then the corresponding parameter is considered to be fixed at that value. If 2, then the two numbers denote the lower and upper bounds for the optimisation of that parameter (infinities are allowed). If 3, these correspond to lower bound, starting value, upper bound for the estimation of that parameter.
formula	A representation of the model in the form <code>response ~ terms</code> .
family	The distribution of the response.
data	An optional data frame containing the variables in the model.
weights	An optional vector of weights. Number of replicated samples for Gaussian and gamma, number of trials for binomial, time length for Poisson.
subset	An optional vector specifying a subset of observations to be used in the fitting process.
atsample	A formula in the form <code>~ x1 + x2 + ... + xd</code> with the coordinates of the sampled locations.
corrfcn	Spatial correlation function. See geoBayes_correlation for details.
np	The number of integration points for the spatial variance parameter σ^2 . The total number of points will be $2*np + 1$.
betm0	Prior mean for beta (a vector or scalar).
betQ0	Prior standardised precision (inverse variance) matrix. Can be a scalar, vector or matrix. The first two imply a diagonal with those elements. Set this to 0 to indicate a flat improper prior.
ssqdf	Degrees of freedom for the scaled inverse chi-square prior for the partial sill parameter.
ssqsc	Scale for the scaled inverse chi-square prior for the partial sill parameter.
dispersion	The fixed dispersion parameter.
longlat	How to compute the distance between locations. If FALSE, Euclidean distance, if TRUE Great Circle distance. See spDists .
control	A list of control parameters for the optimisation. See optim .

Details

Uses the "L-BFGS-B" method of the function [optim](#) to maximise the log-likelihood for the parameters linkp, phi, omg, kappa.

Value

The output from the function [optim](#). The "value" element is the log-likelihood, not the negative log-likelihood.

bf1skel

*Computation of Bayes factors at the skeleton points***Description**

Function to compute the Bayes factors from MCMC samples.

Usage

```
bf1skel(runs, bftype1 = 0.8, method = c("RL", "MW"), reference = 1,
        transf = c("no", "mu", "wo"))
```

Arguments

runs	A list with outputs from the function <code>mcsglm</code> or <code>mcstrga</code> .
bftype1	A scalar or vector of the same length as runs with all integer values or all values in (0, 1]. How many samples (or what proportion of the sample) to use for estimating the Bayes factors at the first stage. The remaining sample will be used for estimating the Bayes factors in the second stage. Setting it to 1 will perform only the first stage.
method	Which method to use to calculate the Bayes factors: Reverse logistic or Meng-Wong.
reference	Which model goes in the denominator.
transf	Whether to use a transformed sample for the computations. If "no" or FALSE, it doesn't. If "mu" or TRUE, it uses the samples for the mean. If "wo" it uses an alternative transformation. The latter can be used only for the families indicated by <code>.geoBayes_models\$haswo</code> .

Details

Computes the Bayes factors using method with respect to reference.

Value

A list with components

- `logbf` A vector containing logarithm of the Bayes factors.
- `logLik1` `logLik2` Matrices with the values of the log-likelihood computed from the samples for each model at the first and second stages.
- `isweights` A vector with the importance sampling weights for computing the Bayes factors at new points that will be used at the second stage. Used internally in `bf2new` and `bf2optim`.
- `controlvar` A matrix with the control variates computed at the samples that will be used in the second stage.
- `sample2` The MCMC sample for mu or z that will be used in the second stage. Used internally in `bf2new` and `bf2optim`.

- N1, N2 Vectors containing the sample sizes used in the first and second stages.
- distmat Matrix of distances between locations.
- betm0, betQ0, ssqdf, ssqsc, tsqdf, tsqsc, dispersion, response, weights, modelmatrix, locations, family, corrfcn, transf Model parameters used internally in `bf2new` and `bf2optim`.
- pnts A list containing the skeleton points. Used internally in `bf2new` and `bf2optim`.

References

Geyer, C. J. (1994). Estimating normalizing constants and reweighting mixtures. Technical report, University of Minnesota.

Meng, X. L., & Wong, W. H. (1996). Simulating ratios of normalizing constants via a simple identity: A theoretical exploration. *Statistica Sinica*, 6, 831-860.

Roy, V., Evangelou, E., and Zhu, Z. (2015). Efficient estimation and prediction for the Bayesian spatial generalized linear mixed model with flexible link functions. *Biometrics*, 72(1), 289-298.

Examples

```
## Not run:
data(rhizoctonia)
### Define the model
corrf <- "spherical"
kappa <- 0
ssqdf <- 1
ssqsc <- 1
betm0 <- 0
betQ0 <- .01
family <- "binomial.probit"
### Skeleton points
phillist <- c(100, 140, 180)
omglist <- c(.5, 1)
parlist <- expand.grid(linkp=0, phi=phillist, omg=omglist, kappa = kappa)
### MCMC sizes
Nout <- 100
Nthin <- 1
Nbi <- 0
### Take MCMC samples
runs <- list()
for (i in 1:NROW(parlist)) {
  runs[[i]] <- mcsglmm(Infected ~ 1, family, rhizoctonia, weights = Total,
    atsample = ~ Xcoord + Ycoord,
    Nout = Nout, Nthin = Nthin, Nbi = Nbi,
    betm0 = betm0, betQ0 = betQ0,
    ssqdf = ssqdf, ssqsc = ssqsc,
    phi = parlist$phi[i], omg = parlist$omg[i],
    linkp = parlist$linkp[i], kappa = parlist$kappa[i],
    corrfcn = corrf,
    corrtuning=list(phi = 0, omg = 0, kappa = 0))
}
bf <- bf1skel(runs)
```

```
bf$logbf
## End(Not run)
```

bf2new

Compute the Bayes factors at new points

Description

Compute the Bayes factors.

Usage

```
bf2new(bf1obj, linkp, phi, omg, kappa, useCV = TRUE)
```

Arguments

bf1obj	Output from the function bf1skel which contains the Bayes factors and importance sampling weights.
linkp, phi, omg, kappa	Optional scalar or vector or NULL. If scalar or vector, the Bayes factors are calculated at those values with respect to the reference model used in bf1skel . If missing or NULL then the unique values from the MCMC chains that were inputted in bf1skel will be used.
useCV	Whether to use control variates for finer corrections.

Details

Computes the Bayes factors using the importance weights at the new points. The new points are taken from the grid derived by expanding the parameter values inputted. The arguments linkp phi omg kappa correspond to the link function, spatial range, relative nugget, and correlation function parameters respectively.

Value

An array of size $\text{length}(\text{linkp}) * \text{length}(\text{phi}) * \text{length}(\text{omg}) * \text{length}(\text{kappa})$ containing the Bayes factors for each combination of the parameters.

References

Doss, H. (2010). Estimation of large families of Bayes factors from Markov chain output. *Statistica Sinica*, 20(2), 537.

Roy, V., Evangelou, E., and Zhu, Z. (2015). Efficient estimation and prediction for the Bayesian spatial generalized linear mixed model with flexible link functions. *Biometrics*, 72(1), 289-298.

Examples

```

## Not run:
data(rhizoctonia)
### Define the model
corrf <- "spherical"
kappa <- 0
ssqdf <- 1
ssqsc <- 1
betm0 <- 0
betQ0 <- .01
family <- "binomial.probit"
### Skeleton points
phillist <- c(100, 140, 180)
omglist <- c(.5, 1)
parlist <- expand.grid(linkp=0, phi=phillist, omg=omglist, kappa = kappa)
### MCMC sizes
Nout <- 100
Nthin <- 1
Nbi <- 0
### Take MCMC samples
runs <- list()
for (i in 1:NROW(parlist)) {
  runs[[i]] <- mcsglmm(Infected ~ 1, family, rhizoctonia, weights = Total,
    atsample = ~ Xcoord + Ycoord,
    Nout = Nout, Nthin = Nthin, Nbi = Nbi,
    betm0 = betm0, betQ0 = betQ0,
    ssqdf = ssqdf, ssqsc = ssqsc,
    phi = parlist$phi[i], omg = parlist$omg[i],
    linkp = parlist$linkp[i], kappa = parlist$kappa[i],
    corrfcn = corrf,
    corrtuning=list(phi = 0, omg = 0, kappa = 0))
}
bf <- bf1skel(runs)
bfall <- bf2new(bf, phi = seq(100, 200, 10), omg = seq(0, 2, .2))
plotbf2(bfall, c("phi", "omg"))

## End(Not run)

```

bf2optim

Empirical Bayes estimator

Description

Estimation by empirical Bayes.

Usage

```
bf2optim(bf1obj, paroptim, useCV = TRUE, control = list())
```

Arguments

bf1obj	Output from the function bf1skel which contains the Bayes factors and importance sampling weights.
paroptim	A named list with the components "linkp", "phi", "omg", "kappa". Each component must be numeric with length 1, 2, or 3 with elements in increasing order but for the binomial family linkp is also allowed to be the character "logit" and "probit". If the component's length is 1, then the corresponding parameter is considered to be fixed at that value. If 2, then the two numbers denote the lower and upper bounds for the optimisation of that parameter (infinities are allowed). If 3, these correspond to lower bound, starting value, upper bound for the estimation of that parameter.
useCV	Whether to use control variates for finer corrections.
control	A list of control parameters for the optimisation. See optim .

Details

This function is a wrap around [bf2new](#) using the "L-BFGS-B" method of the function [optim](#) to estimate the parameters.

Value

The output from the function [optim](#). The "value" element is the log-Bayes factor, not the negative log-Bayes factor.

Examples

```
## Not run:
data(rhizoctonia)
### Define the model
corrF <- "spherical"
kappa <- 0
ssqdf <- 1
ssqsc <- 1
betm0 <- 0
betQ0 <- .01
family <- "binomial.probit"
### Skeleton points
phillist <- c(100, 140, 180)
omglist <- c(.5, 1)
parlist <- expand.grid(linkp=0, phi=phillist, omg=omglist, kappa = kappa)
### MCMC sizes
Nout <- 100
Nthin <- 1
Nbi <- 0
### Take MCMC samples
runs <- list()
for (i in 1:NROW(parlist)) {
  runs[[i]] <- mcsglmm(Infected ~ 1, family, rhizoctonia, weights = Total,
    atsampler = ~ Xcoord + Ycoord,
    Nout = Nout*c(.8,.2), Nthin = Nthin, Nbi = Nbi,
```

```

betm0 = betm0, betQ0 = betQ0,
ssqdf = ssqdf, ssqsc = ssqsc,
phi = parlist$phi[i], omg = parlist$omg[i],
linkp = parlist$linkp[i], kappa = parlist$kappa[i],
corrfcn = corrf,
corrtning=list(phi = 0, omg = 0, kappa = 0))
}
bf <- bf1skel(runs)
est <- bf2optim(bf, list(phi = c(100, 200), omg = c(0, 2)))
est

## End(Not run)

```

bf2se

Empirical Bayes standard errors

Description

Standard errors for the empirical Bayes estimates of the parameters.

Usage

```
bf2se(mcrun, transf = c("no", "mu", "wo"))
```

Arguments

mcrun	The output from the function <code>mcsglm</code> where the parameters <code>linkp</code> , <code>phi</code> , <code>omg</code> , <code>kappa</code> are set at their empirical Bayes estimates (output of <code>bf2optim</code>).
transf	The type of transformation to use.

Value

The precision (inverse covariance) matrix.

References

Casella, G. (2001). Empirical Bayes Gibbs sampling. *Biostatistics*, 2(4), 485-500.

Evangelou, E., & Roy, V. (2019). Estimation and prediction for spatial generalized linear mixed models with parametric links via reparameterized importance sampling. *Spatial Statistics*, 29, 289-315.

bmbfse *Batch means, Bayes factors standard errors*

Description

Compute the standard errors for the Bayes factors estimates.

Usage

```
bmbfse(pargrid, runs, bftype1 = 0.8, nbatch1 = 0.5, nbatch2 = 0.5,
       method = c("RL", "MW"), bvmethod = c("Standard", "TukeyHanning",
       "Bartlett"), reference = 1, transf = c("no", "mu", "wo"))
```

Arguments

pargrid	A data frame with components "linkp", "phi", "omg", "kappa". Each row gives a combination of the parameters to compute the new standard errors.
runs	A list with outputs from the function <code>mcsplmm</code> or <code>mcstrga</code> .
bftype1	A scalar or vector of the same length as runs with all integer values or all values in (0, 1]. How many samples (or what proportion of the sample) to use for estimating the Bayes factors at the first stage. The remaining sample will be used for estimating the standard errors in the second stage. Setting it to 1 will perform only the first stage.
nbatch1	A scalar or vector of the same length as runs. All values must be integers or less than 1. This is used for calculating how many batches to split each of the sample in runs for the calculation of the Bayes factors standard errors for the parameters corresponding to runs.
nbatch2	A scalar or vector of the same length as runs. All values must be integers or less than 1. This is used for calculating how many batches to split each of the sample in runs for the calculation of the Bayes factors standard errors for the parameters corresponding to pargrid.
method	Which method to use to calculate the Bayes factors: Reverse logistic or Meng-Wong.
bvmethod	Which method to use for the calculation of the batch variance. The standard method splits to disjoint batches. The second and third method use the spectral variance method with different lag windows.
reference	Which model goes in the denominator.
transf	Whether to use a transformed sample for the computations. If "no" or FALSE, it doesn't. If "mu" or TRUE, it uses the samples for the mean. If "wo" it uses an alternative transformation. The latter can be used only for the families indicated by <code>.geoBayes_models\$haswo</code> .

Details

Uses the batch means method to compute the standard errors for Bayes factors.

Value

A list with components

- `pargrid` The inputted pargrid augmented with the computed standard errors.
- `bfEstimate` The estimates of the Bayes factors
- `bfSigma` The covariance matrix for the Bayes factors estimates.

References

Roy, V., Tan, A. and Flegal, J. (2018). Estimating standard errors for importance sampling estimators with multiple Markov chains, *Statistica Sinica*, 28 1079-1101.

Roy, V., & Evangelou, E. (2018). Selection of proposal distributions for generalized importance sampling estimators. arXiv preprint arXiv:1805.00829.

geoBayes

The geoBayes package

Description

Analysis of geostatistical data using Bayes and Empirical Bayes methods.

Details

This package provides functions to fit geostatistical data. The data can be continuous, binary or count data and the models implemented are flexible. Conjugate priors are assumed on some parameters while inference on the other parameters can be done through a full Bayesian analysis of by empirical Bayes methods.

Some demonstration examples are provided. Type `demo(package = "geoBayes")` to examine them.

Author(s)

Evangelos Evangelou <e.evangelou@maths.bath.ac.uk> and Vivekananda Roy <vroy@iastate.edu>

References

Roy, V., Evangelou, E. and Zhu, Z. (2014). Empirical Bayes methods for the transformed Gaussian random fields model with additive measurement errors. In Upadhyay, S. K., Singh, U., Dey, D. K., and Loganathan, A., editors, *Current Trends in Bayesian Methodology with Applications*, Boca Raton, FL, USA, CRC Press.

Roy, V., Evangelou, E., and Zhu, Z. (2015). Efficient estimation and prediction for the Bayesian spatial generalized linear mixed model with flexible link functions. *Biometrics*, 72(1), 289-298.

Evangelou, E., & Roy, V. (2019). Estimation and prediction for spatial generalized linear mixed models with parametric links via reparameterized importance sampling. *Spatial Statistics*, 29, 289-315.

Roy, V., & Evangelou, E. (2018). Selection of proposal distributions for generalized importance sampling estimators. arXiv preprint arXiv:1805.00829.

See Also

geoR, geoRglm

Examples

```
## Not run:  
demo(package = "geoBayes")  
demo(rhizoctonia3, package = "geoBayes")  
  
## End(Not run)
```

geoBayes_correlation *Spatial correlation used in the geoBayes package*

Description

This hidden variable contains a choice of correlation functions that can be fit with this package. The function can be chosen in the `corrfcn` input of the relevant function. This variable cannot be overwritten.

Usage

```
.geoBayes_corrfcn
```

Format

An object of class `data.frame` with 5 rows and 4 columns.

geoBayes_models *Models used in the geoBayes package*

Description

This hidden variable contains a choice of models that can be fit with this package. The model can be chosen in the `family` input of the relevant function. This variable cannot be overwritten.

Usage

```
.geoBayes_models
```

Format

An object of class `data.frame` with 12 rows and 7 columns.

linkfcn	<i>Calculate the link function for exponential families</i>
---------	---

Description

Link function for the exponential family.

Usage

```
linkfcn(mu, linkp, family = "gaussian")
```

```
linkinv(z, linkp, family = "gaussian")
```

Arguments

mu	Numeric. The mean of the response variable.
linkp	The link function parameter. A scalar.
family	The distribution of the response variable from .geoBayes_models . Either an integer or the family name.
z	Numeric. The linear predictor.

Details

linkfcn maps the mean of the response variable mu to the linear predictor z. linkinv is its inverse. For the Gaussian family, if the link parameter is positive, then the extended link is used, defined by

$$z = \frac{\text{sign}(\mu)|\mu|^\nu - 1}{\nu}$$

In the other case, the usual Box-Cox link is used.

For the Poisson and gamma families, if the link parameter is positive, then the link is defined by

$$z = \frac{\text{sign}(w)(e^{\nu|w|} - 1)}{\nu}$$

where $w = \log(\mu)$. In the other case, the usual Box-Cox link is used.

For the GEV binomial family, the link function is defined by

$$\mu = 1 - \exp\{-\max(0, 1 + \nu z)^{\frac{1}{\nu}}\}$$

for any real ν . At $\nu = 0$ it reduces to the complementary log-log link.

The Wallace binomial family is a fast approximation to the robit family. It is defined as

$$\mu = \Phi(\text{sign}(z)c(\nu)\sqrt{\nu \log(1 + z^2/\nu)})$$

where $c(\nu) = (8\nu + 1)/(8\nu + 3)$

Value

A numeric array of the same dimension as the function's first argument.

References

Evangelou, E., & Roy, V. (2019). Estimation and prediction for spatial generalized linear mixed models with parametric links via reparameterized importance sampling. *Spatial Statistics*, 29, 289-315.

Examples

```
## Not run:
mu <- seq(0.1, 0.9, 0.1)
linkfcfn(mu, 7, "binomial")      # robit(7) link function
linkfcfn(mu, , "binomial.logit") # logit link function

mu <- seq(-3, 3, 1)
linkfcfn(mu, 0.5, "gaussian")    # sqrt transformation
linkinv(linkfcfn(mu, 0.5, "gaussian"), 0.5, "gaussian")
curve(linkfcfn(x, 0.5, "gaussian"), -3, 3)

## End(Not run)
```

mcmcmake

Convert to an [mcmc](#) object

Description

Convert to an [mcmc](#) object.

Usage

```
mcmcmake(...)
```

Arguments

... Output(s) from the functions mentioned in the Details.

Details

This function takes as input the one or more output(s) from function [mcsglmm](#) or [mcstrga](#) and returns an [mcmc](#) object or an [mcmc.list](#) object for coda. The function requires the coda package to be installed.

The spatial random field components are assigned the names `z_*` where `*` is a number beginning at 1. Similarly, the regressor coefficients are assigned the names `beta_*` if not unique, or simply `beta` if there is only one regressor. The names `ssq`, `tsq`, `phi`, `omg` correspond to the partial sill, measurement error variance, spatial range, and relative nugget parameters respectively.

Value

An mcmc object.

See Also

Functions such as [plot.mcmc](#) and [summary.mcmc](#) in the coda package. The function [do.call](#) can be used to pass arguments stored in a list.

Examples

```
## Not run:
### Load the data
data(rhizoctonia)
rhiz <- na.omit(rhizoctonia)
rhiz$IR <- rhiz$Infected/rhiz$Total # Incidence rate of the
                                     # rhizoctonia disease

### Define the model
corrf <- "spherical"
ssqdf <- 1
ssqsc <- 1
tsqdf <- 1
tsqsc <- 1
betm0 <- 0
betQ0 <- diag(.01, 2, 2)
phiprior <- c(200, 1, 1000, 100) # U(100, 300)
phisc <- 1
omgprior <- c(3, 1, 1000, 0) # U(0, 3)
omgsc <- 1.3
linkp <- 1
## MCMC parameters
Nout <- 100
Nbi <- 0
Nthin <- 1
### Run MCMC
sample <- mcstrga(Yield ~ IR, data = rhiz,
                 atsample = ~ Xcoord + Ycoord, corrf = corrf,
                 Nout = Nout, Nthin = Nthin,
                 Nbi = Nbi, betm0 = betm0, betQ0 = betQ0,
                 ssqdf = ssqdf, ssqsc = ssqsc,
                 tsqdf = tsqdf, tsqsc = tsqsc,
                 linkp = linkp,
                 corrprior = list(phi = phiprior, omg = omgprior),
                 corrtuning = list(phi = phisc, omg = omgsc, kappa = 0),
                 test = FALSE)
mcsample <- mcmcmake(sample)
plot(mcsample[, c("phi", "omg", "beta_1", "beta_2", "ssq", "tsq")],
     density = FALSE)
summary(mcsample[, c("phi", "omg", "beta_1", "beta_2", "ssq", "tsq")])

## End(Not run)
```

mcsglmm

*MCMC samples from the Spatial GLMM***Description**

Draw MCMC samples from the Spatial GLMM with known link function

Usage

```
mcsglmm(formula, family = "gaussian", data, weights, subset, atsample,
         corrfcn = "matern", linkp, phi, omg, kappa, Nout, Nthin = 1,
         Nbi = 0, betm0, betQ0, ssqdf, ssqsc, corrpriors, corrtuning,
         dispersion = 1, longlat = FALSE, test = FALSE)
```

Arguments

formula	A representation of the model in the form response ~ terms. The response must be set to NA's at the prediction locations (see the examples on how to do this using the function stackdata). At the observed locations the response is assumed to be a total of replicated measurements. The number of replications is inputted using the argument weights.
family	The distribution of the data. The "GEVbinomial" family is the binomial family with link the GEV link (see Details).
data	An optional data frame containing the variables in the model.
weights	An optional vector of weights. Number of replicated samples for Gaussian and gamma, number of trials for binomial, time length for Poisson.
subset	An optional vector specifying a subset of observations to be used in the fitting process.
atsample	A formula in the form ~ x1 + x2 + ... + xd with the coordinates of the sampled locations.
corrfcn	Spatial correlation function. See geoBayes_correlation for details.
linkp	Parameter of the link function. A scalar value.
phi	Optional starting value for the MCMC for the spatial range parameter phi. Defaults to the mean of its prior. If corrtuning[["phi"]] is 0, then this argument is required and it corresponds to the fixed value of phi. This can be a vector of the same length as Nout.
omg	Optional starting value for the MCMC for the relative nugget parameter omg. Defaults to the mean of its prior. If corrtuning[["omg"]] is 0, then this argument is required and it corresponds to the fixed value of omg. This can be a vector of the same length as Nout.
kappa	Optional starting value for the MCMC for the spatial correlation parameter kappa (Matern smoothness or exponential power). Defaults to the mean of its prior. If corrtuning[["kappa"]] is 0 and it is needed for the chosen correlation function, then this argument is required and it corresponds to the fixed value of kappa. This can be a vector of the same length as Nout.

Nout	Number of MCMC samples to return. This can be a vector for running independent chains.
Nthin	The thinning of the MCMC algorithm.
Nbi	The burn-in of the MCMC algorithm.
betm0	Prior mean for beta (a vector or scalar).
betQ0	Prior standardised precision (inverse variance) matrix. Can be a scalar, vector or matrix. The first two imply a diagonal with those elements. Set this to 0 to indicate a flat improper prior.
ssqdf	Degrees of freedom for the scaled inverse chi-square prior for the partial sill parameter.
ssqsc	Scale for the scaled inverse chi-square prior for the partial sill parameter.
corrriors	A list with the components phi, omg and kappa as needed. These correspond to the prior distribution parameters. For phi and omg it must be a vector of length 4. The generalized inverse gamma prior is assumed and the input corresponds to the parameters scale, shape, exponent, location in that order (see Details). For kappa it must be a vector of length 2. A uniform prior is assumed and the input corresponds to the lower and upper bounds in that order.
corrtuning	A vector or list with the components phi, omg and kappa as needed. These correspond to the random walk parameter for the Metropolis-Hastings step. Smaller values increase the acceptance ratio. Set this to 0 for fixed parameter value.
dispersion	The fixed dispersion parameter.
longlat	How to compute the distance between locations. If FALSE, Euclidean distance, if TRUE Great Circle distance. See spDists .
test	Whether this is a trial run to monitor the acceptance ratio of the random walk for phi and omg. If set to TRUE, the acceptance ratio will be printed on the screen every 100 iterations of the MCMC. Tune the phisc and omgsc parameters in order to achieve 20 to 30% acceptance. Set this to a positive number to change the default 100. No thinning or burn-in are done when testing.

Details

The four-parameter prior for phi is defined by

$$\propto (\phi - \theta_4)^{\theta_2 - 1} \exp\left\{-\left(\frac{\phi - \theta_4}{\theta_1}\right)^{\theta_3}\right\}$$

for $\phi > \theta_4$. The prior for omg is similar. The prior parameters correspond to scale, shape, exponent, and location. See [arXiv:1005.3274](#) for details of this distribution.

The GEV (Generalised Extreme Value) link is defined by

$$\mu = 1 - \exp\left\{-\max(0, 1 + \nu x)^{\frac{1}{\nu}}\right\}$$

for any real ν . At $\nu = 0$ it reduces to the complementary log-log link.

Value

A list containing the objects MODEL, DATA, FIXED, MCMC and call. The MCMC samples are stored in the object MCMC as follows:

- z A matrix containing the MCMC samples for the spatial random field. Each column is one sample.
- mu A matrix containing the MCMC samples for the mean response (a transformation of z). Each column is one sample.
- beta A matrix containing the MCMC samples for the regressor coefficients. Each column is one sample.
- ssq A vector with the MCMC samples for the partial
- phi A vector with the MCMC samples for the spatial range parameter, if sampled.
- omg A vector with the MCMC samples for the relative nugget parameter, if sampled.
- logLik A vector containing the value of the log-likelihood evaluated at each sample.
- acc_ratio The acceptance ratio for the joint update of the parameters phi and omg, if sampled.
- sys_time The total computing time for the MCMC sampling.
- Nout, Nbi, Nthin As in input. Used internally in other functions.

The other objects contain input variables. The object call contains the function call.

Examples

```
## Not run:
data(rhizoctonia)

### Create prediction grid
predgrid <- mkpredgrid2d(rhizoctonia[c("Xcoord", "Ycoord")],
                        par.x = 100, chull = TRUE, exf = 1.2)

### Combine observed and prediction locations
rhizdata <- stackdata(rhizoctonia, predgrid$grid)
##'
### Define the model
corrf <- "spherical"
family <- "binomial.probit"
kappa <- 0
ssqdf <- 1
ssqsc <- 1
betm0 <- 0
betQ0 <- .01
phiprior <- c(100, 1, 1000, 100) # U(100, 200)
phisc <- 3
omgprior <- c(2, 1, 1, 0) # Exp(mean = 2)
omgsc <- .1
##'
### MCMC sizes
Nout <- 100
```

```

Nthin <- 1
Nbi <- 0

### Trial run
emt <- mcsglmm(Infected ~ 1, family, rhizdata, weights = Total,
              atsample = ~ Xcoord + Ycoord,
              Nout = Nout, Nthin = Nthin, Nbi = Nbi,
              betm0 = betm0, betQ0 = betQ0, ssqdf = ssqdf, ssqsc = ssqsc,
              corrpriors = list(phi = phiprior, omg = omgprior),
              corrfcn = corrf, kappa = kappa,
              corrtuning = list(phi = phisc, omg = omgsc, kappa = 0),
              dispersion = 1, test = 10)

### Full run
emc <- update(emt, test = FALSE)

emcmc <- mcmcmake(emc)
summary(emcmc[, c("phi", "omg", "beta", "ssq")])
plot(emcmc[, c("phi", "omg", "beta", "ssq")])

## End(Not run)

```

mcstrga

MCMC samples from the transformed Gaussian model

Description

Draw MCMC samples from the transformed Gaussian model with known link function

Usage

```

mcstrga(formula, data, weights, subset, atsample, corrfcn = "matern",
        linkp, phi, omg, kappa, Nout, Nthin = 1, Nbi = 0, betm0, betQ0,
        ssqdf, ssqsc, tsqdf, tsqsc, corrpriors, corrtuning, longlat = FALSE,
        test = FALSE)

```

Arguments

formula	A representation of the model in the form response ~ terms. The response must be set to NA's at the prediction locations (see the example in mcsglmm for how to do this using stackdata). At the observed locations the response is assumed to be a total of replicated measurements. The number of replications is inputted using the argument weights.
data	An optional data frame containing the variables in the model.
weights	An optional vector of weights. Number of replicated samples.
subset	An optional vector specifying a subset of observations to be used in the fitting process.

atsample	A formula in the form $\sim x_1 + x_2 + \dots + x_d$ with the coordinates of the sampled locations.
corrfcn	Spatial correlation function. See geoBayes_correlation for details.
linkp	Parameter of the link function. A scalar value.
phi	Optional starting value for the MCMC for the spatial range parameter phi. Defaults to the mean of its prior. If <code>corr tuning[["phi"]]</code> is 0, then this argument is required and it corresponds to the fixed value of phi. This can be a vector of the same length as <code>Nout</code> .
omg	Optional starting value for the MCMC for the relative nugget parameter omg. Defaults to the mean of its prior. If <code>corr tuning[["omg"]]</code> is 0, then this argument is required and it corresponds to the fixed value of omg. This can be a vector of the same length as <code>Nout</code> .
kappa	Optional starting value for the MCMC for the spatial correlation parameter kappa (Matern smoothness or exponential power). Defaults to the mean of its prior. If <code>corr tuning[["kappa"]]</code> is 0 and it is needed for the chosen correlation function, then this argument is required and it corresponds to the fixed value of kappa. This can be a vector of the same length as <code>Nout</code> .
Nout	Number of MCMC samples to return. This can be a vector for running independent chains.
Nthin	The thinning of the MCMC algorithm.
Nbi	The burn-in of the MCMC algorithm.
betm0	Prior mean for beta (a vector or scalar).
betQ0	Prior standardised precision (inverse variance) matrix. Can be a scalar, vector or matrix. The first two imply a diagonal with those elements. Set this to 0 to indicate a flat improper prior.
ssqdf	Degrees of freedom for the scaled inverse chi-square prior for the partial sill parameter.
ssqsc	Scale for the scaled inverse chi-square prior for the partial sill parameter.
tsqdf	Degrees of freedom for the scaled inverse chi-square prior for the measurement error parameter.
tsqsc	Scale for the scaled inverse chi-square prior for the measurement error parameter.
corr priors	A list with the components phi, omg and kappa as needed. These correspond to the prior distribution parameters. For phi and omg it must be a vector of length 4. The generalized inverse gamma prior is assumed and the input corresponds to the parameters scale, shape, exponent, location in that order (see Details). For kappa it must be a vector of length 2. A uniform prior is assumed and the input corresponds to the lower and upper bounds in that order.
corr tuning	A vector or list with the components phi, omg and kappa as needed. These correspond to the random walk parameter for the Metropolis-Hastings step. Smaller values increase the acceptance ratio. Set this to 0 for fixed parameter value.
longlat	How to compute the distance between locations. If FALSE, Euclidean distance, if TRUE Great Circle distance. See spDists .

test Whether this is a trial run to monitor the acceptance ratio of the random walk for ϕ and ω . If set to TRUE, the acceptance ratio will be printed on the screen every 100 iterations of the MCMC. Tune the `phisc` and `omgsc` parameters in order to achieve 20 to 30% acceptance. Set this to a positive number to change the default 100. No thinning or burn-in are done when testing.

Details

Simulates from the posterior distribution of this model.

Value

A list containing the objects MODEL, DATA, FIXED, MCMC and call. The MCMC samples are stored in the object MCMC as follows:

- `z` A matrix containing the MCMC samples for the spatial random field. Each column is one sample.
- `mu` A matrix containing the MCMC samples for the mean response (a transformation of `z`). Each column is one sample.
- `beta` A matrix containing the MCMC samples for the regressor coefficients. Each column is one sample.
- `ssq` A vector with the MCMC samples for the partial
- `tsq` A vector with the MCMC samples for the measurement error variance.
- `phi` A vector with the MCMC samples for the spatial range parameter, if sampled.
- `omg` A vector with the MCMC samples for the relative nugget parameter, if sampled.
- `logLik` A vector containing the value of the log-likelihood evaluated at each sample.
- `acc_ratio` The acceptance ratio for the joint update of the parameters `phi` and `omg`, if sampled.
- `sys_time` The total computing time for the MCMC sampling.
- `Nout`, `Nbi`, `Nthin` As in input. Used internally in other functions.

The other objects contain input variables. The object `call` contains the function call.

Examples

```
## Not run:
### Load the data
data(rhizoctonia)
rhiz <- na.omit(rhizoctonia)
rhiz$IR <- rhiz$Infected/rhiz$Total # Incidence rate of the
                                   # rhizoctonia disease

### Define the model
corrF <- "spherical"
ssqdf <- 1
ssqsc <- 1
tsqdf <- 1
tsqsc <- 1
```

```

betm0 <- 0
betQ0 <- diag(.01, 2, 2)
phiprior <- c(200, 1, 1000, 100) # U(100, 300)
phisc <- 1
omgprior <- c(3, 1, 1000, 0) # U(0, 3)
omgsc <- 1.3
linkp <- 1

## MCMC parameters
Nout <- 100
Nbi <- 0
Nthin <- 1

samplt <- mcstrga(Yield ~ IR, data = rhiz,
  atsample = ~ Xcoord + Ycoord, corrf = corrf,
  Nout = Nout, Nthin = Nthin,
  Nbi = Nbi, betm0 = betm0, betQ0 = betQ0,
  ssqdf = ssqdf, ssqsc = ssqsc,
  tsqdf = tsqdf, tsqsc = tsqsc,
  corrprior = list(phi = phiprior, omg = omgprior),
  linkp = linkp,
  corrtuning = list(phi = phisc, omg = omgsc, kappa = 0),
  test=10)

sample <- update(samplt, test = FALSE)

## End(Not run)

```

mkpredgrid2d

Make prediction grid

Description

This function creates a grid for prediction.

Usage

```
mkpredgrid2d(pnts.x, pnts.y, par.x, par.y, isby = FALSE, chull = FALSE,
  exf = 1)
```

Arguments

pnts.x	x coordinate of the domain. Could also be a two-column matrix containing the x and y coordinates
pnts.y	y coordinate of the domain. Should be omitted or set to NULL if the argument pnts.x is a two-column matrix.
par.x	A scalar parameter for the x component of the new grid. This parameter corresponds to either the by or the length.out arguments of the function seq . Could also be a vector of two elements containing the parameter for x and y.

<code>par.y</code>	As in <code>par.x</code> for the y component of the new grid. Should be omitted or set to NULL if the argument <code>par.x</code> is a two-dimensional vector.
<code>isby</code>	If TRUE, the arguments <code>par.x</code> and <code>par.y</code> correspond to the <code>by</code> argument of the function seq , otherwise they correspond to <code>length.out</code> .
<code>chull</code>	Whether to calculate the convex hull of the points. Set this to TRUE if <code>pnts.x</code> and <code>pnts.y</code> denote the sampled locations. If they correspond to the borders of the domain, it is recommended to set this to FALSE.
<code>exf</code>	An expansion factor of the convex hull of <code>cbind(pnts.x, pnts.y)</code> . Must be positive. If larger or smaller than 1, the convex hull is respectively expanded or contracted.

Details

If `chull` this function first calculates the convex hull of the points. If `exf` is not 1 the borders are expanded. Then the function calls [point.in.polygon](#) to select points that fall inside the borders.

Value

A list with components

- `grid` A two-column matrix with the prediction grid.
- `xycoord` A list with components "x" and "y" containing the sequence of points used to create the grid.
- `xygrid` A matrix with the full square grid derived from `xycoord`.
- `borders` The (expanded) borders of the domain.
- `inxygrid` A logical vector indicating which rows of `xycoord` fall inside borders, and therefore correspond to the grid.

See Also

[pred_grid](#)

Examples

```
## Not run:
data(rhizoctonia)
predgrid <- mkpredgrid2d(rhizoctonia[c("Xcoord", "Ycoord")],
                        par.x = 100, chull = TRUE, exf = 1.2)
plot(predgrid$borders, type = "l")      # Domain for prediction
points(predgrid$grid, pch = 20, cex = .3) # Prediction locations
points(rhizoctonia[c("Xcoord", "Ycoord")]) # Observed locations

## End(Not run)
```

plotbf2

*Plot the estimated Bayes factors***Description**

This function plots the estimated logarithm Bayes factors from the function [bf2new](#).

Usage

```
plotbf2(bf2obj, pars = c("linkp", "phi", "omg", "kappa"),
        profile = length(pars) > 2, ...)
```

Arguments

bf2obj	Output from the function bf2new .
pars	A vector with the names of the parameters to plot.
profile	Whether it should produce a profile plot or a contour plot if the length of pars is 2.
...	Other input to be passed to either plot or contour.

Details

Depending on whether pars has length 1 or 2, this function creates a line or a contour plot of the estimated Bayes factors. If its length is 3 or 4, then it produces multiple profile plots. In this case the variable is fixed at different values and the maximum Bayes factor corresponding to the fixed value is plotted against that value.

Value

This function returns nothing.

Examples

```
## Not run:
data(rhizoctonia)
### Define the model
corrf <- "spherical"
kappa <- 0
ssqdf <- 1
ssqsc <- 1
betm0 <- 0
betQ0 <- .01
family <- "binomial.probit"
### Skeleton points
philist <- c(100, 140, 180)
omglist <- c(.5, 1)
parlist <- expand.grid(linkp=0, phi=philist, omg=omglist, kappa = kappa)
### MCMC sizes
```

```

Nout <- 100
Nthin <- 1
Nbi <- 0
### Take MCMC samples
runs <- list()
for (i in 1:NROW(parlist)) {
  runs[[i]] <- mcsglmm(Infected ~ 1, family, rhizoctonia, weights = Total,
    atsample = ~ Xcoord + Ycoord,
    Nout = Nout, Nthin = Nthin, Nbi = Nbi,
    betm0 = betm0, betQ0 = betQ0,
    ssqdf = ssqdf, ssqsc = ssqsc,
    phi = parlist$phi[i], omg = parlist$omg[i],
    linkp = parlist$linkp[i], kappa = parlist$kappa[i],
    corrfcn = corrf,
    corrtuning=list(phi = 0, omg = 0, kappa = 0))
}
bf <- bf1skel(runs)
bfall <- bf2new(bf, phi = seq(100, 200, 10), omg = seq(0, 2, .2))
plotbf2(bfall, c("phi", "omg"))
plotbf2(bfall, c("phi", "omg"), profile = TRUE, type = "b", ylab="log(BF)")

## End(Not run)

```

revlogreg

Reverse logistic regression estimation

Description

Perform the reverse logistic regression estimation

Usage

```
revlogreg(lglk, N)
```

Arguments

lglk	The value of the loglikelihood at different samples and different parameters. This should be entered as a matrix where the rows are the values of the samples and the columns correspond to the parameters. The [i,j] element of the matrix is the value of the loglikelihood at the ith sample when all samples are put together evaluated at the jth parameter value.
N	A vector of length ncol(lglk) or a scalar corresponding to the sample sizes from each model. Must $\text{sum}(N) == \text{nrow}(lglk)$. The first $N[1]$ samples come from model corresponding to the first set of parameters, then $(N[1]+1):N[2]$ are from the model corresponding to the second set of parameters, and so on.

Details

Estimation is done by maximising the reverse logistic log likelihood.

Value

A vector containing the reverse logistic regression estimates of the logarithm of the Bayes factors. The first set of parameters is taken as the reference model so its estimate is always 0.

References

Geyer, C. J. (1994). Estimating normalizing constants and reweighting mixtures in Markov chain Monte Carlo. Technical Report 568, School of Statistics, University of Minnesota.

rhizoctonia

Rhizoctonia root rot infections

Description

Rhizoctonia root rot infections.

Usage

```
data(rhizoctonia)
```

Format

A data frame with 100 rows and 5 variables.

Details

A dataset containing the number of infected roots and the sample coordinate. The data were collected by Dr Jim Cook at Washington State University.

- Xcoord Longitude of the sampling location.
- Ycoord Latitude of the sampling location.
- Total Total number of roots sampled at that location.
- Infected Number of infected roots found at that location.
- Yield Barley yield at that location. These data were obtained by hand-harvesting a 4-square-meter area in the sampling location. One observation is missing.

Note

We acknowledge Hao Zhang for providing these data.

Source

www.biometrics.tibs.org/datasets/010434.txt

References

Zhang, H. (2002). On estimation and prediction for spatial generalized linear mixed models. *Biometrics*, 58(1), 129-136.

rsglmm

*Simulation from a spatial model***Description**

Simulate from a variety of spatial models.

Usage

```
rsglmm(n, formula, family = "gaussian", data, weights, subset, atsample,
       beta, linkp, phi, omg, kappa, ssq, corrfcn = "matern",
       longlat = FALSE, dispersion = 1, returnGRF = FALSE,
       warndisp = TRUE)
```

```
rstrga(n, formula, data, weights, subset, atsample, beta, linkp, phi, omg,
       kappa, ssq, corrfcn = "matern", longlat = FALSE, dispersion = 1,
       returnGRF = FALSE)
```

```
rsgrf(n, formula, data, subset, atsample, beta, phi, omg, kappa, ssq,
      corrfcn = "matern", longlat = FALSE)
```

Arguments

n	The number of instances to simulate
formula	A representation of the model in the form $\text{response} \sim \text{terms}$. The LHS can be omitted. If the LHS exists, it can be of the form y , $y z$, or sums of terms at either side of the $ $ to specify the names of the variables to include in the data frame.
family	The distribution of the data to simulate from.
data	An optional data frame containing the variables in the model.
weights	An optional vector of weights. Number of replicated samples for Gaussian and gamma, number of trials for binomial, time length for Poisson.
subset	An optional set of indices. Simulations will be provided for those locations only.
atsample	A formula of the form $\sim X_{\text{coord}} + Y_{\text{coord}}$ specifying the sampled locations.
beta	A vector of the regressor coefficients to use.
linkp	The link function parameter.
phi	The spatial range parameter.
omg	The relative nugget parameter.
kappa	The spatial smoothness parameter.
ssq	The partial sill parameter.
corrfcn	The correlation function to use.
longlat	How to compute the distance between locations. If FALSE, Euclidean distance, if TRUE Great Circle distance. See spDists .

dispersion	The fixed dispersion parameter. When this is not 1 and the sample is from a binomial or a Poisson distribution, no such distribution exists so an approximate sample is returned. Use with caution.
returnGRF	Whether to return the simulate Gaussian random field as well.
warndisp	Whether to warn when sampling from a quasi distribution. This is the case for binomial and Poisson when the dispersion is not one.

Details

The spatial Gaussian random field is simulated using the Cholesky decomposition of the covariance matrix.

The sample from a quasi distribution uses a hack which matches the mean and the variance of the distribution. See the source code for details.

Value

A data frame containing the predictors, sampling locations, optional weights, and samples.

Examples

```
## Not run:
n <- 100
beta <- c(-2, 1)
phi <- .2
omg <- .3
linkp <- 0
ssq <- 1
l <- rep(10, n)
corrf <- "matern"
kappa <- .5
family <- "poisson"
Xcoord <- runif(n)
Ycoord <- runif(n)
f <- Xcoord + Ycoord
formula <- y|z ~ f
mydata <- rsglmm(1, formula, family, weights = l,
                atsample = ~ Xcoord + Ycoord, beta = beta, linkp = linkp,
                phi = phi, omg = omg, kappa = kappa, ssq = ssq,
                corrfcn = corrf, returnGRF = TRUE)

## End(Not run)
```

spcovariance

Spatial variance-covariance matrix

Description

Calculates the spatial variance-covariance matrix for a selection of correlation functions.

Usage

```

spcovariance(...)

## S3 method for class 'formula'
spcovariance(formula, data, subset, corrfcn, ssq, phi,
              omg, kappa, longlat = FALSE, ...)

## S3 method for class 'numeric'
spcovariance(x, corrfcn, ssq, phi, omg, kappa, ...)

## S3 method for class 'dist'
spcovariance(x, corrfcn, ssq, phi, omg, kappa, ...)

```

Arguments

...	Further arguments. Not currently in use.
formula	A formula of the form $\sim X_{\text{coord}} + Y_{\text{coord}}$ specifying the sampled locations.
data	An optional data frame containing the variables in the model.
subset	An optional set of indices. The covariance will be calculated for those coordinates only.
corrfcn	The correlation function to use.
ssq	The partial sill parameter.
phi	The spatial range parameter.
omg	The relative nugget parameter.
kappa	The spatial smoothness parameter.
longlat	How to compute the distance between locations. If FALSE, Euclidean distance, if TRUE Great Circle distance. See spDists .
x	A numerical object of distances.

Value

For a formula input, a variance-covariance matrix. For a numeric input, an object of the the same dimensions as its first input.

sploglik	<i>Spatial log likelihood</i>
----------	-------------------------------

Description

Spatial joint log likelihood

Usage

```
sploglik(pargrid, runs, transf = c("no", "mu", "wo"))
```

Arguments

pargrid	A data frame with components "linkp", "phi", "omg", "kappa". Each row gives a combination of the parameters to compute the log-likelihood.
runs	A list with outputs from the function <code>mcsglm</code> or <code>mcstrga</code> .
transf	Whether to use a transformed sample for the computations. If "no" or FALSE, it doesn't. If "mu" or TRUE, it uses the samples for the mean. If "wo" it uses an alternative transformation. The latter can be used only for the families indicated by <code>.geoBayes_models\$haswo</code> .

Details

Computes the joint log likelihood $\log f(y, T(z) | \text{parameters})$ where $T(z)$ is the transformation, for each (y, z) in runs and for parameters in pargrid up to a constant which does not depend on the parameters. The parameters β and σ^2 are integrated out.

Value

A matrix with number of rows the total number of samples in runs and number of columns the number of rows in pargrid. The $[i, j]$ element of the matrix is the value of the loglikelihood at the i th sample when all samples in runs are put together evaluated at the j th parameter value.

sploglik_cross	<i>Spatial log likelihood</i>
----------------	-------------------------------

Description

Spatial joint log likelihood

Usage

```
sploglik_cross(runs, transf = c("no", "mu", "wo"))
```

Arguments

runs	A list with outputs from the function <code>mcsglm</code> or <code>mcstrga</code> .
transf	Whether to use a transformed sample for the computations. If "no" or FALSE, it doesn't. If "mu" or TRUE, it uses the samples for the mean. If "wo" it uses an alternative transformation. The latter can be used only for the families indicated by <code>.geoBayes_models\$haswo</code> . The input can also be a vector (of the same length as runs to allow for different transformation to be used when evaluating each likelihood).

Details

Computes the joint log likelihood $\log f(y, T(z) | \text{parameters})$ where $T(z)$ is the transformation, for each (y, z) in runs and for parameters in runs up to a constant which does not depend on the parameters. The parameters β and σ^2 are integrated out.

Value

A matrix with number of rows the total number of samples in runs and number of columns the length of runs. The [i,j] element of the matrix is the value of the loglikelihood at the ith sample when all samples in runs are put together evaluated at the jth parameter value.

stackdata	<i>Combine data.frames</i>
-----------	----------------------------

Description

Combine data.frames

Usage

```
stackdata(..., fillwith = NA, keepclass = FALSE)
```

Arguments

...	data.frames or objects that can be coerced to data.frames
fillwith	Which value to use for missing variables. This could be a scalar, a named vector, or a named list with one value in each component; see Details.
keepclass	Whether to preserve the <code>class</code> of each variable. The elements in <code>fillwith</code> are coerced to the corresponding variable's class.

Details

This function combines data.frames by filling in missing variables. This is useful for combining data from sampled locations with prediction locations.

If `fillwith` is a named object, its names must correspond to the names of variables in the data frames. If a variable is missing, then it is filled with the corresponding value in `fillwith`. `fillwith` can contain only one unnamed component which corresponds to the default filling.

Value

A stacked data.frame.

Examples

```
## Not run:
d1 <- data.frame(w = 1:3, z = 4:6 + 0.1)
d2 <- data.frame(w = 3:7, x = 1:5, y = 6:10)
(d12a <- stackdata(d1, d2))
lapply(d12a, class)
(d12b <- stackdata(d1, d2, fillwith = c(x = NA, y = 0, z = -99)))
lapply(d12b, class)
(d12c <- stackdata(d1, d2, fillwith = c(x = NA, y = 0, z = -99),
  keepclass = TRUE))
```

```
lapply(d12c, class)
(d12d <- stackdata(d1, d2, fillwith = c(x = NA, 0)))

data(rhizoctonia)
predgrid <- mkpredgrid2d(rhizoctonia[c("Xcoord", "Ycoord")],
                        par.x = 100, chull = TRUE, exf = 1.2)
rhizodata <- stackdata(rhizoctonia, predgrid$grid)

## End(Not run)
```

subset.geomcmc	<i>Subset MCMC chain</i>
----------------	--------------------------

Description

Return subset of MCMC chain.

Usage

```
## S3 method for class 'geomcmc'
subset(x, subset, ...)
```

Arguments

x	Output from the functions mcsglmm or mcstrga .
subset	Logical or integer vector.
...	Further arguments to be passed to or from other methods.

Value

A similar object as x with the subsetted chain.

Index

*Topic **datasets**

geoBayes_correlation, [14](#)
geoBayes_models, [14](#)

*Topic **package**

geoBayes, [13](#)
.geoBayes_corrfcn, [3](#)
.geoBayes_corrfcn
(geoBayes_correlation), [14](#)
.geoBayes_models, [3](#), [15](#)
.geoBayes_models (geoBayes_models), [14](#)

alik_cutoff, [2](#), [2](#), [3](#)

alik_inla, [3](#)

alik_optim, [2](#), [4](#)

alik_plot (alik_cutoff), [2](#)

approx, [3](#)

bf1skel, [6](#), [8](#), [10](#)

bf2new, [6](#), [7](#), [8](#), [10](#), [26](#)

bf2optim, [6](#), [7](#), [9](#), [11](#)

bf2se, [11](#)

bmbfse, [12](#)

class, [33](#)

do.call, [17](#)

geoBayes, [13](#)

geoBayes-package (geoBayes), [13](#)

geoBayes_correlation, [5](#), [14](#), [18](#), [22](#)

geoBayes_models, [14](#)

linkfcn, [15](#)

linkinv (linkfcn), [15](#)

mcmc, [16](#)

mcmc.list, [16](#)

mcmcmake, [16](#)

mcsglmm, [6](#), [12](#), [16](#), [18](#), [21](#), [32](#), [34](#)

mcstrga, [6](#), [12](#), [16](#), [21](#), [32](#), [34](#)

mkpredgrid2d, [24](#)

optim, [5](#), [10](#)

plot.mcmc, [17](#)

plotbf2, [26](#)

point.in.polygon, [25](#)

pred_grid, [25](#)

revlogreg, [27](#)

rhizoctonia, [28](#)

rsglmm, [29](#)

rsgrf (rsglmm), [29](#)

rstrga (rsglmm), [29](#)

seq, [24](#), [25](#)

spcovariance, [30](#)

spDists, [4](#), [5](#), [19](#), [22](#), [29](#), [31](#)

sploglik, [31](#)

sploglik_cross, [32](#)

stackdata, [18](#), [21](#), [33](#)

subset.geomcmc, [34](#)

summary.mcmc, [17](#)