

# Package ‘ggeffects’

September 3, 2019

**Type** Package

**Encoding** UTF-8

**Title** Create Tidy Data Frames of Marginal Effects for 'ggplot' from Model Outputs

**Version** 0.12.0

**Date** 2019-09-03

**Maintainer** Daniel Lüdecke <d.luedecke@uke.de>

**Description** Compute marginal effects from statistical models and returns the result as tidy data frames. These data frames are ready to use with the 'ggplot2'-package. Marginal effects can be calculated for many different models. Interaction terms, splines and polynomial terms are also supported. The main functions are `ggpredict()`, `ggemmeans()` and `ggeffect()`. There is a generic `plot()`-method to plot the results using 'ggplot2'.

**License** GPL-3

**Depends** R (>= 3.2), graphics, stats, utils

**Imports** dplyr, insight (>= 0.4.1), magrittr, MASS, purrr, rlang, scales, sjlabelled (>= 1.1.0), sjmisc (>= 2.8.0)

**Suggests** AER, aod, betareg, brms, effects (>= 4.1-0), emmeans, gam, gamm4, gee, geopack, ggplot2, GLMMadaptive, glmmTMB, httr, knitr, lme4, logistf, Matrix, MCMCglmm, mgcv, nlme, ordinal, prediction, pscl, quantreg, rmarkdown, rms, robust, robustbase, rstanarm, rstantools, sandwich, see, sjstats, survey, survival, testthat, VGAM

**URL** <https://strengjacke.github.io/ggeffects>

**BugReports** <https://github.com/strengjacke/ggeffects/issues>

**RoxygenNote** 6.1.1

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Daniel Lüdecke [aut, cre] (<<https://orcid.org/0000-0002-8895-3206>>)

**Repository** CRAN

**Date/Publication** 2019-09-03 13:40:03 UTC

## R topics documented:

efc . . . . .	2
emm . . . . .	3
get_title . . . . .	5
ggeffect . . . . .	6
new_data . . . . .	14
plot . . . . .	15
pretty_range . . . . .	18
values_at . . . . .	19
<b>Index</b>	<b>21</b>

---

efc	<i>Sample dataset from the EUROFAMCARE project</i>
-----	--

---

### Description

A SPSS sample data set, imported with the [read\\_spss](#) function.

### Examples

```
# Attach EFC-data
data(efc)

# Show structure
str(efc)

# show first rows
head(efc)

# show variables
## Not run:
library(sjmisc)
library(sjPlot)
view_df(efc)

# show variable labels
get_label(efc)

# plot efc-data frame summary
sjt.df(efc, alternateRowColor = TRUE)
## End(Not run)
```

---

emm *Get marginal effects for model response*

---

## Description

`emm()` is a convenient shortcut to compute the estimated marginal mean, resp. the marginal effect of the model's response variable, with all independent variables held constant (at their `typical_value`).

## Usage

```
emm(model, ci.lvl = 0.95, type = c("fe", "re", "fe.zi", "re.zi", "sim",
  "surv", "cumhaz"), typical = "mean", condition = NULL, ...)
```

## Arguments

<code>model</code>	A fitted model object, or a list of model objects. Any model that supports common methods like <code>predict()</code> , <code>family()</code> or <code>model.frame()</code> should work. For <code>ggeffect()</code> , any model that is supported by <b>effects</b> should work, and for <code>ggemmeans()</code> , all models supported by <b>emmeans</b> should work.
<code>ci.lvl</code>	Numeric, the level of the confidence intervals. For <code>ggpredict()</code> , use <code>ci.lvl = NA</code> , if confidence intervals should not be calculated (for instance, due to computation time). Typically, confidence intervals based on the standard errors as returned by the <code>predict()</code> function are returned, assuming normal distribution (i.e. $\pm 1.96 * SE$ ). See introduction of <a href="#">this vignette</a> for more details.
<code>type</code>	Character, only applies for survival models, mixed effects models and/or models with zero-inflation. <b>Note:</b> For <code>brmsfit</code> -models with zero-inflation component, there is no <code>type = "fe.zi"</code> nor <code>type = "re.zi"</code> ; predicted values for <code>MixMod</code> -models from <b>GLMMadaptive</b> with zero-inflation component <i>always</i> condition on the zero-inflation part of the model (see 'Details'). <code>"fe"</code> Predicted values are conditioned on the fixed effects or conditional model only (for mixed models: predicted values are on the population-level and <code>_confidence intervals_</code> are returned). For instance, for models fitted with <code>zeroinfl</code> from <b>pscl</b> , this would return the predicted mean from the count component (without zero-inflation). For models with zero-inflation component, this type calls <code>predict(..., type = "link")</code> (however, predicted values are back-transformed to the response scale). <code>"re"</code> This only applies to mixed models, and <code>type = "re"</code> does not condition on the zero-inflation component of the model. <code>type = "re"</code> still returns population-level predictions, however, unlike <code>type = "fe"</code> , intervals also consider the uncertainty in the variance parameters (the mean random effect variance, see <i>Johnson et al. 2014</i> for details) and hence can be considered as <code>_prediction intervals_</code> . For models with zero-inflation component, this type calls <code>predict(..., type = "link")</code> (however, predicted values are back-transformed to the response scale).

To get predicted values for each level of the random effects groups, add the

name of the related random effect term to the terms-argument (for more details, see [this vignette](#)).

"fe.zi" Predicted values are conditioned on the fixed effects and the zero-inflation component. For instance, for models fitted with `zeroinfl` from **pscl**, this would return the predicted response ( $\mu \cdot (1-p)$ ) and for **glmmTMB**, this would return the expected value  $\mu \cdot (1-p)$  *without* conditioning on random effects (i.e. random effect variances are not taken into account for the confidence intervals). For models with zero-inflation component, this type calls `predict(..., type = "response")`. See 'Details'.

"re.zi" Predicted values are conditioned on the zero-inflation component and take the random effects uncertainty into account. For models fitted with `glmmTMB()`, `hurdle()` or `zeroinfl()`, this would return the expected value  $\mu \cdot (1-p)$ . For **glmmTMB**, prediction intervals also consider the uncertainty in the random effects variances. This type calls `predict(..., type = "response")`. See 'Details'.

"sim" Predicted values and confidence resp. prediction intervals are based on simulations, i.e. calls to `simulate()`. This type of prediction takes all model uncertainty into account, including random effects variances. Currently supported models are `glmmTMB` and `merMod`. See ... for details on number of simulations.

"surv" **and** "cumhaz" Applies only to `coxph`-objects from the **survial**-package and calculates the survival probability or the cumulative hazard of an event.

"debug" Only used internally.

typical	Character vector, naming the function to be applied to the covariates over which the effect is "averaged". The default is "mean". See <a href="#">typical_value</a> for options.
condition	Named character vector, which indicates covariates that should be held constant at specific values. Unlike <code>typical</code> , which applies a function to the covariates to determine the value that is used to hold these covariates constant, <code>condition</code> can be used to define exact values, for instance <code>condition = c(covariate1 = 20, covariate2 = 5)</code> . See 'Examples'.
...	For <code>ggpredict()</code> , further arguments passed down to <code>predict()</code> ; for <code>ggeffect()</code> , further arguments passed down to <code>Effect</code> ; and for <code>ggemmeans()</code> , further arguments passed down to <code>emmeans</code> . If <code>type = "sim"</code> , ... may also be used to set the number of simulation, e.g. <code>nsim = 500</code> .

## Details

For linear models, the predicted value is the estimated marginal mean. Else, the predicted value is on the scale of the inverse of link function.

## Value

A data frame with the marginal effect of the response (predicted), `std.error` and the confidence intervals `conf.low` and `conf.high`. For cumulative link-models, the marginal effect for each level of the response variable is returned.

## Examples

```
data(efc)
fit <- lm(barthtot ~ c12hour + neg_c_7 + c161sex + c172code, data = efc)
emm(fit)

# Example from ?MASS::plr
library(MASS)
options(contrasts = c("contr.treatment", "contr.poly"))
house.plr <- plr(Sat ~ Infl + Type + Cont, weights = Freq, data = housing)
emm(house.plr)
```

---

get\_title

*Get titles and labels from data*

---

## Description

Get variable and value labels from ggeffects-objects. Functions like `ggpredict()` or `ggeffect()` save information on variable names and value labels as additional attributes in the returned data frame. This is especially helpful for labelled data (see [sjlabelled](#)), since these labels can be used to set axis labels and titles.

## Usage

```
get_title(x, case = NULL)

get_x_title(x, case = NULL)

get_y_title(x, case = NULL)

get_legend_title(x, case = NULL)

get_legend_labels(x, case = NULL)

get_x_labels(x, case = NULL)

get_complete_df(x, case = NULL)
```

## Arguments

x	An object of class ggeffects, as returned by any ggeffects-function; for <code>get_complete_df()</code> , must be a list of ggeffects-objects.
case	Desired target case. Labels will automatically converted into the specified character case. See <a href="#">convert_case</a> for more details on this argument.

**Value**

The titles or labels as character string, or NULL, if variables had no labels; `get_complete_df()` returns the input list `x` as single data frame, where the grouping variable indicates the marginal effects for each term.

**Examples**

```
data(efc)
efc$c172code <- sjmisc::to_factor(efc$c172code)
fit <- lm(barthtot ~ c12hour + neg_c_7 + c161sex + c172code, data = efc)

mydf <- ggpredict(fit, terms = c("c12hour", "c161sex", "c172code"))

library(ggplot2)
ggplot(mydf, aes(x = x, y = predicted, colour = group)) +
  stat_smooth(method = "lm") +
  facet_wrap(~facet, ncol = 2) +
  labs(
    x = get_x_title(mydf),
    y = get_y_title(mydf),
    colour = get_legend_title(mydf)
  )

# get marginal effects, a list of data frames (one data frame per term)
eff <- ggeffect(fit)
eff
get_complete_df(eff)

# get marginal effects for education only, and get x-axis-labels
mydat <- eff[["c172code"]]
ggplot(mydat, aes(x = x, y = predicted, group = group)) +
  stat_summary(fun.y = sum, geom = "line") +
  scale_x_discrete(labels = get_x_labels(mydat))
```

---

 ggeffect

*Get marginal effects from model terms*


---

**Description**

`ggpredict()` computes predicted (fitted) values for the response, at the margin of specific values from certain model terms, where additional model terms indicate the grouping structure. `ggeffect()` computes marginal effects by internally calling `Effect`, while `ggemmeans()` computes marginal effects by internally calling `emmeans`. The result is returned as consistent data frame.

**Usage**

```
ggeffect(model, terms, ci.lvl = 0.95, x.as.factor = TRUE, ...)
```

```

ggemmeans(model, terms, ci.lvl = 0.95, type = c("fe", "fe.zi"),
  typical = "mean", condition = NULL, back.transform = TRUE,
  x.as.factor = TRUE, x.cat, ...)

ggpredict(model, terms, ci.lvl = 0.95, type = c("fe", "re", "fe.zi",
  "re.zi", "sim", "surv", "cumhaz", "debug"), typical = "mean",
  condition = NULL, back.transform = TRUE, ppd = FALSE,
  x.as.factor = TRUE, vcov.fun = NULL, vcov.type = NULL,
  vcov.args = NULL, interval = c("confidence", "prediction"), x.cat,
  ...)

ggaverage(...)

```

## Arguments

model	A fitted model object, or a list of model objects. Any model that supports common methods like <code>predict()</code> , <code>family()</code> or <code>model.frame()</code> should work. For <code>ggeffect()</code> , any model that is supported by <b>effects</b> should work, and for <code>ggemmeans()</code> , all models supported by <b>emmeans</b> should work.
terms	Character vector (or a formula) with the names of those terms from <code>model</code> , for which marginal effects should be displayed. At least one term is required to calculate effects for certain terms, maximum length is four terms, where the second to fourth term indicate the groups, i.e. predictions of first term are grouped by the values of the remaining terms. If <code>terms</code> is missing or <code>NULL</code> , marginal effects for each model term are calculated. It is also possible to define specific values for terms, at which marginal effects should be calculated (see 'Details'). All remaining covariates that are not specified in <code>terms</code> are held constant (see 'Details'). See also arguments <code>condition</code> and <code>typical</code> .
ci.lvl	Numeric, the level of the confidence intervals. For <code>ggpredict()</code> , use <code>ci.lvl = NA</code> , if confidence intervals should not be calculated (for instance, due to computation time). Typically, confidence intervals based on the standard errors as returned by the <code>predict()</code> function are returned, assuming normal distribution (i.e. $\pm 1.96 * SE$ ). See introduction of <a href="#">this vignette</a> for more details.
x.as.factor, x.cat	Logical, if <code>TRUE</code> , preserves factor-class as x-column in the returned data frame (only applies if first variable in <code>terms</code> is a factor). If <code>FALSE</code> , the x-column is always numeric. This argument is useful when building own plots from the data, based on <code>ggplot</code> , so you don't need to coerce x to numeric. The <code>plot()</code> -method, however, automatically uses continuous or discrete x-scales, depending on the variable-type. For more details, see <a href="#">the plot-vignette</a> and <a href="#">the vignette on package-basics</a> . <code>x.cat</code> is an alias for <code>x.as.factor</code> .
...	For <code>ggpredict()</code> , further arguments passed down to <code>predict()</code> ; for <code>ggeffect()</code> , further arguments passed down to <code>Effect</code> ; and for <code>ggemmeans()</code> , further arguments passed down to <code>emmeans</code> . If <code>type = "sim"</code> , ... may also be used to set the number of simulation, e.g. <code>nsim = 500</code> .
type	Character, only applies for survival models, mixed effects models and/or models with zero-inflation. <b>Note:</b> For <code>brmsfit</code> -models with zero-inflation component,

there is no `type = "fe.zi"` nor `type = "re.zi"`; predicted values for `MixMod`-models from **GLMMadaptive** with zero-inflation component *always* condition on the zero-inflation part of the model (see 'Details').

`"fe"` Predicted values are conditioned on the fixed effects or conditional model only (for mixed models: predicted values are on the population-level and `_confidence intervals_` are returned). For instance, for models fitted with `zeroinfl` from **pscl**, this would return the predicted mean from the count component (without zero-inflation). For models with zero-inflation component, this type calls `predict(..., type = "link")` (however, predicted values are back-transformed to the response scale).

`"re"` This only applies to mixed models, and `type = "re"` does not condition on the zero-inflation component of the model. `type = "re"` still returns population-level predictions, however, unlike `type = "fe"`, intervals also consider the uncertainty in the variance parameters (the mean random effect variance, see *Johnson et al. 2014* for details) and hence can be considered as `_prediction intervals_`. For models with zero-inflation component, this type calls `predict(..., type = "link")` (however, predicted values are back-transformed to the response scale).

To get predicted values for each level of the random effects groups, add the name of the related random effect term to the `terms`-argument (for more details, see [this vignette](#)).

`"fe.zi"` Predicted values are conditioned on the fixed effects and the zero-inflation component. For instance, for models fitted with `zeroinfl` from **pscl**, this would return the predicted response ( $\mu \cdot (1-p)$ ) and for **glmmTMB**, this would return the expected value  $\mu \cdot (1-p)$  *without* conditioning on random effects (i.e. random effect variances are not taken into account for the confidence intervals). For models with zero-inflation component, this type calls `predict(..., type = "response")`. See 'Details'.

`"re.zi"` Predicted values are conditioned on the zero-inflation component and take the random effects uncertainty into account. For models fitted with `glmmTMB()`, `hurdle()` or `zeroinfl()`, this would return the expected value  $\mu \cdot (1-p)$ . For **glmmTMB**, prediction intervals also consider the uncertainty in the random effects variances. This type calls `predict(..., type = "response")`. See 'Details'.

`"sim"` Predicted values and confidence resp. prediction intervals are based on simulations, i.e. calls to `simulate()`. This type of prediction takes all model uncertainty into account, including random effects variances. Currently supported models are `glmmTMB` and `merMod`. See ... for details on number of simulations.

`"surv"` **and** `"cumhaz"` Applies only to `coxph`-objects from the **survial**-package and calculates the survival probability or the cumulative hazard of an event.

`"debug"` Only used internally.

typical	Character vector, naming the function to be applied to the covariates over which the effect is "averaged". The default is "mean". See <a href="#">typical_value</a> for options.
condition	Named character vector, which indicates covariates that should be held constant at specific values. Unlike <code>typical</code> , which applies a function to the covariates

	to determine the value that is used to hold these covariates constant, condition can be used to define exact values, for instance <code>condition = c(covariate1 = 20, covariate2 = 5)</code> . See 'Examples'.
<code>back.transform</code>	Logical, if TRUE (the default), predicted values for log- or log-log transformend responses will be back-transformed to original response-scale.
<code>ppd</code>	Logical, if TRUE, predictions for Stan-models are based on the posterior predictive distribution ( <code>posterior_predict</code> ). If FALSE (the default), predictions are based on posterior draws of the linear predictor ( <code>posterior_linpred</code> ).
<code>vcov.fun</code>	String, indicating the name of the <code>vcov*()</code> -function from the <b>sandwich</b> -package, e.g. <code>vcov.fun = "vcovCL"</code> , which is used to compute robust standard errors for predictions. If NULL, standard errors (and confidence intervals) for predictions are based on the standard errors as returned by the <code>predict()</code> -function. <b>Note</b> that probably not all model objects that work with <code>ggpredict()</code> are also supported by the <b>sandwich</b> -package.
<code>vcov.type</code>	Character vector, specifying the estimation type for the robust covariance matrix estimation (see <code>vcovHC</code> for details).
<code>vcov.args</code>	List of named vectors, used as additional arguments that are passed down to <code>vcov.fun</code> .
<code>interval</code>	Type of interval calculation. Can be abbreviated. Unlike <i>confidence intervals</i> , <i>prediction intervals</i> include the residual variance ( $\sigma^2$ ). This argument is ignored for mixed models, as <code>interval = "prediction"</code> is equivalent to <code>type = "re"</code> (and <code>interval = "confidence"</code> is equivalent to <code>type = "fe"</code> ). Note that prediction intervals are not available for all models.

## Details

**Supported Models:** Currently supported model-objects are (in alphabetical order): `betabin`, `betareg`, `bglmer`, `blmer`, `brglm`, `brmsfit`, `clm`, `clm2`, `clmm`, `coxph`, `gam` (package **mgcv**), `Gam` (package **gam**), `gamlss`, `gamm`, `gamm4`, `gee`, `geeglm`, `glm`, `glm.nb`, `glmer`, `glmer.nb`, `glmmTMB`, `glmmPQL`, `glmrob`, `glmRob`, `gls`, `hurdle`, `ivreg`, `lm`, `lm_robust`, `lme`, `lmer`, `lmrob`, `lmRob`, `logistf`, `lrm`, `MixMod`, `MCMCglmm`, `multinom`, `negbin`, `nlmer`, `ols`, `plm`, `polr`, `rlm`, `rlmer`, `rq`, `rqss`, `stanreg`, `survreg`, `svyglm`, `svyglm.nb`, `tobit`, `truncreg`, `vgam`, `wbm`, `zeroinfl` and `zerotrunc`. Other models not listed here are passed to a generic `predict`-function and might work as well, or maybe with `ggeffect()` or `ggemmeans()`, which effectively do the same as `ggpredict()`. The main difference is that `ggpredict()` calls `predict()`, while `ggeffect()` calls `Effect` and `ggemmeans()` calls `emmeans` to compute marginal effects.

**Difference between `ggpredict()` and `ggeffect()` or `ggemmeans()`:** `ggpredict()` and `ggeffect()` resp. `ggemmeans()` differ in how factors are held constant: `ggpredict()` uses the reference level, while `ggeffect()` and `ggemmeans()` compute a kind of "average" value, which represents the proportions of each factor's category. Use `condition` to set a specific level for factors in `ggemmeans()`, so factors are not averaged over their categories, but held constant at a given level.

**Marginal Effects at Specific Values:** Specific values of model terms can be specified via the `terms`-argument. Indicating levels in square brackets allows for selecting only specific groups or values resp. value ranges. Term name and the start of the levels in brackets must be separated by a whitespace character, e.g. `terms = c("age", "education [1, 3]")`. Numeric ranges, separated

with colon, are also allowed: `terms = c("education", "age [30:60]")`.

The `terms`-argument also supports the same shortcuts as the `values`-argument in `values_at()`. So `terms = "age [meansd]"` would return predictions for the values one standard deviation below the mean age, the mean age and one SD above the mean age. `terms = "age [quart2]"` would calculate predictions at the value of the lower, median and upper quartile of age.

Furthermore, it is possible to specify a function name. Values for predictions will then be transformed, e.g. `terms = "income [exp]"`. This is useful when model predictors were transformed for fitting the model and should be back-transformed to the original scale for predictions. It is also possible to define own functions (see [this vignette](#)).

You can take a random sample of any size with `sample=n`, e.g. `terms = "income [sample=8]"`, which will sample eight values from all possible values of the variable `income`. This option is especially useful for plotting marginal effects at certain levels of random effects group levels, where the group factor has many levels that can be completely plotted. For more details, see [this vignette](#).

Finally, numeric vectors for which no specific values are given, a "pretty range" is calculated (see [pretty\\_range](#)), to avoid memory allocation problems for vectors with many unique values. If a numeric vector is specified as second or third term (i.e. if this vector represents a grouping structure), representative values (see [values\\_at](#)) are chosen (unless other values are specified). If all values for a numeric vector should be used to compute predictions, you may use e.g. `terms = "age [all]"`. See also package vignettes.

To create a pretty range that should be smaller or larger than the default range (i.e. if no specific values would be given), use the `n`-tag, e.g. `terms="age [n=5]"` or `terms="age [n=12]"`. Larger values for `n` return a larger range of predicted values.

**Holding covariates at constant values:** For `ggpredict()`, `expand.grid()` is called on all unique combinations of `model.frame(model)[, terms]` and used as `newdata`-argument for `predict()`. In this case, all remaining covariates that are not specified in `terms` are held constant: Numeric values are set to the mean (unless changed with the `condition` or `typical`-argument), factors are set to their reference level (may also be changed with `condition`) and character vectors to their mode (most common element).

`ggeffect()` and `ggemmeans()`, by default, set remaining numeric covariates to their mean value, while for factors, a kind of "average" value, which represents the proportions of each factor's category, is used. For `ggemmeans()`, use `condition` to set a specific level for factors so that these are not averaged over their categories, but held constant at the given level.

**Bayesian Regression Models:** `ggpredict()` also works with **Stan**-models from the **rstanarm** or **brms**-package. The predicted values are the median value of all drawn posterior samples. The confidence intervals for Stan-models are Bayesian predictive intervals. By default (i.e. `ppd = FALSE`), the predictions are based on `posterior_linpred` and hence have some limitations: the uncertainty of the error term is not taken into account. The recommendation is to use the posterior predictive distribution (`posterior_predict`).

**Zero-Inflated and Zero-Inflated Mixed Models with brms:** Models of class `brmsfit` always condition on the zero-inflation component, if the model has such a component. Hence, there is

no `type = "fe.zi"` nor `type = "re.zi"` for `brmsfit`-models, because predictions are based on draws of the posterior distribution, which already account for the zero-inflation part of the model.

**Zero-Inflated and Zero-Inflated Mixed Models with `glmmTMB`:** If `model` is of class `glmmTMB`, `hurdle`, `zeroinfl` or `zerotrunc`, simulations from a multivariate normal distribution (see [mvrnorm](#)) are drawn to calculate  $\mu \times (1-p)$ . Confidence intervals are then based on quantiles of these results. For `type = "re.zi"`, prediction intervals also take the uncertainty in the random-effect parameters into account (see also Brooks et al. 2017, pp.391-392 for details).

An alternative for models fitted with `glmmTMB` that take all model uncertainties into account are simulations based on `simulate()`, which is used when `type = "sim"` (see Brooks et al. 2017, pp.392-393 for details).

**MixMod-models from `GLMMadaptive`:** Predicted values for the fixed effects component (`type = "fe"` or `type = "fe.zi"`) are based on `predict(..., type = "mean_subject")`, while predicted values for random effects components (`type = "re"` or `type = "re.zi"`) are calculated with `predict(..., type = "subject_specific")` (see `?GLMMadaptive::predict.MixMod` for details). The latter option requires the response variable to be defined in the `newdata`-argument of `predict()`, which will be set to its typical value (see [typical\\_value](#)).

## Value

A data frame (with `ggeffects` class attribute) with consistent data columns:

- `x` the values of the first term in terms, used as x-position in plots.
- `predicted` the predicted values of the response, used as y-position in plots.
- `std.error` the standard error of the predictions.
- `conf.low` the lower bound of the confidence interval for the predicted values.
- `conf.high` the upper bound of the confidence interval for the predicted values.
- `group` the grouping level from the second term in terms, used as grouping-aesthetics in plots.
- `facet` the grouping level from the third term in terms, used to indicate facets in plots.

The predicted values are always on the response scale!

For proportional odds logistic regression (see [polr](#)) resp. cumulative link models (e.g., see [clm](#)), an additional column `response.level` is returned, which indicates the grouping of predictions based on the level of the model's response.

Note that for convenience reasons, the columns for the intervals are always named `conf.low` and `conf.high`, even though for Bayesian models credible or highest posterior density intervals are returned.

## Note

**Multinomial Models:** `polr`-, `clm`-models, or more generally speaking, models with ordinal or multinomial outcomes, have an additional column `response.level`, which indicates with which level of the response variable the predicted values are associated.

**Printing Results:** The `print()`-method gives a clean output (especially for predictions by groups), and indicates at which values covariates were held constant. Furthermore, the `print()`-method has the arguments `digits` and `n` to control number of decimals and lines to be printed, and an argument `x.lab` to print factor-levels instead of numeric values if `x` is a factor.

**Limitations:** The support for some models, for example from package **MCMCglmm**, is rather experimental and may fail for certain models. If you encounter any errors, please file an issue at <https://github.com/strengjacke/ggeffects/issues>.

## References

- Brooks ME, Kristensen K, Benthem KJ van, Magnusson A, Berg CW, Nielsen A, et al. glmmTMB Balances Speed and Flexibility Among Packages for Zero-inflated Generalized Linear Mixed Modeling. *The R Journal*. 2017;9: 378-400.
- Johnson PC, O’Hara RB. 2014. Extension of Nakagawa & Schielzeth’s R2GLMM to random slopes models. *Methods Ecol Evol*, 5: 944-946. (doi: [10.1111/2041210X.12225](https://doi.org/10.1111/2041210X.12225))

## Examples

```
data(efc)
fit <- lm(barthtot ~ c12hour + neg_c_7 + c161sex + c172code, data = efc)

ggpredict(fit, terms = "c12hour")
ggpredict(fit, terms = c("c12hour", "c172code"))
ggpredict(fit, terms = c("c12hour", "c172code", "c161sex"))

# specified as formula
ggpredict(fit, terms = ~ c12hour + c172code + c161sex)

# only range of 40 to 60 for variable 'c12hour'
ggpredict(fit, terms = "c12hour [40:60]")

# using "summary()" shows that covariate "neg_c_7" is held
# constant at a value of 11.84 (its mean value). To use a
# different value, use "condition"
ggpredict(fit, terms = "c12hour [40:60]", condition = c(neg_c_7 = 20))

# to plot ggeffects-objects, you can use the 'plot()'-function.
# the following examples show how to build your ggplot by hand.

# plot predicted values, remaining covariates held constant
library(ggplot2)
mydf <- ggpredict(fit, terms = "c12hour")
ggplot(mydf, aes(x, predicted)) +
  geom_line() +
  geom_ribbon(aes(ymin = conf.low, ymax = conf.high), alpha = .1)

# three variables, so we can use facets and groups
mydf <- ggpredict(fit, terms = c("c12hour", "c161sex", "c172code"))
ggplot(mydf, aes(x = x, y = predicted, colour = group)) +
  stat_smooth(method = "lm", se = FALSE) +
  facet_wrap(~facet, ncol = 2)
```

```

# select specific levels for grouping terms
mydf <- ggpredict(fit, terms = c("c12hour", "c172code [1,3]", "c161sex"))
ggplot(mydf, aes(x = x, y = predicted, colour = group)) +
  stat_smooth(method = "lm", se = FALSE) +
  facet_wrap(~facet) +
  labs(
    y = get_y_title(mydf),
    x = get_x_title(mydf),
    colour = get_legend_title(mydf)
  )

# level indication also works for factors with non-numeric levels
# and in combination with numeric levels for other variables
library(sjlabelled)
data(efc)
efc$c172code <- as_label(efc$c172code)
fit <- lm(barthtot ~ c12hour + neg_c_7 + c161sex + c172code, data = efc)
ggpredict(fit, terms = c("c12hour",
  "c172code [low level of education, high level of education]",
  "c161sex [1]"))

# use categorical value on x-axis, use axis-labels, add error bars
dat <- ggpredict(fit, terms = c("c172code", "c161sex"))
ggplot(dat, aes(x, predicted, colour = group)) +
  geom_point(position = position_dodge(.1)) +
  geom_errorbar(
    aes(ymin = conf.low, ymax = conf.high),
    position = position_dodge(.1)
  ) +
  scale_x_discrete(breaks = 1:3, labels = get_x_labels(dat))

# 3-way-interaction with 2 continuous variables
data(efc)
# make categorical
efc$c161sex <- as_factor(efc$c161sex)
fit <- lm(neg_c_7 ~ c12hour * barthtot * c161sex, data = efc)
# select only levels 30, 50 and 70 from continuous variable Barthel-Index
dat <- ggpredict(fit, terms = c("c12hour", "barthtot [30,50,70]", "c161sex"))
ggplot(dat, aes(x = x, y = predicted, colour = group)) +
  stat_smooth(method = "lm", se = FALSE, fullrange = TRUE) +
  facet_wrap(~facet) +
  labs(
    colour = get_legend_title(dat),
    x = get_x_title(dat),
    y = get_y_title(dat),
    title = get_title(dat)
  )

# or with ggeffects' plot-method
## Not run:
plot(dat, ci = FALSE)
## End(Not run)

```

```

# use numeric values as x-column in returned data frame
data(efc)
efc$c161sex <- as_label(efc$c161sex)
fit <- lm(neg_c_7 ~ c12hour + c161sex, data = efc)
ggpredict(fit, terms = "c161sex", x.as.factor = FALSE)

# marginal effects for polynomial terms
data(efc)
fit <- glm(
  tot_sc_e ~ c12hour + e42dep + e17age + I(e17age^2) + I(e17age^3),
  data = efc,
  family = poisson()
)
ggeffect(fit, terms = "e17age")

```

---

new\_data

---

*Create a data frame from all combinations of predictor values*


---

### Description

Create a data frame for the "newdata"-argument that contains all combinations of values from the terms in questions. Similar to [expand.grid](#). The terms-argument accepts all shortcuts for representative values as in `ggpredict()`.

### Usage

```
new_data(model, terms, typical = "mean", condition = NULL)
```

### Arguments

model	A fitted model object.
terms	Character vector with the names of those terms from model for which all combinations of values should be created.
typical	Character vector, naming the function to be applied to the covariates over which the effect is "averaged". The default is "mean". See <a href="#">typical_value</a> for options.
condition	Named character vector, which indicates covariates that should be held constant at specific values. Unlike typical, which applies a function to the covariates to determine the value that is used to hold these covariates constant, condition can be used to define exact values, for instance <code>condition = c(covariate1 = 20, covariate2 = 5)</code> . See 'Examples'.

### Value

A data frame containing one row for each combination of values of the supplied variables.

**Examples**

```

data(efc)
fit <- lm(barthtot ~ c12hour + neg_c_7 + c161sex + c172code, data = efc)
new_data(fit, c("c12hour [meansd]", "c161sex"))

nd <- new_data(fit, c("c12hour [meansd]", "c161sex"))
pr <- predict(fit, type = "response", newdata = nd)
nd$predicted <- pr
nd

# compare to
ggpredict(fit, c("c12hour [meansd]", "c161sex"))

```

plot

*Plot ggeffects-objects***Description**

A generic plot-method for ggeffects-objects.

**Usage**

```

## S3 method for class 'ggeffects'
plot(x, ci = TRUE, ci.style = c("ribbon",
  "errorbar", "dash", "dot"), facets, add.data = FALSE,
  colors = "Set1", alpha = 0.15, dodge = 0.25, use.theme = TRUE,
  dot.alpha = 0.5, jitter = 0.2, log.y = FALSE, case = NULL,
  show.legend = TRUE, show.title = TRUE, show.x.title = TRUE,
  show.y.title = TRUE, dot.size = NULL, line.size = NULL,
  connect.lines = FALSE, grid, one.plot = TRUE, rawdata, ...)

theme_ggeffects(base_size = 11, base_family = "")

show_pals()

```

**Arguments**

x	An object of class ggeffects, as returned by the functions from this package.
ci	Logical, if TRUE, confidence bands (for continuous variables at x-axis) resp. error bars (for factors at x-axis) are plotted.
ci.style	Character vector, indicating the style of the confidence bands. May be either "ribbon", "errorbar", "dash" or "dot", to plot a ribbon, error bars, or dashed or dotted lines as confidence bands.
facets, grid	Logical, defaults to TRUE, if x has a column named facet, and defaults to FALSE, if x has no such column. Set facets = TRUE to wrap the plot into facets even for grouping variables (see 'Examples'). grid is an alias for facets.

<code>add.data, rawdata</code>	Logical, if TRUE, a layer with raw data from response by predictor on the x-axis, plotted as point-geoms, is added to the plot.
<code>colors</code>	Character vector with color values in hex-format, valid color value names (see <code>demo("colors")</code> ) or a name of a <b>color brewer</b> palette. Following options are valid for colors: <ul style="list-style-type: none"> <li>• If not specified, the color brewer palette "Set1" will be used.</li> <li>• If "gs", a greyscale will be used.</li> <li>• If "bw", the plot is black/white and uses different line types to distinguish groups.</li> <li>• If colors is any valid color brewer palette name, the related palette will be used. Use <code>display.brewer.all</code> to view all available palette names.</li> <li>• There are some pre-defined color-palettes in this package that can be used, e.g. <code>colors = "metro"</code>. See <code>show_pals()</code> to show all available palettes.</li> <li>• Else specify own color values or names as vector (e.g. <code>colors = c("#f00000", "#00ff00")</code>).</li> </ul>
<code>alpha</code>	Alpha value for the confidence bands.
<code>dodge</code>	Value for offsetting or shifting error bars, to avoid overlapping. Only applies, if a factor is plotted at the x-axis (in such cases, the confidence bands are replaced by error bars automatically), or if <code>ci.style = "errorbars"</code> .
<code>use.theme</code>	Logical, if TRUE, a slightly tweaked version of ggplot's minimal-theme, <code>theme_ggeffects()</code> , is applied to the plot. If FALSE, no theme-modifications are applied.
<code>dot.alpha</code>	Alpha value for data points, when <code>add.data = TRUE</code> .
<code>jitter</code>	Numeric, between 0 and 1. If not NULL and <code>add.data = TRUE</code> , adds a small amount of random variation to the location of data points dots, to avoid overplotting. Hence the points don't reflect exact values in the data. May also be a numeric vector of length two, to add different horizontal and vertical jittering. For binary outcomes, raw data is not jittered by default to avoid that data points exceed the axis limits.
<code>log.y</code>	Logical, if TRUE, the y-axis scale is log-transformed. This might be useful for binomial models with predicted probabilities on the y-axis.
<code>case</code>	Desired target case. Labels will automatically converted into the specified character case. See <code>convert_case</code> for more details on this argument.
<code>show.legend</code>	Logical, shows or hides the plot legend.
<code>show.title</code>	Logical, shows or hides the plot title-
<code>show.x.title</code>	Logical, shows or hides the plot title for the x-axis.
<code>show.y.title</code>	Logical, shows or hides the plot title for the y-axis.
<code>dot.size</code>	Numeric, size of the point geoms.
<code>line.size</code>	Numeric, size of the line geoms.
<code>connect.lines</code>	Logical, if TRUE and plot has point-geoms with error bars (this is usually the case when the x-axis is discrete), points of same groups will be connected with a line.
<code>one.plot</code>	Logical, if TRUE and x has a panel column (i.e. when four terms were used), a single, integrated plot is produced.

... Further arguments passed down to `ggplot::scale_y*()`, to control the appearance of the y-axis.

`base_size` Base font size.

`base_family` Base font family.

### Details

For proportional odds logistic regression (see [polr](#)) or cumulative link models in general, plots are automatically faceted by `response.level`, which indicates the grouping of predictions based on the level of the model's response.

### Value

A `ggplot2`-object.

### Note

Load `library(ggplot2)` and use `theme_set(theme_ggeffects())` to set the **ggeffects**-theme as default plotting theme. You can then use further plot-modifiers from **sjPlot**, like `legend_style()` or `font_size()` without losing the theme-modifications.

There are pre-defined colour palettes in this package. Use `show_pals()` to show all available colour palettes.

### Examples

```
library(sjlabelled)
data(efc)
efc$c172code <- as_label(efc$c172code)
fit <- lm(barthtot ~ c12hour + neg_c_7 + c161sex + c172code, data = efc)

dat <- ggpredict(fit, terms = "c12hour")
plot(dat)

# facet by group, use pre-defined color palette
dat <- ggpredict(fit, terms = c("c12hour", "c172code"))
plot(dat, facet = TRUE, colors = "hero")

# don't use facets, b/w figure, w/o confidence bands
dat <- ggpredict(fit, terms = c("c12hour", "c172code"))
plot(dat, colors = "bw", ci = FALSE)

# factor at x axis, plot exact data points and error bars
dat <- ggpredict(fit, terms = c("c172code", "c161sex"))
plot(dat)

# for three variables, automatic facetting
dat <- ggpredict(fit, terms = c("c12hour", "c172code", "c161sex"))
plot(dat)
```

---

`pretty_range`*Create a pretty sequence over a range of a vector*

---

**Description**

Creates an evenly spaced, pretty sequence of numbers for a range of a vector.

**Usage**

```
pretty_range(x, n = NULL, length = NULL)
```

**Arguments**

<code>x</code>	A numeric vector.
<code>n</code>	Numeric value, indicating the size of how many values are used to create a pretty sequence. If <code>x</code> has a large value range ( $> 100$ ), <code>n</code> could be something between 1 to 5. If <code>x</code> has a rather small amount of unique values, <code>n</code> could be something between 10 to 20. If <code>n = NULL</code> , <code>pretty_range()</code> automatically tries to find a pretty sequence.
<code>length</code>	Integer value, as alternative to <code>n</code> , defines the number of intervals to be returned.

**Value**

A numeric vector with a range corresponding to the minimum and maximum values of `x`.

**Examples**

```
library(sjmisc)
data(efc)

x <- std(efc$c12hour)
x
# pretty range for vectors with decimal points
pretty_range(x)

# pretty range for large range, increasing by 50
pretty_range(1:1000)

# increasing by 20
pretty_range(1:1000, n = 7)

# return 10 intervals
pretty_range(1:1000, length = 10)

# same result
pretty_range(1:1000, n = 2.5)
```

---

values_at	<i>Calculate representative values of a vector</i>
-----------	--

---

### Description

This function calculates representative values of a vector, like minimum/maximum values or lower, median and upper quartile etc., which can be used for numeric vectors to plot marginal effects at these representative values.

### Usage

```
values_at(x, values = "meansd")
representative_values(x, values = "meansd")
rprs_values(x, values = "meansd")
```

### Arguments

x	A numeric vector.
values	Character vector, naming a pattern for which representative values should be calculated. <p>"minmax" (default) minimum and maximum values (lower and upper bounds) of the moderator are used to plot the interaction between independent variable and moderator.</p> <p>"meansd" uses the mean value of the moderator as well as one standard deviation below and above mean value to plot the effect of the moderator on the independent variable.</p> <p>"zeromax" is similar to the "minmax" option, however, 0 is always used as minimum value for the moderator. This may be useful for predictors that don't have an empirical zero-value, but absence of moderation should be simulated by using 0 as minimum.</p> <p>"quart" calculates and uses the quartiles (lower, median and upper) of the moderator value, <i>including</i> minimum and maximum value.</p> <p>"quart2" calculates and uses the quartiles (lower, median and upper) of the moderator value, <i>excluding</i> minimum and maximum value.</p> <p>"all" uses all values of the moderator variable. Note that this option only applies to type = "eff", for numeric moderator values.</p>

### Value

A numeric vector of length two or three, representing the required values from x, like minimum/maximum value or mean and +/- 1 SD.

**Examples**

```
data(efc)
values_at(efc$c12hour)
values_at(efc$c12hour, "quart2")
```

# Index

\*Topic **data**

efc, [2](#)

clm, [11](#)

convert\_case, [5](#), [16](#)

display.brewer.all, [16](#)

efc, [2](#)

efc\_test (efc), [2](#)

Effect, [4](#), [6](#), [7](#), [9](#)

emm, [3](#)

emmeans, [4](#), [6](#), [7](#), [9](#)

expand.grid, [14](#)

get\_complete\_df (get\_title), [5](#)

get\_legend\_labels (get\_title), [5](#)

get\_legend\_title (get\_title), [5](#)

get\_title, [5](#)

get\_x\_labels (get\_title), [5](#)

get\_x\_title (get\_title), [5](#)

get\_y\_title (get\_title), [5](#)

ggaverage (ggeffect), [6](#)

ggeffect, [6](#)

ggenmeans (ggeffect), [6](#)

ggpredict (ggeffect), [6](#)

mvrnorm, [11](#)

new\_data, [14](#)

plot, [15](#)

polr, [11](#), [17](#)

posterior\_linpred, [9](#), [10](#)

posterior\_predict, [9](#), [10](#)

pretty\_range, [10](#), [18](#)

read\_spss, [2](#)

representative\_values (values\_at), [19](#)

rprs\_values (values\_at), [19](#)

show\_pals (plot), [15](#)

theme\_ggeffects (plot), [15](#)

typical\_value, [3](#), [4](#), [8](#), [11](#), [14](#)

values\_at, [10](#), [19](#)

vcovHC, [9](#)