

Package ‘rENA’

October 7, 2019

Title Epistemic Network Analysis

Type Package

Author Cody L Marquart [aut, cre] (<<https://orcid.org/0000-0002-3387-6792>>),
Zachari Swiecki [aut],
Wesley Collier [aut],
Brendan Eagan [aut],
Roman Woodward [aut],
David Williamson Shaffer [aut]

Maintainer Cody L Marquart <cody.marquart@wisc.edu>

Version 0.2.0.0

Description ENA (Shaffer, D. W. (2017) Quantitative Ethnography. ISBN: 0578191687) is a method used to identify meaningful and quantifiable patterns in discourse or reasoning. ENA moves beyond the traditional frequency-based assessments by examining the structure of the co-occurrence, or connections in coded data. Moreover, compared to other methodological approaches, ENA has the novelty of (1) modeling whole networks of connections and (2) affording both quantitative and qualitative comparisons between different network models. Shaffer, D.W., Collier, W., & Ruis, A.R. (2016) <[doi:10.18608/jla.2016.33.3](https://doi.org/10.18608/jla.2016.33.3)>.

LazyData TRUE

Depends R (>= 3.0.0)

License GPL-3 | file LICENSE

LinkingTo Rcpp, RcppArmadillo, RcppParallel

Imports data.table, Rcpp, R6, methods, foreach, stats, plotly,
doParallel, parallel, data.tree, scales, magrittr

Suggests testthat (>= 2.1.0), knitr, rmarkdown

RoxygenNote 6.1.1

VignetteBuilder knitr

NeedsCompilation yes

Repository CRAN

Date/Publication 2019-10-07 16:00:03 UTC

R topics documented:

add_group	3
add_network	4
add_nodes	4
add_points	5
add_trajectory	5
as.ena.matrix	6
as.ena.metadata	6
as.matrix.ena.connections	7
as.matrix.ena.line.weights	7
as.matrix.ena.matrix	8
as.matrix.ena.nodes	8
as.matrix.ena.points	9
as.matrix.ena.rotation.matrix	9
as.matrix.row.connections	10
as_trajectory	10
clear	11
connection.matrix	11
ena	12
ena.accumulate.data	14
ena.conversations	15
ena.correlations	17
ena.group	17
ena.make.set	18
ena.plot	20
ena.plot.group	21
ena.plot.network	23
ena.plot.points	26
ena.plot.trajectory	28
ena.plotter	30
ena.rotate.by.mean	31
ena.set.creator	32
ena.svd	33
ena.writeup	33
ENAdata	34
ENApplot	35
ENARotationSet	35
ENAsset	36
find_code_cols	37
find_dimension_cols	37
find_meta_cols	38
fun_cohens.d	38
fun_skip_sphere_norm	39
fun_sphere_norm	39
means_rotate	40
merge_columns_c	40
methods_report	41

<i>add_group</i>	3
namesToAdjacencyKey	41
plot.ena.set	42
prepare_trajectory_data	43
print.ena.set	43
project_in	44
remove_meta_data	44
rENA	45
RS.data	45
scale.ena.set	45
show	46
with_means	46
with_trajectory	47
\$.ena.metadata	47
\$.ena.points	48
\$.line.weights	48
Index	49

<code>add_group</code>	<i>Add a group mean to an ena.plot</i>
------------------------	--

Description

Add a group mean to an ena.plot

Usage

```
add_group(x, wh = NULL, ...)
```

Arguments

<code>x</code>	ena.plot object to plot on
<code>wh</code>	which points to plot as the trajectory
<code>...</code>	additional parameters to pass along

Value

ena.plot.object

add_network	<i>Add a network to an ENA plot</i>
-------------	-------------------------------------

Description

Add a network to an ENA plot

Usage

```
add_network(x, wh = NULL, ..., with.mean = F)
```

Arguments

x	ena.plot object to plot with
wh	network to plot
...	Additional parameters to pass along
with.mean	Logical value, if TRUE plots the mean for the points in the network

Value

ena.plot.object

add_nodes	<i>Title</i>
-----------	--------------

Description

Title

Usage

```
add_nodes(x, ...)
```

Arguments

x	[TBD]
...	[TBD]

Value

TBD

add_points	<i>Plot points on an ena.plot</i>
------------	-----------------------------------

Description

Plot points on an ena.plot

Usage

```
add_points(x, wh = NULL, ..., name = "plot", mean = NULL,
           colors = NULL)
```

Arguments

x	ena.plot to add point on
wh	which points to plot
...	additional parameters to pass along
name	name to give the plot
mean	include a mean point for the provided points
colors	colors for plotted points

Value

ena.plot.object

add_trajectory	<i>Plot a trajectory on an ena.plot</i>
----------------	---

Description

Plot a trajectory on an ena.plot

Usage

```
add_trajectory(x, wh = NULL, ..., name = "plot")
```

Arguments

x	ena.plot object to plot on
wh	which points to plot as the trajectory
...	additional parameters to pass along
name	Name, as a character vector, to give the plot

Value

ena.plot.object

as.ena.matrix *Re-class matrix as ena.matrix*

Description

Re-class matrix as ena.matrix

Usage

```
as.ena.matrix(x, new.class = NULL)
```

Arguments

x data.frame, data.table, or matrix to extend
new.class Additional class to extend the matrix with, default: NULL

Value

Object of same st

as.ena.metadata *Re-class matrix as ena.metadata*

Description

Re-class matrix as ena.metadata

Usage

```
as.ena.metadata(x)
```

Arguments

x data.frame, data.table, or matrix to extend

Value

Object of same st

```
as.matrix.ena.connections
```

ENA Connections as a matrix

Description

ENA Connections as a matrix

Usage

```
## S3 method for class 'ena.connections'  
as.matrix(x, ...)
```

Arguments

x	ena.connections object
...	additional arguments to be passed to or from methods

Value

If square is FALSE (default), a matrix with all metadata columns removed, otherwise a list with square matrices

```
as.matrix.ena.line.weights
```

ENA line weights as matrix

Description

ENA line weights as matrix

Usage

```
## S3 method for class 'ena.line.weights'  
as.matrix(x, ..., square = FALSE)
```

Arguments

x	ena.line.weights data.table to covert to matrix
...	additional arguments to be passed to or from methods
square	[TBD]

Value

matrix

as.matrix.ena.matrix *Matrix without metadata*

Description

Matrix without metadata

Usage

```
## S3 method for class 'ena.matrix'  
as.matrix(x, ...)
```

Arguments

x Object to convert to a matrix
... additional arguments to be passed to or from methods

Value

matrix

as.matrix.ena.nodes *ENA nodes as matrix*

Description

ENA nodes as matrix

Usage

```
## S3 method for class 'ena.nodes'  
as.matrix(x, ...)
```

Arguments

x ena.nodes to convert to matrix
... additional arguments to be passed to or from methods

Value

matrix

as.matrix.ena.points *ENA points as matrix*

Description

ENA points as matrix

Usage

```
## S3 method for class 'ena.points'  
as.matrix(x, ...)
```

Arguments

x ena.points to convert to a matrix
... additional arguments to be passed to or from methods

Value

matrix

as.matrix.ena.rotation.matrix
 ENA rotations as matrix

Description

ENA rotations as matrix

Usage

```
## S3 method for class 'ena.rotation.matrix'  
as.matrix(x, ...)
```

Arguments

x ena.rotation.matrix to conver to matrix
... additional arguments to be passed to or from methods

Value

matrix

```
as.matrix.row.connections
```

ENA row connections as matrix

Description

ENA row connections as matrix

Usage

```
## S3 method for class 'row.connections'
as.matrix(x, ...)
```

Arguments

x	ena.row.connections to conver to a matrix
...	additional arguments to be passed to or from methods

Value

matrix

as_trajectory	<i>Title</i>
---------------	--------------

Description

Title

Usage

```
as_trajectory(x, by = x`_function.params`$conversation[1],
  model = c("AccumulatedTrajectory", "SeperateTrajectory"), ...)
```

Arguments

x	[TBD]
by	[TBD]
model	[TBD]
...	[TBD]

Value

TBD

clear	<i>Title</i>
-------	--------------

Description

Title

Usage

```
clear(x, wh = seq(x$plots))
```

Arguments

x [TBD]

wh [TBD]

Value

TBD

connection.matrix	<i>Connection counts as square matrix</i>
-------------------	---

Description

Connection counts as square matrix

Usage

```
connection.matrix(x)
```

Arguments

x ena.set or ena.connections (i.e. set\$connection.counts)

Value

matrix

ena

*Wrapper to generate, and optionally plot, an ENA model***Description**

Generates an ENA model by constructing a dimensional reduction of adjacency (co-occurrence) vectors as defined by the supplied conversations, units, and codes.

Usage

```
ena(data, codes, units, conversation, metadata = NULL,
    model = c("EndPoint", "AccumulatedTrajectory", "SeparateTrajectory"),
    weight.by = "binary", window = c("MovingStanzaWindow",
    "Conversation"), window.size.back = 1, include.meta = TRUE,
    groupVar = NULL, groups = NULL, runTest = FALSE, points = FALSE,
    mean = FALSE, network = TRUE, networkMultiplier = 1,
    subtractionMultiplier = 1, unit = NULL, include.plots = T,
    print.plots = F, ...)
```

Arguments

data	data.frame with containing metadata and coded columns
codes	vector, numeric or character, of columns with codes
units	vector, numeric or character, of columns representing units
conversation	vector, numeric or character, of columns to segment conversations by
metadata	vector, numeric or character, of columns with additional meta information for units
model	character: EndPoint (default), AccumulatedTrajectory, SeparateTrajectory
weight.by	"binary" is default, can supply a function to call (e.g. sum)
window	MovingStanzaWindow (default) or Conversation
window.size.back	Number of lines in the stanza window (default: 1)
include.meta	[TBD]
groupVar	vector, character, of column name containing group identifiers. If column contains at least two unique values, will generate model using a means rotation (a dimensional reduction maximizing the variance between the means of the two groups)
groups	vector, character, of values of groupVar column used for means rotation, plotting, or statistical tests
runTest	logical, TRUE will run a Student's t-Test and a Wilcoxon test for groups defined by the groups argument
points	logical, TRUE will plot points (default: FALSE)

mean	logical, TRUE will plot the mean position of the groups defined in the groups argument (default: FALSE)
network	logical, TRUE will plot networks (default: TRUE)
networkMultiplier	numeric, scaling factor for non-subtracted networks (default: 1)
subtractionMultiplier	numeric, scaling factor for subtracted networks (default: 1)
unit	vector, character, name of a single unit to plot
include.plots	logical, TRUE will generate plots based on the model (default: TRUE)
print.plots	logical, TRUE will show plots in the Viewer(default: FALSE)
...	Additional parameters passed to set creation and plotting functions

Details

This function generates an `ena.set` object given a `data.frame`, units, conversations, and codes. After accumulating the adjacency (co-occurrence) vectors, computes a dimensional reduction (projection), and calculates node positions in the projected ENA space. Returns location of the units in the projected space, as well as locations for node positions, and normalized adjacency (co-occurrence) vectors to construct network graphs. Includes options for returning statistical tests between groups of units, as well as plots of units, groups, and networks.

Value

`ena.set` object

Examples

```
data(RS.data)

rs = ena(
  data = RS.data,
  units = c("UserName", "Condition", "GroupName"),
  conversation = c("Condition", "GroupName"),
  codes = c('Data',
            'Technical.Constraints',
            'Performance.Parameters',
            'Client.and.Consultant.Requests',
            'Design.Reasoning',
            'Collaboration'),
  window.size.back = 4,
  print.plots = FALSE,
  groupVar = "Condition",
  groups = c("FirstGame", "SecondGame")
)
```

ena.accumulate.data *Accumulate data from a data frame into a set of adjacency (co-occurrence) vectors*

Description

This function initializes an ENAdata object, processing conversations from coded data to generate adjacency (co-occurrence) vectors

Usage

```
ena.accumulate.data(units = NULL, conversation = NULL, codes = NULL,
  metadata = NULL, model = c("EndPoint", "AccumulatedTrajectory",
  "SeparateTrajectory"), weight.by = "binary",
  window = c("MovingStanzaWindow", "Conversation"),
  window.size.back = 1, window.size.forward = 0, mask = NULL,
  include.meta = T, as.list = T, ...)
```

Arguments

units	A data frame where the columns are the properties by which units will be identified
conversation	A data frame where the columns are the properties by which conversations will be identified
codes	A data frame where the columns are the codes used to create adjacency (co-occurrence) vectors
metadata	(optional) A data frame with additional columns of metadata to be associated with each unit in the data
model	A character, choices: EndPoint (or E), AccumulatedTrajectory (or A), or SeparateTrajectory (or S); default: EndPoint. Determines the ENA model to be constructed
weight.by	(optional) A function to apply to values after accumulation
window	A character, choices are Conversation (or C), MovingStanzaWindow (MSW, MS); default MovingStanzaWindow. Determines how stanzas are constructed, which defines how co-occurrences are modeled
window.size.back	A positive integer, Inf, or character (INF or Infinite), default: 1. Determines, for each line in the data frame, the number of previous lines in a conversation to include in the stanza window, which defines how co-occurrences are modeled
window.size.forward	(optional) A positive integer, Inf, or character (INF or Infinite), default: 0. Determines, for each line in the data frame, the number of subsequent lines in a conversation to include in the stanza window, which defines how co-occurrences are modeled

mask	(optional) A binary matrix of size ncol(codes) x ncol(codes). 0s in the mask matrix row i column j indicates that co-occurrence will not be modeled between code i and code j
include.meta	Logical indicating if unit metadata should be attached to the resulting ENAdata object, default is TRUE
as.list	R6 objects will be deprecated, but if this is TRUE, the original R6 object will be returned, otherwise a list with class 'ena.set'
...	additional parameters addressed in inner function

Details

ENADdata objects are created using this function. This accumulation receives separate data frames for units, codes, conversation, and optionally, metadata. It iterates through the data to create an adjacency (co-occurrence) vector corresponding to each unit - or in a trajectory model multiple adjacency (co-occurrence) vectors for each unit.

In the default MovingStanzaWindow model, co-occurrences between codes are calculated for each line k in the data between line k and the window.size.back-1 previous lines and window.size.forward-1 subsequent lines in the same conversation as line k.

In the Conversation model, co-occurrences between codes are calculated across all lines in each conversation. Adjacency (co-occurrence) vectors are constructed for each unit u by summing the co-occurrences for the lines that correspond to u.

Options for how the data is accumulated are endpoint, which produces one adjacency (co-occurrence) vector for each until summing the co-occurrences for all lines, and two trajectory models: AccumulatedTrajectory and SeparateTrajectory. Trajectory models produce an adjacency (co-occurrence) model for each conversation for each unit. In a SeparateTrajectory model, each conversation is modeled as a separate network. In an AccumulatedTrajectory model, the adjacency (co-occurrence) vector for the current conversation includes the co-occurrences from all previous conversations in the data.

Value

ENADdata object with data [adjacency (co-occurrence) vectors] accumulated from the provided data frames.

See Also

[ENADdata](#), [ena.make.set](#)

ena.conversations *Find conversations by unit*

Description

Find rows of conversations by unit

Usage

```
ena.conversations(set, units, units.by = NULL, codes = NULL,
  conversation.by = NULL, window = 4, conversation.exclude = c())
```

Arguments

```
set          [TBD]
units        [TBD]
units.by     [TBD]
codes        [TBD]
conversation.by
             [TBD]
window       [TBD]
conversation.exclude
             [TBD]
```

Details

```
[TBD]
```

Value

list containing row indices representing conversations

Examples

```
data(RS.data)

codeNames = c('Data', 'Technical.Constraints', 'Performance.Parameters',
  'Client.and.Consultant.Requests', 'Design.Reasoning',
  'Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("Condition", "UserName")],
  conversation = RS.data[,c("Condition", "GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change", "CONFIDENCE.Pre",
    "CONFIDENCE.Post", "C.Change")],
  codes = RS.data[,codeNames],
  model = "EndPoint",
  window.size.back = 4
);
set = ena.make.set(
  enadata = accum,
  rotation.by = ena.rotate.by.mean,
  rotation.params = list(accum$meta.data$Condition=="FirstGame",
    accum$meta.data$Condition=="SecondGame")
);
ena.conversations(set = RS.data,
  units = c("FirstGame.steven z"), units.by=c("Condition", "UserName"),
```

```

    conversation.by = c("Condition", "GroupName"),
    codes=codeNames, window = 4
  )

```

ena.correlations	<i>Calculate the correlations</i>
------------------	-----------------------------------

Description

Calculate both Spearman and Pearson correlations for the provided ENAset

Usage

```
ena.correlations(enaset, dims = c(1:2))
```

Arguments

enaset	ENAset to run correlations on
dims	The dimensions to calculate the correlations for. Default: c(1,2)

Value

Matrix of 2 columns, one for each correlation method, with the corresponding correlations per dimension as the rows.

ena.group	<i>Compute summary statistic for groupings of units using given method (typically, mean)</i>
-----------	--

Description

Computes summary statistics for groupings (given as vector) of units in ena data using given method (typically, mean); computes summary statistic for point locations and edge weights for each grouping

Usage

```
ena.group(enaset = NULL, by = NULL, method = mean)
```

Arguments

enaset	An ENAset or a vector of values to group.
by	A vector of values the same length as units. Uses rotated points for group positions and normed data to get the group edge weights
method	A function that is used on grouped points. Default: mean(). If 'enaset' is an ENAset, enaset\$points.rotated will be groups using 'mean' regardless of 'method' provided

Value

A list containing names, points, and edge weights for each of the unique groups formed by the function

Examples

```
data(RS.data)

codeNames = c('Data','Technical.Constraints','Performance.Parameters',
  'Client.and.Consultant.Requests','Design.Reasoning','Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName","Condition")],
  conversation = RS.data[,c("Condition","GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change","CONFIDENCE.Pre","CONFIDENCE.Post")],
  codes = RS.data[,codeNames],
  window.size.back = 4
)

set = ena.make.set(
  enadata = accum
)

means = ena.group(set, by=accum$metadata$Condition)
```

 ena.make.set

Generate ENA Set

Description

Generates an ENA model by constructing a dimensional reduction of adjacency (co-occurrence) vectors in an ENA data object

Usage

```
ena.make.set(enadata, dimensions = 2, norm.by = rENA::fun_sphere_norm,
  rotation.by = ena.svd, rotation.params = NULL, rotation.set = NULL,
  endpoints.only = T, node.position.method = lws.positions.sq,
  as.list = TRUE, ...)
```

Arguments

enadata	ENAdata that will be used to generate an ENA model
dimensions	The number of dimensions to include in the dimensional reduction
norm.by	A function to be used to normalize adjacency (co-occurrence) vectors before computing the dimensional reduction, default: <code>sphere_norm_c()</code>

rotation.by	A function to be used to compute the dimensional reduction, default: ena.svd()
rotation.params	(optional) A character vector containing additional parameters for the function in rotation.by, if needed
rotation.set	A previously-constructed ENARotationSet object to use for the dimensional reduction
endpoints.only	A logical variable which determines whether to only show endpoints for trajectory models
node.position.method	A function to be used to determine node positions based on the dimensional reduction, default: lws.position.es()
as.list	R6 objects will be deprecated, but if this is TRUE, the original R6 object will be returned, otherwise a list with class 'ena.set'
...	additional parameters addressed in inner function

Details

This function generates an ENAset object from an ENAdata object. Takes the adjacency (co-occurrence) vectors from enadata, computes a dimensional reduction (projection), and calculates node positions in the projected ENA space. Returns location of the units in the projected space, as well as locations for node positions, and normalized adjacency (co-occurrence) vectors to construct network graphs

Value

[ENASET](#) class object that can be further processed for analysis or plotting

See Also

[ena.accumulate.data](#), [ENASET](#)

Examples

```
data(RS.data)

codeNames = c('Data', 'Technical.Constraints', 'Performance.Parameters',
  'Client.and.Consultant.Requests', 'Design.Reasoning', 'Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName", "Condition")],
  conversation = RS.data[,c("Condition", "GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change", "CONFIDENCE.Pre", "CONFIDENCE.Post")],
  codes = RS.data[,codeNames],
  window.size.back = 4
)

set = ena.make.set(
  enadata = accum
)
```

```

set.means.rotated = ena.make.set(
  enadata = accum,
  rotation.by = ena.rotate.by.mean,
  rotation.params = list(
    accum$meta.data$Condition=="FirstGame",
    accum$meta.data$Condition=="SecondGame"
  )
)

```

ena.plot

Generate a plot of an ENAset

Description

Generates an a plot from a given ENA set object

Usage

```

ena.plot(enaset, title = "ENA Plot", dimension.labels = c("", ""),
  font.size = 10, font.color = "#000000", font.family = c("Arial",
    "Courier New", "Times New Roman"), scale.to = "network", ...)

```

Arguments

enaset	The ENAset that will be used to generate a plot
title	A character used for the title of the plot, default: ENA Plot
dimension.labels	A character vector containing labels for the axes, default: c(X, Y)
font.size	An integer determining the font size for graph labels, default: 10
font.color	A character determining the color of label font, default: black
font.family	A character determining the font type, choices: Arial, Courier New, Times New Roman, default: Arial
scale.to	"network" (default), "points", or a list with x and y ranges. Network and points both scale to the c(-max, max) of the corresponding data.frame
...	additional parameters addressed in inner function

Details

This function defines the axes and other features of a plot for displaying an ENAset; generates an ENAplot object that can used to plot points, network graphs, and other information from an ENAset

Value

[ENAplot](#) used for plotting an ENAset

See Also

[ena.make.set](#), [ena.plot.points](#)

Examples

```

data(RS.data)

codeNames = c('Data','Technical.Constraints','Performance.Parameters',
  'Client.and.Consultant.Requests','Design.Reasoning','Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName","Condition")],
  conversation = RS.data[,c("Condition","GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change","CONFIDENCE.Pre","CONFIDENCE.Post")],
  codes = RS.data[,codeNames],
  window.size.back = 4
)

set = ena.make.set(
  enadata = accum
)

plot = ena.plot(set)

group1.points = set$points.rotated[set$enadata$units$Condition == "FirstGame",]
plot = ena.plot.points(plot, points = group1.points);
print(plot);

```

ena.plot.group

Plot of ENA set groups

Description

Plot a point based on a summary statistic computed from a given method (typically, mean) for a set of points in a projected ENA space

Usage

```

ena.plot.group(enaplot, points = NULL, method = "mean",
  labels = NULL, colors = default.colors[1], shape = c("square",
  "triangle-up", "diamond", "circle"), confidence.interval = c("none",
  "crosshairs", "box"), outlier.interval = c("none", "crosshairs",
  "box"), label.offset = "bottom right", label.font.size = NULL,
  label.font.color = NULL, label.font.family = NULL, show.legend = T,
  legend.name = NULL, ...)

```

Arguments

enaplot	ENApplot object to use for plotting
points	A matrix or data.frame where columns contain coordinates of points in a projected ENA space
method	A function for computing a summary statistic for each column of points
labels	A character which will be the label for the group's point
colors	A character, determines color of the group's point, default: enaplot\$color
shape	A character, determines shape of the group's point, choices: square, triangle, diamond, circle, default: square
confidence.interval	A character that determines how the confidence interval is displayed, choices: none, box, crosshair, default: none
outlier.interval	A character that determines how outlier interval is displayed, choices: none, box, crosshair, default: none
label.offset	character: top left (default), top center, top right, middle left, middle center, middle right, bottom left, bottom center, bottom right
label.font.size	An integer which determines the font size for label, default: enaplot\$font.size
label.font.color	A character which determines the color of label, default: enaplot\$font.color
label.font.family	A character which determines font type, choices: Arial, Courier New, Times New Roman, default: enaplot\$font.family
show.legend	Logical indicating whether to show the point labels in the in legend
legend.name	Character indicating the name to show above the plot legend
...	Additional parameters

Details

Plots a point based on a summary statistic for a group (typically, mean)

Value

The [ENApplot](#) provided to the function, with its plot updated to include the new group point.

See Also

[ena.plot](#), [ena.plot.points](#)

Examples

```

data(RS.data)

codeNames = c('Data','Technical.Constraints','Performance.Parameters',
              'Client.and.Consultant.Requests','Design.Reasoning','Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName","Condition")],
  conversation = RS.data[,c("Condition","GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change","CONFIDENCE.Pre","CONFIDENCE.Post")],
  codes = RS.data[,codeNames],
  window.size.back = 4
)

set = ena.make.set(
  enadata = accum,
  rotation.by = ena.rotate.by.mean,
  rotation.params = list(
    accum$meta.data$Condition=="FirstGame",
    accum$meta.data$Condition=="SecondGame"
  )
)

plot = ena.plot(set)

unitNames = set$enadata$units

### Plot Condition 1 Group Mean
plot = ena.plot.group(plot, as.matrix(set$points$Condition$FirstGame), labels = "FirstGame",
  colors = "red", confidence.interval = "box")

### plot Condition 2 Group Mean
plot = ena.plot.group(plot, as.matrix(set$points$Condition$SecondGame), labels = "SecondGame",
  colors = "blue", confidence.interval = "box")

print(plot);

```

ena.plot.network

Plot an ENA network

Description

Plot an ENA network: nodes and edges

Usage

```

ena.plot.network(enaplot = NULL, network = NULL,
  node.positions = enaplot$enaset$rotation$nodes, adjacency.key = NULL,

```

```

colors = c(pos = enaplot$palette[1], enaplot$palette[2]),
edge_type = "line", show.all.nodes = T, threshold = c(0),
thin.lines.in.front = T, thickness = c(min(abs(network)),
max(abs(network))), opacity = thickness, saturation = thickness,
scale.range = c(ifelse(min(network) == 0, 0, 0.1), 1),
node.size = c(3, 10), labels = NULL, label.offset = "middle right",
label.font.size = enaplot$get("font.size"),
label.font.color = enaplot$get("font.color"),
label.font.family = enaplot$get("font.family"), legend.name = NULL,
legend.include.edges = F, scale.weights = T, ...)

```

Arguments

enaplot	ENApplot object to use for plotting
network	dataframe or matrix containing the edge weights for the network graph; typically comes from ENAset\$line.weights
node.positions	matrix containing the positions of the nodes. Defaults to enaplot\$enaset\$node.positions
adjacency.key	matrix containing the adjacency key for looking up the names and positions
colors	A String or vector of colors for positive and negative line weights. E.g. red or c(pos= red, neg = blue), default: c(pos= red, neg = blue)
edge_type	A String representing the type of line to draw, either "line", "dash", or "dot"
show.all.nodes	A Logical variable, default: true
threshold	A vector of numeric min/max values, default: c(0,Inf) plotting . Edge weights below the min value will not be displayed; edge weights above the max value will be shown at the max value.
thin.lines.in.front	A logical, default: true
thickness	A vector of numeric min/max values for thickness, default: c(min(abs(network)), max(abs(network)))
opacity	A vector of numeric min/max values for opacity, default: thickness
saturation	A vector of numeric min/max values for saturation, default: thickness
scale.range	A vector of numeric min/max to scale from, default: c(0.1,1) or if min(network) is 0, c(0,1)
node.size	A lower and upper bound used for scaling the size of the nodes, default c(0, 20)
labels	A character vector of node labels, default: code names
label.offset	A character vector of representing the positional offset relative to the respective node. Defaults to "middle right" for all nodes. If a single values is provided, it is used for all positions, else the length of the
label.font.size	An integer which determines the font size for graph labels, default: enaplot\$font.size
label.font.color	A character which determines the color of label font, default: enaplot\$font.color
label.font.family	A character which determines font type, choices: Arial, Courier New, Times New Roman, default: enaplot\$font.family

legend.name	A character name used in the plot legend. Not included in legend when NULL (Default), if legend.include.edges is TRUE will always be "Nodes"
legend.include.edges	Logical value indicating if the edge names should be included in the plot legend. Forces legend.name to be "Nodes"
scale.weights	Logical indicating to scale the supplied network
...	Additional parameters

Details

lots a network graph, including nodes (taken from codes in the ENAplot) and the edges (provided in network)

Value

The ENAplot provided to the function, with its plot updated to include the nodes and provided connecting lines.

See Also

[ena.plot](#), [ena.plot.points](#)

Examples

```
data(RS.data)

codeNames = c('Data', 'Technical.Constraints', 'Performance.Parameters',
  'Client.and.Consultant.Requests', 'Design.Reasoning', 'Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName", "Condition")],
  conversation = RS.data[,c("Condition", "GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change", "CONFIDENCE.Pre", "CONFIDENCE.Post")],
  codes = RS.data[,codeNames],
  window.size.back = 4
)

set = ena.make.set(
  enadata = accum,
  rotation.by = ena.rotate.by.mean,
  rotation.params = list(
    accum$meta.data$Condition=="FirstGame",
    accum$meta.data$Condition=="SecondGame"
  )
)

plot = ena.plot(set)

### Subset rotated points and plot Condition 1 Group Mean
as.matrix(set$points$Condition$FirstGame)
```

```

first.game.points = as.matrix(set$points$Condition$FirstGame)
plot = ena.plot.group(plot, first.game.points, labels = "FirstGame",
  colors = "red", confidence.interval = "box")

### Subset rotated points and plot Condition 2 Group Mean
second.game.points = as.matrix(set$points$Condition$SecondGame)
plot = ena.plot.group(plot, second.game.points, labels = "SecondGame",
  colors = "blue", confidence.interval = "box")

### get mean network plots
first.game.lineweights = as.matrix(set$line.weights$Condition$FirstGame)
first.game.mean = colMeans(first.game.lineweights)

second.game.lineweights = as.matrix(set$line.weights$Condition$SecondGame)
second.game.mean = colMeans(second.game.lineweights)

subtracted.network = first.game.mean - second.game.mean
plot = ena.plot.network(plot, network = subtracted.network)
print(plot)

```

ena.plot.points

Plot points on an ENAplot

Description

Plot all or a subset of the points of an ENAplot using the plotly plotting library

Usage

```

ena.plot.points(enaplot, points = NULL,
  point.size = enaplot$point$size, labels = NULL,
  label.offset = "top left", label.group = NULL,
  label.font.size = NULL, label.font.color = NULL,
  label.font.family = NULL, shape = "circle", colors = NULL,
  confidence.interval.values = NULL, confidence.interval = c("none",
  "crosshairs", "box"), outlier.interval.values = NULL,
  outlier.interval = c("none", "crosshairs", "box"), show.legend = T,
  legend.name = "Points", texts = NULL, ...)

```

Arguments

enaplot	ENApplot object to use for plotting
points	A dataframe of matrix where the first two column are X and Y coordinates
point.size	A data.frame or matrix where the first two column are X and Y coordinates of points to plot in a projected ENA space defined in ENAplot
labels	A character vector of point labels, length nrow(points); default: NULL

label.offset	character: top left (default), top center, top right, middle left, middle center, middle right, bottom left, bottom center, bottom right
label.group	A string used to group the labels in the legend. Items plotted with the same label.group will show/hide together when clicked within the legend.
label.font.size	An integer which determines the font size for point labels, default: enaplot\$font.size
label.font.color	A character which determines the color of label font, default: enaplot\$font.color
label.font.family	A character which determines label font type, choices: Arial, Courier New, Times New Roman, default: enaplot\$font.family
shape	A character which determines the shape of point markers, choices: square, triangle, diamond, circle, default: circle
colors	A character vector of the point marker colors; if one given it is used for all, otherwise must be same length as points; default: black
confidence.interval.values	A matrix/dataframe where columns are CI x and y values for each point
confidence.interval	A character determining markings to use for confidence intervals, choices: none, box, crosshair, default: none
outlier.interval.values	A matrix/dataframe where columns are OI x and y values for each point
outlier.interval	A character determining markings to use for outlier interval, choices: none, box, crosshair, default: none
show.legend	Logical indicating whether to show the point labels in the in legend
legend.name	Character indicating the name to show above the plot legend
texts	[TBD]
...	additional parameters addressed in inner function

Value

[ENaplot](#) The ENApplot provided to the function, with its plot updated to include the new points.

See Also

[ena.plot](#), [ENApplot](#), [ena.plot.group](#)

Examples

```
data(RS.data)

codeNames = c('Data', 'Technical.Constraints', 'Performance.Parameters',
              'Client.and.Consultant.Requests', 'Design.Reasoning', 'Collaboration');

accum = ena.accumulate.data(
```

```

units = RS.data[,c("UserName", "Condition")],
conversation = RS.data[,c("Condition", "GroupName")],
metadata = RS.data[,c("CONFIDENCE.Change", "CONFIDENCE.Pre", "CONFIDENCE.Post")],
codes = RS.data[,codeNames],
window.size.back = 4
)

set = ena.make.set(
  enadata = accum,
  rotation.by = ena.rotate.by.mean,
  rotation.params = list(
    accum$meta.data$Condition=="FirstGame",
    accum$meta.data$Condition=="SecondGame"
  )
)

plot = ena.plot(set)

group1.points = set$points[set$meta.data$Condition == "FirstGame",]
group2.points = set$points[set$meta.data$Condition == "SecondGame",]
plot = ena.plot.points(plot, points = group1.points);
plot = ena.plot.points(plot, points = group2.points);
print(plot);

```

ena.plot.trajectory *Plot of ENA trajectories*

Description

Function used to plot trajectories

Usage

```

ena.plot.trajectory(enaplot, points, by = NULL, labels = NULL,
  labels.show = c("Always", "Hover", "Both"), names = NULL,
  label.offset = NULL, label.font.size = enaplot$get("font.size"),
  label.font.color = enaplot$get("font.color"),
  label.font.family = c("Arial", "Courier New", "Times New Roman"),
  shape = c("circle", "square", "triangle-up", "diamond"),
  colors = NULL, default.hidden = F)

```

Arguments

enaplot	ENApplot object to use for plotting
points	dataframe of matrix - first two column are X and Y coordinates, each row is a point in a trajectory
by	vector used to subset points into individual trajectories, length nrow(points)

labels	character vector - point labels, length nrow(points)
labels.show	A character choice: Always, Hover, Both. Default: Both
names	character vector - labels for each trajectory of points, length length(unique(by))
label.offset	A numeric vector of an x and y value to offset labels from the coordinates of the points
label.font.size	An integer which determines the font size for labels, default: enaplot\font.size
label.font.color	A character which determines the color of label font, default: enaplot\font.color
label.font.family	A character which determines font type, choices: Arial, Courier New, Times New Roman, default: enaplot\font.family
shape	A character which determines the shape of markers, choices: square, triangle, diamond, circle, default: circle
colors	A character vector, that determines marker color, default NULL results in alternating random colors. If single color is supplied, it will be used for all trajectories, otherwise the length of the supplied color vector should be equal to the length of the supplied names (i.e a color for each trajectory being plotted)
default.hidden	A logical indicating if the trajectories should start hidden (click on the legend to show them) Default: FALSE

Value

The `ENApplot` provided to the function, with its plot updated to include the trajectories

See Also

[ena.plot](#)

Examples

```
data(RS.data)

codeNames = c('Data', 'Technical.Constraints', 'Performance.Parameters',
              'Client.and.Consultant.Requests', 'Design.Reasoning', 'Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName", "Condition")],
  conversation = RS.data[,c("GroupName", "ActivityNumber")],
  metadata = RS.data[,c("CONFIDENCE.Change", "CONFIDENCE.Pre", "CONFIDENCE.Post", "C.Change")],
  codes = RS.data[,codeNames],
  window.size.back = 4,
  model = "A"
);

set = ena.make.set(accum);

### get mean network plots
```

```

first.game.lineweights = as.matrix(set$line.weights$Condition$FirstGame)
first.game.mean = colMeans(first.game.lineweights)

second.game.lineweights = as.matrix(set$line.weights$Condition$SecondGame)
second.game.mean = colMeans(second.game.lineweights)

subtracted.network = first.game.mean - second.game.mean

# Plot dimension 1 against ActivityNumber metadata
dim.by.activity = cbind(
  as.matrix(set$points)[,1],
  set$trajectories$ActivityNumber * .8/14-.4 #scale down to dimension 1
)

plot = ena.plot(set)
plot = ena.plot.network(plot, network = subtracted.network, legend.name="Network")
plot = ena.plot.trajectory(
  plot,
  points = dim.by.activity,
  names = unique(set$model$unit.label),
  by = set$trajectories$ENA_UNIT
);
print(plot)

```

ena.plotter

Wrapper to generate plots of units, groups, and networks

Description

Plots individual units, all units, groups of units, networks, and network subtractions

Usage

```

ena.plotter(set, groupVar = NULL, groups = NULL, points = FALSE,
  mean = FALSE, network = TRUE, networkMultiplier = 1,
  subtractionMultiplier = 1, unit = NULL, print.plots = F, ...)

```

Arguments

set	an ena.set object
groupVar	vector, character, of column name containing group identifiers.
groups	vector, character, of values of groupVar column you wish to plot. Maxium of two groups allowed.
points	logical, TRUE will plot points (default: FALSE)
mean	logical, TRUE will plot the mean position of the groups defined in the groups argument (default: FALSE)
network	logical, TRUE will plot networks (default: TRUE)

networkMultiplier	numeric, scaling factor for non-subtracted networks (default: 1)
subtractionMultiplier	numeric, scaling factor for subtracted networks (default: 1)
unit	vector, character, name of a single unit to plot
print.plots	logical, TRUE will show plots in the Viewer (default: FALSE)
...	Additional parameters passed to set creation and plotting functions

Details

This function includes options to plots individual units, all units, groups of units, networks, and network subtractions, given an ena.set objects. Plots are stored on the supplied ena.set object.

Value

ena.set object

ena.rotate.by.mean *ENA Rotate by mean*

Description

Computes a dimensional reduction from a matrix of points such that the first dimension of the projected space passes through the means of two groups in a the original space. Subsequent dimensions of the projected space are computed using ena.svd

Usage

```
ena.rotate.by.mean(enaset, groups)
```

Arguments

enaset	An ENaset
groups	A list containing two logical vectors of length nrow(ENA.set\$ena.data\$units), where each vector defines whether a unit is in one of the two groups whose means are used to determine the dimensional reduction

Value

[ENARotationSet](#)

 ena.set.creator

Wrapper to generate an ENA model

Description

Generates an ENA model by constructing a dimensional reduction of adjacency (co-occurrence) vectors as defined by the supplied conversations, units, and codes.

Usage

```
ena.set.creator(data, codes, units, conversation, metadata = NULL,
  model = c("EndPoint", "AccumulatedTrajectory", "SeparateTrajectory"),
  weight.by = "binary", window = c("MovingStanzaWindow",
  "Conversation"), window.size.back = 1, include.meta = TRUE,
  groupVar = NULL, groups = NULL, runTest = FALSE, ...)
```

Arguments

data	data.frame with containing metadata and coded columns
codes	vector, numeric or character, of columns with codes
units	vector, numeric or character, of columns representing units
conversation	vector, numeric or character, of columns to segment conversations by
metadata	vector, numeric or character, of columns with additional meta information for units
model	character: EndPoint (default), AccumulatedTrajectory, SeparateTrajectory
weight.by	"binary" is default, can supply a function to call (e.g. sum)
window	MovingStanzaWindow (default) or Conversation
window.size.back	Number of lines in the stanza window (default: 1)
include.meta	[TBD]
groupVar	vector, character, of column name containing group identifiers. If column contains at least two unique values, will generate model using a means rotation (a dimensional reduction maximizing the variance between the means of the two groups)
groups	vector, character, of values of groupVar column used for means rotation or statistical tests
runTest	logical, TRUE will run a Student's t-Test and a Wilcoxon test for groups defined by the groups argument
...	Additional parameters passed to model generation

Details

This function generates an `ena.set` object given a `data.frame`, `units`, `conversations`, and `codes`. After accumulating the adjacency (co-occurrence) vectors, computes a dimensional reduction (projection), and calculates node positions in the projected ENA space. Returns location of the units in the projected space, as well as locations for node positions, and normalized adjacency (co-occurrence) vectors to construct network graphs. Includes options for returning statistical tests between groups of units.

Value

`ena.set` object

<code>ena.svd</code>	<i>ENA SVD</i>
----------------------	----------------

Description

ENA method computing a dimensional reduction of points in an ENA set using SVD

Usage

```
ena.svd(enaset, ...)
```

Arguments

<code>enaset</code>	An ENASET
<code>...</code>	Unused, necessary for <code>ena.make.set</code>

<code>ena.writeup</code>	<i>Calculate the correlations</i>
--------------------------	-----------------------------------

Description

Calculate both Spearman and Pearson correlations for the provided ENASET

Usage

```
ena.writeup(enaset, tool = "rENA",
  tool.version = as.character(packageVersion(tool)), comparison = NULL,
  comparison.groups = NULL, sig.dig = 2, output_dir = getwd(),
  type = c("file", "stream"), theory = T, methods = T)
```

Arguments

<code>enaset</code>	ENAsset to view methods of
<code>tool</code>	<code>c("rENA","webENA")</code>
<code>tool.version</code>	<code>as.character(packageVersion(tool))</code>
<code>comparison</code>	character string representing the comparison used, <code>c(NULL, "parametric", "non-parametric")</code> . Default <code>NULL</code>
<code>comparison.groups</code>	Groups that were used for the comparison
<code>sig.dig</code>	Integer for the number of digits to round to
<code>output_dir</code>	Where to save the output file
<code>type</code>	<code>c("file","stream")</code> File will save to a file in <code>output_dir</code> , Stream returns the contents directly
<code>theory</code>	Logical indicating whether to include theory in the writeup
<code>methods</code>	Logical indicating whether to include methods in the writeup

Value

String representing the methods used to generate the model

ENAdat

ENAdat R6class

Description

ENAdat R6class

Usage

ENAdat

Format

An object of class `R6ClassGenerator` of length 24.

Fields

`raw` A data frame constructed from the unit, convo, code, and metadata parameters of `ena.accumulate.data`

`adjacency.vectors` A data frame of adjacency (co-occurrence) vectors by row

`accumulated.adjacency.vectors` A data frame of adjacency (co-occurrence) vectors accumulated per unit

`model` The type of ENA model: EndPoint, Accumulated Trajectory, or Separate Trajectory

`units` A data frame of columns that were combined to make the unique units. Includes column for trajectory selections. (unique)

`unit.names` A vector of unique unit values
`metadata` A data frame of unique metadata for each unit
`trajectories` A list: `units` - data frame, for a given row tells which trajectory it's a part; `step` - data frame, where along the trajectory a row sits
`codes` A vector of code names
`function.call` The string representation of function called and parameters provided
`function.params` A list of all parameters sent to function call

 ENApLOT

ENASet R6class

Description

ENASet R6class

Usage

ENApLOT

Format

An object of class R6ClassGenerator of length 24.

Fields

`enaset` - The [ENASet](#) object from which the ENApLOT was constructed
`plot` - The plotly object used for data visualization

 ENARotationSet

ENARotationSet R6class

Description

ENARotationSet R6class

Usage

ENARotationSet

Format

An object of class R6ClassGenerator of length 24.

 ENAsset

ENAsset R6class

Description

ENAsset R6class

Usage

ENAsset

Format

An object of class R6ClassGenerator of length 24.

Fields

`enadata` An [ENAdata](#) object originally used to create the set
`points.raw` A data frame containing accumulated adjacency (co-occurrence) vectors per unit
`points.normed.centered` A data frame of centered normed accumulated adjacency (co-occurrence) vectors for each unit
`points.rotated` A data frame of point positions for number of dimensions specified in `ena.make.set` (i.e., the centered, normed, and rotated data)
`line.weights` A data frame of connections strengths per unit (Data frame of normed accumulated adjacency (co-occurrence) vectors for each unit)
`node.positions` - A data frame of positions for each code
`codes` - A vector of code names
`rotation.set` - An [ENARotationSet](#) object
`correlation` - A data frame of spearman and pearson correlations for each dimension specified
`variance` - A vector of variance accounted for by each dimension specified
`centroids` - A matrix of the calculated centroid positions
`function.call` - The string representation of function called
`function.params` - A list of all parameters sent to function call

find_code_cols	<i>Find code columns</i>
----------------	--------------------------

Description

Find code columns

Usage

```
find_code_cols(x)
```

Arguments

x data.table (or frame) to search for columns of class ena.co.occurrence

Value

logical vector

find_dimension_cols	<i>Find dimension columns</i>
---------------------	-------------------------------

Description

Find dimension columns

Usage

```
find_dimension_cols(x)
```

Arguments

x data.table (or frame) to search for columns of class ena.dimension

Value

logical vector

find_meta_cols *Find metadata columns*

Description

Find metadata columns

Usage

```
find_meta_cols(x)
```

Arguments

x data.table (or frame) to search for columns of class ena.metadata

Value

logical vector

fun_cohens.d *Cohen's d*

Description

Calculate Cohen's d

Usage

```
fun_cohens.d(x, y)
```

Arguments

x [TBD]

y [TBD]

Details

Cohen's d calculation

[TBD]

Value

numeric Cohen's d calculation

fun_skip_sphere_norm *Non sphere norm*

Description

TBD

Usage

`fun_skip_sphere_norm(dfM)`

Arguments

`dfM` Dataframe

Details

Non sphere norm

fun_sphere_norm *Sphere norm*

Description

TBD

Usage

`fun_sphere_norm(dfM)`

Arguments

`dfM` Dataframe

Details

Sphere norm

means_rotate	<i>Title</i>
--------------	--------------

Description

Title

Usage

```
means_rotate(x, on = NULL)
```

Arguments

x	[TBD]
on	[TBD]

Value

TBD

merge_columns_c	<i>Merge data frame columns</i>
-----------------	---------------------------------

Description

TBD

Usage

```
merge_columns_c(df, cols, sep = ".")
```

Arguments

df	Dataframe
cols	Vector
sep	Character seperator

Details

Merge data frame columns

methods_report	<i>methods_report</i>
----------------	-----------------------

Description

Methods report for rmarkdwon

Usage

```
methods_report(toc = FALSE, toc_depth = 3, fig_width = 5,
  fig_height = 4, keep_md = FALSE, md_extensions = NULL,
  pandoc_args = NULL)
```

Arguments

toc	[TBD]
toc_depth	[TBD]
fig_width	[TBD]
fig_height	[TBD]
keep_md	[TBD]
md_extensions	[TBD]
pandoc_args	[TBD]

namesToAdjacencyKey	<i>Names to Adjacency Key</i>
---------------------	-------------------------------

Description

Convert a vector of strings, representing names of a square matrix, to an adjacency

Usage

```
namesToAdjacencyKey(vector, upper_triangle = TRUE)
```

Arguments

vector	Vector representing the names of a square matrix
upper_triangle	Not Implemented

Details

Returns a matrix of 2 rows by choose(length(vector), 2) columns

plot.ena.set *Plot an ena.set object*

Description

Plot an ena.set object

Usage

```
## S3 method for class 'ena.set'
plot(x, y, ...)
```

Arguments

x	ena.set to plot
y	ignored.
...	Additional parameters passed along to ena.plot functions

Value

ena.plot.object

Examples

```
library(magrittr)

data(RS.data)

codeNames = c('Data','Technical.Constraints','Performance.Parameters',
              'Client.and.Consultant.Requests','Design.Reasoning','Collaboration');

accum = ena.accumulate.data(
  units = RS.data[,c("UserName","Condition")],
  conversation = RS.data[,c("Condition","GroupName")],
  metadata = RS.data[,c("CONFIDENCE.Change","CONFIDENCE.Pre","CONFIDENCE.Post")],
  codes = RS.data[,codeNames],
  window.size.back = 4
)

set = ena.make.set(
  enadata = accum
)

plot(set) %>%
  add_points(Condition$FirstGame, colors = "blue", with.mean = TRUE) %>%
  add_points(Condition$SecondGame, colors = "red", with.mean = TRUE)

plot(set) %>%
  add_network(Condition$FirstGame - Condition$SecondGame)
```

```
prepare_trajectory_data
```

Title

Description

Title

Usage

```
prepare_trajectory_data(x = NULL,
  by = x$`_function.params`$conversation[1],
  rotation_matrix = x$rotation.matrix, points = NULL, units = points,
  units_by = x$`_function.params`$units, steps = NULL)
```

Arguments

x	[TBD]
by	[TBD]
rotation_matrix	[TBD]
points	[TBD]
units	[TBD]
units_by	[TBD]
steps	[TBD]

Value

TBD

```
print.ena.set
```

Title

Description

Title

Usage

```
## S3 method for class 'ena.set'
print(x, ..., plot = FALSE, set = TRUE)
```

Arguments

x	[TBD]
...	[TBD]
plot	[TBD]
set	[TBD]

Value

TBD

project_in	<i>Title</i>
------------	--------------

Description

Title

Usage

```
project_in(x, by = NULL, ...)
```

Arguments

x	[TBD]
by	[TBD]
...	[TBD]

Value

TBD

remove_meta_data	<i>Remove meta columns from data.table</i>
------------------	--

Description

Remove meta columns from data.table

Usage

```
remove_meta_data(x)
```

Arguments

x	[TBD]
---	-------

Value

data.table with the columns of class ena.meta.data removed

rENA	<i>rENA creates ENA sets</i>
------	------------------------------

Description

rENA is used to create and visualize network models of discourse and other phenomena from coded data using Epistemic Network Analysis (ENA). A more complete description of the methods will be provided with the next release. See also XXXXX

RS.data	<i>Coded Rescushell Chat Data</i>
---------	-----------------------------------

Description

A dataset containing sample chat data from the Rescushell Virtual Internship

Usage

RS.data

Format

An object of class data.frame with 3824 rows and 20 columns.

scale.ena.set	<i>Title</i>
---------------	--------------

Description

Title

Usage

```
## S3 method for class 'ena.set'
scale(x, center = TRUE, scale = TRUE)
```

Arguments

x	[TBD]
center	Ignored.
scale	[TBD]

Value

TBD

show	<i>Title</i>
------	--------------

Description

Title

Usage

show(x, ...)

Arguments

x [TBD]

... [TBD]

Value

TBD

with_means	<i>Title</i>
------------	--------------

Description

Title

Usage

with_means(x)

Arguments

x [TBD]

Value

TBD

with_trajectory	<i>Title</i>
-----------------	--------------

Description

Title

Usage

```
with_trajectory(x, ..., by = x$`_function.params`$conversation[1],
  add_jitter = TRUE, frame = 1100, transition = 1000,
  easing = "circle-in-out")
```

Arguments

x	[TBD]
...	[TBD]
by	[TBD]
add_jitter	[TBD]
frame	[TBD]
transition	[TBD]
easing	[TBD]

Value

TBD

\$.ena.metadata	<i>Extract metadata easily</i>
-----------------	--------------------------------

Description

Extract metadata easily

Usage

```
## S3 method for class 'ena.metadata'
x$i
```

Arguments

x	[TBD]
i	[TBD]

Value

TBD

<code>\$.ena.points</code>	<i>Extract points easily</i>
----------------------------	------------------------------

Description

Extract points easily

Usage

```
## S3 method for class 'ena.points'  
x$i
```

Arguments

x	[TBD]
i	[TBD]

Value

TBD

<code>\$.line.weights</code>	<i>Extract line.weights easily</i>
------------------------------	------------------------------------

Description

Extract line.weights easily

Usage

```
## S3 method for class 'line.weights'  
x$i
```

Arguments

x	[TBD]
i	[TBD]

Value

TBD

Index

*Topic **datasets**

- ENAdata, [34](#)
- ENApplot, [35](#)
- ENARotationSet, [35](#)
- ENAsset, [36](#)
- RS.data, [45](#)
- \$.ena.metadata, [47](#)
- \$.ena.points, [48](#)
- \$.line.weights, [48](#)

- add_group, [3](#)
- add_network, [4](#)
- add_nodes, [4](#)
- add_points, [5](#)
- add_trajectory, [5](#)
- as.ena.matrix, [6](#)
- as.ena.metadata, [6](#)
- as.matrix.ena.connections, [7](#)
- as.matrix.ena.line.weights, [7](#)
- as.matrix.ena.matrix, [8](#)
- as.matrix.ena.nodes, [8](#)
- as.matrix.ena.points, [9](#)
- as.matrix.ena.rotation.matrix, [9](#)
- as.matrix.row.connections, [10](#)
- as_trajectory, [10](#)

- clear, [11](#)
- connection.matrix, [11](#)

- ena, [12](#)
- ena.accumulate.data, [14](#), [19](#)
- ena.conversations, [15](#)
- ena.correlations, [17](#)
- ena.group, [17](#)
- ena.make.set, [15](#), [18](#), [21](#)
- ena.plot, [20](#), [22](#), [25](#), [27](#), [29](#)
- ena.plot.group, [21](#), [27](#)
- ena.plot.network, [23](#)
- ena.plot.points, [21](#), [25](#), [26](#)
- ena.plot.trajectory, [28](#)

- ena.plotter, [30](#)
- ena.rotate.by.mean, [31](#)
- ena.set.creator, [32](#)
- ena.svd, [33](#)
- ena.writeup, [33](#)
- ENAdata, [15](#), [18](#), [34](#), [36](#)
- ENApplot, [20](#), [22](#), [24–29](#), [35](#)
- ENARotationSet, [31](#), [35](#), [36](#)
- ENAsset, [17](#), [19](#), [20](#), [31](#), [33](#), [35](#), [36](#)

- find_code_cols, [37](#)
- find_dimension_cols, [37](#)
- find_meta_cols, [38](#)
- fun_cohens.d, [38](#)
- fun_skip_sphere_norm, [39](#)
- fun_sphere_norm, [39](#)

- means_rotate, [40](#)
- merge_columns_c, [40](#)
- methods_report, [41](#)

- namesToAdjacencyKey, [41](#)

- plot.ena.set, [42](#)
- prepare_trajectory_data, [43](#)
- print.ena.set, [43](#)
- project_in, [44](#)

- remove_meta_data, [44](#)
- rENA, [45](#)
- RS.data, [45](#)

- scale.ena.set, [45](#)
- show, [46](#)

- with_means, [46](#)
- with_trajectory, [47](#)